

AMENDMENTS TO ADMIRALTY LIST OF LIGHTS AND FOG SIGNALS

Vol K Edition 2012/13. Weekly Edition No. 16, Dated 19 April 2012.
Last Amendment: Weekly Edition No. 15, dated 12 April 2012.

K2327	PORT PHILLIP. SOUTH SHORE - Rosebud. Jetty. Head	38 21-00 S 144 54-43 E	F R	7	5				
	----	..	F Bu	..	5				
			*						
K3774	HAURAKI GULF. AUCKLAND. WAITEMATA HARBOUR - Commercial Harbour. Fergusson Wharf. N Dolphin	36 50-39 S 174 46-98 E	3 F RYR (vert)	5	2	Metal post	Vis 197°-343°(146°). LED	*	*
*	*	*	*	*	*	*	*	*	*
K4302	PEGASUS BAY. LYTTTELTON HARBOUR/WHAKARAUPU Remove from list, replaced by light buoy								
K4367-3	OTAGO HARBOUR - No 3	45 47-36 S 170 43-09 E	Fl(2)G 4s	3	3	Green Δ on green beacon	Ra refl	*	*

AMENDMENTS TO ADMIRALTY LIST OF RADIO SIGNALS

Weekly Edition No. 16 dated 19 April 2012

The **Admiralty List of Radio Signals diagrams** included in the paper version of the weekly Notice to Mariners (Section VI) are printed in black and white. If required, a colour version of these diagrams can be downloaded from the UKHO website. To obtain a colour version of these diagrams go to: www.ukho.gov.uk - select **PRODUCTS AND SERVICES** - select **Maritime Safety Info** - select **View and download NMs** - select **Weekly** - select **Year** - select **Week** - go to **Selected Week Content** - select **File** (for example: NP286(3)-WK01-10-PAGE149_Week01_2010.pdf)

VOLUME 2, NP 282, 2012/13

Published Wk 11/12
 (Last Amendments: Weekly Edition No. 15 dated 12 April 2012)

AUTOMATIC IDENTIFICATION SYSTEM (AIS)

PAGE 200, SWEDEN, below ODAS Lt Buoy entry.
 Insert:

Södra Midsjöbanken Platform	55°43'·20N 17°19'·98E			Real	
--------------------------------	-----------------------	--	--	------	--

Swedish Notice 396/7793/12 (RSDRA2012000064614) 16/12

AMENDMENTS TO ADMIRALTY SAILING DIRECTIONS

Nil.

AMENDMENTS TO ADMIRALTY LIST OF LIGHTS AND FOG SIGNALS

Vol K Edition 2012/13. Weekly Edition No. 17, Dated 26 April 2012.
 Last Amendment: Weekly Edition No. 16, dated 19 April 2012.

K1462-49	SUNGAI KUTEI - Kerbau. SW Side (ID)	0 48-96 S 117 18-03 E	Fl G 3s	8	10			
*	*	*	*	*	*	*	*	*
K2091-1	GULF SAINT VINCENT. FLEURIEU PENINSULA - Wirrina Cove. Ldg Lts 181-4°. Front	35 30-07 S 138 14-35 E	F R	..	3	Red Δ on beacon		
	*	*				*		*
K2091-13	- Wirrina Cove. Ldg Lts 181-4°. Rear	35 30-10 S 138 14-35 E	F R	..	3	Red ▽ on beacon		
	*	*						
K3066-5125	GREAT BARRIER REEF (COASTAL WATERS). WHITSUNDAY PASSAGE. PIONEER BAY Remove from list; deleted							
K3451-2	MILNE BAY. NUAKATA PASSAGE -	10 23-60 S 151 00-77 E	Fl(2)W 10s	7	8	Pile	<i>fl 0-5, ec 2, fl 0-5, ec 7.</i> Ra refl	
					*			*

AMENDMENTS TO ADMIRALTY LIST OF RADIO SIGNALS

Weekly Edition No. 17 dated 26 April 2012

The **Admiralty List of Radio Signals diagrams** included in the paper version of the weekly Notice to Mariners (Section VI) are printed in black and white. If required, a colour version of these diagrams can be downloaded from the UKHO website. To obtain a colour version of these diagrams go to: www.ukho.gov.uk - select **PRODUCTS AND SERVICES** - select **Maritime Safety Info** - select **View and download NMs** - select **Weekly** - select **Year** - select **Week** - go to **Selected Week Content** - select **File** (for example: NP286(3)-WK01-10-PAGE149_Week01_2010.pdf)

VOLUME 2, NP 282, 2012/13

Published Wk 11/12
 (Last Amendments: Weekly Edition No. 16 dated 19 April 2012)

RADAR BEACONS

PAGE 50, GREECE.

70630 Thessaloníki Red Lt Buoy.

Delete position and replace by: 40°34'·88N 22°53'·02E

[ENC GR3CG42G \(RSDRA2012000066271\) 17/12](#)

PAGE 50, GREECE.

70640 Ákra Mikrón Émvoló Lt Buoy.

Delete position and replace by: 40°34'·98N 22°55'·30E

[ENC GR3CG42G \(RSDRA2012000066271\) 17/12](#)

AUTOMATIC IDENTIFICATION SYSTEM (AIS)

PAGE 202, UNITED ARAB EMIRATES (Persian Gulf Coast), below DYNA 1 Lt Bn entry.

Insert:

Yasat Ali Lt	24°22'·42N 52°00'·86E	994701040		Real	
--------------	-----------------------	-----------	--	------	--

[Safe Sea Services \(RSDRA2012000066265\) 17/12](#)

VOLUME 5, NP 285, 2011/12

Published Wk 27/11
(Last Amendments: Weekly Edition No. 15 dated 12 April 2012)

SECTION 13: MARITIME SAFETY INFORMATION (MSI) UNDER THE GMDSS

PAGE 203, HF NBDP MARITIME SAFETY INFORMATION BROADCAST SERVICE, NORWAY.

Delete entry and replace by:

NORWAY

SVALBARD (REMOTELY CONTROLLED FROM VARDØ RADIO)		78°03'N 13°37'E
A	4210	RADIO-TELEX
B	8416.5	
Weather Bulletins		
A: 1115 2315	METAREA XIX weather and ice bulletins for arctic waters that are not covered by the INMARSAT SafetyNet service.	
B: 1100 2300	METAREA XIX weather and ice bulletins for arctic waters that are not covered by the INMARSAT SafetyNet service.	
Navigational Warnings		
A: 0645 1845	NAVAREA XIX warnings are broadcast twice a day for arctic waters that are not covered by the INMARSAT SafetyNet service.	
B: 0630 1830	NAVAREA XIX warnings are broadcast twice a day for arctic waters that are not covered by the INMARSAT SafetyNet service.	

(former amendment 6/12)
Department for Maritime Safety, Norwegian Coastal Administration (RSDRA2012000071816)17/12

VOLUME 6, PART 4, NP 286(4), 2011/12

Published Wk 34/11

(Last Amendments: Weekly Edition No. 13 dated 29 March 2012)

PAGE 144, INDIA, KOCHI (COCHIN), Pilots and Port, PROCEDURE, section (7).

Delete and replace by:

- (7) **Pilot boards** in the following positions:
- (a) North (N): 9°58'·30N 76°08'·70E
 - (b) South (S): 9°57'·30N 76°08'·70E
 - (c) West (W): 9°57'·50N 76°05'·50E

Indian Notice 99/7/12, (RSDRA2012000070694), 17/12

PAGE 271, PAPUA NEW GUINEA, LAE, Pilots and Port, PROCEDURE, section (3).

Delete and replace by:

- (3) **Pilot boards** in position 6°45'·50S 147°00'·10E.

Australian Notice 7/322/12, (RSDRA2012000071081), 17/12

AMENDMENTS TO ADMIRALTY SAILING DIRECTIONS

NP14 Australia Pilot Volume 2 (2010 Edition)

New South Wales – Port Jackson — Anchorages

328

Paragraph 12.144 1 lines 4-5 *Replace by:*

Merchant vessels. Designated anchorages are positioned, as charted, at:

B1	33°50'·81S	151°15'·65E
B2	33°50'·73S	151°15'·57E
T1	33°50'·66S	151°15'·93E
W1	33°50'·68S	151°16'·47E

Australian Notice 07/317/12 [17/12]

NP15 Australia Pilot Volume 3 (2009 Edition)

Australia – Queensland – Abbot Point — Under-keel clearance

266

Paragraph 7.163 1 lines 4-5 *Replace by:*

Under-keel clearance. A clearance of 6% of the maximum draught plus 1·0 m is required.

AA585591 [17/12]

Australia – Queensland – Townsville — Directions; channels

286

Paragraph 8.113 3 lines 1-7 *Replace by:*

- 3 Sea Channel. Pairs of S-numbered light beacons (lateral) stand each side of the Sea Channel, which is 92 m wide.

Paragraph 8.114 2 *Delete*

Paragraph 8.114 3 lines 1-5 *Replace by:*

- 3 Platypus Channel. Pairs of P-numbered light beacons (lateral) mark the channel, which is 90 m wide.

AA585589 [17/12]

Australia – Queensland – Adolphus Channel — Directions; Automatic Identification System

364

After Paragraph 11.130 2 line 7 *Insert:*

Other aids to navigation

11.130a

- 1 **Automatic Identification System:**

Quetta Rock Light Buoy (10°40'·25S 142°37'·50E).

For information see *The Mariner's Handbook* and *Admiralty List of Radio Signals Volume 2*.

AA589140 [17/12]

Australia – Queensland – Adolphus Channel — Directions; light buoy

365

Paragraph 11.134 1 lines 4-6 *Replace by:*

SW of Quetta Rock (10°40'·21S 142°37'·78E), marked by a light buoy (west cardinal), a small and dangerous patch marked on the N side by overfalls. An historic wreck (1.80), *Quetta*, lies...

AA589140 [17/12]