



9 March 2012

Edition 5

Australian Notices to Mariners are the authority for correcting Australian Charts and Publications

---

# AUSTRALIAN NOTICES TO MARINERS

Notices 218 – 274 

Published fortnightly by the Australian Hydrographic Service

Commodore R. NAIRN RAN  
*Hydrographer of Australia*

---

## SECTIONS.

- I. **Australian Notices to Mariners, including blocks and notes.**
- II. **Hydrographic Reports.**
- III. **Navigational Warnings.**

## SUPPLEMENTS.

- I. **Tracings**
- II. **Cumulative List of Australian Notices to Mariners.**
- III. **Cumulative List of Temporary and Preliminary Australian Notices to Mariners.**
- IV. **Temporary and Preliminary Notices in force.**
- V. **Amendments to Admiralty List of Lights and Fog Signals (Vol K), Radio Signals (NP 281(2), 282, 283(2), 285, 286(4)) and Sailing Directions (NP 9, 13, 14, 15, 33, 34, 35, 36, 39, 44, 51, 60, 61, 62, 100, 136).**

---

© Commonwealth of Australia 2012

This work is copyright. Apart from any use permitted under the Copyright Act 1968, no part may be reproduced by any process, adapted, communicated or commercially exploited without prior written permission from The Commonwealth represented by the Australian Hydrographic Service.

## IMPORTANT NOTICE

This edition of Notices to Mariners includes all significant information affecting AHS products which the AHS has become aware of since the last edition. All reasonable efforts have been made to ensure the accuracy and completeness of the information, including third party information, on which these updates are based. The AHS regards third parties from which it receives information as reliable, however the AHS cannot verify all such information and errors may therefore exist. The AHS does not accept liability for errors in third party information.

---

## GENERAL INSTRUCTIONS

The substance of these notices should be inserted on the charts affected.

Bearings are referred to the true compass and are reckoned clockwise from North; those relating to lights are given as seen by an observer from seaward. Positions quoted in permanent notices relate to the horizontal datum for the chart(s). When preliminary or temporary notices affect multiple charts, positions will be provided in relation to only one horizontal datum and that datum will be specified. When the multiple charts do not have a common horizontal datum, mariners will be required to adjust the position(s) for those charts not on the specified datum. The range quoted for a light is its nominal range. Depths are with reference to the chart datum of each chart. Heights are above mean high water springs or mean higher high water, as appropriate.

The capital letter (P) or (T) after the number of any notice denotes a preliminary or temporary notice respectively, which are contained separately at the end of the permanent notices. A star (\*) adjacent to the number of a notice indicates that the notice is based on original information.

---

## REPORTING OF DANGERS

Mariners are particularly requested to notify the AUSTRALIAN HYDROGRAPHIC SERVICE, Locked Bag 8801 Wollongong, NSW 2500 (Fax 02-4223 6599, e-mail [Hydro.NTM@defence.gov.au](mailto:Hydro.NTM@defence.gov.au) or, alternatively by filling in and submitting the [Hydrographic Notes](#) forms located on the web site – [www.hydro.gov.au](http://www.hydro.gov.au)), immediately on the discovery of new dangers or suspected dangers to navigation. For changes or defects in aids to navigation notify AusSAR (Fax 02-6230 6868 or email [rccaus@amsa.gov.au](mailto:rccaus@amsa.gov.au)).

---

## AUTHORISED USE

Copies of Australian notices are available free of charge from the Australian Hydrographic Service (AHS) website ([www.hydro.gov.au](http://www.hydro.gov.au)) and through the eNotices (email) service ([www.hydro.gov.au/enotices/enotices.htm](http://www.hydro.gov.au/enotices/enotices.htm)).

Individual Notices may be copied for the purpose of inserting Notice substance on official charts and publications. Paper copies may be printed by chart agents and distributed to customers on a cost recovery basis. Participating chart agents are listed on the AHS website as providing a 'Paper Notices to Mariners' service ([www.hydro.gov.au/prodserv/distributors/distributors.htm](http://www.hydro.gov.au/prodserv/distributors/distributors.htm)). Copies of the notices may not be sold for profit without prior written agreement.

## NUMERICAL INDEX OF NOTICES TO MARINERS

### Edition No 5

Notices	Aus Chart, INT Chart, AHP
218.....	Aus 120, 125, 208, 444, 485, 840
219.....	Amendment to Australian Seafarers Handbook AHP20
220.....	Amendment to Australian Chart and Publication Maintenance Handbook AHP24
221.....	Aus 191
222.....	Aus 238
223.....	Aus 816, 817
224.....	Aus 256
225.....	Aus 827, 828
226.....	Aus 263
227.....	Aus 397, 554, 668
228.....	Aus 545, 554, 680
229.....	Aus 376
230.....	Aus 321, 4721, INT 721, AX 0321F, 4721F
231.....	Aus 323, 4722, INT 722, AX 4722F
232.....	Aus 55
233.....	Aus 327, 741, 4723, INT 723, AX 4723F
234.....	Aus 4071, INT 71
235.....	Aus 4070, 4071, INT 70, 71
236.....	Aus 121
237.....	Aus 347, 348
238.....	Aus 182
239(T).....	Aus 193, 807, 808, AX 60193, 70193, 00808S
240(T).....	Aus 814
241(T).....	Aus 235, 236, 237, 238, 814, 815
242(T).....	Aus 236
243(T).....	Aus 236
244(T).....	Aus 235
245(T).....	Aus 244, 245
246(T).....	Aus 252, 824
247(T).....	Aus 255
248(T).....	Aus 255
249(T).....	Aus 255
250(T).....	Aus 826, 827
251(T).....	Aus 256, 257, 827
252(T).....	Aus 386, 387, 388, 390, 391, 392, 393, 543, 545, 546, 547, 548, 554, 664, 678, 680, 4622, INT 622
253(T).....	Aus 315
254(T).....	Aus 901
255(T).....	Aus 322, 323, 324, AX 0322F
256(T).....	Aus 325, 326
257(T).....	Aus 52, 53, 54
258(T).....	Aus 55, 56, 740, 741
259(T).....	Aus 327, 328, 4723, INT 723, AX 4723F
260(T).....	Aus 327, 328, 742
261(T).....	Aus 63, 64, 327, 328, 743, 744
262(T).....	Aus 328, 4723, INT 723, AX 4723F
263(T).....	Aus 328, 329, 4723, 4725, INT 723, 725, AX 4723F
264(T).....	Aus 328, 329, 4723, 4725, INT 723, 725, AX 4723F
265(T).....	Aus 329, 745, 746, 4723, 4725, INT 723, 725, AX 4723F
266(T).....	Aus 343, 346, 4727, 4728, INT 727, 728
267(T).....	Aus 137
268(T).....	Aus 169
269(T).....	Aus 144, 158
270(T).....	Aus 154
271(T).....	Aus 155
272(T).....	Aus 143
273(T).....	Aus 181
274(T).....	Aus 4621, INT 621, AX 4621F

## NUMERICAL INDEX OF CHARTS AFFECTED

## Edition No 5

Aus Chart	Notices	Aus Chart	Notices
Aus 52.....	257(T)	Aus 485 .....	218
Aus 53.....	257(T)	Aus 543 .....	252(T)
Aus 54.....	257(T)	Aus 545 .....	228, 252(T)
Aus 55.....	232, 258(T)	Aus 546 .....	252(T)
Aus 56.....	258(T)	Aus 547 .....	252(T)
Aus 63.....	261(T)	Aus 548 .....	252(T)
Aus 64.....	261(T)	Aus 554 .....	227, 228, 252(T)
Aus 120.....	218	Aus 664 .....	252(T)
Aus 121.....	236	Aus 668 .....	227
Aus 125.....	218	Aus 678 .....	252(T)
Aus 137.....	267(T)	Aus 680 .....	228, 252(T)
Aus 143.....	272(T)	Aus 740 .....	258(T)
Aus 144.....	269(T)	Aus 741 .....	233, 258(T)
Aus 154.....	270(T)	Aus 742 .....	260(T)
Aus 155.....	271(T)	Aus 743 .....	261(T)
Aus 158.....	269(T)	Aus 744 .....	261(T)
Aus 169.....	268(T)	Aus 745 .....	265(T)
Aus 181.....	273(T)	Aus 746 .....	265(T)
Aus 182.....	238	Aus 807 .....	239(T)
Aus 191.....	221	Aus 808 .....	239(T)
Aus 193.....	239(T)	Aus 814 .....	240(T), 241(T)
Aus 208.....	218	Aus 815 .....	241(T)
Aus 235.....	241(T), 244(T)	Aus 816 .....	223
Aus 236.....	241(T), 242(T), 243(T)	Aus 817 .....	223
Aus 237.....	241(T)	Aus 824 .....	246(T)
Aus 238.....	222, 241(T)	Aus 826 .....	250(T)
Aus 244.....	245(T)	Aus 827 .....	225, 250(T), 251(T)
Aus 245.....	245(T)	Aus 828 .....	225
Aus 252.....	246(T)	Aus 840 .....	218
Aus 255.....	247(T), 248(T), 249(T)	Aus 901 .....	254(T)
Aus 256.....	224, 251(T)	Aus 4070 .....	235
Aus 257.....	251(T)	Aus 4071 .....	234, 235
Aus 263.....	226	Aus 4621 .....	274(T)
Aus 315.....	253(T)	Aus 4622 .....	252(T)
Aus 321.....	230	Aus 4721 .....	230
Aus 322.....	255(T)	Aus 4722 .....	231
Aus 323.....	231, 255(T)	Aus 4723 .....	233, 259(T), 262(T), 263(T), 264(T), 265(T)
Aus 324.....	255(T)	Aus 4725 .....	263(T), 264(T), 265(T)
Aus 325.....	256(T)	Aus 4727 .....	266(T)
Aus 326.....	256(T)	Aus 4728 .....	266(T)
Aus 327.....	233, 259(T), 260(T), 261(T)	AX 0321F.....	230
Aus 328.....	259(T), 260(T), 261(T), 262(T), 263(T), 264(T)	AX 0322F.....	255(T)
Aus 329.....	263(T), 264(T), 265(T)	AX 4621F.....	274(T)
Aus 343.....	266(T)	AX 4721F.....	230
Aus 346.....	266(T)	AX 4722F.....	231
Aus 347.....	237	AX 4723F.....	233, 259(T), 262(T), 263(T), 264(T), 265(T)
Aus 348.....	237	AX 60193.....	239(T)
Aus 376.....	229	AX 70193.....	239(T)
Aus 386.....	252(T)	AX 00808S .....	239(T)
Aus 387.....	252(T)		
Aus 388.....	252(T)		
Aus 390.....	252(T)		
Aus 391.....	252(T)		
Aus 392.....	252(T)		
Aus 393.....	252(T)		
Aus 397.....	227		
Aus 444.....	218		

INT Chart	Notices
INT 70 .....	235
INT 71 .....	234, 235
INT 621 .....	274(T)
INT 622 .....	252(T)
INT 721 .....	230
INT 722 .....	231
INT 723 .....	233, 259(T), 262(T), 263(T), 264(T), 265(T)
INT 725 .....	263(T), 264(T), 265(T)
INT 727 .....	266(T)
INT 728 .....	266(T)



**220 AUSTRALIA - Product – Amendment to Australian Chart and Publication Maintenance Handbook AHP24**  
 Australian Hydrographic Service (AA564396)

Australian Hydrographic Service product name change (all references)

Seafarer RNC change to AusRNC

Seafarer Tides change to AusTides

**221\* AUSTRALIA - NEW SOUTH WALES - Batemans Bay - Light buoy**

*Former Notice - 317(T)/2006 is cancelled*  
 Roads and Maritime Services (AA583626, AA584081)

**Aus 191 (plan, Batemans Bay Marina) [239/2011]**

Insert	special spar buoy, without topmark	35° 42'.880 S	150° 11'.393 E
	contour, between	35° 42'.883 S	150° 11'.402 E
		35° 42'.880 S	150° 11'.393 E
		35° 42'.892 S	150° 11'.390 E
Delete	contour, between	35° 42'.88 S	150° 11'.40 E
		35° 42'.89 S	150° 11'.39 E

**222\* AUSTRALIA - QUEENSLAND - Brisbane River - Hamilton Reach - Light buoy**

Maritime Safety Queensland Notice 177/2012 (AA585987)

**Aus 238 [1299/2011]**

Move	light buoy	27° 26'.78 S	153° 04'.48 E
	to	27° 26'.762 S	153° 04'.478 E

**Aus 238 (plan, Hamilton Reach)**

Move	light buoy	27° 26'.78 S	153° 04'.48 E
	to	27° 26'.762 S	153° 04'.478 E

**223\* AUSTRALIA - QUEENSLAND - Sandy Cape - Racon**

L-3 Nautronix (AA586287)

**Aus 816 [1300/2011]**

Delete	racon	24° 43'.8 S	153° 12'.5 E
--------	-------	-------------	--------------

**Aus 817 [632/2011]**

Delete	racon	24° 43'.8 S	153° 12'.5 E
--------	-------	-------------	--------------

**224\* AUSTRALIA - QUEENSLAND - Townsville - Light buoy**

Maritime Safety Queensland Notice 165/2012 (AA584855, AA585848)

**Aus 256 [186/2012]**

Insert	special conical light buoy, Fl.Y.2.5s, without topmark	19° 12'.599 S	146° 51'.155 E
--------	--	---------------	----------------

**225\* AUSTRALIA - QUEENSLAND - Cassady - Light buoys**  
Maritime Safety Queensland (AA571585)

**Aus 827 [185/2012]**

Amend	light buoy to <i>Fl.4.3s</i>	18° 36'.9 S	146° 21'.6 E
	light buoy to <i>Fl.G.4.3s</i>	18° 37'.0 S	146° 20'.8 E

**Aus 828 [1240/2011]**

Amend	light buoy to <i>Fl.4.3s</i>	18° 36'.9 S	146° 21'.6 E
	light buoy to <i>Fl.G.4.3s</i>	18° 37'.0 S	146° 20'.8 E

**226\* AUSTRALIA - QUEENSLAND - Cairns - Trinity Inlet - Wrecks**  
Maritime Safety Queensland (AA584528)

**Aus 263 [135/2012]**

Delete	depth, 24m, and enclosing danger circle with legend, Wk	16° 55'.35 S	145° 47'.13 E
	depth, 2m, and enclosing danger circle with legend, Wk	16° 55'.38 S	145° 47'.11 E

**227\* PAPUA NEW GUINEA - Lamasa Island - Depth**  
MV *Barbarian* (AA584806, AA584871)

**Aus 397 [895/2011]**

Insert	upright sounding, 10m, enclosed by approximate contour with legend, <i>Rep (2012)</i>	4° 42'.53 S	152° 44'.28 E
--------	--	-------------	---------------

**Aus 554 [96/2012]**

Insert	upright sounding, 10m, enclosed by approximate contour with legend, <i>Rep (2012)</i>	4° 42'.53 S	152° 44'.28 E
--------	--	-------------	---------------

**Aus 668 (plan, Sperber Point to Cape St George) [NC 24/9/2010]**

Insert	upright sounding, 10m, enclosed by approximate contour with legend, <i>Rep (2012)</i>	4° 42'.53 S	152° 44'.28 E
--------	--	-------------	---------------

**228\* PAPUA NEW GUINEA - Blanche Bay - Wrecks**  
New Zealand Hydrographic Authority (AA585360, AA585361)

**Aus 545** [96/2012]

Insert depth, 101m, enclosed by danger circle with legend,  
Wk 4° 15'.49 S 152° 12'.91 E

**Aus 554** [227/2012]

Insert depth, 101m, enclosed by danger circle with legend,  
Wk 4° 15'.49 S 152° 12'.91 E

**Aus 680** [96/2012]

Insert depth, 101m, enclosed by danger circle with legend,  
Wk 4° 15'.49 S 152° 12'.91 E

**Aus 680 (plan, Simpson and Matupit Harbours)**

Insert depth, 17<sub>5</sub>m, enclosed by danger circle with legend,  
Wk 4° 13'.434 S 152° 10'.515 E

depth, 79m, enclosed by danger circle with legend,  
Wk 4° 14'.644 S 152° 10'.257 E

depth, 54m, enclosed by danger circle with legend,  
Wk 4° 13'.676 S 152° 09'.818 E

Substitute depth, 42m, for depth, 31m 4° 13'.33 S 152° 09'.68 E

depth, 23<sub>7</sub>m, for depth, 18<sub>1</sub>m 4° 12'.73 S 152° 10'.10 E

depth, 25<sub>3</sub>m, for depth, 21<sub>7</sub>m 4° 12'.70 S 152° 10'.33 E

depth, 32 m, for depth, 27<sub>2</sub>m 4° 12'.82 S 152° 10'.13 E

Delete depth, 18<sub>1</sub>m 4° 13'.45 S 152° 10'.52 E

**229\* AUSTRALIA - TORRES STRAIT - Cook Reef - Depths**  
HMAS *Mermaid* and HMAS *Paluma* (DHDB 1842635)

**Aus 376** [138/2012]

Insert accompanying block 10° 08'.0 S 141° 39'.0 E

**230\* INDONESIA - Sawu Sea - Nomenclature**  
Australian Hydrographic Service (AA585547)

**Aus 321** [851/2011]

Amend name to SAWU SEA 8° 53'.0 S 123° 37'.0 E

**Aus 4721 (INT 721)** [139/2012]

Amend name to SAWU SEA 9° 04'.0 S 123° 03'.0 E

**AX 0321F** [851/2011]

Amend name to SAWU SEA 8° 53'.0 S 123° 37'.0 E

**AX 4721F** [139/2012]

Amend name to SAWU SEA 9° 04'.0 S 123° 03'.0 E

**231\* AUSTRALIA - WESTERN AUSTRALIA - Lacepede Islands - Scientific instruments northwestwards**  
 Australian Institute of Marine Science (AA585515)

**Aus 323 [142/2012]**

Insert	depth, 20m, enclosed by danger circle with legend, ODAS	16° 23'.27 S	121° 35'.29 E
	depth, 20m, enclosed by danger circle with legend, ODAS	15° 40'.79 S	121° 18'.23 E
	depth, 20m, enclosed by danger circle with legend, ODAS	15° 32'.08 S	121° 14'.58 E

**Aus 4722 (INT 722) [1009/2011]**

Insert	depth, 20m, enclosed by danger circle with legend, ODAS	16° 23'.3 S	121° 35'.3 E
	depth, 20m, enclosed by danger circle with legend, ODAS	15° 40'.8 S	121° 18'.2 E
	depth, 20m, enclosed by danger circle with legend, ODAS	15° 32'.1 S	121° 14'.6 E
	depth, 20m, enclosed by danger circle with legend, ODAS	15° 13'.3 S	121° 06'.9 E

Delete	depth, 87m	15° 43'.0 S	121° 20'.0 E
--------	------------	-------------	--------------

**AX 4722F [1009/2011]**

Insert	depth, 20m, enclosed by danger circle with legend, ODAS	16° 23'.3 S	121° 35'.3 E
	depth, 20m, enclosed by danger circle with legend, ODAS	15° 40'.8 S	121° 18'.2 E
	depth, 20m, enclosed by danger circle with legend, ODAS	15° 32'.1 S	121° 14'.6 E
	depth, 20m, enclosed by danger circle with legend, ODAS	15° 13'.3 S	121° 06'.9 E

Delete	depth, 87m	15° 43'.0 S	121° 20'.0 E
--------	------------	-------------	--------------

**232\* AUSTRALIA - WESTERN AUSTRALIA - Port Walcott - Chart note**

Australian Hydrographic Service (AA584177)

**Aus 55 [143/2012]**

Delete	note, LIGHT BUOYS	20° 37'.3 S	117° 29'.5 E
	legend, Light Buoys (see Note)	20° 23'.8 S	117° 27'.2 E

**233\* AUSTRALIA - WESTERN AUSTRALIA - Dampier Archipelago - Scientific instruments northwestwards**  
Australian Institute of Marine Science (AA585515)

**Aus 327 [191/2012]**

Insert	depth, 20m, enclosed by danger circle with legend, ODAS	20° 03'.28 S	116° 24'.97 E
	depth, 20m, enclosed by danger circle with legend, ODAS	19° 41'.66 S	116° 06'.69 E
	depth, 20m, enclosed by danger circle with legend, ODAS	19° 26'.13 S	115° 54'.92 E

**Aus 741 [191/2012]**

Insert	depth, 20m, enclosed by danger circle with legend, ODAS	20° 03'.28 S	116° 24'.97 E
--------	--	--------------	---------------

**Aus 4723 (INT 723) [1011/2011]**

Insert	depth, 20m, enclosed by danger circle with legend, ODAS	19° 26'.1 S	115° 54'.9 E
--------	--	-------------	--------------

**AX 4723F [1011/2011]**

Insert	depth, 20m, enclosed by danger circle with legend, ODAS	19° 26'.1 S	115° 54'.9 E
--------	--	-------------	--------------

**234 INDIAN OCEAN - RED SEA - Salalah to Jabal at Tair - Light; aeronautical beacons**

BA Notice 9/883/2012 (AA585807)

**Aus 4071 (INT 71) [1127/2011]**

Delete	light	15° 32'.0 N	41° 50'.0 E
	aero beacon	11° 32'.0 N	43° 05'.0 E
	aero beacon	16° 11'.0 N	52° 10'.0 E
	aero beacon	17° 05'.0 N	54° 03'.0 E

**235 INDIAN OCEAN - Mozambique Channel - Ile Europa - Depth; aeronautical beacons**

BA Notice 9/884/2012 (AA585808)

**Aus 4070 (INT 70) [1192/2011]**

Insert	depth, 759m, enclosed by contour	21° 59'.4 S	40° 06'.0 E
Delete	aero beacon	17° 50'.0 S	36° 50'.0 E
	aero beacon	19° 45'.0 S	34° 55'.0 E
	aero beacon	22° 20'.0 S	40° 25'.0 E
	aero beacon	23° 15'.0 S	43° 45'.0 E
	aero beacon	18° 05'.0 S	49° 25'.0 E
	aero beacon	17° 00'.0 S	42° 40'.0 E

**Aus 4071 (INT 71) [234/2012]**

Insert	depth, 759m, enclosed by contour	21° 59'.4 S	40° 06'.0 E
Delete	aero beacon	17° 50'.0 S	36° 50'.0 E
	aero beacon	19° 45'.0 S	34° 55'.0 E
	aero beacon	23° 50'.0 S	35° 25'.0 E
	aero beacon	22° 20'.0 S	40° 25'.0 E
	aero beacon	23° 15'.0 S	43° 45'.0 E
	aero beacon	24° 55'.0 S	47° 00'.0 E
	aero beacon	18° 05'.0 S	49° 25'.0 E
	aero beacon	17° 00'.0 S	42° 40'.0 E

**236\* AUSTRALIA - SOUTH AUSTRALIA - Streaky Bay to Corvisart Bay - Depths**  
 Australian Hydrographic Service (AA584885)

**Aus 121 (plan, Streaky Bay) [105/2012]**

Insert	<a href="#">accompanying block</a>	32° 45'.5 S	134° 04'.0 E
	depth, 16m	32° 38'.28 S	134° 02'.16 E
	depth, 28m, enclosed by contour	32° 37'.52 S	133° 59'.60 E

**237\* AUSTRALIA - SOUTH AUSTRALIA - Cape Rebelais to Cape Banks - Depths**  
 LADS Flight (AA585812 - AA585814)

**Aus 347 [1117/2010]**

Insert	depth, 15 <sub>9</sub> m, enclosed by contour	37° 24'.34 S	139° 49'.66 E
Delete	depth, 28m	37° 24'.5 S	139° 49'.0 E

**Aus 348 [106/2012]**

Insert	depth, 15 <sub>9</sub> m, enclosed by contour	37° 24'.34 S	139° 49'.66 E
	depth, 14 <sub>4</sub> m, enclosed by contour	38° 00'.77 S	140° 25'.80 E
Delete	depth, 28m	37° 24'.5 S	139° 49'.0 E

**238\* AUSTRALIA - VICTORIA - Lakes Entrance - Cunninghame Arm - Lights**  
 Australian Hydrographic Service (AA545987 - AA545990), Gippsland Ports (AA585694)

**Aus 182 (plan, Lakes Entrance) [1315/2011]**

Delete	light	37° 52'.97 S	147° 58'.79 E
	light	37° 52'.97 S	147° 58'.80 E
	light	37° 52'.96 S	147° 58'.86 E
	light	37° 52'.95 S	147° 58'.88 E

**239(T)/2012 AUSTRALIA - NEW SOUTH WALES - Bowen Island - Mine**

*Former Notice* - 150(T)/2012 is cancelled

*Date* - Until 30 March 2012

Department of Defence (AA586206)

A buoyant mine, least depth *15m*, exists in position 35° 08'.22 S 150° 46'.38E.

**Chart temporarily affected - Aus 193 - Aus 807 - Aus 808 - AX 60193 - AX 70193 - AX 00808S**

**240(T)/2012 AUSTRALIA - QUEENSLAND - Point Lookout - Scientific instruments northeastwards**

*Date* - Until 30 September 2013

CSIRO (AA586284)

Subsurface scientific instruments, 20m below the surface, exist in positions 27° 19'.8 S 153° 46'.8 E and 27° 18'.6 S 153° 52'.2 E.

**Chart temporarily affected - Aus 814**

**241(T)/2012 AUSTRALIA - QUEENSLAND - Moreton Bay - Brisbane River - Depth information**

Former Notice - 198(T)/2012 is cancelled

Brisbane Port Corporation (AA587696)

Available depths and under keel clearances (UKC) at 8 March 2012:

<i>Berth</i>	<i>Metres</i>	<i>Remarks</i>
* Fisherman Islands No10	14.0	
Fisherman Islands No9	14.0	
Fisherman Islands No8	14.1	
Fisherman Islands No7	14.0	
Fisherman Islands No6	14.0	
* Fisherman Islands No5	14.0	
* Fisherman Islands No4	14.0	
Fisherman Islands No3	13.8	
Fisherman Islands No2	14.0	
* Fisherman Islands No1	13.6	
* Fisherman Islands Grain and Woodchip	13.2	
Caltex Fisherman Islands	14.8	
Fisherman Islands Coal	14.0	
* Fisherman Islands General Purpose	11.3	
BP Luggage Point	13.9	
Caltex Products	10.1	
Cement Australia Co Wharf	9.7	
BP Products	10.9	
Shell	10.9	
Pacific Terminals	10.5	
* Incitec North	10.0	
* Incitec South	10.4	
Pinkenba 1	10.2	
Pinkenba 2	10.2	
Riverside Marina	-	
Sugar Terminal	9.8	
Cairncross Fitting Out Wharf	8.0	
Cairncross Breasting Wharf	6.1	
Brisbane Naval Wharf	4.3	
Maritime No3	5.6	(not maintained)
Maritime No2	8.3	
Maritime No1	9.0	
* Hamilton No4	10.3	
* Hamilton No1	8.9	
* Brisbane Cruise Ship Terminal	8.4	
	<i>Metres</i>	<i>UKC/Remarks</i>
<i>Moreton Bay :</i>		
North East Channel	5.5	1.5
North West Channel	15.0	2.3 (280m width)
North West Bypass Channel	9.2	1.6
Spitfire Channel	14.9	1.5 (600m width)
East Knoll Bypass Channel	6.0	1.4
East Channel	15.0	1.5 (300m width from western side)
Main Channel (M8 - M9)	10.0	1.8
Entrance Channel (E5 - EBCN)	14.7	1.5
<i>Brisbane River :</i>		
Entrance Beacons and Bar Cutting	13.1	1.46
Fisherman Islands Swing Basin	13.5	1.3
* Pelican Banks Reach to Hamilton Reach	9.1	0.6 / 0.9 (draft/tide)
* Cement Australia Swing Basin	9.1	0.6 / 0.9 (draft/tide)
* Pinkenba Swing Basin	9.1	0.6 / 0.9 (draft/tide)
* Hamilton Swing Basin	8.7	0.6 / 0.9 (draft/tide)
* Indicates new or revised entry.		

**Chart temporarily affected - Aus 235 - Aus 236 - Aus 237 - Aus 238 - Aus 814 - Aus 815**

**242(T)/2012 AUSTRALIA - QUEENSLAND - Moreton Bay - Chain Banks - Light beacon destroyed**  
Maritime Safety Queensland Notice 188(T)/2012 (AA586782)

The starboard lateral light beacon, *Fl.G.2-5s* (27° 25'.28 S 153° 18'.28 E), has been destroyed; a starboard lateral light buoy, *Q.G*, exists in situ.

Mariners are advised to navigate with caution in the area.

**Chart temporarily affected - Aus 236**

**243(T)/2012 AUSTRALIA - QUEENSLAND - Moreton Bay - Lamb Island - Harbour works**

*Date* - Until 23 March 2012

Maritime Safety Queensland Notice 182(T)/2012 (AA586045)

Works associated with the reconstruction of the boat ramp (27° 37'.83 S 153° 22'.35 E) are in progress.

Mariners are advised to navigate with caution in the area.

**Chart temporarily affected - Aus 236**

**244(T)/2012 AUSTRALIA - QUEENSLAND - Mooloolaba - Shoaling**

*Former Notice* - 199(T)/2012 is cancelled

Maritime Safety Queensland Notice 196(T)/2012 (AA586697)

Shoaling with a least depth of *1.0m* exists within the main channel to Mooloolah River, between positions 26° 40'.74 S 153° 07'.95 E and 26° 40'.74 S 153° 07'.86 E. A least depth of *2.4m* exists in the vicinity of position 26° 40'.77 S 153° 07'.84. A least depth of *2.8m* exists between positions 26° 40'.74 S 153° 07'.87 E and 26° 40'.81 S 153° 07'.93 E.

The leading lights (26° 40'.97 S 153° 08'.17 E and 26° 40'.93 S 153° 08'.14 E) are temporarily unlit. A port lateral light buoy, *Q.R*, exists in position 26° 40'.78 S 153° 07'.88 E and marks the western edge of the shoal.

Mariners are advised to navigate with caution in the area.

**Chart temporarily affected - Aus 235**

**245(T)/2012 AUSTRALIA - QUEENSLAND - Gladstone - Pipelines***Former Notice* - 155(T)/2012 is cancelled*Date* - Until 31 December 2012

Maritime Safety Queensland Notices 1115(T)/2011, 1132(T)/2011, 57(T)/2012, 173/2012 (AA567581, AA567881, AA578641, AA586341)

Submarine pipelines, marked by unlit orange buoys and lit special buoys, exist between;

23° 46'.87 S 151° 10'.14 E

23° 46'.69 S 151° 10'.70 E

23° 46'.68 S 151° 11'.06 E

23° 46'.94 S 151° 11'.59 E

23° 47'.06 S 151° 11'.96 E

and

23° 47'.06 S 151° 11'.96 E

23° 46'.77 S 151° 11'.65 E

and

23° 46'.56 S 151° 10'.03 E

23° 46'.65 S 151° 10'.71 E

23° 46'.64 S 151° 10'.88 E

23° 46'.56 S 151° 11'.12 E

23° 46'.38 S 151° 11'.38 E

and

23° 46'.65 S 151° 10'.71 E

23° 46'.31 S 151° 10'.98 E

23° 46'.07 S 151° 11'.07 E

and

23° 46'.18 S 151° 09'.95 E

23° 45'.49 S 151° 10'.34 E

23° 45'.40 S 151° 10'.55 E

and

23° 48'.52 S 151° 12'.98 E

23° 49'.14 S 151° 12'.61 E.

Mariners are advised to navigate with caution in the area.

**Chart temporarily affected - Aus 244 - Aus 245****246(T)/2012 AUSTRALIA - QUEENSLAND - Proserpine River - Light beacons destroyed***Former Notice* - 445(T)/2010 is cancelled

Maritime Safety Queensland Notice 169(T)/2012 (AA586327)

The starboard lateral light beacon, *Fl.G.3s* (20° 30'.62 S 148° 44'.03 E), has been destroyed; a special light buoy, *Fl.Y.3s*, exists in situ.The starboard lateral light beacon, *Fl.G.3s* (20° 29'.88 S 148° 43'.52 E), has been destroyed; a starboard lateral light buoy, *Fl.G.3s*, exists in situ.**Chart temporarily affected - Aus 252 - Aus 824**

**247(T)/2012 AUSTRALIA - QUEENSLAND - Abbot Point - Drilling operations completed**

*Former Notice* - 156(T)/2012 is cancelled  
Maritime Safety Queensland (AA586568)

Cancel this notice on receipt.

**Chart formerly affected - Aus 255****248(T)/2012 AUSTRALIA - QUEENSLAND - Abbot Bay - Clark Shoal - Drilling operations completed**

*Former Notice* - 1277(T)/2011 is cancelled  
Maritime Safety Queensland (AA586570)

Cancel this notice on receipt.

**Chart formerly affected - Aus 255****249(T)/2012 AUSTRALIA - QUEENSLAND - Abbot Point - Scientific instruments**

*Date* - Until 1 February 2013  
Maritime Safety Queensland Notice 103(T)/2012 (AA587706)

Subsurface scientific instruments exist in the following positions:

19° 50'.75 S 148° 03'.77 E  
19° 51'.70 S 148° 02'.61 E  
19° 52'.76 S 148° 05'.27 E.

**Chart temporarily affected - Aus 255****250(T)/2012 AUSTRALIA - QUEENSLAND - Cape Bowling Green - Light buoy restored**

*Former Notice* - 1278(T)/2011 is cancelled  
Australian Institute of Marine Science (AA586406)

Cancel this notice on receipt.

**Chart formerly affected - Aus 826 - Aus 827****251(T)/2012 AUSTRALIA - QUEENSLAND - Cleveland Bay to Rowes Bay - Scientific instruments**

*Date* - Until 31 March 2013  
Maritime Safety Queensland Notice 194(T)/2012 (AA586719)

Special light buoys, *Fl. Y. 4s*, exist in positions 19° 12'.82 S 146° 47'.53 E and 19° 14'.44 S 146° 49'.42 E.

**Chart temporarily affected - Aus 256 - Aus 257 - Aus 827****252(T)/2012 PAPUA NEW GUINEA - Bismarck Sea - Seismic survey**

*Date* - Until 5 June 2012  
National Maritime Safety Authority PNG Notice 6(T)/2012 (AA586639)

MV *Duke* is conducting a survey in the area bounded by the following positions:

2° 40'.76 S 144° 59'.59 E  
2° 19'.82 S 148° 36'.18 E  
4° 01'.60 S 152° 14'.72 E  
5° 13'.74 S 148° 08'.43 E.

**Chart temporarily affected - Aus 386 - Aus 387 - Aus 388 - Aus 390 - Aus 391 - Aus 392 - Aus 393 - Aus 543 - Aus 545 - Aus 546 - Aus 547 - Aus 548 - Aus 554 - Aus 664 - Aus 678 - Aus 680 - Aus 4622 (INT 622)**

**253(T)/2012 AUSTRALIA - TIMOR SEA - Van Cloon Shoal - Seismic survey completed**

Former Notice - 162(T)/2012 is cancelled  
Albers Group (AA581760, AA582164)

Cancel this notice on receipt.

**Chart formerly affected - Aus 315****254(T)/2012 EAST TIMOR - Dili - Point Laguebada - Light relit**

Former Notice - 727(T)/2006 is cancelled  
MTADCP Timor Leste (AA585819)

Cancel this notice on receipt.

**Chart formerly affected - Aus 901****255(T)/2012 AUSTRALIA - WESTERN AUSTRALIA - Scott Reef to James Price Point - Scientific instruments**

Date - Until 31 March 2013  
MetOcean Engineers (AA586402)

Scientific instruments exist as follows:

<i>Position</i>	<i>Remarks</i>
14° 26'.41 S 121° 38'.66 E	subsurface, 3m above seabed
15° 00'.09 S 121° 46'.77 E	subsurface, 120m above seabed
15° 02'.78 S 121° 48'.06 E	subsurface, 85m above seabed
15° 10'.83 S 121° 42'.96 E	FI(5)Y.20s
15° 23'.90 S 121° 35'.73 E	subsurface, 60m above seabed
15° 59'.04 S 121° 39'.25 E	FI(5)Y.20s
15° 59'.45 S 121° 38'.86 E	FI(5)Y.20s
15° 59'.54 S 121° 38'.64 E	FI(5)Y.20s
15° 59'.74 S 121° 38'.65 E	FI(5)Y.20s
16° 40'.35 S 121° 44'.38 E	FI(5)Y.20s
16° 40'.27 S 121° 44'.21 E	FI(5)Y.20s
16° 40'.17 S 121° 44'.32 E	FI(5)Y.20s
17° 31'.31 S 122° 07'.48 E	5 poly floats
17° 31'.19 S 122° 07'.51 E	FI(5)Y.20s
17° 31'.22 S 122° 07'.65 E	FI(5)Y.20s.

**Chart temporarily affected - Aus 322 - Aus 323 - Aus 324 - AX 0322F****256(T)/2012 AUSTRALIA - WESTERN AUSTRALIA - Rowley Shoals - Seismic survey completed**

Former Notice - 206(T)/2012 is cancelled  
Fugro (AA586158)

Cancel this notice on receipt.

**Chart formerly affected - Aus 325 - Aus 326**

**257(T)/2012 AUSTRALIA - WESTERN AUSTRALIA - Port Hedland - Dredging operations***Former Notice* - 620(T)/2011 is cancelled

Date - Until 31 May 2012

Port Hedland Port Authority (AA539585, AA586409)

Dredging operations are in progress in an area bounded by the following positions:

20° 19'.74 S 118° 33'.86 E  
 20° 19'.47 S 118° 34'.16 E  
 20° 19'.55 S 118° 34'.39 E  
 20° 19'.66 S 118° 34'.36 E  
 20° 19'.92 S 118° 34'.07 E.

Mariners are advised to navigate with caution in the area.

**Chart temporarily affected - Aus 52 - Aus 53 - Aus 54****258(T)/2012 AUSTRALIA - WESTERN AUSTRALIA - Port Walcott - Dredging operations***Former Notice* - 1402(T)/2010 is cancelled

Department of Transport WA Notice 24/2012 (AA586422)

The dredges *Castor* and *Rotterdam* and support vessels are conducting dredging operations in areas bounded by the following positions:

20° 35'.68 S 117° 10'.18 E  
 20° 35'.59 S 117° 09'.74 E  
 20° 35'.38 S 117° 09'.74 E  
 20° 35'.05 S 117° 10'.18 E  
 20° 35'.43 S 117° 10'.18 E  
 and  
 20° 35'.25 S 117° 11'.41 E  
 20° 34'.70 S 117° 10'.70 E  
 20° 34'.19 S 117° 11'.22 E  
 20° 33'.33 S 117° 13'.14 E  
 20° 34'.67 S 117° 11'.85 E  
 20° 34'.77 S 117° 11'.95 E  
 20° 35'.25 S 117° 11'.41 E.

The dredge material will be deposited in spoil grounds in the following positions:

20° 31'.0 S 117° 13'.1 E  
 20° 29'.0 S 117° 14'.8 E  
 20° 26'.0 S 117° 21'.0 E.

All vessels will display appropriate lights and shapes and will monitor VHF Ch 19.

Mariners are advised to navigate with caution in the area.

**Chart temporarily affected - Aus 55 - Aus 56 - Aus 740 - Aus 741**

**259(T)/2012 AUSTRALIA - WESTERN AUSTRALIA - Montebello Islands - Seismic survey***Former Notice* - 1222(T)/2011 is cancelled*Date* - Until 13 April 2012

Chevron Australia Pty Ltd (AA567493, AA587355, AA587356, AA587359)

MV *Ramform Explorer*, towing ten 6000m cables, and support vessel MV *Nautika Pride* and MV *No Limit* are conducting a survey in the areas bounded by the following positions:

20° 00'.49 S 115° 12'.76 E

19° 39'.04 S 115° 12'.74 E

19° 37'.10 S 115° 16'.37 E

19° 37'.14 S 115° 22'.11 E

19° 39'.87 S 115° 26'.92 E

19° 58'.50 S 115° 26'.99 E

20° 03'.42 S 115° 17'.78 E

and

21° 00'.45 S 114° 59'.93 E

20° 44'.94 S 115° 04'.23 E

20° 46'.30 S 115° 09'.30 E

21° 01'.63 S 115° 04'.94 E.

**Chart temporarily affected - Aus 327 - Aus 328 - Aus 4723 (INT 723) - AX 4723F****260(T)/2012 AUSTRALIA - WESTERN AUSTRALIA - Barrow Island - Pipeline***Former Notice* - 209(T)/2012 is cancelled*Date* - Until 30 June 2013

Australian Maritime Safety Authority (AA584979), Chevron Australia Pty Ltd (AA585081, AA585082, AA587422)

SPV *Lorelay* and support vessels *Highland Navigator* and *Calamity Jane* are conducting pipe laying operations between the following positions:

20° 41'.45 S 115° 24'.94 E

20° 33'.59 S 115° 05'.86 E

20° 08'.98 S 114° 49'.43 E

20° 02'.34 S 114° 46'.95 E

19° 54'.34 S 114° 39'.60 E

19° 48'.54 S 114° 36'.47 E

and

19° 49'.54 S 114° 34'.21 E

19° 47'.45 S 114° 38'.63 E

and

20° 34'.92 S 115° 08'.99 E

20° 33'.97 S 115° 04'.62 E

20° 29'.25 S 114° 53'.86 E

20° 24'.56 S 114° 50'.87 E

20° 31'.33 S 114° 49'.35 E

20° 29'.25 S 114° 53'.86 E.

Mariners are advised to navigate with caution in the area.

**Chart temporarily affected - Aus 327 - Aus 328 - Aus 742**

**261(T)/2012 AUSTRALIA - WESTERN AUSTRALIA - Mary Anne Group to Ashburton Road - Scientific instruments**

Date - Until 25 February 2013

Department of Transport WA Notice 25/2012 (AA586413, AA587483, AA587484)

Scientific instruments marked by special light buoys, *Fl. Y. 6s*, exist in the following positions:

21° 19'.59 S 115° 23'.48 E	21° 32'.82 S 115° 04'.61 E
21° 19'.69 S 115° 09'.41 E	21° 32'.84 S 115° 01'.93 E
21° 31'.78 S 115° 05'.32 E	21° 33'.43 S 114° 59'.70 E
21° 31'.81 S 115° 05'.33 E	21° 33'.46 S 114° 59'.71 E
21° 32'.53 S 115° 03'.14 E	21° 34'.01 S 115° 00'.98 E
21° 32'.55 S 115° 03'.15 E	21° 34'.15 S 115° 03'.42 E
21° 32'.62 S 115° 02'.87 E	21° 35'.80 S 115° 01'.56 E
21° 32'.65 S 115° 02'.88 E	21° 35'.86 S 115° 01'.37 E
21° 32'.68 S 115° 02'.71 E	21° 35'.87 S 115° 01'.57 E
21° 32'.69 S 115° 02'.36 E	21° 35'.90 S 115° 01'.40 E
21° 32'.70 S 115° 02'.72 E	21° 35'.92 S 115° 01'.06 E
21° 32'.71 S 115° 02'.37 E	21° 35'.96 S 115° 01'.10 E
21° 32'.73 S 115° 02'.20 E	21° 36'.49 S 114° 58'.85 E
21° 32'.76 S 115° 02'.21 E	21° 36'.55 S 114° 58'.85 E
21° 32'.81 S 115° 01'.92 E	21° 37'.87 S 114° 41'.40 E

**Chart temporarily affected - Aus 63 - Aus 64 - Aus 327 - Aus 328 - Aus 743 - Aus 744****262(T)/2012 AUSTRALIA - WESTERN AUSTRALIA - Barrow Island - Drill rig northwestwards**

Date - Until 2 April 2012

Chevron Australia Pty Ltd (AA587761)

Drill rig *Atwood Osprey* is conducting drilling operations in position 20° 24'.47 S 114° 50'.95 E.**Chart temporarily affected - Aus 328 - Aus 4723 (INT 723) - AX 4723F****263(T)/2012 AUSTRALIA - WESTERN AUSTRALIA - North West Cape - Drill rig northwestwards**

Date - Until 5 April 2012

MODU *Atwood Eagle* (AA586066, AA586067)Drill rig *Atwood Eagle* is conducting drilling operations in position 20° 52'.50 S 113° 44'.56 E.**Chart temporarily affected - Aus 328 - Aus 329 - Aus 4723 (INT 723) - Aus 4725 (INT 725) - AX 4723F****264(T)/2012 AUSTRALIA - WESTERN AUSTRALIA - North West Cape - Drill rig northwestwards**

Date - Until 23 March 2012

MODU *Ocean America* (AA586068, AA586069)Drill rig *Ocean America* is conducting drilling operations in position 21° 32'.24 S 113° 52'.54 E.**Chart temporarily affected - Aus 328 - Aus 329 - Aus 4723 (INT 723) - Aus 4725 (INT 725) - AX 4723F**

**265(T)/2012 AUSTRALIA - WESTERN AUSTRALIA - North West Cape to Point Maud - Seismic survey**

*Date* - Until 21 March 2012

Shell Development (Australia) Pty Ltd (AA586919, AA586920)

RV *Voyager Explorer*, with an 8000m towed array, is conducting a survey between the following positions:

21° 37'.0 S 113° 26'.0 E

22° 05'.0 S 113° 11'.0 E

23° 16'.0 S 113° 20'.0 E

and in an area bounded by the following positions:

22° 25'.0 S 112° 45'.0 E

22° 25'.0 S 113° 30'.0 E

22° 55'.0 S 113° 30'.0 E

22° 55'.0 S 112° 35'.0 E.

**Chart temporarily affected - Aus 329 - Aus 745 - Aus 746 - Aus 4723 (INT 723) - Aus 4725 (INT 725) - AX 4723F**

**266(T)/2012 AUSTRALIA - SOUTH AUSTRALIA - Great Australian Bight - Ceduna Terrace - Seismic survey**

*Former Notice* - 166(T)/2012 is cancelled

*Date* - Until 12 May 2012

NT Shipping Agencies (AA565932, AA581292, AA586826)

MV *Ramform Sterling*, with a 9100m towed array, and support vessels, *Ocean Dynasty* and *Unlimited*, are conducting a survey in the areas bounded by the following positions:

33° 34'.25 S 129° 23'.50 E

33° 34'.25 S 130° 45'.00 E

34° 29'.50 S 131° 52'.00 E

35° 30'.00 S 131° 52'.00 E

35° 30'.00 S 129° 23'.50 E.

**Chart temporarily affected - Aus 343 - Aus 346 - Aus 4727 (INT 727) - Aus 4728 (INT 728)**

**267(T)/2012 AUSTRALIA - SOUTH AUSTRALIA - Port Adelaide - Harbour works**

*Date* - Until 30 June 2012

Department of Planning, Transport and Infrastructure SA Notice 8/2012 (AA586051)

Harbour works are in progress at berth H (34° 49'.98 S 138° 30'.41 E).

A barge, which has deployed anchors, is onsite and will display appropriate lights and shapes; the plant may extend 35m into the channel.

Mariners are advised to navigate with caution in the area.

**Chart temporarily affected - Aus 137**

**268(T)/2012 AUSTRALIA - TASMANIA - Georges Bay - Buoy off station**

*Date* - Until 27 April 2012

Marine and Safety Tasmania Notice M33/2012 (AA586827)

The buoy (41° 16'.23 S 148° 20'.29 E) is off station.

**Chart temporarily affected - Aus 169**

**269(T)/2012 AUSTRALIA - VICTORIA - Port Phillip - South Channel - Obstruction removed**

*Former Notice* - 214(T)/2012 is cancelled

Victorian Notice 53/2012 (AA587592, AA587824)

Cancel this notice on receipt.

**Chart formerly affected - Aus 144 - Aus 158**

9 March 2012

**270(T)/2012 AUSTRALIA - VICTORIA - Port Phillip - Port Melbourne - Nelson Pier - Harbour works**

*Date* - Until 31 July 2012

Victorian Notice 38(T)/2012 (AA586508)

Harbour works associated with the construction of a new dolphin are in progress at Nelson Pier.

The dolphin will be established in position 37° 51'.64 S 144° 54'.77 E and the *F* light (37° 51'.64 S 144° 54'.77 E) will be moved to this position.

Mariners are advised to navigate with caution in the area.

**Chart temporarily affected - Aus 154****271(T)/2012 AUSTRALIA - VICTORIA - Port Phillip - St Kilda - Shoaling**

Victorian Notice 52(T)/2012 (AA587715)

Shoaling with a least depth of *-0.5m* exists at St Kilda Pier in position 37° 51'.87 S 144° 58'.07 E.

Mariners are advised to navigate with caution in the area.

**Chart temporarily affected - Aus 155****272(T)/2012 AUSTRALIA - VICTORIA - Port Phillip - Patterson River - Harbour works completed**

*Former Notice* - 1110(T)/2011 is cancelled

Victorian Notice 119(T)/2011 (AA561577)

Cancel this notice on receipt.

**Chart formerly affected - Aus 143****273(T)/2012 AUSTRALIA - VICTORIA - Middle Ground to Midge Channel - Beacons restored**

*Former Notices* - 1302(T)/2009, 884(T)/2011 are cancelled

Gippsland Ports (AA587752)

Cancel this notice on receipt.

**Chart formerly affected - Aus 181****274(T)/2012 AUSTRALIA - CORAL SEA - Light buoy off station**

*Former Notice* - 217(T)/2012 is cancelled

Australian Bureau of Meteorology (AA587419)

The light buoy, *Fl. Y. 2s* (14° 47'.8 S 153° 34'.7 E), is drifting and currently in position 13° 00'.89 S 157° 50'.13 E (6 Mar 2012).

**Chart temporarily affected - Aus 4621 (INT 621) - AX 4621F**

## HYDROGRAPHIC REPORTS

<i>Locality</i>	<i>Report</i>	<i>Ship/Authority</i>	<i>Observer</i>
NSW – Garden Island	Beacon	HMAS ANZAC	
QLD – Weipa	Lights		M Templeton
WA – North West Cape	Light buoy	MV Britoil 20	L Zidek

**NAVIGATION WARNINGS**

The following radio messages have been received during the period to 9 March 2012. Signal copies of these messages may be destroyed. It is recommended that the reprint of Navigational Warnings should be kept in a file or a book divided into areas. Cancellation should be made on receipt of signals and reprints.

Rigs on location other than those listed in the latest Section III summary are the subject of Radio Navigational Warnings. Rigs in transit will not be the subject of Warnings.

**AUSCOAST WARNING**

053 Cancelled.  
 054 Drill rig *Ocean America* in position 21° 32'.23 S 113° 52'.54 E. 2.5M clearance requested.  
 055 Drill rig *Atwood Eagle* in position 20° 52'.50 S 113° 44'.55 E. 2.5M clearance requested.  
 056 Cancelled.  
 057 Drill rig *Ocean Patriot* in position 11° 56'.51 S 124° 58'.43 E. 2.5M clearance requested.  
 058 Cancelled.  
 059 Cancelled.  
 060 Cancelled.  
 061 Cancelled.  
 062 Cancelled.  
 063 Cancelled.  
 064 Cancelled.

**NAVAREA X WARNINGS**

003 Cautionary notification cancelled. Further information can be obtained from the Australian Customs and Border Protection notice No. 2012/09 or <http://www.customs.gov.au/webdata/resources/files/ACN201209.pdf>  
 004 Cancelled.

**Navigational warnings in force as at 090001UTC MAR 12.****Auscoast**

**2011** 288 289 290 293 318 319 321 323 328 333 336 337 338 339

**2012** 002 025 047 052 054 055 057

**Navarea X**

**2012** 003

**Summary of mobile drilling rigs as at 090001UTC MAR 12.**

<i>Name</i>	<i>Position</i>
Ocean Patriot	11° 56'.51 S 124° 58'.43 E
EnSCO 109	12° 40'.20 S 124° 32'.22 E
Transocean Legend	20° 31'.70 S 116° 40'.70 E
EnSCO 104	20° 41'.01 S 115° 01'.13 E
Atwood Osprey	20° 24'.51 S 114° 50'.98 E
Nan Hai 6	21° 26'.03 S 114° 01'.95 E
Atwood Eagle	20° 52'.50 S 113° 44'.55 E
Ocean America	21° 32'.23 S 113° 52'.54 E
Stena Clyde	38° 20'.97 S 141° 41'.01 E

**NAVAREA XIV WARNINGS**

Nil.

**Navarea XIV warnings in force as at 090001UTC MAR 12.**

Nil.