18 July 1997 Edition 15



Australian Notices to Mariners are the authority for correcting Australian Charts

AUSTRALIAN NOTICES TO MARINERS

© Commonwealth of Australia 1997 - Copyright restrictions apply to Notices to Mariners

Notices 416-444

Published fortnightly by the RAN Hydrographic Service

R. J. WILLIS, Hydrographer, RAN

SECTIONS. I. Australian Notices to Mariners.

III. Navigational Warnings. IV. Hydrographic Reports.

New Zealand Notices ariners

The substance of these notices should be inserted on the charts affected.

Notices to Mariners information unavailable on this web site at this stage but still available in printed form:-

British Admiralty Notices to Mariners. Section II. Corrections to Admiralty List of Lights, Vol K.

Section V. Corrections to Admiralty List of Radio Signals.

Section VI. Corrections to Sailing Directions.

Blocks included after Section VI.

Bearings are referred to the true compass and are reckoned clockwise from 000° (North) to 359°: those relating to lights are given as seen by an observer from seaward. The range quoted for a light is its nominal range. Fog signals are sounded only during thick or foggy weather, unless otherwise stated Depths are with reference to the chart datum of each chart. Heights are above mean high water springs or mean higher high water, as appropriate.

The capital letter (P) or (T) after the number of any notice denotes a preliminary or temporary notice respectively, which are contained separately at the end of the permanent notices. A star (*) adjacent to the number of a notice indicates that the notice is based on original information.

Mariners are particularly requested to notify the HYDROGRAPHER, RAN, Locked Bag 8801 South Coast Mail Centre, NSW 2521 (Fax 042-21 8599), e-mail hni@hydro.navy.gov.au or, alternatively by filling in and submitting the Hydrographic Notes forms, immediately on the discovery of new dangers or suspected dangers to navigation. For changes or defects in aids to navigation notify AusSAR (Fax 06-230 6868).

Copies of these notices can be obtained from the HYDROGRAPHIC OFFICE, 8 Station Street, Wollongong, the Agents for the sale of Australian and Admiralty charts in Australia, and from the Australian Maritime Safety Authority (AMSA) Offices, in the major ports of Australia

The Commonwealth of Australia is the owner of the copyright in Notices to Mariners (NtoM). NtoM are protected under the Copyright Act 1968 and international convention. Except as expressly authorised below, NtoM may not be copied, reproduced, adapted, changed or commercially exploited in whole or in part, without the prior written permission of the Australian Hydrographic Office.

NtoM may be copied for the purpose of inserting their substance on official charts and other publication. However, any copies of NtoM may not be sold for profit.

NUMERICAL INDEX OF CHARTS AFFECTED

Edition No 15

Notices	Aus Chart
416	Aus 197,198,199,200,201,361,808,809
417	Aus 237,238
	,
418	Aus 238
419	Aus 245
420	Aus 249,370,426,823
421	Aus 831
422	Aus 377,4060 (INT 60),4603 (INT 603),4620
423	Aus 26,27
424	Aus 57
425	Aus 357,358,422,445A
426(T)	Aus 364,813
427(T)	Ocean Yacht Races
428(T)	Aus 236
429(T)	Aus 243
430(T)	Aus 818,819
431(T)	Aus 819
432(T)	Aus 249,823
433(T)	Aus 250
434(T)	Aus 831
435(P)	Aus 376,839
436(T)	Aus 303
437(T)	Aus 58,59
438(T)	Aus 327,328,415,416,742
439(T)	Aus 111,117
440(T)	Aus 343,345,776
441(T)	Aus 143,58
442(T)	Aus 143,157
443(T)	Aus 154
444(T)	Aus 182
	7.00 102

416* AUSTRALIA - NEW SOUTH WALES - Botany Bay to Port Jackson - Prohibited anchorage area. SPA. (AH 65/107)

Aus 197 [1	15/97		
Substitute	prohibited anchorage area for magenta line between	33º 46'.21 S	151º 17'.75 E
		33º 49'.51 S	151º 21'.58 E
	prohibited anchorage area for magenta line between	33º 52'.66 S	151º 20'.49 E
		33º 53'.58 S	151º 19'.20 E
	prohibited anchorage area for magenta line between	33º 56'.19 S	151º 15'.52 E
		34° 00′.20 S	151º 19'.00 E
	prohibited anchorage area for magenta line between	34º 03'.94 S	151º 13'.84 E
		34º 02'.31 S	151º 10'.33 E
	magenta pecked line for the prohibited anchorage area		
	between	33º 50'.12 S	151º 16'.81 E
		33º 52'.66 S	151º 20'.49 E
	straight magenta pecked line for the prohibited anchorage		
	area between	33º 49'.50 S	151º 17'.95 E
	4.54.25	33º 49'.50 S	151° 21'.58 E
	magenta pecked line for the prohibited anchorage area	00 10.00 0	101 21.002
	between	34º 00'.20 S	151º 14'.90 E
	between	34º 00'.20 S	151° 19'.00 E
	magenta pecked line for the prohibited anchorage area	34 00.20 3	131 13.00 L
	between	34º 01'.05 S	151º 13'.84 E
	between	34° 01'.05 S	151° 13'.84 E
	the account of the TDAFFIO DECLII ATIONO	34° 03 .94 S	131° 13.04 E
	the accompanying note for TRAFFIC REGULATIONS-	000 071 0 0	4540 4010 5
	AREAS A and B note	33º 27'.0 S	151º 12'.0 E
	the accompanying note for TRAFFIC REGULATIONS-		
	AREAS C and D note	33º 25'.5 S	151º 12'.0 E
Insert	danger circle, radius 500 metres, with legend Obstn,		
	centred on	33º 58'.52 S	151º 17'.88 E
		33º 53'.35 S	151º 18'.30 E
		33º 49'.36 S	151° 20′.26 E
Dalata	markitis deservations similar control on	200 501 50 0	4540 471 00 5
Delete	prohibited anchorage circle centred on	33º 58'.52 S	151° 17'.88 E
	prohibited anchorage area between	33º 53'.58 S	151° 19'.20 E
		33º 53'.70 S	151º 16'.96 E
Aug 400 [2	17/07I		
Aus 198 [3		220 EC 70 C	1510 16! 07 E
Substitute	prohibited anchorage area for magenta line between	33º 56'.70 S	151° 16'.97 E
		33º 57'.71 S	151° 18'.17 E
	prohibited anchorage area for magenta line between	34º 03'.94 S	151° 13'.86 E
		34º 02'.31 S	151º 10'.33 E
	magenta pecked line for the prohibited anchorage area		
	between	34º 00'.20 S	151º 14'.83 E
		34º 00'.20 S	151º 18'.17 E
	magenta pecked line for the prohibited anchorage area		
	between	34º 01'.05 S	151º 13'.84 E
		34º 03'.94 S	151º 13'.84 E
	legend, (see Note), for (see Caution)	34º 01'.1 S	151º 16'.7 E
		34º 02'.1 S	151º 15'.5 E
	the accompanying note for CAUTION-AREAS C and D		
	note	33º 58'.3 S	151º 03'.9 E
Insert	danger circle, radius 500 metres, with legend Obstn,		
	centred on	33º 58'.515 S	151º 17'.881 E
	5556. 511	00 00.0100	701 17 1001 L
Delete	prohibited anchorage arc centred on	33º 58'.52 S	151º 17'.88 E
_ 0.0.0	F	33 33.02 0	

Aus 199 [347/97] Substitute magenta pecked line for the prohibited anchorage area			
	between	34° 00'.09 S 34° 00'.09 S	151° 14'.90 E 151° 16'.45 E
	the accompanying note for AREAS C and D note	33º 57'.6 S	151º 14'.2 E
Aus 200 [3 Substitute	227/97] prohibited anchorage area for magenta line between	33º 46'.43 S 33º 46'.83 S	151º 18'.70 E 151º 19'.53 E
	prohibited anchorage area for magenta line between	33° 53′.37 S 33° 53′.50 S	151º 19'.53 E 151º 19'.32 E
	magenta pecked line for the prohibited anchorage area between	33º 50'.12 S 33º 52'.04 S	151º 16'.81 E 151º 19'.53 E
	straight magenta pecked line (to E border) for the prohibited anchorage area between	33º 49'.50 S	151º 17'.95 E
	the accompanying note for AREAS A and B note	33º 48'.91 S 33º 53'.2 S	151º 19'.53 E 151º 09'.5 E
Insert	danger circle, radius 500 metres, with legend Obstn, centred on	33° 53′.349 S	151º 18'.304 E
Delete	prohibited anchorage arc between	33° 53′.50 S 33° 53′.50 S	151º 17'.42 E 151º 19'.18 E
Aus 201 [1	14/07		
	magenta pecked line for the prohibited area line between	33° 50′.12 S	151° 16'.81 E
	the accompanying note for AREAS A and B note	33° 50′.89 S 33° 52′.1 S	151º 17'.91 E 151º 16'.7 E
Delete	legend Anchoring Prohibited centred on	33º 50'.0 S	151º 17'.4 E
Aus 361 [3 Insert	prohibited anchorage area, arc of circle radius 4NM from HWL (33° 46'.2 S 151° 17'.8 E) to position (33° 53'.6 S 151° 19'.2 E), centred on light at	33º 50'.1 S	151º 16'.8 E
	prohibited anchorage area, arc of circle radius 4NM from HWL (33° 56'.2 S 151° 15'.6 E) to HWL (34° 02'.3 S 151° 10'.3 E), centred on light at	34º 00'.0 S	151º 14'.2 E
	danger circle, radius 0.27NM, with legend Obstn, centred		
	on	33° 58'.52 S 33° 53'.35 S 33° 49'.36 S	151º 17'.88 E 151º 18'.30 E 151º 20'.26 E
Delete	prohibited anchorage circle centred on	33º 58'.5 S	151º 17'.9 E
	prohibited anchorage area between	33° 49'.4 S 33° 53'.6 S 33° 53'.7 S	151º 20'.3 E 151º 19'.2 E 151º 17'.0 E
Aus 808 [385/97]			
Insert	prohibited anchorage area, arc of circle radius 4NM from N border to position (33° 53'.6 S 151° 19'.2 E), centred on		
	light at prohibited anchorage area, arc of circle radius 4NM from	33º 50'.2 S	151º 16'.9 E
	HWL (33° 56'.2 S 151° 15'.6 E) to HWL (34° 02'.3 S 151° 10'.3 E), centred on light at danger circle, radius 0.27NM, with legend <i>Obstn</i> , centred	34º 00'.0 S	151º 14'.2 E
	on	33º 58'.52 S	151º 17'.88 E
		33° 53'.35 S 33° 49'.36 S	151º 18'.30 E 151º 20'.26 E
Delete	prohibited anchorage circle centred on	33º 58'.5 S	151º 17'.9 E
	prohibited anchorage area between	33º 49'.4 S 33º 53'.6 S	151º 20'.3 E 151º 19'.2 E
		33º 53'.7 S	151º 17'.0 E

Aus 809 [328/97]

Substitute	prohibited anchorage area for magenta line between	33º 46'.1 S	151º 17'.9 E
		33° 49′.4 S	151º 21'.6 E
	prohibited anchorage area for magenta line between	33° 52′.6 S	151º 20'.6 E
		33º 53'.4 S	151º 19'.3 E
Insert	danger circle, radius 0.27NM, with legend Obstn, centred		
	on	33º 53'.26 S	151º 18'.37 E
		33º 49'.27 S	151º 20'.33 E
Delete	prohibited anchorage area between	33º 50'.0 S	151º 16'.9 E
		33º 52'.6 S	151º 20'.6 E
	prohibited anchorage area between	33° 49′.4 S	151º 18'.1 E
		33º 49'.4 S	151º 21'.6 E
	prohibited anchorage area between	33° 53′.5 S	151º 17'.0 E
		33° 53′.4 S	151º 19'.3 E

417* AUSTRALIA - QUEENSLAND - Brisbane River - Bulwer Island - Lights.

List of Lights Vol K/97 -- 2871.29,2871.31 BPA. (AH 62/78)

Διις	237	INE	21	/02/97	1
Aus	ZJI	IINL	~ I.	102131	

Aus 237 [[NE 21/02/97]		
Amend	legend 249° 06' to 250° 43', centred on	27º 24'.74 S	153° 08′.78 E
	legend 339° 41' to 337° 23', centred on	27º 25'.00 S	153º 08'.58 E
Aus 238 [
Amend	legend Lts in Line 249° 06′ to 250° 43′, centred on	27º 24'.83 S	153º 08'.65 E
	legend Lts in Line 339° 41' to 337° 23', centred on	27º 25'.07 S	153° 08′.49 E

418* AUSTRALIA - QUEENSLAND - Brisbane River - Pinkenba - Harbour works.

LADSU. & BPA. (AH 62/50)

Aus 238 [417/97]
Insert the accompanying block 27° 25'.75 S 153° 07'.15 E



AUSTRALIA - QUEENSLAND - Gladstone - South Trees Inlet - Reclamation works completed. 419*

HrMr Gladstone (AH 58/50)

Aus 245 [293/97]
Delete legend Reclamation in Progress (1985)

23° 52'.2 S 151° 17'.8 E

420* AUSTRALIA - QUEENSLAND - Prudhoe Channel to Hay Point - Depths. HMAS' Benalla & Shepparton HI 252. (AH 58/126)

Aus 249 [3	148/07		
Insert	depth, 1m, and extend 2m contour NE to enclose	21º 19'.06 S	149º 19'.56 E
	depth, 28 m, and extend 5m contour NE to enclose	21º 18'.95 S	149º 19'.82 E
	35, 17, 20		
Delete	danger circle, with legend Obstn PA	21º 20'.15 S	149º 22'.95 E
4 0=0.10	200 (07)		
Aus 370 [3		240 221 04 6	149º 48'.21 E
Insert	depth, 3fm, enclosed by contour depth, 62 fm, and extend 10fm contour S to enclose	21º 23'.94 S 21º 21'.73 S	149° 40'.00 E
	depth, 6fm, enclosed by contour	21° 21′.84 S	149º 39'.31 E
	depth, 42 fm, and extend 6fm contour SW to enclose	21° 21'.64 S 21° 20'.64 S	149° 39'.31 E
	depth, 1 ₃ fm, and extend 3fm contour NE to enclose	21º 18'.95 S	149º 19'.86 E
	depth, 13 mi, and extend 3mi contour NE to enclose	21 10.93 3	149 19.00 L
Substitute	depth, 23 fm, enclosed by contour, for 33 fm	21º 20'.5 S	149º 39'.7 E
	dopun, 23 mm, onclosed by contoun, for e3 mm		
Delete	depth 5 ₃ fm	21º 23'.9 S	149º 48'.2 E
	depth 9fm	21º 23'.9 S	149º 48'.2 E
		21º 21'.4 S	149º 40'.0 E
	depth 5fm	21º 20'.2 S	149º 25'.6 E
	danger circle, with legend Obstn PA	21º 20'.2 S	149º 22'.9 E
Aus 426 [2	04/07		
Substitute	depth, 2 ₃ fm, enclosed by contour, for 3 ₃ fm	21º 20'.5 S	149º 39'.7 E
	dopun, 23 mm, onclosed by contoun, for e3 mm		
Aus 823 [3	48/97		
Insert	depth, 3fm, enclosed by contour	21º 23'.92 S	149º 48'.22 E
	depth, 62 fm	21º 21'.71 S	149º 40'.01 E
	depth, 6fm, enclosed by contour	21º 21'.82 S	149º 39'.32 E
	depth, 42 fm, and extend 6fm contour SW to enclose	21º 20'.62 S	149º 25'.40 E
	depth, 03 fm, and extend 1fm contour NE from Victor Islet		
	to enclose	21º 19'.04 S	149º 19'.61 E
	depth, 13 fm, and extend 3fm contour NE to enclose	21º 18'.93 S	149º 19'.87 E
Substitute	depth, 23 fm, enclosed by contour, for 33 fm	21º 20'.6 S	149º 39'.7 E
Delete	depth 5 ₃ fm	21º 23'.8 S	149º 48'.2 E
	depth 9fm	21º 21'.7 S	149º 40'.2 E
	depth 5fm	21º 20'.4 S	149º 25'.5 E
	danger circle, with legend Obstn PA	21º 20'.15 S	149º 22'.95 E

421* AUSTRALIA - QUEENSLAND - Cooktown - Dredged channel. DOTQ Notice 105/97. (AH 57/22,78)

Aus 831 (plan, Port of Cooktown - Endeavour River Entrance) [391/97]

Substitute the accompanying block for plan

15º 06' S

145º 57' E



422* AUSTRALIA - CORAL SEA - Pandora Passage - Depth. HMAS *Flinders* (AH 77/126)

Aus 377 [294/97] Substitute depth, 55m, with legend SD, for 92m	9º 49'.5 S	144º 45'.6 E
Aus 4060 (INT60) [<i>360/97</i>] Substitute depth, <i>55m</i> , for 92m	9º 50' S	144º 46' E
Aus 4603 (INT603) [<i>184/97</i>] Substitute depth, <i>55m</i> , for 92m	9º 50' S	144º 46' E
Aus 4620 [294/97] Substitute depth, 55m, with legend SD, for 92m	9º 49'.6 S	144º 45'.6 E

423* AUSTRALIA - NORTHERN TERRITORY - Darwin - Towers. HMAS *Gawler* & LADSU. (AH 60/17)

	Aus	26	[332/97]
--	-----	----	----------

Insert	radio tower, with legend RADIO TR (67) (R Lt) water tower, with legend WATER TR (62)	12º 24'.557 S 12º 25'.475 S	130° 52′.887 E 130° 52′.755 E
Aus 27 [332/97]			

Insert	radio tower, with legend RADIO TR (67) (R Lt)	12º 24'.64 S	130° 52′.82 E
	water tower, with legend WATER TR (62)	12º 25'.56 S	130° 52′.69 E

424* WESTERN AUSTRALIA - Nickol Bay - Light.

DPA. (AH 64/78)

Aus 57 [219/97] Insert light 2FI. G. 2s 20° 43'.50 S 116° 53'.61 E

425* AUSTRALIA - TASMANIA - Outer Sister Island - Light. Former Notice - 380(P)/97 is cancelled Auscoast 170/97. & AMSA ATH 1997/S/003 (AH 69/78)

Διις	357	[357/97]
Aus	331	1337/9/1

Insert light, FI(2) 8s 567ft 10M	39º 39'.05 S	147º 59'.88 E
Aus 358 [310/97] Insert light, FI(2) 8s 567ft 10M	39° 39'.05 S	147º 59'.88 E
Aus 422 [<i>81/97</i>] Insert light, <i>FI(2) 10M</i>	39º 39'.1 S	147º 59'.9 E
Aus 445A [357/97] Insert light, Fl(2) 8s 567ft 10M	39° 39'.3 S	148º 00'.5 E

426(T)/97 AUSTRALIA - NEW SOUTH WALES - Evance Head - Air Weapons Range.

Date - Until 08 August 1997

Commonwealth of Australia Gazette No GN 16, 19 August 1987 & 301 Air Base Wing (AH 17/110)

Rocketry exercises take place - 28 July to 8 August 1997 - in an area bound by the following positions:

29° 22'.5 S 153° 25'.7 E 29° 16'.8 S 153° 23'.0 E 28° 56'.3 S 153° 32'.5 E 29° 10'.9 S 153° 37'.8 E

Chart temporarily affected - Aus 364 - Aus 813.

427(T)/97 AUSTRALIA - Ocean yacht races. *Date* - 26 October 1997

Gosford Sailing Club (AH 56/151)

Ocean yacht races will take place as follows:

Date Start-Finish
26-10-97 Broken Bay - Lord Howe Island Organiser GSC Ltd **428(T)/97** AUSTRALIA - QUEENSLAND - Moreton Bay - Mud Island - Light buoys permanently withdrawn. Former Notice - 222(T)/97 is cancelled DOTQ Notice 84/97 (AH 62/80)

Cancel this notice on receipt

Chart formerly affected - Aus 236

429(T)/97 AUSTRALIA - QUEENSLAND - Bundaberg - Depth information. Former Notice - 158(T)/97 is cancelled

DOTQ Notice 192/97 (AH 58/22)

Available depth as at 19 February 1997:

Metres

		Metres			
		LAT	ISLW (chart Datum)		
	Outer Reach	8.1	8.4		
	Middle Reach	8.1	8.4		
	Inner Reach	8.1	8.4		
	Swing Basin	7.8	8.1		
	Oil Berth	9.3	9.6		
*	BST Berth	9.8	10.1		

^{*}Indicates new or revised entry.

Chart temporarily affected - Aus 243.

430(T)/97 AUSTRALIA - QUEENSLAND - Lady Musgrave Island - Boat Entrance - Beacon destroyed.

Date - Until further notice DOTQ Notice 191/97 (AH 58/9)

The port lateral beacon in approx position 23° 53'.6 S 152° 24'.7 E has been destroyed. Mariners should use caution when navigating in the lagoon entrance.

Chart temporarily affected - Aus 818 - Aus 819.

431(T)/97 AUSTRALIA - QUEENSLAND - Capricorn Group - Heron Island - Waverecorder recovered. Former Notice - 620(T)/96 is cancelled DOTQ Notice 185/97 (AH 58/80)

Cancel this notice on receipt
Chart formerly affected - Aus 819

432(T)/97 AUSTRALIA - QUEENSLAND - Hay Point - Buoy withdrawn; obstruction adrift; anchorage areas closed.

Date - Until further notice Former Notice - 644(T)/96 is cancelled DOTQ Notices 388/96 & 180/97 (AH 58/150,126)

The special light buoy (21° 11.45 S 149° 20′.51 E approx), which marked the reported obstruction, has been withdrawn. The obstruction, a nine metre aluminium hulled vessel, has been moved from the reported position and the current position, which is in the vicinity of anchorage areas N7, N11 and N12, is unknown. Anchoring in the areas N7, N11 and N12 will not be permitted until further notice.

Chart temporarily affected - Aus 249 - Aus 823.

433(T)/97 AUSTRALIA - QUEENSLAND - Bowen - Mooring buoys permanently withdrawn. Former Notice - 157(T)/97 is cancelled DOTQ Notice 53/97 (AH 58/84)

Cancel this notice on receipt
Chart formerly affected - Aus 250

434(T)/97 AUSTRALIA - QUEENSLAND - Cooktown - Harbour works completed. Former Notice - 105(T)/97 is cancelled DOTQ Notice 199/97 (AH 57/50)

Cancel this notice on receipt
Chart formerly affected - Aus 831

435(P)/97 AUSTRALIA - QUEENSLAND - Great North East Channel - Kirkcaldie Reef - Light and racon to be established.

Date - On or about 26 July 1997 AMSA ATH1997/N/008 & 009 (AH 70/78)

1. A light, Fl.WR. 2.5s 9m 10/7M, will be established in position 10° 20'.1 S 142° 49'.9 E with the following sectors:

WHITE 205° - 214° (009°) RED 214° - 205° (351°)

Elevation

2. A racon with the following characteristics will be established at the light:

Character Morse Code "K" (-.-) Frequency Ranges X band 9300 - 9500 MHz S band 2920 - 3100 MHz

"On" Period On: 30 seconds

Off: 30 seconds

Range X band 7-17 nm

S band 9-15 nm 10 metres

Chart which will be affected - Aus 376 - Aus 839.

436(T)/97 AUSTRALIA - QUEENSLAND - Karumba - Temporary light beacon permanently withdrawn. Former Notice - 328(T)/96 is cancelled DOTQ Notice 198/97 (AH 70/78)

Cancel this notice on receipt
Chart formerly affected - Aus 303

437(T)/97 WESTERN AUSTRALIA - Dampier - Parker Point - Depth information.

437(T)/97 WESTERN AUSTRALIA Former Notice - 107(T)/97 is cancelled DPA ME97/255 (AH 64/22)

Available depth at berths as at 26 May 1997:

* Parker Point 16.8

* Indicates new or revised entry.

Chart temporarily affected - Aus 58 - Aus 59.

438(T)/97 WESTERN AUSTRALIA - Montebello Islands to Barrow Island - Oceanographic moorings marked by light buoys.

Date - Until further notice

WNI Science & Engineering fax ref 19859 (AH 64/80)

Moorings, marked by lit surface buoys Fl. Y.2s, have been temporarily established in the following positions:

- 20° 08'.05 S 115° 28'.87 E
- 20° 14'.03 S 115° 13'.63 E
- 20° 24′.50 S 116° 03′.89 E 20° 47′.53 S 115° 33′.19 E

Mariners are ask to keep well clear of the buoys.

Chart temporarily affected - Aus 327 - Aus 328 - Aus 415 - Aus 416 - Aus 742.

439(T)/97 WESTERN AUSTRALIA - Cockburn Sound - Wreck salvaged. Former Notice - 108(T)/97 is cancelled FPA Notice 8/97 (AH 72/150)

Cancel this notice on receipt

Chart formerly affected - Aus 111 - Aus 117

SOUTH AUSTRALIA - Thistle Island - Exercise Areas. 440(T)/97

Date - Until further notice

Commonwealth of Australia Gazette No GN 21, 31 May 1995 (AH 17/110)

Submarine exercises take place within the following areas:

R 245 - bounded by a circle of radius 1 nm centres on position 34° 55'.90 S 136° 14'.05 E. R 246 - bounded by a circle of radius 2 nm centres on position 34° 59'.70 S 136° 13'.20 E.

Chart temporarily affected - Aus 343 - Aus 345 - Aus 776.

441(T)/97 AUSTRALIA - VICTORIA - Port Phillip - South Channel - Waverider buoy.

441(T)/97 AUSTRALIA - VIC *Date* - Until 30 September 1997
PMA Notice 55/97. (*AH* 66/80)

A special buoy, FI(5) Y.23s, will be on station in position 38° 18'.02 S 144° 40'.99 until further notice. Craft are not to use the buoy as a mooring.

Chart temporarily affected - Aus 143 - Aus 158.

442(T)/97 AUSTRALIA - VICTORIA - Port Phillip - Wilson Spit Channel - Blasting operations; channel depths; buoys.

Date - Until 30 August 1997

Victorian Channels Authority Notice 49/97 (AH 66/22,80)

1. Mariners are advised blasting operations will commence in the eastern part of Wilson Spit Channel. Blasting operations will be carried out on a 24 hour basis.

A barge (call sign Drill Barge) can be contacted during operations on VHF Ch 12 or telephone 0412 - 348 165.

- 2. A temporary channel, minimum depth of 8.9 metres, has been established south of the blasting area and is delimited as follows:
- (a) 38° 08'.02 S 144° 31'.98 E Junction buoy
- (b) 38° 08'.01 S 144° 31'.26 E special light buoy *Fl.Y.2s* (c) 38° 07'.78 S 144° 30'.63 E special light buoy *Fl.Y.2s*
- (d) the northern extremity of the temporary channel is the southern alignment of the Wilson Spit Channel.
- 3. The amended reporting procedures for the port of Geelong (NM 110(T)/97 refers) are still in force, with the following additional requirements:
- (i) Inbound Vessel unable to use the temporary channel, in addition to the requirements to making initial contact with TNT Geelong VHF Ch 12 when 8nm from Prince George Beacon, shall advise of their intention to use the main channel, and when 2nm from point Richards Point Channel entrance make additional VHF contact to confirm clearance to pass.
- (ii) Departing vessels unable to use the temporary channel should request use of the main channel, when reporting at least two hours prior departure.

Mariners are advised to exercise extreme caution when navigating in the vicinity of the barge, and to pass at low as possible speed, consistent with the safe navigation of the vessel.

Chart temporarily affected - Aus 143 - Aus 157.

443(T)/97 AUSTRALIA - VICTORIA - Port Phillip - Port Melbourne - Victoria Dock - Depth information.

Date - Until further notice

Victorian Channels Authority Notice 48/97 (AH 66/22)

Available depth as at 19 June 1997:

Victoria Dock

No 22 9.0m No 23 9.0m No 24 9.0m South Wharf * No 27 8.8m

* No 27 8.8m No 28 8.8m No 29 8.4m

Chart temporarily affected - Aus 154.

^{*} Indicates new or revised entry.

AUSTRALIA - VICTORIA - Gippsland Lakes - Dredging operations.

Former Notice - 252(T)/97 is cancelled Gippsland Ports Notice 53/97 (AH 59/22)

The dredger, Sandpiper, has commenced dredging operations in Cunninghame Arm adjacent to Bullock Island (37º 53'.27 S 147º 58'.22 E approx)

Spoil will be pumped by a floating pipeline to the southern shore of Bullock Island.

The dredger will display regulation lights and shapes and operate during daylight hours only.

Mariners are requested to keep well clear and navigate with caution when in the vicinity of the dredge.

Chart temporarily affected - Aus 182.

To accompany Australia Notice to Mariners 416/97

TRAFFIC REGULATIONS-AREAS A and B Vessels waiting to enter the port are not permitted to anchor inside port limits. Vessels entering the port should not proceed westward of the pilot boarding place without permission of the Duty Communications Superintendent (Harbour Control VHF Ch 13) or the attendant Pilot Vessel. INWARD bound vessels must not enter AREA B. OUTWARD bound vessels must not enter AREA A.

Note for chart Aus 197

To accompany Australia Notice to Mariners 416/97

TRAFFIC REGULATIONS-AREAS C and D Vessels waiting to enter the port are not permitted to anchor inside port limits. Vessels entering the port should not proceed westward of the pilot boarding place without permission of the Duty Communications Superintendent (Harbour Control VHF Ch 13) or the attendant Pilot Vessel. INWARD bound vessels must not enter AREA D. OUTWARD bound vessels must not enter AREA C.

Note for chart Aus 197

To accompany Australia Notice to Mariners 416/97

TRAFFIC REGULATIONS-AREAS C and D Vessels waiting to enter the port are not permitted to anchor inside port limits. Vessels entering the port should not proceed westward of the pilot boarding place without permission of the Duty Communications Superintendent (Harbour Control VHF Ch 13) or the attendant Pilot Vessel. INWARD bound vessels must not enter AREA D. OUTWARD bound vessels must not enter AREA C.

Note for chart Aus 198

To accompany Australia Notice to Mariners 416/97

TRAFFIC REGULATIONS-AREAS C and D Vessels waiting to enter the port are not permitted to anchor inside port limits. Vessels entering the port should not proceed westward of the pilot boarding place without permission of the Duty Communications Superintendent (Harbour Control VHF Ch 13) or the attendant Pilot Vessel. INWARD bound vessels must not enter AREA D. OUTWARD bound vessels must not enter AREA C.

Note for chart Aus 199

To accompany Australia Notice to Mariners 416/97

TRAFFIC REGULATIONS-AREAS A and B Vessels waiting to enter the port are not permitted to anchor inside port limits. Vessels entering the port should not proceed westward of the pilot boarding place without permission of the Duty Communications Superintendent (Harbour Control VHF Ch 13) or the attendant Pilot Vessel. INWARD bound vessels must not enter AREA B. OUTWARD bound vessels must not enter AREA A.

Note for chart Aus 200

To accompany Australia Notice to Mariners 416/97

TRAFFIC REGULATIONS-AREAS A and B Vessels waiting to enter the port are not permitted to anchor inside port limits. Vessels entering the port should not proceed westward of the pilot boarding place without permission of the Duty Communications Superintendent (Harbour Control VHF Ch 13) or the attendant Pilot Vessel. INWARD bound vessels must not enter AREA B. OUTWARD bound vessels must not enter AREA A.

Note for chart Aus 201

III NAVIGATION WARNINGS

The following radio messages have been received during the period to 4 July 1997. Signal copies of these messages may be destroyed. It is recommended that the reprint of Navigational Warnings should be kept in a file or a book divided into areas. Cancellation should be made on receipt of signals and reprints.

Rigs on location other than those listed in the latest Section III summary are the subject of Radio Navigational Warnings. Rigs in transit will not be the subject of Warnings.

AUSCOAST WARNINGS

165	Cancelled.
166	Cancelled.
167	Cancelled.
168	NW Coast. Drill rig Sedco 702 in position 19º 27'.1 S 116º 29'.3 E, 2.5 NM clearance requested
169	Cancelled.
170	Cancelled.
171	Cancelled.
172	SE Coast. New light, FI(2) 8s 173m 10M, established on Outer Sister Island in position 39° 39'.05 S 147° 59'.88 E.
173	Cancelled.
174	N Coast. Isolated rock reported off Bentinct Island, Gulf Of Carpentaria in position 17° 09'.7 S 139° 22'.8 E. Approx depth 1m
175	S Coast Tiparra Reef light K1982 (34º 04'.0 S 137º 23'.4 E) unlit.
176	NW Coast. Drill rig Ocean Bounty in position 10° 44'.9 S 126° 12'.1 E, 2.5 NM clearance requested.
177	NW Coast. Port Walcott buoy No. 10 unlit.
178	NW Coast. Drill rig Ron Tappmeyer in position 21od 18od S 115od 13od E, 2.5 NM clearance requested.

NAVAREA X WARNINGS

- PNG. Hastings Island light K3446 position 10° 20′.5 S 151° 52′.0 E unlit.
- From the 1st July 1997 MRCC Australia has amalgamated with Aviation Search and Rescue and its name has changed to RCC Australia. Telex numbers remain unchanged. New contact numbers are telephone +616 230 6811 and fax +616 230 6868, AUSREP telephone +616 230 6880. The new organisation has been renamed AusSAR and is located in Canberra.
- 013 Basilisk beacon K3458 position 09° 32'.4 S 147 07'.9 E reported damaged and unlit.

Navigational warnings in force as at 031400UTC JUL 97.

Auscoast

148 152 154 157 160 163 168 172 174 175 176 177 178.

Navarea X

001 009 011 012 013

Summary of mobile drilling rigs as at 031400UTC JUL 97.

Name	Position
Ocean Epoch	10° 10'.1 S 127° 06'.7 E
Ocean Bounty	10° 44′.9 S 126° 12′.1 E
Sedco 703	11º 52'.0 S 124º 54'.1 E
Sedco 702	19º 27'.1 S 116º 29'.3 E
Ron Tappmeyer	21º 18'.6 S 115º 13'.6 E
Java Constructor	20° 40′.0 S 115° 29′.5 E
Ensco 56	20° 40′.2 S 115° 30′.8 E

NAVAREA XIV WARNINGS

116	Cancelled.
117	Cancelled.
124	Tonga. Approaches to Nuku Alofa Harbour. A shoal depth of 4.9 mertres (2 fathoms 4feet) reported in position
	21º 02'.20 S 175º 12'.11 W

Navarea XIV warnings in force as at 030001UTC JUL 97.

107 113 114 124

115

Cancelled.

HYDROGRAPHIC REPORTS

Locality	Report	Ship/Authority	Observer
NSW- Jervis Bay Garden Island	Light Features	HMAS Newcastle Port Services Sydney	
NT- Darwin	Towers	LADS	
QLD- Cape Flattery	Wreck Light	HMAS Fremantle	