26 September 1997 Edition 20



Australian Notices to Mariners are the authority for correcting Australian Charts

# AUSTRALIAN NOTICES TO MARINERS

© Commonwealth of Australia 1997 - Copyright restrictions apply to Notices to Mariners

### Notices 539-566

Published fortnightly by the RAN Hydrographic Service

R. J. WILLIS, Hydrographer, RAN

Ē

SECTIONS. I. Australian Notices to Mariners.

III. Navigational Warnings.IV. Hydrographic Reports.

**New Zealand Notices to Mariners** 

The substance of these notices should be inserted on the charts affected.

Notices to Mariners information unavailable on this web site at this stage but still available in printed form:-

British Admiralty Notices to Mariners.
Section II. Corrections to Admiralty List of Lights, Vol K.
Section V. Corrections to Admiralty List of Radio Signals.
Section VI. Corrections to Sailing Directions.
Blocks included after Section VI.

Bearings are referred to the true compass and are reckoned clockwise from 000° (North) to 359°: those relating to lights are given as seen by an observer from seaward. The range quoted for a light is its nominal range. Fog signals are sounded only during thick or foggy weather, unless otherwise stated Depths are with reference to the chart datum of each chart. Heights are above mean high water springs or mean higher high water, as appropriate.

The capital letter (P) or (T) after the number of any notice denotes a preliminary or temporary notice respectively, which are contained separately at the end of the permanent notices. A star (\*) adjacent to the number of a notice indicates that the notice is based on original information.

Mariners are particularly requested to notify the HYDROGRAPHER, RAN, Locked Bag 8801 South Coast Mail Centre, NSW 2521 (Fax 02-4221 8599), e-mail <a href="mailto:hni@hydro.navy.gov.au">hni@hydro.navy.gov.au</a> or, alternatively by filling in and submitting the Hydrographic Notes forms, immediately on the discovery of new dangers or suspected dangers to navigation. For changes or defects in aids to navigation notify AusSAR (Fax 02-6230 6868).

Copies of these notices can be obtained from the HYDROGRAPHIC OFFICE, 8 Station Street, Wollongong, the Agents for the sale of Australian and Admiralty charts in Australia, and from the Australian Maritime Safety Authority (AMSA) Offices, in the major ports of Australia

The Commonwealth of Australia is the owner of, or is otherwise responsible for, the copyright in this work. It is protected under the Copyright Act 1968 and international convention. Except as expressly authorised below, the work may not be copied, reproduced, adapted, changed or commercially exploited, in whole or in part, or the format in which it is stored altered, without the prior written permission of the Australian Hydrographic Office.

The Notices may be copied for the purpose of inserting their substance on official charts and other publications. However, any copies of the notices may not be sold for profit.

© Commonwealth of Australia 1997

#### **NUMERICAL INDEX OF CHARTS AFFECTED**

Edition No 20 26 September 1997

Notices	Aus Chart
539	Aus 193
540	Aus 199
541	Aus 200,201
542	Aus 202
543	Aus 220
544	Aus 235,236
545	Aus 236
546	Aus 259
547	Aus 373, 831,832
548	Aus 662
549	Aus 388,462,4603,4622
550	Aus 293
551	Aus 308,411,442,720
552	Aus 311,4060,4603
553	Aus 59
554	Aus 112,113
555	Aus 164,799
556	Aus 4060
557	Aus 4060,4602
558(T)	Aus 249,250,823
559(T)	Aus 260,822
560(T)	Aus 309,316,722
561(T)	Aus 143,157
562(T)	Aus 143,155
563(T)	Aus 154,155
564(T)	Aus 154,155
565(T)	Aus 155
566(T)	Aus 182

### 539\* AUSTRALIA - NEW SOUTH WALES - Jervis Bay - Darling Road - Light.

HMAS Newcastle. (AH 61/78)

**Aus 193** [*90/97*] Substitute light, *Fl. 4s,* for beacon

35° 07'.68 S 150° 45'.04 E

### 540\* AUSTRALIA - NEW SOUTH WALES - Botany Bay - Kurnell - Mooring buoy.

Sydney Ports Corporation. (AH 61/84)

**Aus 199** [*416/97*] Move lit mooring buoy to 33° 59'.598 S 151° 12'.491 E

33° 59'.588 S 151° 12'.475 E

### 541\* AUSTRALIA - NEW SOUTH WALES - Port Jackson - Steele Point - Lit dolphin; dolphin and piles discontinued.

HMAS *Penguin* (97/4555). (AH 65/78,9)

Aus 200 [514/97]			
Move	lit dolphin	33° 51′.153 S	151º 15'.697 E
	to	33º 51'.150 S	151º 15'.686 E
Delete	lit dolphin	33º 51'.31 S	151º 15'.74 E
	dolphin	33° 51′.29 S	151º 15'.76 E
	·	33º 51'.31 S	151º 15'.81 E
		33º 51'.32 S	151º 15'.78 E
Aus 201 [4	116/97		
Move	lit dolphin	33º 51'.153 S	151º 15'.697 E
	to	33º 51'.150 S	151º 15'.686 E
Delete	lit dolphin	33º 51'.31 S	151º 15'.74 E
	dolphin	33° 51′.29 S	151º 15'.76 E
	·	33° 51′.30 S	151º 15'.79 E
		33° 51′.31 S	151º 15'.81 E
		33° 51′.32 S	151º 15'.78 E
	beacon	33° 51′.17 S	151º 15'.77 E
		33º 51'.22 S	151º 15'.76 E
	pile	33º 51'.28 S	151º 15'.79 E
	•	33º 51'.29 S	151º 15'.78 E

## 542\* AUSTRALIA - NEW SOUTH WALES - Port Jackson - Glebe Island - Obstruction. Sydney Port Corporation. $(AH\ 65/126)$

Aus	202	[327/97]

D 1 1		000 501 470 0	4540 441 050 5
Delete	firm line between	33º 52'.176 S	151º 11'.056 E
		33º 52'.180 S	151º 11'.070 E
		33-32.100 3	131° 11.070 E
	firm line between	33º 52'.184 S	151º 11'.054 E
		33º 52'.188 S	151º 11'.068 E
		00 02.100 0	101 11.000 L
Insert	firm line between	33º 52'.176 S	151º 11'.056 E
IIISCIT	IIIII IIIIC DELWEEII		
		33º 52'.184 S	151º 11'.054 E
	firm line between	33º 52'.180 S	151º 11'.070 E
		33º 52'.188 S	151º 11'.068 E
	denger sirele with legend Obeta	220 521 40 6	1510 111 OC E
	danger circle, with legend Obstn	33º 52'.18 S	151º 11'.06 E

### 543\* AUSTRALIA - NEW SOUTH WALES - Port Macquarie - Leading lights. Waterways (97/4476). (AH61/78)

Aus 220	(plan,	Port	Macquarie)	[238/97	1
---------	--------	------	------------	---------	---

Amend	light to, <i>Dir Iso. R. 2s 10m 2M &amp; F. Bu</i> light to, <i>Dir Iso. R. 2s 17m 2M &amp; F. Bu</i>	31° 25′.71 S 31° 25′.73 S	152º 54'.80 E 152º 54'.64 E
Insert	a pecked line from in a direction 081° for 800m, thence a firm line for 1200m, with legend 261°	31º 25'.73 S	152º 54'.64 E
Delete	note BAR LEADS - PORT MACQUARIE centred on	31º 26'.35 S	152º 54'.40 E

### 544\* AUSTRALIA - QUEENSLAND - Moreton Bay - North East Channel - Light buoy. Former Notices - 483(T)/97 & 525(T)/97 are cancelled.

DOTQ Notice 283/97 (97/4570). (AH 62/80)

Aus 235 [-	476/97
------------	--------

Move	NE4 light buoy	26° 59'.29 S	153º 20'.50 E
	to	26° 59'.44 S	153º 20'.40 E
Aus 236 Move	[476/97] NE4 light buoy to	26º 59'.29 S 26º 59'.44 S	153º 20'.50 E 153º 20'.40 E

545\* AUSTRALIA - QUEENSLAND - Moreton Bay - Cowan Cowan Point - Unexploded ordnance northward. DOTQ Notice 246/97 (97/3230). (AH 62/88)

Aus 236 [544/97]

legend Unexploded Ordnance (see Note) centred on

27° 06'.6 S 153° 21'.6 E

## **546\*** AUSTRALIA - QUEENSLAND - Hinchinbrook Channel - Light buoy. DOTQ Notice 269/97 (97/4163 & 4741). (AH 58/80)

### Aus 259 [656/96]

Insert	danger circle, with legend Obstn	18º 17'.95 S	146º 04'.75 E
	special pillar light buoy, Q. Y, with topmark	18º 17'.85 S	146º 04'.75 E
	starboard lateral conical light buoy, Fl. G. 2.5s, with		
	topmark	18º 26'.35 S	146º 11'.70 E

### 547\* AUSTRALIA - QUEENSLAND - Three Isles - Light.

Former Notice - 372(P)/97 is cancelled. AMSA ATH 1997/N/015 (97/4420). (AH 57/78)

Aus	373	[519/97]
Aus	J. J	1010/01

Amend	light range to 15M	15º 06'.7 S	145º 25'.1 E

### Aus 831 [421/97]

Amend light to FI(3) 15s 27m 15M 15° 06'.7 S 145° 25'.0 E

### Aus 832 [656/96]

Amend light to FI(3) 15s 27m 15M 15° 06'.7 S 145° 25'.0 E

#### PAPUA NEW GUINEA - Manus Island - Seeadler Harbour - Light beacon. 548\*

List of Lights Vol K/97 -- 3507.50 HMAS Geelong. (AH 74/78)

Aus 662 [371/95]

starboard lateral light beacon Move

2º 01'.4 S 147º 22'.7 E 2º 01'.05 S 147º 22'.90 E

### **549\*** PAPUA NEW GUINEA - Cape Moem - Shoal northeastward. RV *Franklin* (97/4418). *(AH 74/126)*

<b>Aus 388</b> [3 Insert	depth, 106m, with legend Rep (1997) depth, 117m, with legend Rep (1997) broken contour enclosing depths (a) & (b)	(a) (b)	3º 28'.87 S 3º 29'.33 S	143º 57'.68 E 143º 59'.78 E
Aus 462 [6 Insert	66/96] depth, <i>58fm</i> , enclosed by contour, with legend <i>Rep</i>	p (1997)	3º 28'.9 S	143º 57'.7 E
Aus 4603 Insert	(INT 603) [479/97] depth, 106m, enclosed by danger circle		3º 28'.9 S	143º 57'.7 E
Aus 4622 Insert	(INT 622) [120/97] depth, 106m, enclosed by danger circle		3º 28'.9 S	143º 57'.7 E
Delete	depth 206m		3º 24'.9 S	143º 56'.7 E

**550\*** AUSTRALIA - TORRES STRAIT - Wednesday Island - Light. List of Lights Vol K/97 -- 3262.00 AMSA. (AH 70/78)

**Aus 293** [352/97] Amend light elevation to 40m 10° 30'.5 S 142° 18'.7 E

## 551\* AUSTRALIA - NORTHERN TERRITORY - Van Dieman Gulf - Depths. HMAS *Paluma* & Auscoast 214/97 (97/4178,4416). (*AH* 63/126)

Aus 308	[268/97]		
Insert	depth, 24 fm, enclosed by contour	12º 03'.35 S	131º 57'.52 E
	depth, 12 fm, enclosed by contour	12º 03'.59 S	132º 17'.63 E
	-	12º 02'.99 S	132º 19'.33 E
Delete	depth 4 <sub>4</sub> fm	12º 03'.4 S	131º 57'.4 E
Aus 411	[450/97]		
Insert	depth, 24 fm, enclosed by contour	12º 02'.8 S	131º 52'.6 E
	depth, 12 fm, enclosed by contour	12º 01'.1 S	132º 11'.8 E
Aus 442	[384/97]		
Insert	depth, 24 fm, enclosed by contour	12º 05'.8 S	131º 57'.0 E
	depth, 12 fm, enclosed by contour	12º 03'.9 S	132º 16'.1 E
Aus 720	[113/97]		
Insert	depth, 24 fm, enclosed by contour	12º 03'.34 S	131º 57'.61 E

### INDONESIA - Timor - Pilau Jaco - Depth northeastward. BA Notice 34/3082/97. (AH 80/126)

Insert depth, 14 <sub>3</sub> m, enclosed by contour, with legend Rep (1997)	8º 20'.5 S	127º 28'.7 E
<b>Aus 4060 (INT 60)</b> [ <i>459/97</i> ] Substitute depth, <i>14m</i> , for 86m	8º 20' S	127º 34' E
Aus 4603 (INT 603) [549/97] Insert depth, 14m, enclosed by danger circle	8º 21' S	127º 29' E

### **553\* WESTERN AUSTRALIA - Dampier - Boat ramp; lights.** RAN Hydrographic Service MCS Reg No 20490. (*AH 64/50,78*)

### Aus 59 (plan, Dampier Wharves) [87/96]

accompanying block 20° 39′.4 S 116º 42'.4 E

Note: Chart Aus 58 will be updated by a new edition which is in production



### **554\* WESTERN AUSTRALIA - Fremantle - Port regulations.** FPA Notice 11/97. (AH 72/107)

accompanying note

Aus 112 [4	<b>1</b> 81/97]		
Insert	legend Speed Limit (see Note) centred on	32º 03'.3 S	115º 42'.8 E
	accompanying note	31º 56'.9 S	115º 46'.8 E
	On certain copies only		
	magenta pecked line between	32º 03'.30 S	115° 43′.36 E
		32º 03'.42 S	115º 43'.84 E
		32º 04'.75 S	115º 43'.60 E
Aus 113 [	148/97]		
Insert	legend Speed Limit (see Note) centred on	32º 03'.35 S	115º 43'.05 E

32° 04'.05 S 115° 45'.45 E

## 555\* AUSTRALIA - TASMANIA - Devonport - Moorland Point - Pipeline. Lester Franks Surveyor Plan 9750 (20515) (97/4029). (AH 69/125)

Aus 164 [615/96	Aus	164	[615/96]
-----------------	-----	-----	----------

Aus 104 [070/90]		
Insert pipeline, with legend Outfall, between	41° 09'.67 S	146º 27'.35 E
	41° 09'.56 S	146º 27'.38 E
	41° 09'.44 S	146º 27'.44 E
	41° 09'.33 S	146º 27'.41 E
	41° 08′.58 S	146º 27'.06 E
Aus 799 [398/97]		
Insert pipeline between	41° 09′.67 S	146º 27'.35 E
	41° 09'.44 S	146º 27'.44 E
	41° 08′.58 S	146º 27'.06 E

### **556** PACIFIC OCEAN - Niue Island - Depth. NZ Notice 33/283/97. (AH 89/126)

**Aus 4060 (INT 60)** [552/97] Substitute depth, 1525m, for 2143m

21° 02' S 168° 50' W

### PACIFIC OCEAN - Nouvelle-Caledonie - Iles des Pins - Depth southeastward.

BA Notice 33/3183/97 (AH 89/126)

Aus 4060 (INT 60) [556/97]

168º 20' E depth 18m enclosed by danger circle 22º 58' S

Aus 4602 (INT 602) [360/97]
Delete depth 18m enclosed by danger circle 22º 58' S 168º 20' E 558(T)/97 AUSTRALIA - QUEENSLAND - Slade Point - Wreck; light buoy.

Date - Until further notice.

DOTQ Notice 286/97 (97/4825). (AH 58/150)

A dangerous wreck, FV *Rena J*, exists in position 21° 04′.8 S 149° 13′.9 E. A special light buoy, Q. Y, has been established close E.

Mariners should navigate with caution in the area.

Chart temporarily affected - Aus 249 - Aus 250 - Aus 823.

559(T)/97 AUSTRALIA - QUEENSLAND - Shoalwater Bay - Scientific instrument recovered. Former Notice - 485(T)/97 is cancelled. HMAS Flinders (97/4767). (AH 58/123)

Cancel this notice on receipt.

Chart formerly affected - Aus 260 - Aus 822

560(T)/97 AUSTRALIA - NORTHERN TERRITORY - Fish Reef - Scientific instruments recovered.

560(T)/97 AUSTRALIA - NORTHERN 7 Former Notice - 491(T)/97 is cancelled. HMAS Shepparton (97/4478). (AH 63/123)

Cancel this notice on receipt.

Chart formerly affected - Aus 309 - Aus 316 - Aus 722

### 561(T)/97 AUSTRALIA - VICTORIA - Port Phillip - Wilson Spit Channel - Depth information; blasting operations suspended; buoys removed; temporary channel closed.

Former Notices - 442(T),536(T) & 537(T)/97 are cancelled. Victorian Channels Authority Notice 80/97 (97/4887). (AH 66/22)

Blasting operations in the E part of Wilson Spit Channel have been temporarily suspended.

The temporary channel to the S of the main channel is closed.

The special light buoys (38° 08'.01 S 144° 31'.26 E and 38° 07'.78 S 144° 30'.63 E) have been removed.

Shoaling extends from 500m E to 150m W of Wilson Spit No 2 light beacon; least depth is 10.6 metres.

A shoal, 9.7 metres, exists in position 38° 07'.94 S 144° 31'.54 S and has been marked by a special light buoy, Fl. Y. 5s, close N.

Chart temporarily affected - Aus 143 - Aus 157.

562(T)/97 AUSTRALIA - VICTORIA - Port Phillip - Port Melbourne - Light buoy removed. Former Notice - 285(T)/97 is cancelled. VCA Notice 77/97 (97/4889). (AH 66/80)

Cancel this notice on receipt.

Chart formerly affected - Aus 143 - Aus 155

### 563(T)/97 AUSTRALIA - VICTORIA - Port Phillip - Station Pier - Depth information.

Former Notice - 167(T)/97 is cancelled. VCA Notice 78/97 (97/4890). (AH 66/22)

Available depth as at 8 September 1997:

Metres

Inner West Berth 8.0
\*Inner East Berth 10.9
Outer East Berth 10.2
\*Indicates new or revised entry.

Chart temporarily affected - Aus 154 - Aus 155.

564(T)/97 AUSTRALIA - VICTORIA - Port Phillip - Port Melbourne - Dredging operations completed. Former Notice - 533(T)/96 is cancelled VCA Notice 79/97 (97/4891). (AH 66/22)

Cancel this notice on receipt

Chart formerly affected - Aus 154 - Aus 155

### 565(T)/97 AUSTRALIA - VICTORIA - Port Phillip - Sandringham - Dredging operations.

Date - Until further notice

Victorian Notice to Mariners Notice 75/97 (97/4950). (AH 66/22)

The dredger, *Noordzee*, has commenced dredging operations in position 37° 56'.75 S 144° 59'.22 E. There will be a submerged pipeline running from the dredger in a northeasterly direction to a small barge located 0.3 nm NE of the breakwater. All floating pipelines will be lit by lights *Fl. Y*.

Mariners are requested to navigate with caution in the area.

Chart temporarily affected - Aus 155.

### 566(T)/97 AUSTRALIA - VICTORIA - Gippsland Lakes - Dredging operations.

Former Notice - 444(T)/97 is cancelled Gippsland Ports Notice 74/97 (AH 59/22)

The dredger, *Sandpiper*, has commenced dredging operations in Reeves Channel adjacent to the northeastern shore of Rigby Island. The dredger will have a floating pipeline extending to the shore of Rigby Island.

The dredger will display regulation lights and shapes and the anchors will be marked by orange buoys.

Mariners are requested to keep well clear and navigate with caution when in the vicinity of the dredger.

Chart temporarily affected - Aus 182.

#### To accompany Australian Notice to Mariners 554/97

SPEED LIMIT

Speed of vessels in the Inner Harbour and Entrance Channel is to be restricted to eight knots. Vessels should avoid crossing the Entrance Channel, but vessels which do are required to cross by the shortest possible route and obey the eight knot speed limit.

Note for chart Aus 112

### To accompany Australian Notice to Mariners 554/97

SPEED LIMIT
Speed of vessels in the Inner Harbour and Entrance
Channel is to be restricted to eight knots. Vessels
should avoid crossing the Entrance Channel, but
vessels which do are required to cross by the
shortest possible route and obey the eight knot
speed limit.

Note for chart Aus 113

### III NAVIGATION WARNINGS

The following radio messages have been received during the period to 12 September 1997. Signal copies of these messages may be destroyed. It is recommended that the reprint of Navigational Warnings should be kept in a file or a book divided into areas. Cancellation should be made on receipt of signals and reprints.

Rigs on location other than those listed in the latest Section III summary are the subject of Radio Navigational Warnings. Rigs in transit will not be the subject of Warnings.

#### **AUSCOAST WARNINGS**

223 224	S Coast. Isolated danger mark buoy (32° 17' S 133° 32' E) for wreck <i>Eleni K</i> off station. Cancelled.
225	N Coast. Carpentaria light float racon ALRS 8690 (10° 44′.4 S 141° 03′.6 E) reduced range.
226	NW Coast. Seismic survey vessel Acadian Searcher towing 3.0 NM cable in area 19° 00' S to 21° 00' S and
	113° 00' E to 116° 00' E. Wide berth requested.
227	Cancelled.
228	NW Coast. Drill rig Ensco 56 in position 19º 41'.2 S 116º 53'.8 E 2.5 NM clearance requested.
229	NW Coast. Seabed operations taking place in position 20° 17' S 116° 26' E in preparation of a new field platform in
	Stag field. Jackup rig on station. 2.5 NM clearance requested.
230	NE Coast. Milman Hill tide gauge repeater (10° 34′.8 S 142° 13′.5 E) temporarily discontinued

#### **NAVAREA X WARNINGS**

Nil issued.

#### Navigational warnings in force as at 111400UTC SEP 97.

#### Auscoast

148 157 195 201 210 214 215 216 217 218 220 223 225 226 228 229 230.

#### Navarea X

001 009 011 012 013 015.

#### Summary of mobile drilling rigs as at 111400UTC SEP 97.

Name	Position
Ron Tappmeyer	14º 30'.8 S 128º 56'.5 E
Ocean Epoch	10° 10′.1 S 127° 06′.7 E
Ocean Bounty	11º 56'.8 S 127º 09'.5 E
Sedco 703	13° 43′.9 S 124° 27′.6 E
Maersk Victory	20° 17′.5 S 116° 16′.4 E
Ensco 56	19º 41'.2 S 116º 53'.8 E
Sedco 702	19º 50'.9 S 115º 26'.5 E

#### **NAVAREA XIV WARNINGS**

158	Cancelled.
159	Cancelled.
160	Cancelled.
161	Cancelled.
162	Cancelled.
163	Cancelled.
164	Cancelled.

Navarea XIV warnings in force as at 110001UTC SEP 97.

152.

### HYDROGRAPHIC REPORTS

Locality	Report	Ship/Authority	Observer
PNG- Kavieng Weka Una	Light buoy Light	HMAS Gawler MV Coral Trader	
PACIFIC OCEAN- Jarvis Island Kiritimati Island	Position	MV Pacific Rover	B Keane
NSW- Stelle Point Port Macquarie	Dolphins Leading lights Buoy	GPV Ardent HODSU	