



Australian Notices to Mariners are the authority for correcting Australian Charts

AUSTRALIAN NOTICES TO MARINERS

© Commonwealth of Australia 1998 - Copyright restrictions apply to Notices to Mariners

Notices 274-304

Published fortnightly by the RAN Hydrographic Service

R. J. WILLIS,
Hydrographer, RAN



- SECTIONS.
- I. [Australian Notices to Mariners.](#)
 - III. [Navigational Warnings.](#)
 - IV. [Hydrographic Reports.](#)

[New Zealand Notices to Mariners](#)

The substance of these notices should be inserted on the charts affected.

Notices to Mariners information unavailable on this web site at this stage but still available in printed form:-

British Admiralty Notices to Mariners.
Section II. Corrections to Admiralty List of Lights, Vol K.
Section V. Corrections to Admiralty List of Radio Signals.
Section VI. Corrections to Sailing Directions.
Blocks included after Section VI.

Bearings are referred to the true compass and are reckoned clockwise from 000° (North) to 359°: those relating to lights are given as seen by an observer from seaward. The range quoted for a light is its nominal range. Fog signals are sounded only during thick or foggy weather, unless otherwise stated. Depths are with reference to the chart datum of each chart. Heights are above mean high water springs or mean higher high water, as appropriate.

The capital letter (P) or (T) after the number of any notice denotes a preliminary or temporary notice respectively, which are contained separately at the end of the permanent notices. A star () adjacent to the number of a notice indicates that the notice is based on original information.*

Mariners are particularly requested to notify the HYDROGRAPHER, RAN, Locked Bag 8801 South Coast Mail Centre, NSW 2521 (Fax 02-4221 8599), e-mail hni.hydro@navy.gov.au or, alternatively by filling in and submitting the [Hydrographic Notes](#) forms, immediately on the discovery of new dangers or suspected dangers to navigation. For changes or defects in aids to navigation notify AusSAR (Fax 02-6230 6868).

Copies of these notices can be obtained from the HYDROGRAPHIC OFFICE, 8 Station Street, Wollongong, the Agents for the sale of Australian and Admiralty charts in Australia, and from the Australian Maritime Safety Authority (AMSA) Offices, in the major ports of Australia

The Commonwealth of Australia is the owner of, or is otherwise responsible for, the copyright in this work. It is protected under the Copyright Act 1968 and international convention. Except as expressly authorised below, the work may not be copied, reproduced, adapted, changed or commercially exploited, in whole or in part, or the format in which it is stored altered, without the prior written permission of the Australian Hydrographic Office.

The Notices may be copied for the purpose of inserting their substance on official charts and other publications. However, any copies of the notices may not be sold for profit.

© Commonwealth of Australia 1998

NUMERICAL INDEX OF CHARTS AFFECTED

Edition No 11

22 May 98

| Notices | Aus Chart |
|--------------|---|
| 274..... | Amendment to Annual Notice to Mariners No 5 |
| 275..... | Aus 220 |
| 276..... | Aus 814 |
| 277..... | Aus 235,236 |
| 278..... | Aus 365,426 |
| 279..... | Aus 370,823 |
| 280..... | Aus 831 |
| 281..... | Aus 20,308,722 |
| 282..... | Aus 26,28 |
| 283..... | Aus 414 |
| 284..... | Aus 328 |
| 285..... | Aus 331,416,479 |
| 286..... | Aus 332 |
| 287..... | Aus 754 |
| 288..... | Aus 172 |
| 289..... | Aus 171 |
| 290..... | Aus 143,157 |
| 291..... | Aus 157 |
| 292..... | Aus 150 |
| 293(T) | Aus 236,237 |
| 294(T) | Aus 256,827 |
| 295(P) | Aus 375,834,835,836 |
| 296(T) | Aus 4 |
| 297(P) | Aus 116,755 |
| 298(T) | Aus 109 |
| 299(T) | Aus 780,781 |
| 300(T) | Aus 605 |
| 301(T) | Aus 789 |
| 302(T) | Aus 172 |
| 303(T) | Aus 154 |
| 304(T) | Aus 151,152 |

274 AUSTRALIA - Publication - Amendment to Annual Notice to Mariners No 5.
AMSA (98/5643). (AH 16/129)

*Page 24 - Perth Radio - Radiotelephone frequencies monitored column
add: 12990 and 16420 kHz 0700-1900 local time*

275* AUSTRALIA - NEW SOUTH WALES - Tweed River - Light beacons; beacons.
 Waterways Authority (98/5234). (AH 61/78)

Aus 220 (plan, Tweed River Entrance) [112/98]

| | | | |
|--------|--|----------------|----------------|
| Insert | special beacon, with topmark | 28° 10'.268 S | 153° 32'.916 E |
| | starboard lateral light beacon, <i>Fl. G. 3s</i> , without topmark | 28° 10'.286 S | 153° 32'.874 E |
| | | 28° 10'.999 S | 153° 32'.946 E |
| | | 28° 11'.075 S | 153° 32'.883 E |
| | port lateral light beacon, <i>Fl. R. 3s</i> , without topmark | 28° 11'.110 S | 153° 32'.935 E |
| | port lateral light beacon, <i>Fl. R. 5s</i> , without topmark | 28° 11'.120 S | 153° 32'.162 E |
| | port lateral cylindrical light buoy, <i>Fl. R. 3s</i> , with topmark | 28° 10'.349 S | 153° 32'.869 E |
| Move | port lateral light beacon | 28° 11'.22 S | 153° 32'.81 E |
| | to | 28° 11'.247 S | 153° 32'.761 E |
| | port lateral light beacon | 28° 11'.28 S | 153° 32'.50 E |
| | to | 28° 11'.313 S | 153° 32'.534 E |
| | starboard lateral light beacon | 28° 11'.22 S | 153° 32'.45 E |
| | to | 28° 11'.272 S | 153° 32'.473 E |
| | port lateral light beacon | 28° 11'.19 S | 153° 32'.32 E |
| | to | 28° 11'.230 S | 153° 32'.360 E |
| | starboard lateral light beacon | 28° 11'.15 S | 153° 33'.16 E |
| | to | 28° 11'.313 S | 153° 33'.226 E |
| | starboard lateral beacon | 28° 11'.18 S | 153° 33'.06 E |
| | to | 28° 11'.239 S | 153° 33'.055 E |
| | isolated danger spar buoy | 28° 11'.24 S | 153° 33'.09 E |
| to | 28° 11'.292 S | 153° 33'.051 E | |
| Delete | starboard lateral light beacon | 28° 10'.31 S | 153° 32'.83 E |
| | port lateral light beacon | 28° 10'.40 S | 153° 32'.85 E |
| | starboard lateral conical light buoy | 28° 10'.98 S | 153° 32'.93 E |
| | starboard lateral conical buoy | 28° 11'.09 S | 153° 32'.90 E |
| | | 28° 11'.24 S | 153° 32'.70 E |
| | starboard lateral beacon | 28° 11'.14 S | 153° 33'.13 E |
| | port lateral cylindrical buoy | 28° 11'.13 S | 153° 32'.18 E |

276* AUSTRALIA - QUEENSLAND - Southport - Runaway Bay - Light beacon; beacons.
DOTQ Notice 115/98 (98/4840). (61/78,9)

Aus 814 (plan, Southport Bar Entrance) [601/97]

| | | | |
|--------|---|--------------|---------------|
| Insert | special light beacon, <i>Fl. Y. 2.5s</i> , with topmark | 27° 54'.55 S | 153° 24'.59 E |
| | special beacon with topmark | 27° 54'.91 S | 153° 24'.61 E |
| | starboard lateral beacon with topmark | 27° 54'.72 S | 153° 24'.57 E |
| | | 27° 54'.94 S | 153° 24'.54 E |

277* AUSTRALIA - QUEENSLAND - Pumicestone Channel - Ningi Creek - Obstruction.

DOTQ Notice 126/98 (98/5768) (AH 62/126)

Aus 235 [601/97]

Insert danger circle with legend *Obstr*

27° 03'.67 S

153° 07'.03 E

Aus 236 [176/98]

Insert danger circle with legend *Obstr*

27° 03'.67 S

153° 07'.03 E

278* AUSTRALIA - QUEENSLAND - Double Island Point - Light.
RAN Hydrographic Service (98/5732) (AH 58/78)

Aus 365 [233/98]

On certain copies only

Amend light range to 17M

25° 56'.0 S

153° 11'.3 E

Aus 426 [233/98]

Insert light characteristic *Fl. 7.5s 17M*

25° 56' S

153° 11' E

279* AUSTRALIA - QUEENSLAND - Cullen Islet - Shoal depth.
HMAS *Benalla* (98/6460). (AH 58/126)

Aus 370 [207/98]

Insert depth, 1₁ fm, enclosed by contour

21° 24'.72 S

149° 28'.91 E

Aus 823 [420/97]

Insert depth, 1₁ fm, enclosed by contour

21° 24'.70 S

149° 28'.92 E

280* AUSTRALIA - QUEENSLAND - Archer Point - Light.
RAN Hydrographic Service (AH 57/78)

Aus 831 [159/98]

Amend *On certain copies only*
light range to 18-14M

15° 35'.7 S

145° 19'.6 E

281* AUSTRALIA - NORTHERN TERRITORY - East Vernon Island - Light altered.

Former Notice - 151(P)/98 is cancelled

List of Lights Vol K/98 -- 3316.00

AMSA ATH 1998/N/004 (98/6256). (AH 63/78)

Aus 20 [72/98]

Amend light to *Fl. WRG. 5s 12m 11/8M*

12° 04'.74 S

131° 05'.66 E

Aus 308 [72/98]

Amend light to *Fl. WRG. 5s*

12° 04'.7 S

131° 05'.7 E

Aus 722 [73/98]

Amend light to *Fl. WRG. 5s 11/8M*

12° 04'.7 S

131° 05'.7 E

282* AUSTRALIA - NORTHERN TERRITORY - Darwin - East Arm - Light buoys; light beacon.

DPA HM/4/98 (98/6785). (AH 60/80,78)

Aus 26 [260/98]

| | | | |
|--------|--|---------------|----------------|
| Insert | special conical light buoy, <i>Fl(5) Y. 12s No12</i> , with topmark | 12° 28'.789 S | 130° 51'.326 E |
| | starboard lateral conical light buoy, <i>Fl(2) G. 5s No13</i> , with topmark | 12° 29'.417 S | 130° 52'.420 E |
| | port lateral cylindrical light buoy, <i>Fl(2) R. 5s No14</i> , with topmark | 12° 29'.240 S | 130° 52'.438 E |
| | port lateral cylindrical light buoy, <i>Fl(4) R. 10s No16</i> , with topmark | 12° 29'.691 S | 130° 52'.931 E |
| | port lateral cylindrical light buoy, <i>Fl. R. 3s No18</i> , with topmark | 12° 29'.820 S | 130° 52'.978 E |
| Delete | depth 6 ₄ m | 12° 29'.25 S | 130° 52'.42 E |
| | depth 2 ₆ m | 12° 29'.45 S | 130° 52'.40 E |
| | depth 13 ₇ m | 12° 29'.33 S | 130° 52'.50 E |

Aus 28 (plan, Port Darwin) [260/98]

| | | | |
|--------|---|---------------|----------------|
| Insert | special conical light buoy, <i>Fl(5) Y. 12s No12</i> , with topmark | 12° 28'.789 S | 130° 51'.326 E |
|--------|---|---------------|----------------|

Aus 28 (plan, East Arm)

| | | | |
|--------|--|---------------|----------------|
| Insert | starboard lateral conical light buoy, <i>Fl(2) G. 5s No13</i> , with topmark | 12° 29'.417 S | 130° 52'.420 E |
| | port lateral cylindrical light buoy, <i>Fl(2) R. 5s No14</i> , with topmark | 12° 29'.240 S | 130° 52'.438 E |
| | port lateral cylindrical light buoy, <i>Fl(4) R. 10s No16</i> , with topmark | 12° 29'.691 S | 130° 52'.931 E |
| | port lateral cylindrical light buoy, <i>Fl. R. 3s No18</i> , with topmark | 12° 29'.820 S | 130° 52'.978 E |
| Delete | depth 6 ₄ m | 12° 29'.25 S | 130° 52'.42 E |

283 INDONESIA - Komodo Island and Banta Island - Rock; depth.
BA Notice 17/1482/98 (98/6474). (AH 80/126)

Aus 414 [480/97]

Insert rock which covers and uncovers, semi-enclosed by danger
line to S
depth, 2fm, enclosed by contour

| | |
|------------|--------------|
| 8° 45'.3 S | 119° 23'.0 E |
| 8° 23'.2 S | 119° 19'.6 E |

284* WESTERN AUSTRALIA - Montebello Islands - Production platform.

RAN Hydrographic Service (98/6272). (AH 64/105)

Aus 328 [262/98]

On certain copies only

Insert production platform with restricted area

20° 24'.93 S

115° 43'.74 E

285* WESTERN AUSTRALIA - Steep Point - Amendment to light.

List of Lights Vol K/98 - 1728.00

AMSA (98/5649) (AH 68/78)

Aus 331 [66/98]

Amend light to *Fl. 10s 230ft 10M*

26° 09'.0 S

113° 09'.7 E

Aus 416 [118/98]

Amend light range to *10M*

26° 09'.0 S

113° 09'.7 E

Aus 749 [607/97]

Amend light to *Fl. 10s 70m 10M*

26° 09'.0 S

113° 09'.7 E

286* WESTERN AUSTRALIA - Champion Bay - Light.
RAN Hydrographic Service (98/6271) (AH 68/78)

Aus 332 [513/94]

On certain copies only

Insert light characteristic *Iso. 3s 8M*

28° 44'.9 S

114° 36'.4 E

287* WESTERN AUSTRALIA - North Lumps - Light beacon.
DOTWA (98/6367) (AH 68/78)

Aus 754 [97/98]

Insert north cardinal light beacon, Q. 3M, with topmark

31° 47'.25 S

115° 42'.75 E

288* AUSTRALIA - TASMANIA - River Derwent - Prince of Wales Bay - Jetty, light.

MBH Port Service (98/5738). (AH 69/50,78)

Aus 172 [183/98]

Insert a firm line, in a direction 202° 45' to HWL, with legend
Jetty, from
light, *F. R*

42° 49'.622 S 147° 18'.318 E
42° 49'.624 S 147° 18'.315 E

Aus 172 (inset, Continuation of River Derwent)

Insert a firm line, in a direction 202° 45' to HWL, with legend
Jetty, from
light, *F. R*

42° 49'.622 S 147° 18'.318 E
42° 49'.624 S 147° 18'.315 E

289* AUSTRALIA - TASMANIA - Norfolk Bay and Wedge Bay - Marine farms.
DPI&FTAS (97/9868). (AH 69/37)

Aus 171 [244/98]

| | | | |
|--------|--|--------------|---------------|
| Insert | marine farm | 42° 53'.84 S | 147° 47'.61 E |
| | | 42° 57'.19 S | 147° 48'.59 E |
| | | 43° 02'.12 S | 147° 50'.95 E |
| | pecked line between | 42° 56'.33 S | 147° 46'.20 E |
| | | 42° 56'.41 S | 147° 45'.58 E |
| | | 42° 57'.25 S | 147° 45'.81 E |
| | | 42° 57'.17 S | 147° 46'.40 E |
| | legend, <i>Marine Farm (see Note)</i> , centred on | 42° 56'.8 S | 147° 46'.0 E |
| | pecked line between | 43° 01'.63 S | 147° 47'.31 E |
| | | 43° 01'.18 S | 147° 47'.42 E |
| | | 43° 01'.36 S | 147° 48'.55 E |
| | | 43° 01'.80 S | 147° 48'.44 E |
| | legend, <i>Marine Farm (see Note)</i> , centred on | 43° 01'.5 S | 147° 48'.0 E |
| | pecked line between | 43° 06'.12 S | 147° 42'.17 E |
| | | 43° 06'.39 S | 147° 42'.23 E |
| | | 43° 06'.55 S | 147° 41'.35 E |
| | | 43° 06'.28 S | 147° 41'.32 E |
| | legend, <i>Marine Farm (see Note)</i> , centred on | 43° 06'.4 S | 147° 41'.8 E |

290* AUSTRALIA - VICTORIA - Geelong - Port limits revoked.

Victorian Channels Authority (98/5652) (AH 66/107)

Aus 143 [265/98]

Delete magenta pecked line, with legend Geelong Harbour
Trust Boundary, between

38° 00'.4 S 144° 35'.5 E
38° 06'.6 S 144° 38'.7 E

Aus 157 [265/98]

Delete magenta pecked line, with legend Port of Geelong
Authority Boundary, between

38° 00'.4 S 144° 35'.5 E
38° 06'.8 S 144° 38'.7 E

291* AUSTRALIA - VICTORIA - Geelong - Cunningham Pier - Light.
RAN Hydrographic Service (98/5642) (AH 66/78)

Aus 157 (plan, Cunningham Pier) [290/98]

On certain copies only

Insert light characteristic *F. R*

38° 08'.66 S

144° 21'.95 E

292* AUSTRALIA - VICTORIA - Western Port - Newhaven - Light.

List of Lights Vol K/98 - 2464.50

TOLL Western Port (98/6434). (AH 59/78)

Aus 150 (plan, The Narrows) [141/96]

Amend light to Q

38° 30'.72 S

145° 21'.71 E

293(T)/98 AUSTRALIA - QUEENSLAND - Moreton Bay - Manly and Old Bar Cutting - Scientific instruments.

Date - Until 30 June 1998

DOTQ Notice 136/98 (98/6431). (AH 62/123)

Scientific instruments have been laid adjacent to nav aids as follows:

| | | |
|--------------------|-------------------------------|----------------------------|
| Old Bar Cutting | Special light buoy | 27° 20'.12 S 153° 11'.07 E |
| Manly Boat Harbour | No2 Port lateral light beacon | 27° 26'.86 S 153° 12.20 E |

Mariners are advised to navigate with caution in the vicinity.

Chart temporarily affected - Aus 236 - Aus 237.

294(T)/98 AUSTRALIA - QUEENSLAND - Cape Pallarenda - Light beacon re-established; temporary light.

Former Notice - 105(T)/98 is cancelled

DOTQ Notices 135 & 137/98 (98/6431,6611). (AH 58/78)

The isolated danger light beacon (19° 11'.75 S 146° 46'.58 E) has been re-established. The light has been temporarily altered to *Fl. 3s*.

Chart temporarily affected - Aus 256 - Aus 827.

295(P)/98 AUSTRALIA - QUEENSLAND - Middle Reef - Light to be altered.

Date - On or about 4 June 1998

AMSA ATH 1998/N/005 (98/6614) (*AH 57/78*)

The light (12° 31'.6 S 143° 23'.6 E) will be altered to *Fl(3) WR. 15s 8m 11/8M* with sectors as follows:

White 162° - 152° (350°)

Red 152° - 162° (10°)

Chart which will be affected - Aus 375 - Aus 834 - Aus 835 - Aus 836.

296(T)/98 AUSTRALIA - QUEENSLAND - Weipa - Depth information.

Former Notice - 465(T)/96 is cancelled
DOTQ Notice 143/98 (98/6784) (AH 70/22)

Available depths as at 1 May 1998:

| | <i>Metres</i> |
|-------------------------|---------------|
| * Weipa South Channel | 10.5 |
| Humbug Wharf | 9.5 |
| Evans Landing | 9.9 |
| Lorim Point | 12.3 |
| Cora Bank South Channel | 7.3 |
| Swing Basin | 9.4 |

*Indicates new or revised entry.

Chart temporarily affected - Aus 4.

297(P)/98 WESTERN AUSTRALIA - James Service Reef to Robert Point - Light beacons to be established.

Date - On or about 05 May 1998

DOTWA fax 1/5/98 (98/6834). (AH 68/78)

Light beacons will be established as follows:

| <i>Type</i> | <i>Lat</i> | <i>Long</i> | <i>Characteristics</i> | <i>Remarks</i> |
|----------------|-------------|--------------|------------------------|---|
| South cardinal | 32° 27'.8 S | 115° 39'.3 E | Q(6)+LFl. 15s | South cardinal buoy to be removed. |
| West cardinal | 32° 29'.6 S | 115° 43'.8 E | Q(9) 15s | |
| North cardinal | 32° 30'.9 S | 115° 42'.1 E | Q | North cardinal buoy (Notice 528(T)/96 refers) to be removed |

Chart which will be affected - Aus 116 - Aus 755.

298(T)/98 WESTERN AUSTRALIA - Albany - Geake Point - Wreck.

Date - Until further notice

HM Albany & HMAS *Darwin* (98/6941). (*AH 68/150*)

A stranded wreck exists in position 35° 03'.45 S 117° 54'.55 S.

Chart temporarily affected - Aus 109.

299(T)/98 SOUTH AUSTRALIA - Brighton - Dredging operations completed; beach replenishment ceased.

Former Notice - 676(T)/97 is cancelled

MHSA (98/6053) (AH 71/22)

Cancel this notice on receipt

Chart formerly affected - Aus 780 - Aus 781

300(T)/98 SOUTHERN OCEAN - Heard Island - Atlas Cove - Tide gauge removed.

Former Notice - 524(T)/93 is cancelled
RAN Hydrographic Service (AH 96/8)

Cancel this notice on receipt.

Chart formerly affected - Aus 605

301(T)/98 AUSTRALIA - TASMANIA - Grassy Harbour - Beacon re-established.

Former Notice - 284(T)/97 is cancelled

King Island ports Corp fax 30/4/98 (98/6810) (AH 69/9)

Cancel this notice on receipt

Chart formerly affected - Aus 789

302(T)/98 AUSTRALIA - TASMANIA - River Derwent - Dowsings Point - Buoys withdrawn.

*Former Notice - 475(T)/96 is cancelled
MBH (98/5738) (AH 69/8)*

Cancel this notice on receipt.

Chart formerly affected - Aus 172

303(T)/98 AUSTRALIA - VICTORIA - Port Phillip - Port Melbourne - Victoria Dock - Depth information.

Former Notices - 341(T)/97 & 443(T)/97 are cancelled

Victorian Channels Authority Notice 19/98 (98/7023). (AH 66/22)

Available depths at South Wharf as at 5 May 1998:

No 27 8.8m

No 28 8.8m

No 29 8.4m

* Indicates new or revised entry.

Note: depth at No 22-24 Victoria Dock River Berths has been restored to 9.4m.

Chart temporarily affected - Aus 154.

304(T)/98 AUSTRALIA - VICTORIA - Western Port - Stony Point - Rig northward removed.

Former Notice - 622(T)/97 is cancelled

Victorian Notice 16/98 (98/6259) (AH 59/101)

Cancel this notice on receipt.

Chart formerly affected - Aus 151 - Aus 152

**III
NAVIGATION WARNINGS**

The following radio messages have been received during the period to 8 May 1998. Signal copies of these messages may be destroyed. It is recommended that the reprint of Navigational Warnings should be kept in a file or a book divided into areas. Cancellation should be made on receipt of signals and reprints.
Rigs on location other than those listed in the latest Section III summary are the subject of Radio Navigational Warnings. Rigs in transit will not be the subject of Warnings.

AUSCOAST X WARNINGS

- 115 NW Coast. Drill rig *Ensco 56* in position 19° 43'.4 S 116° 41'.8 E 2.5NM clearance requested.
- 116 NW Coast. Drill rig *Sedco 703* in position 9° 30'.0 S 128° 06'.2 E 2.5NM clearance requested.
- 117 NW Coast. Seismic survey vessel *Odin Explorer* towing 3.25NM cable in area 11° 06' S 128° 35' E, 11° 06' S 127° 30' E, 11° 20' S 127° 30' E, 12° 10' S 128° 02' E, 11° 49' S 128° 35' E.
- 118 S Coast. Drill rig *Parameswara* in position 34° 41'.2 S 138° 18'.7 E 2.5NM clearance requested.
- 119 NW Coast. Seismic survey vessel *Western Legend* towing 2.5NM cable in area 19° 25' S to 19° 43' S and 116° 00' E to 116° 15' E.
- 120 NW Coast. Drill rig *Sedco 702* in position 19° 28'.5 S 116° 22'.1 E 2.5NM clearance requested.
- 121 NW Coast. Drill rig *Ocean Bounty* in position 10° 51'.2 S 126° 28'.7 E 2.5NM clearance requested.
- 122 N Coast. Carpentaria light float racon ALRS8690 (10° 44'.4 S 141° 03.6 E) temporarily discontinued.
- 123 Cancelled.
- 124 E Coast. Newcastle isolated danger buoy (32° 53'.8 S 151° 51'.0 E) damaged and unlit.
- 125 NW Coast. Seismic survey vessel *Orient Explorer* towing 2.6NM cable in area 19° 20' S to 19° 34' S and 116° 51' E to 117° 05' E.
- 126 NW Coast. Drill rig *Ocean General* in position 19° 28'.5 S 116° 22'.1 E 2.5NM clearance requested.
- 127 Cancelled.

NAVAREA X WARNINGS

- 004 Cancelled.
- 005 Cancelled.
- 006 Cancelled.
- 007 Cancelled.
- 008 PNG. Lunn Island light K3449 (10° 47'.3 S 152° 00.4 E) unlit.
- 009 Cancelled.
- 010 Coral Sea. Seismic survey vessel *Rig Seismic* towing 2.5NM cable in area 21° 30' S to 27° 00' S and 164° 00' E to 171° 00' E.

Navigational warnings in force as at 071400UTC MAY 98.

Auscoast

1998 087 088 092 093 095 100 102 103 105 109 114 115 116 117 118 119 120 122 124 125 126 127.

Navarea X

1997 027.

1998 008 010

Summary of mobile drilling rigs as at 071400UTC MAY 98.

| Name | Position |
|-----------------------|--------------------------|
| Sedco 703 | 9° 30'.0 S 128° 06'.2 E |
| Ocean Bounty | 10° 51'.2 S 126° 28'.7 E |
| Ocean Epoch | 10° 51'.8 S 125° 34'.2 E |
| Atwood Southern Cross | 11° 10'.9 S 125° 57'.0 E |
| Ensco 56 | 19° 43'.4 S 116° 41'.8 E |
| Sedco 702 | 19° 28'.5 S 116° 22'.1 E |
| Ocean General | 19° 28'.5 S 116° 22'.1 E |
| Ron Tappmeyer | 20° 17'.5 S 116° 16'.4 E |
| Parameswara | 34° 41'.2 S 138° 18'.7 E |
| Northern Explorer III | 39° 51'.6 S 145° 48'.6 E |

NAVAREA XIV WARNINGS

- 067 Cancelled.
- 068 Cancelled.
- 069 Cancelled.
- 070 South Pacific. 11 metre sloop *Ariaka* VNXN, white hull, one POB, unreported since 101130 UTC APR when in position 6° 23' S 102° 20' W, bound from Galapagos Islands to Marqueses Islands, vessel fitted with HF, VHF and 406 EPRIB.
- 071 Cancelled.
- 072 Cancelled.
- 073 Cancelled.

Navarea XIV warnings in force as at 070001UTC MAY 98.

070.

IV

HYDROGRAPHIC REPORTS

| <i>Locality</i> | <i>Report</i> | <i>Ship/Authority</i> | <i>Observer</i> |
|--------------------------------|---------------|------------------------|-----------------|
| WA-- Princess Royal Harbour | Wreck | HMAS <i>Darwin</i> | |
| PNG- Kieta | Wreck | HMNZS <i>Manawanui</i> | |