

Australian Notices to Mariners are the authority for correcting Australian Charts

AUSTRALIAN NOTICES TO MARINERS

© Commonwealth of Australia 1999 - Copyright restrictions apply to Notices to Mariners

Notices 264-286

Published fortnightly by the Australian Hydrographic Office



R. J. WILLIS,
Hydrographer, RAN

- SECTIONS.**
- I. Australian Notices to Mariners, including blocks and notes.**
 - III. Navigational Warnings.**
 - IV. Hydrographic Reports.**

New Zealand Notices to Mariners

The substance of these notices should be inserted on the charts affected.

Notices to Mariners information relating to British Admiralty Publications unavailable on this web site at this stage but still available in printed form:-

- Section II. Corrections to Admiralty List of Lights, Vol K.**
- Section V. Corrections to Admiralty List of Radio Signals.**
- Section VI. Corrections to Sailing Directions.**

Bearings are referred to the true compass and are reckoned clockwise from 000° (North) to 359°: those relating to lights are given as seen by an observer from seaward. The range quoted for a light is its nominal range. Fog signals are sounded only during thick or foggy weather, unless otherwise stated. Depths are with reference to the chart datum of each chart. Heights are above mean high water springs or mean higher high water, as appropriate.

The capital letter (P) or (T) after the number of any notice denotes a preliminary or temporary notice respectively, which are contained separately at the end of the permanent notices. A star () adjacent to the number of a notice indicates that the notice is based on original information.*

Mariners are particularly requested to notify the AUSTRALIAN HYDROGRAPHIC OFFICE, Locked Bag 8801 South Coast Mail Centre, NSW 2521 (Fax 02-4221 8599), e-mail hni.hydro@navy.gov.au or, alternatively by filling in and submitting the **Hydrographic Notes forms, immediately on the discovery of new dangers or suspected dangers to navigation. For changes or defects in aids to navigation notify AusSAR (Fax 02-6230 6868).**

Copies of these notices can be obtained from the AUSTRALIAN HYDROGRAPHIC OFFICE, 8 Station Street, Wollongong, the Agents for the sale of Australian and Admiralty charts in Australia, and from the Australian Maritime Safety Authority (AMSA) Offices, in the major ports of Australia

The Commonwealth of Australia is the owner of, or is otherwise responsible for, the copyright in this work. It is protected under the Copyright Act 1968 and international convention. Except as expressly authorised below, the work may not be copied, reproduced, adapted, changed or commercially exploited, in whole or in part, or the format in which it is stored altered, without the prior written permission of the Australian Hydrographic Office. The Notices may be copied for the purpose of inserting their substance on official charts and other publications. However, any copies of the notices may not be sold for profit.

© Commonwealth of Australia 1999

NUMERICAL INDEX OF CHARTS AFFECTED

Edition No 9

30 April 1999

Notices	Aus Chart
264.....	Aus 65193,65197,65808; New edition of Admiralty publication
265.....	Aus 808
266.....	Aus 809
267.....	Aus 244,245
268.....	Aus 826
269.....	Aus 4071, INT71
270.....	Aus 177
271.....	Aus 175,354
272.....	Aus 174
273.....	Aus 170
274.....	Aus 179
275.....	Aus 790
276.....	Aus 357,357A,422,445A,802
277.....	Aus 4060, 4602, INT60,602
278(T).....	Aus 246,366,819
279(P).....	Aus 371,827
280(T).....	Aus 375,835
281(T).....	Aus 388
282(P).....	Aus 306,410,411,442,715
283(T).....	Aus 26
284(P).....	Aus 111,117
285(T).....	Aus 780,781
286(T).....	Aus 143,154,155,157,158

264 AUSTRALIA - Publications.

BA Notice 12/99 (2500). & HS RAN (99/2455) (AH99/228,226)

New miscellaneous chart

Chart	Title	Scale
Aus 65197	Approaches to Port Jackson Port Hacking to The Skillion	1:75 000
Aus 65808	Jervis Bay to Port Jackson	1:150 000

New edition miscellaneous chart

Chart	Title	Scale
Aus 65193	Jervis Bay and Approaches	1:37 500

New edition of Admiralty publication

NP No	Title	Date	RRP(UK)	Remarks
NP 288	Admiralty List of Radio Signals, Volume 8, Satellite Navigation Systems	25/3/99	£9.95	The 1998 edition is thereby cancelled

265* AUSTRALIA - NEW SOUTH WALES - Port Jackson - Submarine cable.

HS RAN (99/2343). (AH 99/269)

Aus 808 [100/99]

Insert	disused submarine cable, in magenta, between	33° 54'.0 S	151° 17'.6 E
		33° 52'.6 S	151° 28'.0 E
		33° 52'.7 S	151° 29'.2 E
		33° 50'.6 S	151° 43'.0 E

266* AUSTRALIA - NEW SOUTH WALES - Port Jackson - Prohibited anchorage.

Sydney Ports Corp (99/2503). (AH 98/317)

Aus 809 [148/99]

	<i>On certain copies only</i>		
Insert	prohibited anchorage area between	33° 53'.50 S	151° 19'.25 E
		33° 53'.80 S	151° 19'.05 E
		33° 54'.00 S	151° 21'.20 E

267* AUSTRALIA - QUEENSLAND - Gladstone - Targinnie Channel - Dredged depth.

DOTQ (99/1931). (AH 99/217)

Aus 244 (plan, Gladstone and Adjacent Wharves) [150/99]

Amend	legend to <i>Maintained depth 8.9m</i>	23° 48'.53 S	151° 13'.73 E
-------	--	--------------	---------------

Aus 244 (plan, Fishermans Landing Wharf)

Amend	legend to <i>Maintained depth 8.9m</i>	23° 47'.32 S	151° 10'.75 E
-------	--	--------------	---------------

Aus 245 [150/99]

Amend	legend to <i>Maintained depth 8.9m</i>	23° 48'.0 S	151° 12'.4 E
		23° 47'.4 S	151° 10'.7 E

268 AUSTRALIA - QUEENSLAND - Cape Upstart - Rock.

RG Ward & HMAS Shepparton (99/2454). (AH 99/175)

Aus 826 [687/97]

Insert	rock which does not cover, height 8m	19° 42'.29 S	147° 45'.02 E
--------	--------------------------------------	--------------	---------------

269 INDIAN OCEAN - Yemen - Ra's Fartak - Depth southeastward.

BA Notice 11/1036/99 (99/2244). (AH 99/75)

Aus 4071 (INT 71) [178/99]

Insert	depth, 169m, and extend 200m contour E to enclose	15° 19' N	52° 23' E
--------	---	-----------	-----------

270* AUSTRALIA - TASMANIA - Macquarie Harbour - Port limit.
Tasmania Marine & Safety Regulations 2/1998 (99/2094). (AH 99/255)

Aus 177 [467/95]

Insert	magenta pecked line, with legend Strahan Port Limit, between	42° 11'.9 S	145° 12'.3 E
		42° 11'.4 S	145° 12'.3 E
		42° 11'.4 S	145° 15'.6 E

271* AUSTRALIA - TASMANIA - Port Davey - Port limit.
Tasmania Marine & Safety Regulations 2/1998 (99/2094). (AH 99/255)

Aus 175 [113/97]

Insert	magenta pecked line, with legend Port Davey Port Limit, between W border	43° 19.32 S	
		43° 23'.18 S	145° 55'.27 E

Aus 354 [151/97]

Insert	magenta pecked line, with legend Port Davey Port Limit, between	43° 23'.1 S	145° 55'.3 E
		43° 19'.0 S	145° 50'.4 E

272* AUSTRALIA - TASMANIA - Port Arthur - Port limit.
Tasmania Marine & Safety Regulations 2/1998 (99/2094). (AH 99/255)

Aus 174 (plan, Port Arthur) [245/98]

Insert	magenta pecked line, with legend Port Arthur Port Limit, between	43° 11'.58 S	147° 53'.72 E
		43° 12'.51 S	147° 52'.40 E

273* AUSTRALIA - TASMANIA - Spring Bay - Port limit.
Tasmania Marine & Safety Regulations 2/1998 (99/2497). (AH 99/120)

Aus 170 [308/97]

Insert	magenta pecked line, with legend Spring Bay Port Limit, between	42° 33'.18 S	147° 57'.15 E
		42° 35'.71 S	147° 55'.81 E

Aus170 (Approaches to Spring Bay)

Insert	magenta pecked line, with legend Spring Bay Port Limit, between	42° 33'.18 S	147° 57'.15 E
		42° 35'.71 S	147° 55'.81 E

274* AUSTRALIA - TASMANIA - Lady Barron - Port limit.
Tasmania Marine & Safety Regulations 2/1998 (99/2094). (AH 99/255)

Aus179 (plan, Approaches to Prime Seal I Anchorage and Franklin Sound) [357/97]

Insert	magenta pecked line, radius 3M, with legend <i>Lady Barron</i> <i>Port Limit</i> , from position	40° 13'.04 S	148° 14'.62 E
--------	---	--------------	---------------

Aus179 (plan, Approaches to Lady Barron)

Insert	magenta pecked line, radius 3M, with legend <i>Lady Barron</i> <i>Port Limit</i> , from position	40° 13'.04 S	148° 14'.62 E
--------	---	--------------	---------------

275* AUSTRALIA - TASMANIA - Port Latta and Stanley - Port limit.
Tasmania Marine & Safety Regulations 2/1998 (99/2094). (AH 99/255)

Aus 790 [215/99]

Insert	magenta pecked line, radius 3M, with legend <i>Port Latta Port Limit</i> , from position	40° 50'.28 S	145° 23'.10 E
	magenta pecked line, radius 2.5M, with legend <i>Stanley Port Limit</i> , from position	40° 45'.90 S	145° 18'.10 E

276* AUSTRALIA - VICTORIA - Hogan Island - Light range.

List of Lights Vol K/99 -- 2493.00
AMSA (99/2505). (AH 99/21)

Aus 357 [547/98]

Amend	light range to 13M	39° 13'.2 S	146° 58'.8 E
-------	--------------------	-------------	--------------

Aus 357A [547/98]

Amend	light range to 13M	39° 13'.2 S	146° 58'.8 E
-------	--------------------	-------------	--------------

Aus 422 [86/99]

Amend	light range to 13M	39° 13'.2 S	146° 58'.8 E
-------	--------------------	-------------	--------------

Aus 445A [569/98]

Amend	light range to 13M	39° 13'.2 S	146° 58'.8 E
-------	--------------------	-------------	--------------

Delete	legend DAYMARK centred on	39° 13'.0 S	146° 57'.5 E
--------	---------------------------	-------------	--------------

Aus 802 [87/99]

Amend	light range to 13M	39° 13'.2 S	146° 58'.8 E
-------	--------------------	-------------	--------------

277 PACIFIC OCEAN - Vanuatu - Ile Matthew - Obstruction northwestward.

BA Notice 13/1217/99 (99/2499). (AH 99/273)

Aus 4060 (INT 60) [217/99]

Insert	danger circle	22° 11' S	171° 10' E
--------	---------------	-----------	------------

Aus 4602 (INT 602) [185/99]

Insert	depth, 5m, enclosed by danger circle, with legend <i>Obstr</i>	22° 11' S	171° 10' E
--------	--	-----------	------------

278(T)/99 AUSTRALIA - QUEENSLAND - Gladstone - Light beacon destroyed; light buoy.

Date - Until further notice

DOTQ Notice 159/99 (9/2601). (AH 99/16)

Fairway light beacon (23° 53'.24 S 151° 30'.93 E) has been destroyed. A cylindrical light buoy, *LFl. 10s*, has been established in situ.

Chart temporarily affected - Aus 246 - Aus 366 - Aus 819.

279(P)/99 AUSTRALIA - QUEENSLAND - Cape Bowling Green - Light buoy to be established.

Date - On or about 21 June 1999

AMSA ATH 1999/N/007 (99/2456). (AH 99/13)

An isolated danger pillar light buoy, *Fl(2) 8s*, with topmark will be established in position 19° 18'.40 S 147° 37'.52 E to mark the wreck *Yongala*.

Chart which will be affected - Aus 371 - Aus 827.

280(T)/99 AUSTRALIA - QUEENSLAND - Cape Grenville - Orton Island - Wreck salvaged.

Former Notice - 227(T)/99 is cancelled

DOTQ Notice 158/99 (99/2601). (AH 98/288)

Cancel this notice on receipt.

Chart formerly affected - Aus 375 - Aus 835

281(T)/99 PAPUA NEW GUINEA - Vokedo Island to Manan Island - Scientific instruments recovered.

Former Notice - 201(T)/99 is cancelled

RV *Lady Basten* (99/1449). (AH 99/195)

Cancel this notice on receipt.

Chart formerly affected - Aus 388

282(P)/99 AUSTRALIA - NORTHERN TERRITORY - Cape Wessel - Racon to be altered.

Date - On or about 17 April 1999

AMSA ATH 1999/N/004 (99/2386). (AH 99/28)

The racon (11° 00'.2 S 136° 45'.5 E) will be altered to dual band, nominal range 20-27M.

Chart which will be affected - Aus 306 - Aus 410 - Aus 411 - Aus 442 - Aus 715.

283(T)/99 AUSTRALIA - NORTHERN TERRITORY - Darwin - Middle Arm - Obstruction; light buoys.

Former Notice - 141(T)/99 is cancelled

Darwin Port Authority (99/2557). (AH 60/126)

An obstruction, 1.0M long and 0.6M wide, exists in Middle Arm. The extremities of the area is marked by light buoys as follows:

<i>Characteristic</i>	<i>Lat</i>	<i>Long</i>	<i>Remark</i>
Q. Y	12° 31'.2 S	130° 50'.5 E	NW end
Q. Y	12° 31'.9 S	130° 51'.2 E	SE end

Chart temporarily affected - Aus 26.

284(P)/99 WESTERN AUSTRALIA - Collie Ledge - Light beacon to be established.

Date - On or about 30 April 1999

DOTWA (99/2150). (AH 99/29)

The beacon (32° 15'.10 S 115° 41'.74 E) will be altered to a starboard lateral light beacon, *Fl. G. 3s 8m 4M*.

Chart which will be affected - Aus 111 - Aus 117.

285(T)/99 SOUTH AUSTRALIA - Port Vincent - Yachting buoys recovered.

Former Notice - 168(T)/99 is cancelled

MHSA Notice 20/98 (99/1066). (AH 99/36)

Cancel this notice on receipt.

Chart formerly affected - Aus 780 - Aus 781

286(T)/99 AUSTRALIA - VICTORIA - Port Phillip - Ferry operations completed.

Former Notice - 677(T)/98 is cancelled

Victorian Notice 60/98 (98/18361). (AH 99/283)

Cancel this notice on receipt.

Chart formerly affected - Aus 143 - Aus 154 - Aus 155 - Aus 157 - Aus 158

III
NAVIGATION WARNINGS

The following radio messages have been received during the period to 16 April 1999. Signal copies of these messages may be destroyed. It is recommended that the reprint of Navigational Warnings should be kept in a file or a book divided into areas. Cancellation should be made on receipt of signals and reprints.

Rigs on location other than those listed in the latest Section III summary are the subject of Radio Navigational Warnings. Rigs in transit will not be the subject of Warnings.

AUSCOAST WARNINGS

- 121 Cancelled.
- 122 Cancelled.
- 123 Cancelled.
- 124 Cancelled.
- 125 Cancelled.
- 126 Cancelled.
- 127 NW Coast. Drill rig *Ensco 56* 20° 33'.9 S 115° 43'.7 E 2.5M clearance requested.
- 128 NW Coast. Drill rig *Rig Tappmeyer* 21° 26'.5 S 115° 03'.2 E 2.5M clearance requested.
- 129 NW Coast. Seismic survey vessel *Geco My* towing a 2.5M cable in area 13° 10' S to 17° 20' S and 118° 25' E to 122° 40' E.
- 130 NW Coast. Seismic survey vessel *Ramform Challenger* towing a 3.0M cable in area 21° 16' S to 21° 30' S and 113° 59' E to 114° 20' E.
- 131 Cancelled.
- 132 NW Coast. *Griffen Venture* riser mooring light and racon (21° 13'.4 S 114° 38'.8 E) not operating.
- 133 Cancelled.
- 134 E Coast. Navy vessel shock trials involving underwater explosions will take place in position 33° 02' S 152° 10' E during daylight hours until 15 May. A safety radius of 5.0M exists for scuba divers and vessels are requested to keep 2.5M clear.
- 135 Cancelled.
- 136 Cancelled.
- 137 NE Coast. Research vessel *Franklin* towing a 400 metre cable in area 18° 50' S to 21° 20' S and 149° 30' E to 153° 30' E.

NAVAREA X WARNINGS

Nil issued.

Navigational warnings in force as at 151500UTC APR 99.

Auscoast

1999 050 077 086 087 091 092 110 116 120 127 128 129 130 132 134 137.

Navarea X

1999 011.

Summary of mobile drilling rigs as at 151500UTC APR 99.

Name	Position
Ocean Epoch	12° 59'.5 S 124° 11'.3 E
Ensco 56	20° 33'.9 S 115° 43'.7 E
Ron Tappmeyer	21° 26'.5 S 115° 03'.2 E
Sedco 703	21° 29'.3 S 113° 58'.7 E
Sedco 702	38° 32'.5 S 148° 33'.2 E

NAVAREA XIV WARNINGS

- 046 Southern Ocean. Icebergs reported in positions 51° 12' S 130° 21' W at 02001Z APR and 51° 14' S 130° 06' W at 020040Z APR. Estimated drift 015° by 1knot.
- 047 Cancelled.
- 048 Cancelled.
- 049 Cancelled.
- 050 Southern Ocean. Icebergs reported in positions 52° 23' S 117° 09' W.

Navarea XIV warnings in force as at 150001UTC APR 99.

1999 037 039 044 046 050.

IV

HYDROGRAPHIC REPORTS

<i>Locality</i>	<i>Report</i>	<i>Ship/Authority</i>	<i>Observer</i>
VIC- South Channel	Light beacon	MT <i>Tasman</i>	MJ Ashby