



Australian Notices to Mariners are the authority for correcting Australian Charts

AUSTRALIAN NOTICES TO MARINERS

© Commonwealth of Australia 2002 - Copyright restrictions apply to Notices to Mariners

Notices 294-325

Published fortnightly by the Australian Hydrographic Service

B. J. KAUFER,
Hydrographer of Australia

- SECTIONS.**
- I. Australian Notices to Mariners, including blocks and notes.**
 - III. Navigational Warnings.**
 - IV. Hydrographic Reports.**

British Admiralty Notices to Mariners
New Zealand Notices to Mariners

The substance of these notices should be inserted on the charts affected.

Bearings are referred to the true compass and are reckoned clockwise from 000° (North) to 359°: those relating to lights are given as seen by an observer from seaward. The range quoted for a light is its nominal range. Fog signals are sounded only during thick or foggy weather, unless otherwise stated. Depths are with reference to the chart datum of each chart. Heights are above mean high water springs or mean higher high water, as appropriate.

The capital letter (P) or (T) after the number of any notice denotes a preliminary or temporary notice respectively, which are contained separately at the end of the permanent notices. A star () adjacent to the number of a notice indicates that the notice is based on original information.*

Mariners are particularly requested to notify the AUSTRALIAN HYDROGRAPHIC SERVICE, Locked Bag 8801 South Coast Mail Centre, NSW 2521 (Fax 02-4221 8599, e-mail Hydro.NTM@defence.gov.au or, alternatively by filling in and submitting the [Hydrographic Notes](#) forms located on the web site – www.hydro.gov.au), immediately on the discovery of new dangers or suspected dangers to navigation. For changes or defects in aids to navigation notify AusSAR (Fax 02-6230 6868 or email rccaus@amsa.gov.au).

Copies of these notices can be obtained from the AUSTRALIAN HYDROGRAPHIC OFFICE, 8 Station Street, Wollongong, and Agents for the sale of charts and hydrographic publications.

The Commonwealth of Australia is the owner of, or is otherwise responsible for, the copyright in this work. It is protected under the Copyright Act 1968 and international convention. Except as expressly authorised below, the work may not be copied, reproduced, adapted, changed or commercially exploited, in whole or in part, or the format in which it is stored altered, without the prior written permission of the Australian Hydrographic Office.

The Notices may be copied for the purpose of inserting their substance on official charts and other publications. However, any copies of the notices may not be sold for profit.

© Commonwealth of Australia 2002

NUMERICAL INDEX OF CHARTS AFFECTED

Edition No 10

17 May 2002

Notices	Aus Chart
294.....	Aus 13, 55
295.....	Aus 64
296.....	Aus 197, 809
297.....	Aus 270, 830
298.....	Aus 270, 374
299.....	Aus 280
300.....	Aus 289, 296, 700
301.....	Aus 710
302.....	Aus 756
303.....	Aus 756
304.....	Aus 756
305.....	Aus 125, 345, 444, 780
306.....	Aus 171
307.....	Aus 163
308.....	Aus 157
309.....	Aus 143, 155
310(T).....	Aus 237
311(T).....	Aus 238
312(T).....	Aus 249, 250
313(T).....	Aus 262, 263, 264, 830
314(T).....	Aus 6
315(T).....	Aus 55
316(P).....	Aus 342
317(P).....	Aus 343, 345, 444, 776
318(P).....	Aus 345, 346, 444, 780
319(P).....	Aus 345, 346, 347, 444, 780
320(P).....	Aus 345, 346, 347, 444, 780
321(P).....	Aus 345, 346, 347, 444, 780
322(T).....	Aus 143, 155
323(T).....	Aus 182, 357, 357A, 358
324(P).....	Aus 148, 150, 179, 181, 182, 191, 193, 356, 357, 357A, 358, 359, 360, 422, 423, 445A, 445B, 798, 801, 802, 806, 807, 808, 4060, 4074, 4601, 4602, IINT 60, 74, 601, 602
325(T).....	Changes to maritime communications

294 AUSTRALIA – Publications.

AHS (02/2458), (02/2459). (AH99/139-02, AH99/229-02)

New chart to be published shortly

Chart	Title	Scale
Aus 13	Australia - North Coast - Northern Territory - Plans in Northern Territory (Sheet 2) Plan: Bickerton Island	1:75 000
	Port Langdon	1:75 000
	Bing Bong	1:12 500

New edition to be published shortly

Chart	Title	Scale
Aus 55	Australia – North West Coast - Western Australia - Approaches to Port Walcott	1:50 000

295 AUSTRALIA - Miscellaneous correction.

AHS (02/2558). (AH99/243)

Aus 64 [NC 22/02/2002]

Insert	magenta limits, with legend Aus 63 in SW corner South West	21° 19'.92 S	115° 09'.56 E
--------	--	--------------	---------------

296* AUSTRALIA - NEW SOUTH WALES - Wamberal Point - Tower northeastward.

Sydney Heritage Fleet (02/1185). (AH02/50)

Aus 197 [185/2002]

Insert	tower, with legend <i>TR</i> (153)	33° 24'.29 S	151° 28'.52 E
--------	------------------------------------	--------------	---------------

Aus 809 [73/2002]

Move	tower to	33° 24'.4 S 33° 24'.29 S	151° 28'.4 E 151° 28'.52 E
------	-------------	-----------------------------	-------------------------------

297* AUSTRALIA - QUEENSLAND - Port Douglas - Island Point - Light altered.

List of Lights Vol K/2002 -- 3186.00

AMSA ATH 2002/10 (02/2408), (02/2460). (AH00/137-02)

Aus 270 (plan, Port Douglas) [NC 08/03/2002]

Insert	light <i>F(4) WR. 20s 90m 14/11M</i> <i>white</i> sector at light (a) from 162° - 285° (123°) <i>red</i> sector at light (a) from 285° - 325° (40°)	(a) 16° 28'.918 S	145° 28'.021 E
Delete	light sectors emanating from light (b)	(b) 16° 28'.93 S	145° 28'.03 E

Aus 830 [268/2002]

Amend	<i>white</i> sector, at light from 151° - 285° (134°) to 162° - 285° (123°)	16° 29'.0 S	145° 28'.0 E
-------	--	-------------	--------------

298* AUSTRALIA - QUEENSLAND - Morris Island - Depths.

AHS (02/2475). (AH99/175-02)

Aus 270 (plan, Howick Group) [297/2002]

Insert	accompanying block	14° 33'.0 S	144° 54'.0 E
--------	------------------------------------	-------------	--------------

Aus 374 [127/2002]

Substitute	depth, 1_2 fm, for 2fm	14° 33'.4 S	144° 54'.0 E
------------	--------------------------	-------------	--------------

Note: data has been incorporated in the new edition of chart Aus 832 to be published shortly

299* AUSTRALIA - QUEENSLAND - Magpie Reef - Contour.
 AHS (02/2334). (AH99/175-02)

Aus 280 (plan, Magpie Reef to Eden Reef) [127/2002]

Delete	contour centred on	13° 52'.00 S	143° 45'.05 E
	depth 12 ₅ m	13° 52'.15 S	143° 45'.05 E

300* AUSTRALIA - TORRES STRAIT - Gannet and Varzin Passages - Depths.

HMAS Melville HI 321 (MMI 21236), AMSA (02/2472). (AH99/175-02)

Aus 289 [184/2002]

Insert	depth, 8 ₇ m, enclosed by contour	10° 32'.081 S	141° 55'.697 E
	depth, 9 ₈ m	(a) 10° 32'.093 S	141° 55'.945 E
	depth, 9 ₂ m, enclosed by contour	10° 31'.596 S	141° 56'.341 E
	depth, 10 ₃ m	10° 31'.769 S	141° 56'.241 E
	depth, 10 ₄ m	10° 31'.818 S	141° 55'.828 E
	depth, 9 ₉ m, enclosed by contour	10° 31'.588 S	141° 53'.866 E
	depth, 9 ₇ m, enclosed by contour	10° 31'.553 S	141° 54'.897 E
		10° 31'.586 S	141° 54'.570 E
	depth, 9 ₇ m, and extend contour SW to enclose	10° 31'.402 S	141° 54'.491 E
	depth, 9 ₈ m, enclosed by contour	10° 32'.601 S	141° 52'.269 E
	depth, 9 ₆ m	10° 35'.301 S	141° 52'.976 E
	depth, 9 ₉ m	10° 35'.219 S	141° 52'.708 E
	contour enclosing (a) between	10° 32'.370 S	141° 55'.520 E
		10° 32'.330 S	141° 55'.630 E
		10° 32'.320 S	141° 55'.865 E
		10° 32'.310 S	141° 55'.920 E
		10° 32'.170 S	141° 56'.010 E
		10° 32'.050 S	141° 55'.960 E
		10° 32'.175 S	141° 55'.660 E
		10° 32'.215 S	141° 55'.405 E
	contour connecting existing 10m contours between	10° 35'.190 S	141° 53'.060 E
		10° 35'.150 S	141° 52'.660 E
	contour connecting existing 10m contours between	10° 35'.393 S	141° 53'.011 E
		10° 35'.298 S	141° 52'.580 E
Delete	depth 10 ₁ m	10° 32'.25 S	141° 55'.86 E
		10° 31'.44 S	141° 54'.52 E
		10° 32'.64 S	141° 52'.30 E
		10° 35'.33 S	141° 52'.89 E
	depth 10 ₂ m	10° 32'.55 S	141° 52'.28 E
		10° 35'.20 S	141° 52'.77 E
	depth 10 ₃ m	10° 32'.61 S	141° 52'.20 E
	depth 10 ₆ m	10° 31'.56 S	141° 54'.69 E
	depth 10 ₇ m	10° 31'.68 S	141° 56'.35 E
		10° 31'.67 S	141° 54'.58 E
	depth 10 ₈ m	10° 32'.11 S	141° 55'.67 E
		10° 31'.59 S	141° 54'.97 E
		10° 31'.53 S	141° 53'.90 E
	depth 10 ₉ m	10° 31'.67 S	141° 53'.89 E
	depth 11m	10° 31'.86 S	141° 55'.82 E
	10m contour between	10° 32'.37 S	141° 55'.52 E
		10° 32'.22 S	141° 55'.40 E
	10m contour between	10° 35'.39 S	141° 53'.01 E
		10° 35'.19 S	141° 53'.06 E
	10m contour between	10° 35'.30 S	141° 52'.58 E
		10° 35'.15 S	141° 52'.66 E
	10m contour centred on	10° 32'.29 S	141° 55'.65 E
		10° 35'.27 S	141° 52'.84 E

Aus 296 [127/2002]

Insert	depth, 8 ₇ m, and extend contour NE to enclose	10° 32'.08 S	141° 55'.70 E
	depth, 9 ₂ m, enclosed by contour	10° 31'.60 S	141° 56'.34 E
	depth, 9 ₇ m, and extend contour SE and S to enclose	10° 31'.55 S	141° 54'.90 E
	depth, 9 ₉ m, enclosed by contour	10° 31'.59 S	141° 53'.87 E
	depth, 9 ₈ m, enclosed by contour	10° 32'.60 S	141° 52'.27 E
	contour connecting existing 10m contours between	10° 35'.21 S	141° 52'.86 E
		10° 35'.17 S	141° 52'.65 E
	contour connecting existing 10m contours between	10° 35'.36 S	141° 52'.95 E
		10° 35'.38 S	141° 52'.57 E
Delete	depth 10 ₁ m	10° 35'.31 S	141° 52'.69 E
		10° 32'.62 S	141° 52'.27 E
	depth 10 ₆ m	10° 31'.52 S	141° 54'.66 E
	depth 11 ₁ m	10° 31'.80 S	141° 53'.92 E
	10m contour between	10° 32'.31 S	141° 55'.72 E
		10° 32'.19 S	141° 55'.48 E
	10m contour between	10° 35'.38 S	141° 52'.57 E
		10° 35'.17 S	141° 52'.65 E
	10m contour between	10° 35'.36 S	141° 52'.95 E
		10° 35'.21 S	141° 52'.86 E

Aus 700 [127/2002]

Insert	depth, 8 ₇ m, and extend contour NE to enclose	10° 31'.99 S	141° 55'.76 E
	depth, 9 ₂ m, enclosed by contour	10° 31'.51 S	141° 56'.40 E
	depth, 9 ₇ m, and extend contour SE to enclose	10° 31'.46 S	141° 54'.96 E
Delete	depth 9 ₉ m	10° 32'.20 S	141° 55'.60 E
		10° 31'.20 S	141° 54'.70 E

301* AUSTRALIA - NORTHERN TERRITORY - Bing Bong - Buoyage.

Former Notice - 253(P)/2002 is cancelled
Carpentaria Management Services (02/2457). (AH99/26)

Aus 710 [268/2002]

Substitute	starboard lateral light beacon, Iso. G. 2s, without topmark, for light buoy	15° 35'.76 S	136° 23'.96 E
	port lateral light beacon, Fl. R. 3s, without topmark, for light buoy	15° 36'.15 S	136° 23'.89 E

302* WESTERN AUSTRALIA - Bussleton - Light elevation.

Transport WA (01/9783). (AH99/29-02)

Aus 756 [184/2002]

Amend	light elevation to 8m	33° 37'.8 S	115° 20'.2 E
-------	-----------------------	-------------	--------------

303* WESTERN AUSTRALIA - Bussleton - Rock.

Transport WA (01/9783). (AH99/169)

Aus 756 [302/2002]

Insert	dangerous underwater rock, semi enclosed by danger circle to N	33° 38'.70 S	115° 20'.24 E
		33° 39'.14 S	115° 18'.77 E

304* WESTERN AUSTRALIA - Geographe Bay - Light buoys.

Transport WA (01/9783). (AH99/30, AH99/130)

Aus 756 [303/2002]

Insert	special spar light buoy, <i>Fl. Y. 5s</i> , with topmark	33° 33'.00 S	115° 05'.88 E
Delete	special light buoy	33° 36'.0 S	115° 07'.9 E
	legend, Mussel Bed, centred on	33° 36'.2 S	115° 08'.4 E

305* SOUTH AUSTRALIA - Marion Reef - Light beacon.*Former Notices - 176(P)/2002 & 177(P)/2002 are cancelled*

List of Lights Vol K/2002 -- 2023.00, 2022.00

AMSA ATH 2002/04 & 2002/06 (02/2533, 02/2574), Auscoast 112 & 114/02 (02/2523 & 02/2525), Transport SA Notice 20/2002 (02/2577). (AH99/35)

Aus 125 (plan, Edithburgh to Klein Point) [56/2002]

Substitute	tower, with legend LT HO (Disused) for light	35° 07'.1 S	137° 49'.6 E
------------	--	-------------	--------------

Aus 345 [281/2002]

Insert	light beacon, <i>Fl. 7.5s 10M</i> , without topmark	35° 09'.31 S	137° 49'.34 E
Substitute	tower, with legend LT HO (Disused) for light	35° 07'.1 S	137° 49'.6 E
Delete	depth 1 ₃ fm	35° 09'.2 S	137° 49'.3 E

Aus 444 [281/2002]

Insert	light, <i>Fl. 10M</i>	35° 09'.7 S	137° 49'.3 E
Substitute	islet for light	35° 07'.5 S	137° 49'.8 E
Delete	depth 2fm	35° 09'.5 S	137° 49'.6 E
	dangerous rock	35° 09'.6 S	137° 48'.9 E

Aus 780 [55/2002]

Insert	light beacon, <i>Fl. 7.5s 39ft 10M</i> , without topmark	35° 09'.31 S	137° 49'.34 E
Substitute	tower, with legend LT HO (Disused) for light	35° 07'.2 S	137° 49'.7 E
Delete	light buoy	35° 09'.7 S	137° 49'.3 E
	depth 1 ₃ fm	35° 09'.2 S	137° 49'.3 E

306* AUSTRALIA - TASMANIA - Blackman Bay - Buoyage.

List of Lights Vol K/2002 -- 3612.80

Australian Maritime Systems (02/1899). (AH99/38-02)

Aus 171 [71/2002]

Delete	light beacon No 7 and sector	42° 50'.89 S	147° 52'.69 E
	buoy	42° 50'.93 S	147° 52'.99 E

307* AUSTRALIA - TASMANIA - Round Hill Point - Beacon moved.

Former Notice - 265(P)/2002 is cancelled
 Burnie Port Corp (02/2510). (AH99/38-02)

Aus 163 [138/2002]

Move	beacon	(a) 41° 03'.88 S	145° 57'.40 E
	to	(b) 41° 03'.867 S	145° 57'.381 E

Insert pecked line from (b) in a direction 316.4° for 6000 m, with legend 136.4°

Amend	topmark to diamond shape	41° 03'.87 S	145° 57'.38 E
		41° 03'.82 S	145° 57'.32 E

Delete pecked line emanating from (a), with legend Bns ≠138°

Aus 163 (plan, Port of Burnie)

Insert	pecked line, with legend 2Bns ≠ 136.4°, between E border N border	41° 03'.007 S	145° 55'.42 E
--------	--	---------------	---------------

Delete	pecked line, with legend 2Bns ≠ 138° between E border N border	41° 02'.96 S	145° 55'.53 E
--------	---	--------------	---------------

308* AUSTRALIA - VICTORIA - Port Phillip - City Channel - Light buoys established.

Former Notice - 64(P)/2002 is cancelled
 Victorian Notice 09/2002 (02/836). (AH99/24)

Aus 157 [732/2001]

Insert	port lateral pillar light buoy, Q. R, with topmark	38° 08'.242 S	144° 21'.843 E
	west cardinal pillar light buoy, Q(9) 15s, with topmark	38° 08'.393 S	144° 21'.958 E

Delete	depth 7 ₃ m	38° 08'.42 S	144° 21'.97 E
--------	------------------------	--------------	---------------

Aus 157 (plan, Cunningham Pier)

Insert	west cardinal pillar light buoy, Q(9) 15s, with topmark	38° 08'.393 S	144° 21'.958 E
--------	---	---------------	----------------

309* AUSTRALIA - VICTORIA - Port Phillip - Brighton and Sandringham - Lights altered.

List of Lights Vol K/2002 -- 2335.00,2334.00
 Victorian Notice 19/2002 (02/2541). (AH99/21-02)

Aus 143 [198/2002]

Amend	light to, Fl. G	37° 54'.40 S	144° 58'.71 E
	light to, Fl(2) G	37° 56'.58 S	144° 59'.49 E

Aus 155 [139/2002]

Amend	light to, Fl. G. 5s	(a) 37° 54'.40 S	144° 58'.71 E
	light to, Fl(2) G. 5s	(b) 37° 56'.58 S	144° 59'.49 E

Delete sector at light (a)
 sector at light (b)

Aus 155 (plan, Sandringham)

Amend	light to, Fl(2) G. 5s 5m 4M	(a) 37° 56'.58 S	144° 59'.49 E
-------	-----------------------------	------------------	---------------

Delete sectors at light (a)

310(T)/2002 AUSTRALIA - QUEENSLAND - Brisbane River - Fisherman Islands - Dredging completed.

Former Notice - 51(T)/2000 is cancelled

Queensland Transport Notice 126/2002 (02/2494). (AH99/323)

Cancel this notice on receipt.

Chart formerly affected – Aus 237.

311(T)/2002 AUSTRALIA - QUEENSLAND - Brisbane River - Lytton Reach - Harbour works completed.

Former Notice - 82(T)/2002 is cancelled

Queensland Transport Notice 137/2002 (02/2732). (AH99/207)

Cancel this notice on receipt.

Chart formerly affected – Aus 238.

312(T)/2002 AUSTRALIA - QUEENSLAND - Mackay - Harbour works.

Former Notice - 173(T)/2002 is cancelled

Queensland Transport Notice 128/2002 (02/2494). (AH99/188)

Demolition work on pier berth No 2 (21° 06'.43 S 149° 13'.58 E) continues.

Two special light buoys, *Fl. Y. 2.5s*, mark the eastern extremity of the demolition site; which is a restricted area.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected – Aus 249 – Aus 250.

313(T)/2002 AUSTRALIA - QUEENSLAND - Cairns - Depth information.

Former Notice - 174(T)/2002 is cancelled

Queensland Transport Notice 129/2002 (02/2544). (AH99/393)

Available depths as at 19 April 2002:

	<i>Metres</i>
* Entrance Channel	7.5
Crystal Swing Basin at:	
360 metre diameter	6.8
380 metre diameter	6.2
Swing Basin at:	
310 metre diameter	8.1
320 metre diameter	7.2
Marlin Marina	2.1
Berths:	
No 1	8.2
No 2	8.3
No 3	8.3
No 4	8.2
No 5	8.0
No 6	7.8
No 7	9.8
No 8	10.0
No 10	9.1
No 12	9.9
Smith Creek 1	5.5

* Indicates new or revised entry.

Chart temporarily affected – Aus 262 – Aus 263 – Aus 264 – Aus 830.

314(T)/2002 AUSTRALIA - QUEENSLAND - Karumba - Depth information.

Former Notice - 688(T)/2001 is cancelled
Queensland Transport Notice 136/2002 (02/2732). (AH00/118)

Available depths as at 26 April 2002:

	<i>Metres</i>
* Entrance Channel	2.5
Mobil/Trinity Wharf	6.3
Raptis Wharf	5.3
Ruby Marine Wharf	5.3
Gulf Freight Services Wharf	6.2
Karumba Cold stores Wharf	6.2
Seaswift/Shell Wharf	6.2
Karumba Livestock Loading Wharf	5.4
Gulf Freight Services ramp/Wharf	4.6
Pasminco Export Wharf	4.2

* Indicates new or revised entry.

Chart temporarily affected – Aus 6.

315(T)/2002 WESTERN AUSTRALIA - Port Walcott - Buoys withdrawn.

Former Notice - 117(T)/2002 is cancelled
Port Walcott Pilots (02/2508). (AH99/33)

Cancel this notice on receipt

Chart formerly affected – Aus 55.

316(P)/2002 SOUTH AUSTRALIA - Flinders Island - Point Malcolm - Light to be altered.

Date - On or about 28 June 2002
AMSA ATH 2002/20 (02/2775). (AH99/35)

The range of light (33° 40'.9 S 134° 31'.0 E) will be altered to *11M*.

Chart which will be affected – Aus 342.

317(P)/2002 SOUTH AUSTRALIA - Thistle Island - Waterhouse Point - Light to be altered.

Date - On or about 27 June 2002
AMSA ATH 2002/21 (02/2776). (AH99/35)

The light (35° 03'.7 S 136° 12'.0 E) will be altered to *Fl. 7.5s 49m 18M*.

Chart which will be affected – Aus 343 – Aus 345 – Aus 444 – Aus 776.

318(P)/2002 SOUTH AUSTRALIA - Kangaroo Island - Snapper Point - Light to be discontinued.

Date - On or about 5 June 2002
AMSA ATH 2002/15 (02/2770). (AH99/35)

The light (35° 44'.7 S 138° 02'.5 E) will be permanently discontinued.

Chart which will be affected – Aus 345 – Aus 346 – Aus 444 – Aus 780.

319(P)/2002 SOUTH AUSTRALIA - Kangaroo Island - Cape St Alban - Light to be altered.

Date - On or about 11 June 2002
AMSA ATH 2002/18 (02/2773). (AH99/35)

The light (35° 48'.3 S 138° 07'.6 E) will be altered to *Fl. 5s 48m 14M*, with an arc of visibility from 118° to 005° (247°).

Chart which will be affected – Aus 345 – Aus 346 – Aus 347 – Aus 444 – Aus 780.

320(P)/2002 SOUTH AUSTRALIA - Kangaroo Island - Cape Willoughby - Light to be altered.

Date - On or about 14 June 2002

AMSA ATH 2002/19 (02/2774). (AH99/35)

The light (35° 50'.5 S 138° 08'.0 E) will be altered to *Fl(3) 15s 75m 11M*, with an arc of visibility from 171° to 050° (239°).

Chart which will be affected – Aus 345 – Aus 346 – Aus 347 – Aus 444 – Aus 780.

321(P)/2002 SOUTH AUSTRALIA - South Page - Light to be altered.

Date - On or about 10 June 2002

AMSA ATH 2002/16 & 17 (02/2771 & 02/2772). (AH99/35)

The light (35° 46'.7 S 138° 17'. E) will be altered to *Fl. 10s 27m 19M & los. R. 2s 26m 10M*.

The red light will have an arc of visibility from 105° to 120° (15°).

Chart which will be affected – Aus 345 – Aus 346 – Aus 347 – Aus 444 – Aus 780.

322(T)/2002 AUSTRALIA - VICTORIA - Port Phillip - Brighton - Harbour works.

Date - Until 1 October 2002

Victorian Notice 21/2002 (02/2542). (AH00/275)

Harbour works have commenced at the Brighton Marina (37° 54'.5 S 144° 58'.8 E AGD66); work includes demolition of existing structure and construction of pontoons and a wave attenuator., and dredging.

All works will be carried out during daylight hours and equipment will be marked with yellow flashing lights.

The construction site can be contacted VHF Ch 12 and project manager on 0417 338 722.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected – Aus 143 – Aus 155.

323(T)/2002 AUSTRALIA - VICTORIA - Lakes Entrance - Shoaling.

Victorian Notice 25/2002 (02/2733). (AH00/299)

Mariners are advised that shoaling has occurred in the Lakes Entrance Channel through the bar, particularly at the inner (northerly) section.

Mariners are further advised to seek the latest information on the bar conditions before attempting a bar crossing by phoning Gippsland Ports on 03 5152 1974 BH or 0418 381 366 AH.

Chart temporarily affected – Aus 182 – Aus 357 – Aus 357A – Aus 358.

324(P)/2002 AUSTRALIA - VICTORIA - Mallacoota - Differential global positioning system operational.

Former Notice - 67(P)/2002 is cancelled

AMSA ATH 2002/11 (02/2573), Auscoast 126/02 (02/2777). (AH99/25)

Cancel this notice on receipt.

Chart formerly affected – Aus 148 – Aus 150 – Aus 179 – Aus 181 – Aus 182 – Aus 191 – Aus 193 – Aus 356 – Aus 357 – Aus 357A – Aus 359 – Aus 360 – Aus 422 – Aus 423 – Aus 445A – Aus 445B – Aus 798 – Aus 801 – Aus 802 – Aus 806 – Aus 807 – Aus 808 – Aus 4060 – Aus 4074 – Aus 4601 – Aus 4602.

325(P)/2002 AUSTRALIA – Changes to maritime communications.

Date - On 1 July 2002

AMSA (02/2621). (AH99/520)

On 1 July 2002 there will be a significant change to Australia's maritime communications network to bring the country into line with international requirements. Details are contained in the [accompanying Marine Notice 11/2002](#).

III

NAVIGATION WARNINGS

The following radio messages have been received during the period to 3 May 2002. Signal copies of these messages may be destroyed. It is recommended that the reprint of Navigational Warnings should be kept in a file or a book divided into areas. Cancellation should be made on receipt of signals and reprints.

Rigs on location other than those listed in the latest Section III summary are the subject of Radio Navigational Warnings. Rigs in transit will not be the subject of Warnings.

AUSCOAST WARNING

- 115 Cancelled.
- 116 SE Coast. Pipelaying vessel *Lorelay* laying a gas pipeline between 39° 27'.0 S 147° 02'.0 E to 38° 30'.0 S 147° 18'.0 E and then to 38° 22'.0 S 147° 12'.0 E.
- 117 NW Coast. Drill rig *Sedco 702* in position 19° 13'.9 S 116° 38'.1 E. 2.5M clearance requested.
- 118 Cancelled.
- 119 Cancelled.
- 120 Cancelled.
- 121 NE Coast. Undine Reef light K3195.8 (16° 06'.7 S 145° 38'.1 E) unlit.
- 122 NW Coast. Utility vessel *Shaheda* conducting pipeline and underwater operations in vicinity of 20° 41'.9 S 115° 33'.8 E.
- 123 Cancelled.
- 124 Cancelled.
- 125 SE Coast. Unlit orange buoys marking pipeline in position 38° 44'.0 S 147° 14'.0 E.
- 126 E Coast. Mallacoota DGPS (37° 34'.1 S 149° 44'.2E) operational.
- 127 Cancelled.
- 128 Cancelled.

NAVAREA X WARNINGS

- 002 Cancelled.
- 003 Cancelled.

Navigational warnings in force as at 021500UTC MAY 02.

Auscoast

053 068 081 087 093 102 105 107 108 109 112 114 116 117 121 122 125 126

Navarea X

001

Summary of mobile drilling rigs as at 021500UTC MAY 02.

<i>Name</i>	<i>Position</i>
Sedco 703	10° 37'.6 S 126° 01'.7 E
Sedco 702	19° 13'.9 S 116° 38'.1 E

NAVAREA XIV WARNINGS

- 070 Cancelled.

Navarea XIV warnings in force as at 020001UTC MAY 02.

058.

IV

HYDROGRAPHIC REPORTS

<i>Locality</i>	<i>Report</i>	<i>Ship/Authority</i>	<i>Observer</i>
NSW- Rushcutter Bay	Marina	Sydney heritage Fleet	D Dewey
TIMOR SEA- Hibernia Reef	Wreck	HMAS <i>Melville</i>	
WA- Shark Bay	Shoaling	PV <i>Walcott</i>	D Cooper