



Australian Notices to Mariners are the authority for correcting Australian Charts

AUSTRALIAN NOTICES TO MARINERS

© Commonwealth of Australia 2002 - Copyright restrictions apply to Notices to Mariners

Notices 723 - 758

Published fortnightly by the Australian Hydrographic Service

B. J. KAUFER,
Hydrographer of Australia

- SECTIONS. I. **Australian Notices to Mariners, including blocks and notes.**
III. **Navigational Warnings.**
IV. **Hydrographic Reports.**

British Admiralty Notices to Mariners
New Zealand Notices to Mariners

The substance of these notices should be inserted on the charts affected.

Bearings are referred to the true compass and are reckoned clockwise from 000° (North) to 359°: those relating to lights are given as seen by an observer from seaward. The range quoted for a light is its nominal range. Fog signals are sounded only during thick or foggy weather, unless otherwise stated. Depths are with reference to the chart datum of each chart. Heights are above mean high water springs or mean higher high water, as appropriate.

The capital letter (P) or (T) after the number of any notice denotes a preliminary or temporary notice respectively, which are contained separately at the end of the permanent notices. A star () adjacent to the number of a notice indicates that the notice is based on original information.*

Mariners are particularly requested to notify the AUSTRALIAN HYDROGRAPHIC SERVICE, Locked Bag 8801 South Coast Mail Centre, NSW 2521 (Fax 02-4221 8599, e-mail Hydro.NTM@defence.gov.au or, alternatively by filling in and submitting the [Hydrographic Notes](#) forms located on the web site – www.hydro.gov.au), immediately on the discovery of new dangers or suspected dangers to navigation. For changes or defects in aids to navigation notify AusSAR (Fax 02-6230 6868 or email rccaus@amsa.gov.au).

Copies of these notices can be obtained from the AUSTRALIAN HYDROGRAPHIC OFFICE, 8 Station Street, Wollongong, and Agents for the sale of charts and hydrographic publications.

The Commonwealth of Australia is the owner of, or is otherwise responsible for, the copyright in this work. It is protected under the Copyright Act 1968 and international convention. Except as expressly authorised below, the work may not be copied, reproduced, adapted, changed or commercially exploited, in whole or in part, or the format in which it is stored altered, without the prior written permission of the Australian Hydrographic Office.

The Notices may be copied for the purpose of inserting their substance on official charts and other publications. However, any copies of the notices may not be sold for profit.

© Commonwealth of Australia 2002

NUMERICAL INDEX OF CHARTS AFFECTED

Edition No 23

15 November 2002

Notices	Aus Chart, Publication, ENC
723.....	Aus 832, AZ 66104, ANTT 2003
724.....	Aus 193
725.....	Aus 202
726.....	Aus 362, 423, 424, 809
727.....	Aus 220, 812, 813
728.....	Aus 235
729.....	Aus 246
730.....	Aus 268
731.....	Aus 830
732.....	Aus 375, 835, AU413143
733.....	Aus 26, 28
734.....	Aus 318, 319, 413, 727, 728
735.....	Aus 318, 728
736.....	Aus 320, 730
737.....	Aus 323, 732
738.....	Aus 328, 415, 416, 743
739.....	Aus 754
740.....	Aus 116
741.....	Aus 345, 777
742.....	Aus 174
743.....	Aus 171, 173, 174
744.....	Aus 167
745.....	Aus 357, 357A, 422, 445A
746(T).....	Aus 361, 362, 424, 809, 810
747(T).....	Aus 220, 813, 814
748(T).....	Aus 238
749(T).....	Aus 365
750(T).....	Aus 256, 257
751(T).....	Aus 262, 263, 264, 830
752(T).....	Aus 289, 296, 700
753(P).....	Aus 328, 415, 416, 743
754(P).....	Aus 116, 337
755(T).....	Aus 344, 444, 778
756(T).....	Aus 780, 781
757(P).....	Aus 345, 444, 780
758(T).....	Aus 154

723 AUSTRALIA - Publications.

AHS (IN/2002/422, IN/2002/424 & IN/2002/447) (AH99/228, 99/229-02, 99/424)

New chart to be published shortly

Chart	Title	Scale
Aus 832	Australia - East Coast - Queensland – Cape Flattery to Barrow Point	1:150 000

Miscellaneous chart

Chart	Published Title	Scale	Remarks
AZ 66104	1/11/02 Western Australia Exercise Area-General Operations Plot	1:500 000	Fleet use only

Publication

No	Title	Price	Remarks
AHP 11	Australian National Tide Tables (ANTT) 2003		Australian National Tide Tables (ANTT) 2003 for Australia, Papua New Guinea, Solomon Islands, Antarctica and East Timor, and Electronic Tide Tables (Seafarer Tides) are available from accredited chart agents.
	ANTT	\$37.95	
	Seafarer® Tides	\$77.00	

724* AUSTRALIA - NEW SOUTH WALES - Jervis Bay - Buoyage.

NSW Waterways (IN/2002/462, 02/6392 & 02/6427). (AH99/18 & AH99/19-03)

Aus 193 [563/2002]

Insert	accompanying block	35° 01'.5 S	150° 40'.5 E
	mooring buoy	35° 04'.174 S	150° 40'.736 E
	port lateral cylindrical light buoy, <i>Fl. R.</i> 3s, without topmark	35° 00'.595 S	150° 43'.890 E
	port lateral spar buoy, without topmark	35° 00'.170 S	150° 43'.684 E
Substitute	isolated danger cylindrical light buoy, <i>Fl(2)</i> 7s, with topmark, for isolated danger light beacon	35° 04'.160 S	150° 40'.875 E
Move	east cardinal light buoy to	35° 04'.476 S	150° 42'.399 E
		35° 04'.450 S	150° 42'.306 E
Delete	port lateral light beacon	35° 00'.50 S	150° 43'.84 E

725* AUSTRALIA - NEW SOUTH WALES - Port Jackson - Milsons Point - Contour.

AHS MMI 20898 (IN/2002/428). (AH99/332)

Aus 202 [594/2002]

Insert	contour, to enclose depth 15 ₆ m, between	33° 51'.070 S	151° 12'.700 E
		33° 51'.090 S	151° 12'.750 E
		33° 51'.055 S	151° 12'.710 E

726* AUSTRALIA - NEW SOUTH WALES - Newcastle – Wreck southeastward.

Environment Australia (IN/2002/343). (AH99/291)

Aus 362 [526/2002]

Insert	non dangerous wreck	33° 04'.45 S	152° 02'.13 E
--------	---------------------	--------------	---------------

Aus 423 [402/2002]

Insert	non dangerous wreck	33° 04'.34 S	152° 02'.15 E
--------	---------------------	--------------	---------------

Aus 424 [37/2002]

Insert	non dangerous wreck	33° 04'.34 S	152° 02'.15 E
--------	---------------------	--------------	---------------

Aus 809 [526/2002]

Insert	non dangerous wreck	33° 04'.34 S	152° 02'.15 E
--------	---------------------	--------------	---------------

727* AUSTRALIA - NEW SOUTH WALES - Clarence River - Depths.
 Sydney Ports Corporation (IN/2002/344), AHS MMI 2-2-21386. (AH99/145)

Aus 220 (plan, Clarence River Entrance) [594/2001]

Insert	depth, 3 ₆ m	(a) 29° 25'.847 S	153° 22'.305 E
	depth, 3 ₄ m	(b) 29° 25'.863 S	153° 22'.442 E
	depth, 3 ₆ m	(c) 29° 25'.780 S	153° 22'.583 E
	depth, 2 ₉ m	(d) 29° 25'.602 S	153° 22'.571 E
	contour enclosing (a), (b), (c) and (d)		
	depth, 4 ₅ m, and extend contour E to enclose	29° 25'.728 S	153° 22'.144 E
	depth, 2 ₇ m, and extend contour W to enclose	29° 25'.642 S	153° 21'.609 E
	depth, 0 ₄ m	29° 25'.545 S	153° 21'.413 E
	depth, 2 ₄ m	29° 25'.452 S	153° 21'.142 E
	depth, 2 ₅ m	29° 25'.362 S	153° 21'.076 E
	depth, 2 ₃ m	29° 25'.113 S	153° 20'.912 E
Delete	depth 5 ₃ m	29° 25'.85 S	153° 22'.41 E
	depth 6 ₉ m	29° 25'.63 S	153° 22'.54 E
	depth 6 ₆ m	29° 25'.70 S	153° 22'.16 E
	depth 3 ₂ m	29° 25'.63 S	153° 21'.63 E
	depth 1 ₁ m	29° 25'.57 S	153° 21'.42 E
	depth 1 ₄ m	29° 25'.51 S	153° 21'.37 E
	depth 3 ₅ m	29° 25'.45 S	153° 21'.11 E
	depth 2 ₉ m	29° 25'.14 S	153° 20'.91 E

Aus 812 [123/2002]

Insert	depth, 1 ₃ fm, enclosed by contour	29° 25'.60 S	153° 22'.57 E
Substitute	depth, 0 ₁ fm, for 0 ₃ fm	29° 25'.6 S	153° 21'.4 E
Delete	depth 2 ₂ fm and enclosing contour	29° 25'.7 S	153° 22'.8 E

Aus 813 [123/2002]

Insert	depth, 1 ₃ fm, enclosed by contour	29° 25'.60 S	153° 22'.57 E
Substitute	depth, 0 ₁ fm, for 0 ₃ fm	29° 25'.6 S	153° 21'.4 E
Delete	depth 2 ₂ fm and enclosing contour	29° 25'.7 S	153° 22'.8 E
	depth 5fm	29° 25'.7 S	153° 22'.5 E

728* AUSTRALIA - QUEENSLAND - Mooloolaba - Light.

List of Lights Vol K/2002 -- 2910.75
 AHS (IN/2002/341). (AH00/107)

Aus 235 (plan, Mooloolaba Harbour) [595/2002]

Amend	light, to Fl. G. 3s	26° 41'.36 S	153° 07'.11 E
-------	---------------------	--------------	---------------

729* AUSTRALIA - QUEENSLAND - Rodds Peninsular - Depth.

AHS (OUT/2002/65). (AH99/176-02)

Aus 246 [NE 12/7/2002]

Delete	depth 0 ₉ m	24° 03'.23 S	151° 39'.92 E
--------	------------------------	--------------	---------------

730* AUSTRALIA - QUEENSLAND - Bowen - Buoyage.

Maritime Safety Queensland (IN/2002/436 & IN/2002/437). (AH99/14 & AH00/107)

Aus 268 (plan, Approaches to Bowen) [434/2002]

Insert	cylindrical topmark, on light buoy	20° 02'.39 S	148° 15'.70 E
Substitute	green cylindrical light buoy, Q. G M1, with triangular topmark, for light buoy	20° 03'.36 S	148° 16'.91 E
	green cylindrical light buoy, with triangular topmark, for light buoy	20° 02'.80 S	148° 16'.25 E
		20° 02'.35 S	148° 15'.77 E
		20° 01'.64 S	148° 15'.29 E
		20° 01'.35 S	148° 16'.59 E
Substitute	conical isolated danger buoy, without topmark, for isolated danger buoy	20° 01'.48 S	148° 14'.93 E
	green cylindrical light buoy, Fl. G. 2.5s N3, with triangular topmark, for light beacon	20° 01'.71 S	148° 16'.13 E
	light beacon, Q. G No1, with triangular topmark, for light beacon	20° 01'.34 S	148° 15'.40 E

Aus 268 (plan, Bowen)

Insert	light beacon, Fl. G. 4s No7, with triangular topmark	20° 01'.096 S	148° 15'.407 E
Substitute	green cylindrical light buoy, with triangular topmark, for light buoy	20° 01'.64 S	148° 15'.29 E
	conical isolated danger buoy, without topmark, for isolated danger buoy	20° 01'.48 S	148° 14'.93 E
	light beacon, Q. G No1, with triangular topmark, for light beacon	20° 01'.34 S	148° 15'.40 E
	light beacon, Q. R No2, with cylindrical topmark, for light beacon	20° 01'.33 S	148° 15'.38 E
	light beacon, with cylindrical topmark, for light beacon	20° 01'.26 S	148° 15'.39 E
		20° 01'.18 S	148° 15'.40 E
	light beacon, with triangular topmark, for light beacon	20° 01'.26 S	148° 15'.41 E
	20° 01'.18 S	148° 15'.42 E	

731* AUSTRALIA - QUEENSLAND - Low Islets - Two-way route.

HMAS Tarakan (IN/2002/423). (AH98/303)

Aus 830 [359/2002]*On certain copies only*

Insert	magenta pecked line between	16° 31'.25 S	145° 40'.20 E
		16° 21'.83 S	145° 37'.40 E
Delete	magenta pecked line between	16° 31'.55 S	145° 37'.65 E
		16° 21'.83 S	145° 34'.85 E
	magenta pecked line between	16° 31'.25 S	145° 40'.20 E
		16° 21'.83 S	145° 36'.60 E
Delete	magenta pecked line between	16° 31'.55 S	145° 37'.65 E
		16° 21'.83 S	145° 34'.10 E

732* AUSTRALIA - QUEENSLAND - Piper Islands - Racon established.

List of Lights Vol K/2002 -- 3242.00

AMSA ATH 02/40 (IN/2002/152), Auscoast warning 291/02 (IN/2002/252). (AH99/11)

Aus 375 [535/2002]

Insert	Racon(G), at light	12° 15'.2 S	143° 14'.8 E
--------	--------------------	-------------	--------------

Aus 835 [127/2002]

Insert	Racon(G), at light	12° 15'.2 S	143° 14'.8 E
--------	--------------------	-------------	--------------

AU413143 Note: the ENC cell will be amended in the November monthly update service.

733* AUSTRALIA - NORTHERN TERRITORY - Darwin - Light buoys.
NT Govt. (02/2644 & IN/2002/479). (AH99/27)

Aus 26 [661/2002]

Substitute lit mooring buoy, Q, for mooring buoy 12° 28'.88 S 130° 51'.10 E

Delete lit mooring buoy 12° 28'.88 S 130° 52'.00 E

Aus 28 (plan, Port Darwin) [661/2002]

Substitute lit mooring buoy, Q, for mooring buoy 12° 28'.88 S 130° 51'.10 E
spar light buoy, Q.R, with cylindrical topmark, for light buoy 12° 27'.11 S 130° 48'.84 E

Aus 28 (plan, East Arm)

Delete lit mooring buoy 12° 28'.88 S 130° 52'.00 E

734* WESTERN AUSTRALIA - Vansittart Bay - Shoal.

MV *Christine* (IN/2002/118). (AH97/95)

Aus 318 [663/2001]

Insert upright sounding, 5m, enclosed by broken contour, with legend *Rep* (2002) 14° 02'.33 S 126° 13'.94 E

Delete depth 13₈ m 14° 02'.0 S 126° 14'.4 E

Aus 319 [274/2002]

Insert upright sounding, 5m, enclosed by broken contour, with legend *Rep* (2002) 14° 02'.25 S 126° 14'.00 E

Delete depth 13₈ m 14° 01'.9 S 126° 14'.5 E

Aus 413 [598/2002]

Insert upright sounding, 2₄ fm, enclosed by broken contour 14° 02'.25 S 126° 14'.00 E

Delete depth 8fm 14° 03'.5 S 126° 13'.3 E

Aus 727 [268/2002]

Insert upright sounding, 5m, enclosed by broken contour, with legend *Rep* (2002) 14° 02'.33 S 126° 13'.94 E

Aus 728 [423/2001]

Insert upright sounding, 5m, enclosed by broken contour, with legend *Rep* (2002) 14° 02'.33 S 126° 13'.94 E

735* WESTERN AUSTRALIA - Osborne Islands - Rock.

MV *Christine* (IN/2002/118). (AH97/95)

Aus 318 [734/2002]

Insert dangerous underwater rock, enclosed by danger circle 14° 22'.58 S 125° 57'.84 E

Aus 728 [734/2002]

Insert dangerous underwater rock, with legend *Rep* (2002) 14° 22'.58 S 125° 57'.84 E

736* WESTERN AUSTRALIA - Coronation Islands to Augustus Water - Shoal; rocks; reef.
 MV *Christine* (IN/2002/118). (AH97/95)

Aus 320 [641/2002]

Insert	rock which covers and uncovers, and extend danger line S to enclose	14° 59'.88 S	124° 45'.74 E
	danger line 0.2M wide, with legend <i>Rep (2002)</i> , between	15° 14'.67 S	124° 39'.76 E
		15° 15'.28 S	124° 39'.45 E
	rock which covers and uncovers, enclosed by danger circle	15° 26'.00 S	124° 39'.80 E
		15° 26'.98 S	124° 39'.66 E
Delete	danger line, with legend <i>Rep (1998)</i> , centred on reef, centred on	15° 15'.5 S	124° 39'.7 E
		15° 18'.5 S	124° 39'.8 E

Aus 730 [216/2002]

Insert	rock which covers and uncovers, enclosed by danger circle, with legend <i>Rep (2002)</i>	14° 59'.88 S	124° 45'.74 E
		15° 26'.00 S	124° 39'.80 E
		15° 26'.98 S	124° 39'.66 E
	danger line 0.2M wide, with legend <i>Rep (2002)</i> , between	15° 14'.67 S	124° 39'.76 E
		15° 15'.28 S	124° 39'.45 E
Delete	depth 23m	15° 15'.3 S	124° 39'.5 E
	danger line, with legend <i>Rep (1998)</i> , centred on reef, centred on	15° 15'.5 S	124° 39'.7 E
		15° 18'.5 S	124° 39'.8 E

737* WESTERN AUSTRALIA - Talbot Bay - Rock.

MV *Christine* (IN/2002/118). (AH97/95)

Aus 323 [599/2002]

Insert	rock which covers and uncovers, enclosed by danger circle	16° 13'.85 S	123° 51'.20 E
--------	---	--------------	---------------

Aus 732 [599/2002]

Insert	rock which covers and uncovers, enclosed by danger circle, with legend <i>Rep (2002)</i>	16° 13'.93 S	123° 51'.14 E
--------	--	--------------	---------------

738* WESTERN AUSTRALIA - Barrow Island - Production wells westward.

AGIP Australia (IN/2002/101, IN/2002/342 & IN/2002/501) (AH99/197-02, 2002/2500061/1)

Aus 328 [439/2002]

Insert	restricted area, enclosing wells, centred on legend, <i>Woollybutt Prod Wells</i> , centred on pipeline between	20° 54'.68 S	114° 54'.36 E
		20° 54'.5 S	114° 51'.0 E
		20° 54'.3 S	114° 54'.5 E
		20° 55'.2 S	114° 54'.3 E
Delete	legend, Well	20° 54'.3 S	114° 55'.2 E
		20° 55'.2 S	114° 55'.2 E

Aus 415 [439/2002]

Insert	legend, <i>Woollybutt Prod Wells</i> , centred on restricted area, enclosing production well, centred on danger circle, with legend <i>Well</i>	20° 52'.0 S	114° 55'.0 E
		20° 54'.7 S	114° 54'.4 E
		20° 58'.04 S	114° 52'.41 E
Delete	legend, Well	20° 54'.7 S	114° 57'.0 E

Aus 416 [439/2002]

Insert	legend, <i>Woollybutt Prod Wells</i> , centred on restricted area, enclosing production well, centred on	20° 52'.0 S	114° 55'.0 E
		20° 54'.7 S	114° 54'.4 E
Delete	legend, Well	20° 54'.7 S	114° 57'.0 E

Aus 743 [233/2002]

Insert	legend, <i>Woollybutt Prod Wells</i> , centred on restricted area, enclosing wells, centred on pipeline between	20° 54'.5 S	114° 56'.0 E
		20° 54'.60 S	114° 54'.43 E
		20° 54'.18 S	114° 54'.60 E
		20° 55'.07 S	114° 54'.37 E
Delete	legend, Well	20° 54'.2 S	114° 55'.0 E
		20° 55'.1 S	114° 54'.8 E

739* WESTERN AUSTRALIA - Rottnest Island - Depth northeastwards.
UKHO (OUT/2002/66). (AH99/169)

Aus 754 [NE 26/7/2002]

Insert	depth, 29 m	31° 54'.40 S	115° 38'.61 E
Delete	depth 30 ₈ m	31° 54'.5 S	115° 38'.2 E

740* WESTERN AUSTRALIA - Mandurah - Harbour works.

Transport WA (02/6091), Mandurah Ocean Marina (IN/2002/500). (AH99/148, 2002/2500062/1)

Aus 116 (plan, Entrance to Mandurah Estuary) [693/2002]

Insert	accompanying block	32° 31'.5 S	115° 43'.0 E
--------	--------------------	-------------	--------------

741* SOUTH AUSTRALIA - Tumby Island - Buoyage.

Flinders Ports (IN/2002/150). (AH99/35 & AH99/36)

Aus 345 [696/2002]

Delete	legend, PA	34° 24'.6 S	136° 09'.7 E
	legend, or Harvey B, centred on	34° 22'.2 S	136° 08'.5 E

Aus 777 [695/2002]

Insert	port lateral beacon, with topmark	34° 24'.40 S	136° 09'.13 E
	port lateral spar buoy, with topmark	34° 23'.05 S	136° 06'.58 E
Delete	port lateral buoy, with legend PA	34° 24'.4 S	136° 09'.2 E
		34° 23'.1 S	136° 06'.7 E

Note: this information is incorporated in the new edition of Aus 776.

742* AUSTRALIA - TASMANIA - Port Huon - Buoy; beacon.

Maritime Systems Australia (IN/2002/425 & IN/2002/426). (AH99/38-02 & AH99/39)

Aus 174 (plan, Port Huon) [480/2002]

Insert	port lateral spar buoy, with topmark	43° 09'.836 S	146° 58'.744 E
	beacon	43° 09'.815 S	146° 58'.622 E
Delete	beacon and legend J	43° 09'.81 S	146° 58'.61 E

743* AUSTRALIA - TASMANIA - North West Bay - Marine farm.

DPIWE Tasmania (IN/2002/16). (AH99/387)

Aus 171 [573/2002]

Delete	marine farm	43° 03'.50 S	147° 18'.50 E
--------	-------------	--------------	---------------

Aus 173 [479/2002]

Delete	marine farm	43° 03'.50 S	147° 18'.50 E
--------	-------------	--------------	---------------

Aus 174 (plan, North West Bay) [742/2002]

Insert	pecked line, with legend (see Note), between	43° 02'.635 S	147° 17'.789 E
		43° 02'.727 S	147° 17'.664 E
		43° 02'.866 S	147° 17'.863 E
		43° 02'.866 S	147° 17'.968 E
		43° 02'.810 S	147° 18'.039 E
Delete	marine farm	43° 03'.50 S	147° 18'.50 E

744* AUSTRALIA - TASMANIA - Tamar River - West Arm - Buoys.
Maritime Systems Australia (IN/2002/427). (AH99/39)

Aus 167 [668/2002]

Insert	special spar buoy, without topmark	41° 08'.543 S	146° 49'.061 E
		41° 08'.516 S	146° 47'.982 E
		41° 08'.379 S	146° 48'.082 E

Delete	depth 14 m	41° 08'.51 S	146° 48'.00 E
--------	------------	--------------	---------------

Aus 167 (plan, Bell Bay)

Insert	special spar buoy, without topmark	41° 08'.543 S	146° 49'.061 E
--------	------------------------------------	---------------	----------------

745* AUSTRALIA - VICTORIA - Paradise Beach - Gas pipeline.
Esso Australia (IN/2002/267). (AH99/178)

Aus 357 [629/2002]

Insert	pipeline, with legend <i>Gas (see Note)</i> , between	38° 30'.01 S	147° 46'.21 E
		38° 29'.93 S	147° 44'.93 E
		38° 17'.14 S	147° 32'.10 E
		38° 15'.77 S	147° 30'.33 E
		38° 11'.79 S	147° 26'.59 E
		38° 11'.14 S	147° 26'.22 E

Aus 357A [646/2002]

Insert	pipeline, with legend <i>Gas (see Note)</i> , between	38° 30'.01 S	147° 46'.21 E
		38° 29'.93 S	147° 44'.93 E
		38° 17'.14 S	147° 32'.10 E
		38° 15'.77 S	147° 30'.33 E
		38° 11'.79 S	147° 26'.59 E
		38° 11'.14 S	147° 26'.22 E

Aus 422 [646/2002]

Insert	pipeline, with legend <i>Gas (see Note)</i> , between	38° 30'.00 S	147° 46'.20 E
		38° 11'.25 S	147° 26'.50 E

Aus 445A [401/2002]

Insert	pipeline, with legend <i>Gas (see Note)</i> , between	38° 30'.00 S	147° 46'.20 E
		38° 29'.93 S	147° 44'.93 E
		38° 11'.25 S	147° 26'.50 E

746 (T)/2002 AUSTRALIA - NEW SOUTH WALES - Newcastle – Military practice eastwards.

Date - Until 6 December 2002

RAAF Williamstown (IN/2002/554). (AH00/216)

Air-to-air gunnery is being conducted, from Monday to Friday 0900-1800 LT 18 November to 6 December, in the following area:

32° 44'.60 S 152° 19'.40 E
33° 07'.78 S 152° 07'.95 E
33° 25'.82 S 152° 24'.73 E
32° 59'.35 S 153° 56'.65 E
32° 34'.63 S 153° 40'.82 E
32° 44'.60 S 152° 19'.40 E

Chart temporarily affected – Aus 361 – Aus 362 – Aus 424 – Aus 809 – Aus 810.

747(T)/2002 AUSTRALIA - NEW SOUTH WALES - Tweed River - Dredging operations completed.

Former Notice - 372(T)/2002 is cancelled

Halliburton KBR (02/3164). (AH99/145)

Cancel this notice on receipt.

Chart formerly affected – Aus 220 – Aus 813 – Aus 814

748(T)/2002 AUSTRALIA - QUEENSLAND - Brisbane River - Shafston Reach - Harbour works.

Maritime Safety Queensland Notice 371(T)/2002 (IN/2002/432). (AH99/207)

Pontoons constructed for the floating river walk will be temporarily moored alongside the construction barge and recently driven pylons. *Notice to Mariners 612(T)/2002* refers.

Flashing amber lights will be exhibited at the extremity of the mooring area.

Mariners are advised to navigate with caution in the area and pass with no wash from 200m either side of the operation.

Chart temporarily affected – Aus 238.

749(T)/2002 AUSTRALIA - QUEENSLAND - Perigian Beach - Scientific instruments recovered.

Former Notice - 615(T)/2002 is cancelled

University of Queensland (IN/2002/502). (AH98/146)

Cancel this notice on receipt.

Chart formerly affected – Aus 365

750(T)/2002 AUSTRALIA - QUEENSLAND - Townsville - Depth information.

Former Notice - 547(T)/2002 is cancelled

Maritime Safety Queensland Notice 450(T)/2002 (IN/2002/431). (AH99/252)

Available depths as at 18 October 2002:

	<i>Metres</i>	<i>Remarks</i>
Sea Channel	11.7	
* Platypus Channel	11.7	
Outer Harbour:		
Arrival Channel	7.8	
* Departure Channel	11.7	
Inner Harbour:		
Harbour	11.7	
Berths:		
No 1	12.0	
* No 2	11.7	Not beyond 785 metre mark
No 3	11.2	
No 4	10.5	
* No 7	11.2	
* No 8	10.0	
* No 9	12.0	
* No 10	9.5	
* No 11	11.4	
* Between No 7 and No 8	10.0	Seaward of zero mark at No 7 berth
Between No 9 and No 10	10.1	Seaward of zero mark at No 10 berth
* Ross River Channel	2.4	
* Indicates new or revised entry.		

Chart temporarily affected – Aus 256 – Aus 257.

751(T)/2002 AUSTRALIA - QUEENSLAND - Cairns - Depth information.

Former Notice - 550(T)/2002 is cancelled

Maritime Safety Queensland Notice 449(T)/2002 (IN/2002/431). (AH99/393)

Available depths as at 18 October 2002:

	<i>Metres</i>
Entrance Channel	8.3
Crystal Swing Basin at:	
360 metre diameter	6.8
380 metre diameter	6.2
Swing Basin at:	
310 metre diameter	8.1
320 metre diameter	7.2
Marlin Marina	2.1
Berths:	
No 1	8.3
No 2	8.2
No 3	8.2
No 4	8.2
No 5	8.0
No 6	7.4
No 7	10.0
No 8	10.0
* No 10	9.2
No 12	10.5
Smith Creek 1	5.5

* Indicates new or revised entry.

Chart temporarily affected – Aus 262 – Aus 263 – Aus 264 – Aus 830.

752(T)/2002 AUSTRALIA - TORRES STRAIT - Varzin Passage - Buoy replaced in position.

Former Notice - 408(T)/2002 is cancelled

Auscoast warning 299/02 (IN/2002/419). (AH99/13)

Cancel this notice on receipt

Chart formerly affected – Aus 289 – Aus 296 – Aus 700

753(P)/2002 WESTERN AUSTRALIA - Barrow Island – Oilfield; cautionary zone.

Date - On or about 15 December 2002

AGIP Australia (IN/2002/342 & IN/2002/501). (AH99/197-02, 2002/2500061/1)

A single point mooring system (DSPM) will be established in position 20° 54'.603 S 114° 54'.431 E (WGS 84).

The FPSO *Four Vanguard, Mo(U) 15s*, will be attached to DSPM.

A cautionary zone of 2.5M will be established around the facility.

Mariners are advised to navigate with caution in the area.

Chart which will be affected – Aus 328 – Aus 415 – Aus 416 – Aus 743.

754(P)/2002 WESTERN AUSTRALIA - Hopetoun - Leads.

Dept for Planning & Infrastructure WA (IN/2002/496). (AH99/29-02)

Lights have been established in the following positions (WGS84):

<i>Position</i>	<i>Remarks</i>	<i>Light</i>
33° 57'.093 S 120° 07'.282 E	Front lead	<i>Iso. Bu. 4s 3m 6M</i>
33° 56'.551 S 120° 06'.449 E	Rear lead	<i>Iso. Bu. 8s 12m 6M</i>

Chart which will be affected – Aus 116 – Aus 337.

755(T)/2002 SOUTH AUSTRALIA - Spencer Gulf - Yarraville Shoals - Light destroyed.

List of Lights Vol K/2002 -- 1931.00

Auscoast warning 307/02 (IN/2002/495). (AH99/35)

The light, *F(3) 15s*, (33° 17'.1 S 137° 34'.9 E (AGD 66)) has been destroyed.

Chart temporarily affected – Aus 344 – Aus 444 – Aus 778.

756(T)/2002 SOUTH AUSTRALIA - Port Vincent - Yachting buoys.

Date - Until 21 April 2003

Transport SA Notice 51/2002 (IN/2002/483). (AH99/36)

Eight unlit marker buoys exist in positions (WGS 84) as follows:

<i>Position</i>	<i>Remarks</i>
34° 46'.39 S 137° 52'.33 E	Black spar buoy
34° 46'.28 S 137° 52'.98 E	Black spar buoy
34° 45'.62 S 137° 51'.80 E	Black spar buoy
34° 46'.10 S 137° 51'.80 E	2 Black spar buoys
34° 46'.61 S 137° 51'.80 E	Black spar buoy and 2 horizontal black & yellow check buoys

Chart temporarily affected – Aus 780 – Aus 781.

757(P)/2002 SOUTH AUSTRALIA - Fleurieu Peninsula - Wirrina Cove - Wreck; light buoy.

Date - On or about 15 November 2002

Transport SA Notice 50/2002 (IN/2002/482). (AH98/283, AH99/36)

HMAS *Hobart* will be scuttled in position 35° 28'.9 S 138° 09'.5 E (AGD 66).

The wreck will be marked by an isolated danger spar light buoy, *Fl(2) 10s*, with topmark.

Chart which will be affected – Aus 345 – Aus 444 – Aus 780.

758(T)/2002 AUSTRALIA - VICTORIA - Port Phillip - Williamstown Channel - Light beacon restored in position; light buoy removed.

Former Notice - 292(T)/2002 is cancelled

List of Lights Vol K/2002 -- 2341.00

Victorian Notice 59/2002 (IN/2002/430). (AH99/21-02)

Cancel this notice on receipt

Chart formerly affected – Aus 154

III

NAVIGATION WARNINGS

The following radio messages have been received during the period to 1 November 2002. Signal copies of these messages may be destroyed. It is recommended that the reprint of Navigational Warnings should be kept in a file or a book divided into areas. Cancellation should be made on receipt of signals and reprints.

Rigs on location other than those listed in the latest Section III summary are the subject of Radio Navigational Warnings. Rigs in transit will not be the subject of Warnings.

AUSCOAST WARNING

- 301 SW Coast. Drill rig Sedco 702 in position 27° 22'.5 S 112° 55'.5 E. 2.5M clearance requested.
302 SW Coast. Mariners are requested to avoid rock lobster research activity from 21 OCT to 11 NOV02 in following locations...
303 Cancelled.
304 Cancelled.
305 NW Coast. Seismic survey vessel Pacific Sword towing two 3M cables in area 20° 30'.0 S to 21° 10'.0 S and 115° 00'.0 E to 115° 20'.0 E.
306 Cancelled.
307 S Coast. Yarraville Shoals light K1931 (33° 17'.0 S 137° 35'.0 E) destroyed.
308 SE Coast. Seismic survey vessel Geco Beta towing six 3M cables in area bounded by 37° 40'.0 S to 38° 00'.0 S and 139° 50'.0 E to 140° 22'.0 E.
309 Cancelled.
310 E Coast. Numerous inert mines laid in Nullica Bay within Twofold Bay (37° 05'.0 S 149° 53'.0 E).
311 E Coast. Numerous inert exercise ground mines and two buoyant mines laid in Jervis Bay (35° 05'.0 S 150° 45'.0 E).
312 NW Coast. Drill rig Ensco 56 in position 20° 17'.4 S 116° 16'.5 E. 2.5M clearance requested.
313 Cancelled.

NAVAREA X WARNINGS

Nil issued

Navigational warnings in force as at 310001UTC OCT 02.

Auscoast

256 259 264 291 299 300 301 302 305 307 308 310 311 312.

Navarea X

001 006 008.

Summary of mobile drilling rigs as at 310001UTC OCT 02.

Table with 2 columns: Name, Position. Rows include Energy Searcher, Ensco 104, Sedco 703, Ensco 56, Sedco 702.

NAVAREA XIV WARNINGS

- 173 South Pacific. Iles de la Societe. SV Poti Marara, unreported Moorea to Maiao, last known position 17° 39'.0 S 150° 10'.0 W at 180100Z OCT. Reports to MRCC Papeete.
174 Cancelled.
175 South Pacific. Abandoned SV Atlantis in position 21° 43'.8 S 174° 38'.4 E at 251500Z OCT.
176 French Polynesia. West Tetiaroa Island. Gunnery exercises will be conducted from 042000Z to 050000Z NOV in area 17° 13'.0 S to 16° 52'.0 S and 149° 56'.0 W to 149° 35'.0 W.
177 New Zealand. North Island. Drill rig in position 38° 53'.57 S 174° 14'.84 E.

Navarea XIV warnings in force as at 310001UTC OCT 02.

173 175 176 177.

IV

HYDROGRAPHIC REPORTS

<i>Locality</i>	<i>Report</i>	<i>Ship/Authority</i>	<i>Observer</i>
QLD- Low Isles Missionary Bay	Two way route Charting	HMAS <i>Tarakan</i> SV <i>Sansabar</i>	G Grant
VIC- Yorkies Rock	Depth		M Stahmer
SA- Streaky Bay	Rocks		G Pearce