



Australian Notices to Mariners are the authority for correcting Australian Charts

# AUSTRALIAN NOTICES TO MARINERS

© Commonwealth of Australia 2002 - Copyright restrictions apply to Notices to Mariners

 Notices 759 - 783

Published fortnightly by the Australian Hydrographic Service

B. J. KAFER,  
*Hydrographer of Australia*

- SECTIONS. I. **Australian Notices to Mariners, including blocks and notes.**  
III. **Navigational Warnings.**  
IV. **Hydrographic Reports.**

**British Admiralty Notices to Mariners**  
**New Zealand Notices to Mariners**

*The substance of these notices should be inserted on the charts affected.*

*Bearings are referred to the true compass and are reckoned clockwise from 000° (North) to 359°: those relating to lights are given as seen by an observer from seaward. The range quoted for a light is its nominal range. Fog signals are sounded only during thick or foggy weather, unless otherwise stated. Depths are with reference to the chart datum of each chart. Heights are above mean high water springs or mean higher high water, as appropriate.*

*The capital letter (P) or (T) after the number of any notice denotes a preliminary or temporary notice respectively, which are contained separately at the end of the permanent notices. A star (\*) adjacent to the number of a notice indicates that the notice is based on original information.*

**Mariners are particularly requested to notify the AUSTRALIAN HYDROGRAPHIC SERVICE, Locked Bag 8801 South Coast Mail Centre, NSW 2521 (Fax 02-4221 8599, e-mail [Hydro.NTM@defence.gov.au](mailto:Hydro.NTM@defence.gov.au) or, alternatively by filling in and submitting the [Hydrographic Notes](#) forms located on the web site – [www.hydro.gov.au](http://www.hydro.gov.au)), immediately on the discovery of new dangers or suspected dangers to navigation. For changes or defects in aids to navigation notify AusSAR (Fax 02-6230 6868 or email [rccaus@amsa.gov.au](mailto:rccaus@amsa.gov.au)).**

Copies of these notices can be obtained from the AUSTRALIAN HYDROGRAPHIC OFFICE, 8 Station Street, Wollongong, and Agents for the sale of charts and hydrographic publications.

The Commonwealth of Australia is the owner of, or is otherwise responsible for, the copyright in this work. It is protected under the Copyright Act 1968 and international convention. Except as expressly authorised below, the work may not be copied, reproduced, adapted, changed or commercially exploited, in whole or in part, or the format in which it is stored altered, without the prior written permission of the Australian Hydrographic Office.

The Notices may be copied for the purpose of inserting their substance on official charts and other publications. However, any copies of the notices may not be sold for profit.

© Commonwealth of Australia 2002

## NUMERICAL INDEX OF CHARTS AFFECTED

**Edition No 24**

*29 November 2002*

Notices	Aus Chart, INT Chart, ENC Cell
759.....	Aus 215, 310, 452, 603, 830
760.....	Aus 837
761.....	Aus 197, 361, 423, 424, 808, 4601, 4602, INT 601, INT 602
762.....	Aus 236
763.....	Aus 4060, 4603, INT 60, 603
764.....	Aus 327, 328, 742
765.....	Aus 116, 337
766.....	Aus 119
767.....	Aus 777
768.....	Aus 777
769.....	Aus 777
770.....	Aus 347
771.....	Aus 172
772.....	Aus 356, 357
773.....	Aus 144, 158
774.....	Aus 143, 155
775(T).....	Aus 191, 806
776(T).....	Aus 236, 237
777(P).....	Aus 376, 837, 839, AU411143
778(T).....	Aus 294, 839, AU499142
779(P).....	Aus 289, 296, 700, AU411141
780(T).....	Aus 173
781(T).....	Aus 171, 173, 795
782(T).....	Aus 143
783(T).....	Aus 357A, 358

**759 AUSTRALIA - Publications.**

AHS (IN/2002/558), BA Ed 44/2002 (IN/2002/561). (AH99/229-02, AH99/226-02, AH99/139-02)

**New chart to be published shortly**

Chart	Title	Scale
Aus 215	Australia - East Coast - New South Wales - Pittwater	1:12 500
Aus 452	Australia - Antarctic Territory - Cape Runden to Cape Filcher	1:500 000
Aus 603	Australia - Antarctic Territory - Approaches to Commonwealth Bay Plan: Boat Harbour	1:25 000 1:5 000
Aus 830	Australia - East Coast - Queensland - Russell Island to Low Islets	1:150 000

**New edition to be published shortly**

Chart	Title	Scale
Aus 310	Australia - Indonesia - Timor Sea - Cape Van Diemen to Pulau Masela	1:300 000

**Admiralty publication**

NP No	Title	Date	RRP(UK)	Remarks
NP 36	Indonesia Pilot Volume 1 (Fourth Edition 2002).	9/5/2002	£39.50	Indonesia Pilot Volume 1 (Third edition 1999) is thereby cancelled.

**Erratum to Notices to Mariners Edition 23/02, Section 1, Page 4**

Notice to Mariners 728/2002, amend light position to 26° 41'.36 S 153° 07'.11 E

**760 AUSTRALIA - Miscellaneous correction.**

AHS (IN/2002/559). (AH99/243)

**Aus 837 [140/2001]**Substitute [accompanying note](#) 11° 06'.5 S 143° 50'.0 E**761\* AUSTRALIA - NEW SOUTH WALES - Port Jackson - Submarine cables eastward recovered.**

Reach (IN/2002/478). (AH99/269)

**Aus 197 [460/2002]**

Delete	submarine cable, between	34° 01'.81 S	151° 31'.31 E
		34° 02'.60 S	151° 39'.72 E
Delete	submarine cable, between	33° 55'.40 S	151° 22'.74 E
		33° 57'.88 S	151° 39'.72 E
		33° 54'.38 S	151° 22'.62 E
Delete	disused submarine cable, between	33° 54'.70 S	151° 39'.72 E

**Aus 361 [722/2001]**

Delete	submarine cable, between	34° 02'.0 S	151° 31'.3 E
		34° 02'.5 S	151° 41'.7 E
Delete	submarine cable, between	33° 55'.5 S	151° 22'.8 E
		33° 58'.9 S	151° 43'.9 E
		33° 54'.5 S	151° 23'.0 E
Delete	disused submarine cable, between	33° 54'.2 S	151° 47'.6 E

**Aus 423 [726/2002]**

Delete	submarine cable, between	34° 02'.0 S	151° 31'.0 E
		34° 02'.5 S	151° 42'.0 E
Delete	submarine cable, between	33° 55'.0 S	151° 23'.0 E
		33° 58'.0 S	151° 44'.0 E
		33° 54'.0 S	151° 23'.0 E
Delete	disused submarine cable, between	33° 54'.0 S	151° 48'.0 E

**Aus 424 [726/2002]**

Delete	disused submarine cable, between	33° 54'.0 S	151° 23'.0 E
		33° 54'.0 S	151° 48'.0 E

**Aus 808** [460/2002]

Delete	submarine cable, between	34° 01'.8 S	151° 31'.3 E
		34° 02'.6 S	151° 39'.4 E
	submarine cable, between	33° 55'.4 S	151° 22'.7 E
		33° 57'.8 S	151° 39'.4 E
	submarine cable, between	33° 54'.4 S	151° 22'.6 E
		33° 54'.6 S	151° 39'.4 E

**Aus 4601 (INT 601)** [401/2002]

Delete	submarine cable, between	34° 02'.0 S	151° 31'.0 E
		34° 03'.0 S	151° 42'.0 E
	submarine cable, between	33° 56'.0 S	151° 23'.0 E
		33° 58'.0 S	151° 44'.0 E
	disused submarine cable, between	33° 55'.0 S	151° 23'.0 E
		34° 53'.0 S	151° 48'.0 E

**Aus 4602 (INT 602)** [200/2002]

Delete	submarine cable, between	34° 02'.0 S	151° 31'.0 E
		34° 03'.0 S	151° 42'.0 E
	submarine cable, between	33° 56'.0 S	151° 23'.0 E
		33° 58'.0 S	151° 44'.0 E
	disused submarine cable, between	33° 55'.0 S	151° 23'.0 E
		34° 53'.0 S	151° 48'.0 E

**762\* AUSTRALIA - QUEENSLAND - Moreton Bay – East Knoll - Light beacon altered in position.**

List of Lights Vol K/2002 -- 2860.00

Maritime Safety Queensland Notice 459/2002 (IN/2002/481). (AH00/107)

**Aus 236** [688/2002]

Move	east cardinal light beacon, M7, from	27° 08'.43 S	153° 20'.67 E
	to	27° 08'.435 S	153° 20'.767 E

**763\* WESTERN AUSTRALIA - Sahul Banks - Production platform.**

Phillips Petroleum (02/472). (AH99/197-2)

**Aus 4060 (INT 60)** [436/2002]

Insert	production platform	11° 04'.0 S	126° 39'.0 E
--------	---------------------	-------------	--------------

**Aus 4603 (INT 603)** [642/2002]

Insert	production platform, enclosed by restricted circle, with legend <i>Racon</i>	11° 04'.0 S	126° 39'.0 E
--------	---	-------------	--------------

**764\* WESTERN AUSTRALIA - Barrow Island - Production platforms.**

Apache Energy (IN/2002/643). (AH99/197-02)

**Aus 327** [439/2002]

Insert	production platform, enclosed by restricted circle, with legend <i>Mo (U) 15s</i>	20° 42'.04 S	115° 33'.78 E
		20° 44'.45 S	115° 34'.22 E
		20° 45'.52 S	115° 30'.17 E
	legend, <i>Mo (U) 15s</i>	20° 40'.50 S	115° 35'.00 E
	pipeline between	20° 39'.30 S	115° 34'.77 E
		20° 39'.92 S	115° 35'.29 E
		20° 40'.48 S	115° 35'.04 E
		20° 41'.62 S	115° 34'.45 E
		20° 42'.04 S	115° 33'.78 E
	pipeline, with legend <i>Oil (see Note)</i> , between	20° 41'.62 S	115° 34'.45 E
		20° 42'.87 S	115° 33'.93 E
		20° 44'.45 S	115° 34'.22 E
		20° 45'.52 S	115° 30'.17 E

**Aus 328** [738/2002]

Insert	production platform, enclosed by restricted circle, with legend <i>Mo (U) 15s</i>	20° 42'.04 S	115° 33'.79 E
		20° 44'.45 S	115° 34'.23 E
		20° 45'.52 S	115° 30'.18 E
	legend, <i>Mo (U) 15s</i>	20° 40'.50 S	115° 35'.00 E
	pipeline between	20° 39'.30 S	115° 34'.78 E
		20° 39'.92 S	115° 35'.30 E
		20° 40'.48 S	115° 35'.05 E
		20° 41'.62 S	115° 34'.46 E
		20° 42'.04 S	115° 33'.79 E
	pipeline, with legend <i>Oil (see Note)</i> , between	20° 41'.62 S	115° 34'.46 E
		20° 42'.87 S	115° 33'.94 E
		20° 44'.45 S	115° 34'.23 E
		20° 45'.52 S	115° 30'.18 E

**Aus 742** [193/2002]

Insert	production platform, enclosed by restricted circle, with legend <i>Mo (U) 15s</i>	20° 41'.96 S	115° 33'.86 E
		20° 44'.37 S	115° 34'.30 E
		20° 45'.44 S	115° 30'.25 E
	legend, <i>Mo (U) 15s</i>	20° 40'.40 S	115° 35'.30 E
	pipeline, with legend <i>Oil (see Note)</i> , between	20° 40'.40 S	115° 35'.09 E
		20° 41'.54 S	115° 34'.53 E
		20° 41'.96 S	115° 33'.86 E
	pipeline, with legend <i>Oil (see Note)</i> , between	20° 41'.54 S	115° 34'.53 E
		20° 42'.79 S	115° 34'.01 E
		20° 44'.37 S	115° 34'.30 E
		20° 45'.44 S	115° 30'.25 E
Delete	depth 5 <sub>2</sub> m	20° 45'.4 S	115° 30'.3 E

**765\* WESTERN AUSTRALIA - Hopetoun - Lights; leads.**

Former Notice - 754(P)/2002 is cancelled

Dept Planning &amp; Infrastructure WA (IN/2002/496). (AH99/29-02)

**Aus 116 (plan, Mary Ann Haven)** [740/2002]

Insert	light, <i>Iso. Bu. 4s 3m 6M</i> , with orange triangular topmark, apex up	(a) 33° 57'.093 S	120° 07'.282 E
	pecked line emanating from (a), in a direction 128° for 950m, thence a firm line for 2660m with legend 308°		
	pecked line emanating from (a), in a direction 308° for 1180m		
Delete	leading line emanating from beacon, with legend 275°	33° 57'.36 S	120° 06'.99 E

**Aus 337** [326/2002]

Insert	light, <i>Iso. Bu. 4s 3m 6M</i>	33° 57'.09 S	120° 07'.28 E
	light, <i>Iso. Bu. 8s 12m 6M</i>	33° 56'.55 S	120° 06'.45 E

**766\* WESTERN AUSTRALIA - Bandy Creek - Lights.**

Dept Planning &amp; Infrastructure WA (IN/2002/527 &amp; IN/2002/528). (AH99/29-02)

**Aus 119 (plan, Bandy Creek Boat Harbour)** [570/2002]

Insert	light beacon, <i>Fl. R. 3s</i> , with red rectangular topmark	33° 50'.174 S	121° 55'.829 E
	light beacon, <i>Fl. G. 3s</i> , with green triangular topmark	33° 50'.140 S	121° 55'.876 E

**767\* SOUTH AUSTRALIA - Winceby Island - Depths.**

AHS (IN/2002/642) (AH99/442)

**Aus 777** [741/2002]

Insert	accompanying block	34° 22'.5 S	136° 30'.0 E
--------	--------------------	-------------	--------------

**768\* SOUTH AUSTRALIA - Arno Bay - Marine farms.**  
Aquaculture SA (IN/2002/741) (AH99/453)

**Aus 777** [767/2002]

Insert marine farm

33° 57'.60 S 136° 36'.00 E  
33° 56'.92 S 136° 36'.61 E  
33° 56'.91 S 136° 37'.59 E  
33° 54'.06 S 136° 43'.10 E  
33° 53'.80 S 136° 42'.10 E  
33° 53'.48 S 136° 43'.89 E  
34° 00'.0 S 136° 23'.5 E

[accompanying note](#)

**769\* SOUTH AUSTRALIA - Wardang Island - Depths.**  
AHS (IN/2002/642) (AH99/442)

**Aus 777** [768/2002]

Insert [accompanying block](#)

34° 27'.0 S 137° 21'.0 E

**770\* SOUTH AUSTRALIA - Wirrina Cove - Light.**

List of Lights Vol K/2002 -- 2091.10,2091.13

AHS (IN/2002/560). (AH99/35)

**Aus 347** [666/2002]

Insert light, 2F. R. 3M

35° 30'.08 S 138° 14'.35 E

**771\* AUSTRALIA - TASMANIA - Hobart - Prince of Wales Bay - Beacon.**

Tasmanian Notice 75/2002 (IN/2002/619). (AH99/38-02)

**Aus 172** [644/2002]

Insert north cardinal beacon, with topmark

42° 49'.620 S 147° 18'.507 E

**Aus 172 (inset, Continuation chart)**

Insert north cardinal beacon, with topmark

42° 49'.620 S 147° 18'.507 E

**772\* AUSTRALIA - TASMANIA - Furneaux Group - Franklin Sound - Depth.**

AHS (IN/2002/514). (AH99/177)

**Aus 356** [629/2002]

Insert depth, 1<sub>5</sub> fm

40° 16'.15 S 148° 02'.34 E

**Aus 357** [745/2002]

Insert depth, 1<sub>5</sub> fm

40° 16'.15 S 148° 02'.34 E

**773\* AUSTRALIA - VICTORIA - Port Phillip - Swan Island - Light beacon; buoys.**

List of Lights Vol K/2002 -- 2210.00

Parks Victoria (02/5625). (AH99/21-02 &amp; AH99/24)

**Aus 144 [167/2002]**

Insert	red spar buoy	38° 15'.474 S	144° 40'.927 E
--------	---------------	---------------	----------------

Amend	light beacon, to special light beacon, with topmark	38° 15'.45 S	144° 41'.04 E
-------	---	--------------	---------------

**Aus 158 [645/2002]**

Insert	red spar buoy	38° 15'.564 S	144° 40'.847 E
--------	---------------	---------------	----------------

		38° 15'.448 S	144° 41'.153 E
--	--	---------------	----------------

		38° 15'.396 S	144° 41'.263 E
--	--	---------------	----------------

		38° 15'.328 S	144° 41'.401 E
--	--	---------------	----------------

		38° 15'.243 S	144° 41'.584 E
--	--	---------------	----------------

		38° 15'.185 S	144° 41'.698 E
--	--	---------------	----------------

		38° 15'.120 S	144° 41'.818 E
--	--	---------------	----------------

		38° 15'.024 S	144° 41'.930 E
--	--	---------------	----------------

		38° 14'.934 S	144° 42'.012 E
--	--	---------------	----------------

		38° 14'.862 S	144° 42'.069 E
--	--	---------------	----------------

		38° 14'.400 S	144° 41'.395 E
--	--	---------------	----------------

		38° 14'.367 S	144° 40'.989 E
--	--	---------------	----------------

Amend	light beacon, to special light beacon, with topmark	38° 15'.55 S	144° 40'.95 E
-------	---	--------------	---------------

**774\* AUSTRALIA - VICTORIA - Port Phillip - Fawkner Beacon to Williamstown - Port boundary revoked; channel limits.**

Victorian Channels Authority (IN/2002/590). (AH99/225)

**Aus 143 [699/2002]**

Insert	pecked line between	37° 55'.20 S	144° 55'.60 E
--------	---------------------	--------------	---------------

		37° 57'.00 S	144° 55'.54 E
--	--	--------------	---------------

	pecked line between	37° 55'.20 S	144° 55'.48 E
--	---------------------	--------------	---------------

		37° 57'.00 S	144° 55'.42 E
--	--	--------------	---------------

Delete	magenta pecked line, with legend Port of Melbourne Authority Boundary, between	37° 52'.44 S	144° 54'.14 E
--------	--	--------------	---------------

		37° 52'.53 S	144° 54'.31 E
--	--	--------------	---------------

		37° 52'.53 S	144° 54'.87 E
--	--	--------------	---------------

		37° 56'.24 S	144° 54'.84 E
--	--	--------------	---------------

		37° 56'.19 S	144° 55'.80 E
--	--	--------------	---------------

		37° 52'.01 S	144° 55'.80 E
--	--	--------------	---------------

		37° 51'.93 S	144° 57'.19 E
--	--	--------------	---------------

		37° 51'.40 S	144° 57'.62 E
--	--	--------------	---------------

**Aus 155 [699/2002]**

Insert	pecked line between	37° 56'.10 S	144° 55'.43 E
--------	---------------------	--------------	---------------

		37° 57'.00 S	144° 55'.42 E
--	--	--------------	---------------

**775(T)/2002 AUSTRALIA - NEW SOUTH WALES - Twofold Bay - Obstructions removed.**

Former Notice - 700(T)/2002 is cancelled  
MHQAUST (IN/2002/271). (AH00/216)

Cancel this notice on receipt

**Chart formerly affected – Aus 191 – Aus 806**

**776(T)/2002 AUSTRALIA - QUEENSLAND - Brisbane River - Fisherman Islands - Harbour works.**

Maritime Safety Queensland Notice 470(T)/2002 (IN/2002/684). (AH99/207)

The construction of a bund wall has commenced to seaward of Fisherman Islands in position 27° 21'.6 S 153° 11'.3 E (WGS 84).

All marine plant and equipment will display appropriate lights and shapes and attending vessels will maintain a listening watch on VHF Ch12.

Mariners are advised to navigate with caution in the area.

**Chart temporarily affected – Aus 236 – Aus 237.**

**777(P)/2002 AUSTRALIA - QUEENSLAND - Caldbeck Reef - Light to be altered.**

Date - On or about 24 November 2002  
List of Lights Vol K/2002 -- 3282.00  
AMSA ATH 2002/23 (IN/2002/677). (AH99/35)

The light (10° 06'.3 S 143° 10'.0 E (WGS 84)) will be altered to *Fl(4) 16s 7m 10M*, and the supporting structure painted white.

**Chart which will be affected – Aus 376 – Aus 837 – Aus 839 - AU411143.**

**778(T)/2002 AUSTRALIA - QUEENSLAND - Red Island - Stranded wreck.**

Seisia Island Council (IN/2002/626). (AH98/288)

A stranded wreck exists in position 10° 50'.98 S 142° 21'.54 E (AGD 66).

**Chart temporarily affected – Aus 294 – Aus 839 - AU499142.**

**779(P)/2002 AUSTRALIA - QUEENSLAND - Varzin Passage - Shoals disproved.**

Former Notice - 651(P)/2002 is cancelled  
HMAS *Benalla* HI 365 (IN/2002/710). (AH99/175-02)

The following depths, which were published via *Notices to Mariners 300/2002* and *651/2002*, have been disproved:

<i>Charted depth</i>	<i>Surveyed depth</i>	<i>Position (AGD 66)</i>
9.2m	10.7m	10° 31'.596 S 141° 56'.341 E
10.3m	10.8m	10° 31'.769 S 141° 56'.241 E
9.7m	10.6m	10° 31'.553 S 141° 54'.897 E
9.7m	10.7m	10° 31'.586 S 141° 54'.570 E
9.9m	11.1m	10° 31'.588 S 141° 53'.866 E
9.4m	11.8m	10° 32'.160 S 141° 53'.350 E

A new edition of chart Aus 289 is in production and will be published early 2003.

**Chart which will be affected – Aus 289 – Aus 296 – Aus 700 - AU411141.**

**780(T)/2002 AUSTRALIA - TASMANIA - D'Entrecasteaux Channel - Marine farm.**  
MAST Notice M72/2002 (IN/2002/563). (AH99/387)

Special spar light buoys, Q, Y, with topmark marking the extremities of a mussel spat collection area, exist in the following positions:

**Missionary Bay**

43° 10'.83 S 147° 19'.79 E  
43° 10'.81 S 147° 19'.72 E  
43° 10'.73 S 147° 19'.76 E  
43° 10'.77 S 147° 19'.83 E

**Isthmus Bay**

43° 14'.24 S 147° 20'.57 E  
43° 14'.25 S 147° 20'.51 E  
43° 14'.19 S 147° 20'.50 E  
43° 14'.18 S 147° 20'.58 E

Mariners are advised to navigate with caution in the area.

**Chart temporarily affected – Aus 173.**

**781(T)/2002 AUSTRALIA - TASMANIA - D'Entrecasteaux Channel to Dunalley Bay - Scientific instruments.**  
MAST Notice M68-02 (IN/2002/415). (AH99/387)

Scientific instruments exist as follows:

Storm Bay (Cape Queen Elizabeth to Salters Point) 25 sub-surface buoys, least depth 20m, between:

43° 13'.46 S 147° 26'.23 E  
43° 11'.99 S 147° 42'.63 E.

D'Entrecasteaux Channel (Simpsons Point to Piersons Point) 8 sub-surface buoys, least depth 10m, between:

43° 14'.57 S 147° 17'.14 E  
43° 03'.42 S 147° 20'.56 E and  
a special spherical buoy at 43° 14'.00 S 147° 15'.68 E.

Derwent River (Piersons Point to Crayfish Point) 10 sub-surface buoys, least depth 10m, between:

43° 04'.05 S 147° 22'.02 E  
42° 57'.33 S 147° 21'.45 E.

Taroona 8 special spherical buoys between:

42° 57'.52 S 147° 20'.86 E  
42° 56'.79 S 147° 21'.33 E.

Frederick Henry Bay (Cape Deslacs to North West Head) 7 sub-surface buoys, least depth 10m, between

43° 00'.59 S 147° 36'.66 E  
43° 00'.48 S 147° 32'.64 E.

Flinders Channel 3 sub-surface buoys, least depth 10m, between:

42° 55'.51 S 147° 40'.59 E  
42° 54'.56 S 147° 40'.67 E and  
a sub-surface buoy, least depth 6m, at 42° 55'.98 S 147° 40'.55 E.

Eaglehawk Bay special spherical buoys in positions:

43° 01'.21 S 147° 54'.38 E  
43° 01'.14 S 147° 54'.37 E.

Mariners are advised to navigate with caution in the area.

**Chart temporarily affected – Aus 171 – Aus 173 – Aus 795.**

**782(T)/2002 AUSTRALIA - VICTORIA - Port Phillip - Buoy.**

*Date - Until 23 December 2002*

Victorian Notice 61(T)/2002 (IN/2002/678). (AH99/24)

Special spar light buoy, *Fl(2) Y. 10s*, marking the centre of a restricted area, exists in position 38° 04'.7 S 144° 49'.5 E.

Mariners are requested to maintain a minimum distance of 0.5M from the buoy.

**Chart temporarily affected – Aus 143.**

**783(T)/2002 AUSTRALIA - VICTORIA - Point Ricardo - Pipeline burial completed; prohibited area removed.**

*Former Notice - 681(T)/2002 is cancelled*

Victorian Notice 53(T)/2002 (AH99/178)

Cancel this notice on receipt

**Chart formerly affected – Aus 357A – Aus 358**

III

**NAVIGATION WARNINGS**

The following radio messages have been received during the period to 15 November 2002. Signal copies of these messages may be destroyed. It is recommended that the reprint of Navigational Warnings should be kept in a file or a book divided into areas. Cancellation should be made on receipt of signals and reprints.

Rigs on location other than those listed in the latest Section III summary are the subject of Radio Navigational Warnings. Rigs in transit will not be the subject of Warnings.

**AUSCOAST WARNING**

- 314 NW Coast. Drill rig *Glomar Jack Ryan* in position 19° 43'.0 S 114° 23'.0 E. 2.5M clearance requested.
- 315 Cancelled.
- 316 Cancelled.
- 317 SW Coast. Seismic survey vessel *Veritas Searcher* towing 2M cable in area 27° 30'.0 S to 28° 30'.0 S and 113° 00'.0 E to 113° 50'.0 E.
- 318 Cancelled.
- 319 SE Coast. Seismic survey vessel *Polar Duke* towing 2.5M cable in area 38° 05'.0 S to 38° 37'.0 S and 140° 40'.0 E to 141° 20'.0 E.
- 320 S Coast. Yarraville Shoals light beacon K1931 (33° 17'.0 S 137° 35'.0 E) destroyed; west cardinal light buoy, Q(9) 15s, has been established in position 33° 17'.10 S 137° 35'.22 E. A submerged obstruction lies approximately 150 metres NNW of the buoy.
- 321 NW Coast. Seismic survey vessel *Pacific Sword* towing two 3M cables in area 20° 00'.0 S to 20° 30'.0 S and 114° 30'.0 E to 115° 00'.0 E.
- 322 NW Coast. Drill rig *Ensco 56* in position 19° 45'.3 S 116° 40'.8 E. 2.5M clearance requested.

**NAVAREA X WARNINGS**

Nil issued

**Navigational warnings in force as at 140001UTC NOV 02.**

**Auscoast**

291 299 300 302 310 311 314 317 319 320 321 322.

**Navarea X**

001.

**Summary of mobile drilling rigs as at 140001UTC NOV 02.**

<i>Name</i>	<i>Position</i>
Ensco 104	11° 01'.0 S 126° 35'.0 E
Sedco 703	19° 15'.8 S 116° 37'.7 E
Ensco 56	19° 45'.3 S 116° 40'.8 E
Glomar Jack Ryan	19° 43'.0 S 114° 23'.0 E

**NAVAREA XIV WARNINGS**

- 178 Cancelled.
- 179 Cancelled.
- 180 Cancelled.
- 181 Cancelled.
- 182 Cancelled.
- 183 Cancelled.

**Navarea XIV warnings in force as at 140001UTC NOV 02.**

173 177.

IV

HYDROGRAPHIC REPORTS

<i>Locality</i>	<i>Report</i>	<i>Ship/Authority</i>	<i>Observer</i>
AUS- Notice to Mariners	Error		PR Coulter
QLD- Low Isles	Two-way route	HMAS <i>Paluma</i>	
NT- Dundas Strait	Recommended track	HMAS <i>Paluma</i>	