



Australian Notices to Mariners are the authority for correcting Australian Charts

# AUSTRALIAN NOTICES TO MARINERS

© Commonwealth of Australia 2002 - Copyright restrictions apply to Notices to Mariners

 Notices 182-209

Published fortnightly by the Australian Hydrographic Service

B. J. KAUFER,  
*Hydrographer of Australia*

- SECTIONS.**
- I. Australian Notices to Mariners, including blocks and notes.**
  - III. Navigational Warnings.**
  - IV. Hydrographic Reports.**

**British Admiralty Notices to Mariners**  
**New Zealand Notices to Mariners**

*The substance of these notices should be inserted on the charts affected.*

*Bearings are referred to the true compass and are reckoned clockwise from 000° (North) to 359°: those relating to lights are given as seen by an observer from seaward. The range quoted for a light is its nominal range. Fog signals are sounded only during thick or foggy weather, unless otherwise stated. Depths are with reference to the chart datum of each chart. Heights are above mean high water springs or mean higher high water, as appropriate.*

*The capital letter (P) or (T) after the number of any notice denotes a preliminary or temporary notice respectively, which are contained separately at the end of the permanent notices. A star (\*) adjacent to the number of a notice indicates that the notice is based on original information.*

**Mariners are particularly requested to notify the AUSTRALIAN HYDROGRAPHIC SERVICE, Locked Bag 8801 South Coast Mail Centre, NSW 2521 (Fax 02-4221 8599, e-mail [hni.hydro@navy.gov.au](mailto:hni.hydro@navy.gov.au) or, alternatively by filling in and submitting the [Hydrographic Notes](#) forms located on the web site – [www.hydro.gov.au](http://www.hydro.gov.au)), immediately on the discovery of new dangers or suspected dangers to navigation. For changes or defects in aids to navigation notify AusSAR (Fax 02-6230 6868 or email [rccaus@amsa.gov.au](mailto:rccaus@amsa.gov.au)).**

Copies of these notices can be obtained from the AUSTRALIAN HYDROGRAPHIC OFFICE, 8 Station Street, Wollongong, and Agents for the sale of charts and hydrographic publications.

The Commonwealth of Australia is the owner of, or is otherwise responsible for, the copyright in this work. It is protected under the Copyright Act 1968 and international convention. Except as expressly authorised below, the work may not be copied, reproduced, adapted, changed or commercially exploited, in whole or in part, or the format in which it is stored altered, without the prior written permission of the Australian Hydrographic Office. The Notices may be copied for the purpose of inserting their substance on official charts and other publications. However, any copies of the notices may not be sold for profit.

© Commonwealth of Australia 2002

## NUMERICAL INDEX OF CHARTS AFFECTED

Edition No 6

22 March 2002

Notices	Aus Chart
182 .....	Aus 204, 518
183 .....	ANTT
184 .....	Aus 170, 260, 289, 305, 306, 330, 333, 336, 337, 355, 625, 748, 752, 756, 757, 758, 759, 786, 789
185 .....	Aus 197, 216
186 .....	Aus 236
187 .....	Aus 238
188 .....	Aus 817
189 .....	Aus 243
190 .....	Aus 249
191 .....	Aus 252
192 .....	Aus 252, 253
193 .....	Aus 327, 328, 742
194 .....	Aus 134
195 .....	Aus 344, 444, 777, 778
196 .....	Aus 127, 347
197 .....	Aus 164
198 .....	Aus 143
199 .....	Aus 357, 422, 445A
200 .....	Aus 4060, 4602, 4604, INT 60, 602, 604
201(T) .....	Aus 28
202(P) .....	Aus 312, 4603, INT 603
203(T) .....	Aus 328, 329, 744
204(T) .....	Aus 328, 329, 744, 745
205(T) .....	Aus 329, 745
206(T) .....	Aus 349
207(T) .....	Aus 164
208(P) .....	Aus 143, 158
209(T) .....	Summertime

**182 AUSTRALIA - Publications**  
AHS (02/1175 & 02/1231). (AH99/139-02, AH99/229-02)

**New chart to be published shortly**

Chart	Title	Scale
Aus 518	Papua New Guinea - North East Coast - Goschen Strait to Ward Hunt Strait	1:150 000

**New edition to be published shortly**

Chart	Title	Scale
Aus 204	Australia - East Coast - New South Wales - Broken Bay	1:40 000

**183 AUSTRALIA - Publication - Amendment to Australian National Tide Tables and Seafarer Tides.**

AHS (02/1172), (02/1173). (AH99/424).

On page 286 Station 60810 Apollo Bay, amend tidal values to HAT 2.3, MHWS 2.1, MHWN 1.4, MSL 1.2, MLWN 1.1, MLWS 0.4 .

On page 292 Station 63110 Turtle Point, amend MLWS to 1.1.

On page 292 Station 63160 Pearce Point, amend MLWS to 1.4.

On page 346 Station 60810 Apollo Bay, amend Z0 value to 1.22m.

For Seafarer Tides only, the 20 minute prediction file for Mornington Island is incorrectly named. This can be fixed in Windows Explorer by renaming the file C:\Program Files\ Seafarer Tides 2002\02\_data\02\_63549.2 to C:\Program Files\ Seafarer Tides 2002\02\_data\02\_63540.2.

**184 AUSTRALIA - Miscellaneous correction.**

AHS (01/6618). (AH00/153)

**Aus 170 [49/2000]**

Substitute [accompanying note](#) 42° 27'.0 S 147° 55'.0 E

**Aus 260 [366/2001]**

Substitute [accompanying note](#) 22° 18'.4 S 150° 03'.0 E

**Aus 289 [173/2001]**

Substitute [accompanying note](#) 10° 36'.3 S 141° 57'.3 E

**Aus 305 [731/2000]**

Substitute [accompanying note](#) 15° 49'.0 S 135° 54'.0 E

**Aus 306 [367/2001]**

Substitute [accompanying note](#) 12° 58'.5 S 135° 52'.5 E

**Aus 330 [290/2001]**

Substitute [accompanying note](#) 24° 20'.0 S 113° 39'.0 E

**Aus 333 [709/2000]**

Substitute [accompanying note](#) 28° 58'.0 S 115° 10'.5 E

**Aus 336 [322/2001]**

Substitute [accompanying note](#) 34° 36'.0 S 117° 20'.5 E

**Aus 337 [NE 17/03/2000]**

Substitute [accompanying note](#) 34° 10'.5 S 118° 39'.5 E

**Aus 355 [551/2001]**

Substitute [accompanying note](#) 42° 03'.0 S 147° 27'.5 E

**Aus 625 [231/2000]**

Substitute [accompanying note](#) 10° 32'.5 S 150° 38'.5 E

<b>Aus 748</b> [400/2000] Substitute <a href="#">accompanying note</a>	25° 30'.5 S	114° 04'.0 E
<b>Aus 752</b> [652/2000] Substitute <a href="#">accompanying note</a>	29° 08'.7 S	115° 06'.0 E
<b>Aus 756</b> [322/2001] Substitute <a href="#">accompanying note</a>	33° 53'.8 S	115° 16'.5 E
<b>Aus 757</b> [322/2001] Substitute <a href="#">accompanying note</a>	34° 25'.5 S	115° 54'.2 E
<b>Aus 758</b> [269/2000] Substitute <a href="#">accompanying note</a>	34° 55'.8 S	116° 37'.8 E
<b>Aus 759</b> [303/1997] Substitute <a href="#">accompanying note</a>	34° 52'.0 S	117° 36'.0 E
<b>Aus 786</b> [260/2001] Substitute <a href="#">accompanying note</a>	38° 15'.2 S	142° 27'.0 E
<b>Aus 789</b> [348/1999] Substitute <a href="#">accompanying note</a>	40° 17'.7 S	143° 27'.0 E

**185\* AUSTRALIA - NEW SOUTH WALES - West Reef - Legend.**  
AHS (02/1174). (AH98/341)

<b>Aus 197</b> [721/2001] Insert legend, <i>Heavy swells in SE winds</i> , centred on	33° 33'.3 S	151° 22'.8 E
<b>Aus 216</b> [NC 09/11/2001] Insert legend, <i>Heavy swells in SE winds</i> , centred on	33° 33'.25 S	151° 22'.40 E

**186\* AUSTRALIA - QUEENSLAND - Moreton Bay - East Knoll - Legend.**  
Australia Pilot Vol 3, 1999 - p 126  
Queensland Transport (02/1295). (AH99/323, AH00/107)

<b>Aus 236</b> [75/2002] Insert legend, <i>EAST KNOLL BYPASS CHANNEL</i> , vertically centred on	27° 08'.6 S	153° 19'.5 E
legend, <i>M9</i> , centred on	27° 09'.4 S	153° 20'.0 E

**187\* AUSTRALIA - QUEENSLAND - Brisbane River - South Brisbane Reach - Bridge.**  
Queensland Transport Notice 12/2002, (02/85), (02/6), (02/1343). (AH99/207)

<b>Aus 238</b> [156/2002] Insert <a href="#">accompanying block</a>	27° 28'.7 S	153° 01'.6 E
<b>Aus 238 (plan, South Brisbane Reach)</b> Insert <a href="#">accompanying block</a>	27° 28'.7 S	153° 01'.6 E

**188\* AUSTRALIA - QUEENSLAND - Elliots Head - Depths.**

Australia Pilot Vol 3, 1999 - p 152

Queensland Transport (02/1102), AHS (MMI 2-1-21240). (AH99/176-02)

**Aus 817 [724/2001]**

Insert	depth, 8 <sub>3</sub> fm	24° 55'.05 S	152° 38'.61 E
	depth, 6 <sub>3</sub> fm	24° 55'.83 S	152° 33'.03 E
	depth, 5 <sub>1</sub> fm	24° 58'.32 S	152° 32'.91 E
Delete	depth 7fm	24° 55'.9 S	152° 32'.9 E
	depth 6fm	24° 58'.5 S	152° 32'.8 E

**189\* AUSTRALIA - QUEENSLAND - Burnett River - Jetty, shoaling.**

Australia Pilot Vol 3, 1999 - p 155

Queensland Transport (02/1103), AHS (MMI 21243 &amp; 21244). (AH99/213, AH99/343)

**Aus 243 [71/2002]**

Insert	drying height, 0 <sub>6</sub> m	(a) 24° 47'.969 S	152° 21'.946 E
	drying height, 0 <sub>3</sub> m	(b) 24° 49'.175 S	152° 21'.928 E
	drying height, 0 <sub>2</sub> m	(c) 24° 50'.696 S	152° 22'.101 E
	firm line between	24° 47'.920 S	152° 22'.825 E
		24° 47'.987 S	152° 22'.807 E
		24° 47'.965 S	152° 22'.760 E
	firm line enclosing (a) between	24° 48'.090 S	152° 22'.235 E
		24° 47'.900 S	152° 21'.955 E
		24° 48'.065 S	152° 21'.730 E
	firm line enclosing (b) between	24° 49'.145 S	152° 21'.810 E
		24° 49'.125 S	152° 21'.855 E
		24° 49'.340 S	152° 21'.960 E
	firm line enclosing (c) between	24° 50'.535 S	152° 22'.130 E
		24° 50'.735 S	152° 22'.055 E
		24° 50'.715 S	152° 22'.000 E
Delete	depth 0 <sub>6</sub> m	24° 47'.96 S	152° 22'.82 E
	depth 0 <sub>4</sub> m	24° 48'.00 S	152° 22'.07 E
	depth 0 <sub>3</sub> m	24° 50'.65 S	152° 22'.08 E
		24° 47'.94 S	152° 21'.90 E
		24° 48'.01 S	152° 21'.82 E
	depth 0 <sub>5</sub> m	24° 49'.17 S	152° 21'.88 E
		24° 48'.03 S	152° 21'.99 E
	low water line between	24° 47'.920 S	152° 22'.825 E
		24° 47'.965 S	152° 22'.760 E
	low water line between	24° 48'.090 S	152° 22'.235 E
		24° 48'.065 S	152° 21'.730 E
	low water line between	24° 50'.535 S	152° 22'.130 E
24° 50'.715 S		152° 22'.000 E	
<b>Aus 243 (plan, Port Bundaberg)</b>			
Insert	firm line between	24° 45'.667 S	152° 24'.008 E
		24° 45'.670 S	152° 24'.025 E
	firm line between	24° 45'.663 S	152° 24'.026 E
		24° 45'.679 S	152° 24'.023 E

**190\* AUSTRALIA - QUEENSLAND - Hay Point - Depths.**

Australia Pilot Vol 3, 1999 - p 201

Queensland Transport (02/1104), AHS (MMI 2-3-21251). (AH99/478)

**Aus 249 [670/2001]**

Insert	depth, 14 <sub>7</sub> m	(a) 21° 13'.106 S	149° 24'.726 E
		(b) 21° 13'.150 S	149° 24'.071 E
	depth, 14 <sub>9</sub> m, and extend 15m E to enclose	21° 12'.931 S	149° 23'.504 E
	15m contour, extending N to enclose (a) and (b), between	21° 13'.63 S	149° 24'.85 E
		21° 13'.46 S	149° 23'.97 E
Delete	15m contour between	21° 13'.63 S	149° 24'.85 E
		21° 13'.46 S	149° 23'.97 E
	depth 15 <sub>3</sub> m	21° 13'.16 S	149° 24'.50 E

**191\* AUSTRALIA - QUEENSLAND - Laguna Quays - Light beacons.**

Queensland Transport (02/713). (AH00/107)

**Aus 252 (plan, Laguna Quays) [161/2002]**

Move	No 1 light beacon	20° 35'.92 S	148° 41'.49 E
	to	20° 35'.917 S	148° 41'.489 E
	No 5 light beacon	20° 36'.04 S	148° 41'.14 E
	to	20° 36'.048 S	148° 41'.115 E
	No 6 light beacon	20° 36'.08 S	148° 41'.16 E
	to	20° 36'.091 S	148° 41'.134 E

**192\* AUSTRALIA - QUEENSLAND - West Molle Island - Submarine cable.**

Australia Pilot Vol 3, 1999 - p 222

Mapping & Hydrographic Surveys Pty Ltd (02/1101), AHS (MMI 2-1-21260), Queensland Transport Notice 7/2002 (02/14). (AH99/324)

**Aus 252 [191/2002]**

Insert	submarine power cable	20° 15'.971 S	148° 47'.443 E
		20° 15'.313 S	148° 47'.669 E
		20° 15'.254 S	148° 47'.710 E
		20° 15'.222 S	148° 47'.776 E
		20° 15'.224 S	148° 47'.851 E
		20° 15'.483 S	148° 48'.776 E

**Aus 253 [161/2002]**

Insert	submarine power cable	20° 15'.971 S	148° 47'.443 E
		20° 15'.313 S	148° 47'.669 E
		20° 15'.254 S	148° 47'.710 E
		20° 15'.222 S	148° 47'.776 E
		20° 15'.224 S	148° 47'.851 E
		20° 15'.483 S	148° 48'.776 E

**193\* WESTERN AUSTRALIA - Barrow Island - Surf Point - Light permanently discontinued.**

List of Lights Vol K/2002 -- 1692.00

Chevron Texaco (02/1054). (AH99/32)

**Aus 327 [674/2001]**

Delete	light	20° 40'.5 S	115° 27'.6 E
--------	-------	-------------	--------------

**Aus 328 [78/2002]**

Delete	light	20° 40'.5 S	115° 27'.6 E
--------	-------	-------------	--------------

**Aus 742 [674/2001]**

Delete	light	20° 40'.5 S	115° 27'.6 E
--------	-------	-------------	--------------

**194\* SOUTH AUSTRALIA - Port Lincoln - Feature.**

Australia Pilot Vol 13, 1992 - p 89  
 HM Port Lincoln (02/1056). (AH02/45)

**Aus 134 [166/2002]**

Delete	fixed point with legend CHY	34° 43'.33 S	135° 52'.66 E
--------	-----------------------------	--------------	---------------

**Aus 134 (plan, Port Lincoln Wharves)**

Delete	chimney	34° 43'.34 S	135° 52'.66 E
	building centred on	34° 43'.32 S	135° 52'.65 E

**195\* SOUTH AUSTRALIA - Middle Bank - Racon established.**

Former Notice - 715(P)/2001 is cancelled  
 List of Lights Vol K/2002 -- 1930.00  
 AMSA ATH 2002/08 (02/1299), Auscoast 068/02 (02/1357). (AH99/37)

**Aus 344 [80/2002]**

Insert	Racon (M), at light	33° 43'.9 S	137° 29'.7 E
--------	---------------------	-------------	--------------

**Aus 444 [166/2002]**

Insert	Racon (M), at light	33° 43'.9 S	137° 29'.7 E
--------	---------------------	-------------	--------------

**Aus 777 [531/2001]**

Insert	Racon (M), at light beacon	33° 43'.9 S	137° 29'.6 E
--------	----------------------------	-------------	--------------

**Aus 778 [80/2002]**

Insert	Racon (M), at light beacon	33° 44'.0 S	137° 29'.7 E
--------	----------------------------	-------------	--------------

**196\* SOUTH AUSTRALIA - Robe - Racon established.**

Former Notice - 717(P)/2001 is cancelled  
 List of Lights Vol K/2002 -- 2122.80  
 AMSA ATH 2002/05 (02/835), Auscoast 053/02 (02/978). (AH99/37)

**Aus 127 (plan, Port Caroline to Robe) [71/2002]**

Insert	Racon (G), at light	37° 10'.0 S	139° 44'.6 E
--------	---------------------	-------------	--------------

**Aus 347 [54/2002]**

Insert	Racon (G), at light	37° 10'.0 S	139° 44'.6 E
--------	---------------------	-------------	--------------

**197\* AUSTRALIA - TASMANIA - Devonport - Infrastructure.**

Australia Pilot Vol 2, 1999 - p 192  
 Lester Franks & Co Pty Ltd (02/1100), AHS (MMI 21125). (AH02/46)

**Aus 164 (plan, Devonport) [486/2001]**

Insert	firm line between	41° 11'.375 S	146° 22'.144 E
		41° 11'.397 S	146° 22'.151 E
	firm line between	41° 11'.382 S	146° 22'.161 E
		41° 11'.384 S	146° 22'.146 E
Delete	jetty between	41° 11'.56 S	146° 22'.17 E
		41° 11'.56 S	146° 22'.15 E
	jetty between	41° 11'.38 S	146° 22'.16 E
		41° 11'.38 S	146° 22'.15 E

**198\* AUSTRALIA - VICTORIA - Port Phillip - Prince George Bank - Racon.**

DG Sadler (02/1232). (AH99/25)

**Aus 143 [109/2002]**

*On certain copies only*

Insert Racon (G), at light beacon 38° 06'.5 S 144° 44'.1 E

**199\* AUSTRALIA - BASS STRAIT - Craggy Island - Light range altered.**

List of Lights Vol K/2002 -- 2542.50

AMSA (02/841). (AH99/38-02)

**Aus 357 [59/2002]**

Amend light range to 16M 39° 41'.4 S 147° 40'.5 E

**Aus 422 [59/2002]**

Amend light range to 16M 39° 41'.4 S 147° 40'.5 E

**Aus 445A [59/2002]**

Amend light range to 16M 39° 41'.4 S 147° 40'.5 E

**200\* PACIFIC OCEAN - New Caledonia - Shoal disproved.**

HMAS' Shepperton & Benalla (02/555). (AH99/179)

**Aus 4060 (INT 60) [171/2002]**

Delete danger circle 19° 15'.0 S 161° 40'.0 E

**Aus 4602 (INT 602) [171/2002]**

Delete danger circle, with legend Shoal ED 19° 15'.0 S 161° 40'.0 E

**Aus 4604 (INT 604) [171/2002]**

Delete danger circle, with legend Shoal ED 19° 15'.0 S 161° 40'.0 E

**201(T)/2002 AUSTRALIA - NORTHERN TERRITORY - Darwin - Depth information.**

Former Notice - 109(T)/2000 is cancelled

DPA (02/1678). (AH99/265)

Available depths as at 1 January 2002:

<i>Berths</i>	<i>Metres</i>
*East Arm East	12.2
*East Arm West	13.0
*No 1 Ore	11.7
*No 2 West New Fort Hill	10.5
*No 2 East New Fort Hill	9.7
*No 3 West Stokes Hill	6.3
*No 3 East Stokes Hill	6.7
*No 4 West Stokes Hill	4.0
*No 4 East Stokes Hill	3.1
*No 4 Middle Stokes Hill	2.2

\* Indicates new or revised entry.

**Chart temporarily affected – Aus 28.**

**202(P)/2002 AUSTRALIA - TIMOR SEA - Sahul Banks - Gas field.**

Date - On or about 30 May 2003

Phillips Petroleum Pty Ltd (02/1687). (AH99/197-02)

DB 30 and associated plant are on site for the development of the *Bayu-Undan* gas field.

A floating storage offloading facility (FSO) will be established in position 11° 02'.92 S 126° 37'.15 E (WGS 84).

Platforms will be established at 11° 04'.11 S 126° 36'.84 E and 11° 04'.41 S 126° 40'.90 E (WGS 84).

A pipeline will be laid between the FSO and the two platforms.

On completion of construction a cautionary area will be declared around the field.

Mariners are advised to navigate with caution in the area.

**Chart which will be affected – Aus 312 – Aus 4603.**

**203(T)/2002 WESTERN AUSTRALIA - Murion Island - Scientific instruments.**

Date - Until 6 May 2002

Australian Institute of Marine Sciences (02/1170). (AH99/212)

Sub-surface oceanographic moorings exist in positions (WGS 84) as follows:

21° 38'.549 S 114° 10'.095 E

21° 44'.277 S 114° 15'.103 E

Moorings rise to within 22m of the surface.

Mariners are advised to navigate with caution in the area.

**Chart temporarily affected – Aus 328 – Aus 329 – Aus 744.**

**204(T)/2002 WESTERN AUSTRALIA - Point Murat - Scientific instruments.**

Date - Until 6 May 2002

Australian Institute of Marine Science (02/1170). (AH99/212)

Sub-surface oceanographic moorings exist northwest of Point Murat Wharf (21° 49'.0 S 114° 11'.5 E).

Mariners are advised to navigate with caution in the area.

**Chart temporarily affected – Aus 328 – Aus 329 – Aus 744 – Aus 745.**

**205(T)/2002 WESTERN AUSTRALIA - Ningaloo Reef - Scientific instruments.**

Date - Until 6 March 2003

Australian Institute of Marine Sciences (02/1170). (AH99/212)

Sub-surface oceanographic moorings exist in positions (WGS 84) as follows:

21° 50'.974 S 113° 54'.847 E

21° 52'.304 S 113° 56'.799 E

Moorings rise to within 50m of the surface.

Mariners are advised to navigate with caution in the area.

**Chart temporarily affected – Aus 329 – Aus 745.**

**206(T)/2002 AUSTRALIA - VICTORIA - Bass Strait - Scientific instruments.**

Former Notice - 750(T)/2001 is cancelled

Lawson & Treloar Pty Ltd (02/1171). (AH99/387)

A lit waverider buoy, *Fl(5) Y. 20s*, exists in position 39° 13'.35 S 142° 53'.66 E (WGS 84).

Note: The buoy in position 39° 48'.36 S 145° 48'.13 E has been removed.

Mariners are advised to navigate with caution in the area.

**Chart temporarily affected – Aus 349**

**207(T)/2002 AUSTRALIA - TASMANIA - Devonport - Dredging.**

Date - Until 14 April 2002

Port of Devonport Corp (02/1640). (AH 02/56)

Dredge *Brisbane* is conducting dredging operations within the harbour and the approach channel.

Mariners are advised to navigate with caution in the area.

**Chart temporarily affected - Aus 164.**

**208(P)/2002 AUSTRALIA - VICTORIA - Port Phillip - Blairgowrie - Lights.**

Sinclair Knight Merz (02/650). (AH99/21-02)

Light beacons will be established as follows:

Position (AGD 66)	Characteristic
38° 21'.398 S 144° 46'.203 E	<i>Fl. R. 4s</i>
38° 21'.390 S 144° 46'.177 E	<i>Fl. G. 4s</i>
38° 21'.394 S 144° 46'.249 E	<i>Q(9) 15s</i>
38° 21'.445 S 144° 46'.383 E	<i>Fl. G. 2s</i>
38° 21'.453 S 144° 46'.405 E	<i>Fl. R. 2s</i>

**Chart which will be affected – Aus 143 – Aus 158.**

**209(T)/2002 AUSTRALIA - Summer time.**

Former Notice - 561(T)/2001 is cancelled

AHS (01/7512&7513). (AH99/259)

Cancel this notice on receipt

III

**NAVIGATION WARNINGS**

*The following radio messages have been received during the period to 8 March 2002. Signal copies of these messages may be destroyed. It is recommended that the reprint of Navigational Warnings should be kept in a file or a book divided into areas. Cancellation should be made on receipt of signals and reprints.*

*Rigs on location other than those listed in the latest Section III summary are the subject of Radio Navigational Warnings. Rigs in transit will not be the subject of Warnings.*

**AUSCOAST WARNING**

- 067 Cancelled.
- 068 S Coast. Middle Bank South racon morse Mestablished in position 33° 44'.1 S 137° 29'.7 E.
- 069 NW Coast. Drill rig *Ocean General* in position 11° 21'.3 S 125° 21'.0 E. 2.5M clearance requested.
- 070 NE Coast. 4 metre long unlit rusty coloured steel cylindrical buoy moored in position 16° 40'.0 S 146° 14'.0 E.
- 071 Cancelled.
- 072 Cancelled.
- 073 SE Coast. Seismic survey vessel *Geco Beta* towing 8, 3M long cables in area 37° 56'.0 S to 38° 30'.0 S and 147° 20'.0 E to 148° 45'.0 E.
- 074 NW Coast. Drill rig *Sedco 702* in position 19° 14'.9 S 116° 39'.2 E. 2.5M clearance requested.
- 075 Cancelled.

**NAVAREA X WARNINGS**

- 001 PNG. Shortland Reef light K3440 (10° 30'.9 S 151° 10'.8 E) unlit.

**Navigational warnings in force as at 071500UTC MAR 02.**

**Auscoast**

004 025 032 048 053 062 068 069 070 073 074.

**Navarea X**

001

**Summary of mobile drilling rigs as at 071500UTC MAR 02.**

<i>Name</i>	<i>Position</i>
Sedco 703	10° 37'.6 S 126° 01'.7 E
Ocean General	11° 21'.3 S 125° 21'.0 E
Ocean Bounty	18° 46'.9 S 117° 48'.1 E
Sedco 702	19° 14'.9 S 116° 39'.2 E
Ensco 56	20° 44'.5 S 115° 34'.2 E

**NAVAREA XIV WARNINGS**

- 024 Cancelled.
- 025 New Zealand. South Island. Timaru Harbour fairway light beacon K4322 (14° 23'.0 S 171° 18'.0 E) missing.
- 026 Cancelled.
- 027 Cancelled.
- 028 Cancelled.
- 029 Cancelled.
- 030 Cancelled.
- 031 New Zealand. South Island. Dog Island light K4394 (46° 39'.2 S 168° 24'.6 E) unlit.
- 032 Cancelled.

**Navarea XIV warnings in force as at 070001UTC MAR 02.**

005 017 025 031.

## IV

## HYDROGRAPHIC REPORTS

<i>Locality</i>	<i>Report</i>	<i>Ship/Authority</i>	<i>Observer</i>
PNG- Kau Kau Bay Ava Point Mulu Harbour	Shoal Shoal Position	HMAS <i>Paluma</i>	R Priest
WA- Camden Sound	Rock	HMAS <i>Bunbury</i>	