



Australian Notices to Mariners are the authority for correcting Australian Charts

# AUSTRALIAN NOTICES TO MARINERS

© Commonwealth of Australia 2002 - Copyright restrictions apply to Notices to Mariners



Notices 266-293

Published fortnightly by the Australian Hydrographic Service

B. J. KAUFER,  
*Hydrographer of Australia*

- SECTIONS.**
- I. Australian Notices to Mariners, including blocks and notes.**
  - III. Navigational Warnings.**
  - IV. Hydrographic Reports.**

**British Admiralty Notices to Mariners**  
**New Zealand Notices to Mariners**

*The substance of these notices should be inserted on the charts affected.*

*Bearings are referred to the true compass and are reckoned clockwise from 000° (North) to 359°: those relating to lights are given as seen by an observer from seaward. The range quoted for a light is its nominal range. Fog signals are sounded only during thick or foggy weather, unless otherwise stated. Depths are with reference to the chart datum of each chart. Heights are above mean high water springs or mean higher high water, as appropriate.*

*The capital letter (P) or (T) after the number of any notice denotes a preliminary or temporary notice respectively, which are contained separately at the end of the permanent notices. A star (\*) adjacent to the number of a notice indicates that the notice is based on original information.*

**Mariners are particularly requested to notify the AUSTRALIAN HYDROGRAPHIC SERVICE, Locked Bag 8801 South Coast Mail Centre, NSW 2521 (Fax 02-4221 8599, e-mail [Hydro.NTM@defence.gov.au](mailto:Hydro.NTM@defence.gov.au) or, alternatively by filling in and submitting the [Hydrographic Notes](#) forms located on the web site – [www.hydro.gov.au](http://www.hydro.gov.au)), immediately on the discovery of new dangers or suspected dangers to navigation. For changes or defects in aids to navigation notify AusSAR (Fax 02-6230 6868 or email [rccaus@amsa.gov.au](mailto:rccaus@amsa.gov.au)).**

Copies of these notices can be obtained from the AUSTRALIAN HYDROGRAPHIC OFFICE, 8 Station Street, Wollongong, and Agents for the sale of charts and hydrographic publications.

The Commonwealth of Australia is the owner of, or is otherwise responsible for, the copyright in this work. It is protected under the Copyright Act 1968 and international convention. Except as expressly authorised below, the work may not be copied, reproduced, adapted, changed or commercially exploited, in whole or in part, or the format in which it is stored altered, without the prior written permission of the Australian Hydrographic Office.

The Notices may be copied for the purpose of inserting their substance on official charts and other publications. However, any copies of the notices may not be sold for profit.

© Commonwealth of Australia 2002

## NUMERICAL INDEX OF CHARTS AFFECTED

**Edition No 9**

3 May 2002

Notices	Aus Chart
266.....	Aus 148, 204, 270, 831, 834
267.....	Selected current Admiralty hydrographic publications
268.....	Aus 663, 665, 666, 667, 668, 674, 679, 684, 701, 710, 725, 726, 727, 830, 832, 833
269.....	Aus 243, 817, 818
270.....	Aus 243
271.....	Aus 252
272.....	Aus 4, 301, 701
273.....	Aus 314, 413, 4603, INT 603
274.....	Aus 314, 319, 413
275.....	Aus 4060, 4603, INT 60, 603
276.....	Aus 4603, INT 603
277.....	Aus 113
278.....	Aus 112, 113
279.....	Aus 114, 117
280.....	Aus 778
281.....	Aus 345, 344, 781
282.....	Aus 168
283.....	Aus 357, 802
284(T).....	Aus 235
285(T).....	Aus 249, 250
286(T).....	Aus 780, 781
287(P).....	Aus 171
288(T).....	Aus 164
289(T).....	Aus 143, 155
290(T).....	Aus 143, 154, 155
291(T).....	Aus 143, 144, 154, 155, 158
292(T).....	Aus 154
293(T).....	Aus 154

**266 AUSTRALIA - Publications**

AHS (02/2156). (AH99/139-02, AH99/229-02)

**New chart**

Chart	Published	Title, limits and description of amendments	Scale	Folio	Index Chart	Price
Aus 270	8/3/2002	Australia - East Coast - Queensland - Plans in Queensland (Sheet 2) Plan: Cape Melville and Pipon Islets 14° 05' 51" S - 14° 11' 12" S 144° 26' 41" E - 144° 36' 27" E Approaches to Heath Reef 13° 21' 54" S - 13° 32' 12" S 143° 38' 06" E - 143° 44' 05" E Howick Group 14° 25' 03" S - 14° 34' 48" S 144° 45' 00" E - 145° 03' 10" E Cooktown 15° 26' 51" S - 15° 28' 06" S 145° 14' 16" E - 145° 16' 38" E Port Douglas 16° 28' 09" S - 16° 29' 24" S 145° 27' 12" E - 145° 29' 39" E Cape Flattery Wharf 14° 58' 27" S - 14° 59' 42" S 145° 20' 54" E - 145° 22' 02" E <i>New metric chart replacing plans on Aus 830, Aus 831, Aus 832, Aus 833 and Aus 834. Plans provide improved coverage of the Howick Group, Cooktown, Port Douglas and Cape Flattery Wharf. Chart datums are referred to WGS84 and LAT.</i> <i>Note: The plans; Port Douglas on Aus 830; Cooktown on Aus 831; Howick Group, Approaches to Cape Flattery and Cape Flattery Wharf on Aus 832 and Cape Melville and Pipon Islets on Aus 833 have been cancelled on publication of Aus 270.</i> <i>Note: This chart is affected by Notices to Mariners 636(T)/2000, 504(T)/2001 and 686(T)/2001.</i>	1:75 000 1:50 000 1:50 000 1:10 000 1:10 000 1:10 000	8	Aus 65000	\$25.65

**New edition**

Chart	Published	Title and description of amendments	Scale	Folio	Index Chart	Price
Aus 204	8/3/2002	Australia - East Coast – New South Wales – Broken Bay <i>New edition of Aus 204, with general updating throughout. Details in Brisbane Water have been omitted in accordance with IHO charting specifications. Chart datums are referred to WGS84 and LAT.</i>	1:40 000	7	Aus 65001	\$25.65
Aus 834	8/3/2002	Australia - East Coast – Queensland - Claremont Isles to Cape Weymouth <i>New edition of Aus 834, incorporating new surveys throughout. Chart datums are referred to WGS84 and LAT.</i> <i>Note: The plan, Approaches to Heath Reef, has been transferred to Aus 270.</i>	1:150 000	8	Aus 65000	\$25.65

**New chart to be published shortly**

Chart	Title	Scale
Aus 148	Australia - Bass Strait – Plans in Bass Strait Plan: Hogan Group Kent Group	1:25 000 1:25 000

**New edition to be published shortly**

Chart	Title	Scale
Aus 831	Australia – East Coast – Queensland – Low Islets to Cape Flattery	1:150 000

**Chart permanently withdrawn**

Chart	On publication of new edition
Aus 204	Aus 204
Aus 834	Aus 834

**267 AUSTRALIA - Admiralty Publications - Selected current hydrographic publications.**  
British Admiralty Notice 14/1527/02 (02/2265). (AH99/226-02)

(Corrected 30 March 2002)  
(Former BA Notice 5166/01 is cancelled)

**(1) Current editions of Sailing Directions and their latest supplements**

<i>NP No</i>	<i>Title</i>	<i>Edition</i>	<i>Supplement</i>
9	Antarctica Pilot	5th (1997)	
13	Australia Pilot Vol I	7th (1992)	3/2001
14 ‡ †	Australia Pilot Vol II	7th (1999)	
15 ‡	Australia Pilot Vol III	8th (1999)	
17	Australia Pilot Vol V	7th (1992)	3/2001
33	Philippine Islands Pilot	1st (1978)	11/2000
34 ‡	Indonesia Pilot Vol II	2nd (1999)	
35 ‡	Indonesia Pilot Vol III	2nd (2001)	
36 ‡ †	Indonesia Pilot Vol I	3rd (1999)	
39 ‡	South Indian Ocean Pilot	10th (2001)	
44	Malacca Strait and West Coast of Sumatra Pilot	6th (1987)	5/1999
51 ‡	New Zealand Pilot	15th (2001)	
60	Pacific Islands Pilot Vol I	10th (1988)	5/2000
61	Pacific Islands Pilot Vol II	10th (1984)	7/2001
62	Pacific Islands Pilot Vol III	10th (1982)	8/1999
100	The Mariners Handbook	7th (1999)	
136	Ocean Passages for the World	4th (1987)	
735	Maritime Buoyage System	5th (1994)	

‡ Books in continuous revision (new editions every three years)

† New or revised edition due for publication within one year

\* New Supplement due for publication within three months

**(2) Admiralty List of Lights and Fog Signals**

<i>NP No</i>	<i>Current Edition</i>	<i>Published</i>
83	Volume K, 2002/03	January 2002

**(3) Admiralty List of Radio Signals**

<i>NP No</i>	<i>Current Edition</i>	<i>Published</i>
281(2)	Volume 1, 2001/02 – Part 2 – Coast Radio Stations – Oceania and the Americas	August 2001
282	Volume 2, 2002/03 – Radio Navigation Aids, Electronic Position Fixing Systems, Legal Time and Radio Time Signals	February 2002
283(2)	Volume 3, 2001/02 – Part 2 – Maritime Safety Information Services – Oceania and the Americas	June 2001
284	Volume 4, 2001/02 – Meteorological Observation Stations	June 2001
285	Volume 5, 2001/02 – Global Maritime Distress and Safety System (GMDSS)	August 2001
286(4)	Volume 6, 2001/02 – Part 4 – Pilot Services, Vessel Traffic Services and Port Operations – Asia and Australasia	October 2001
286(5)	Volume 6, 2001/02 – Part 5 – Pilot Services, Vessel Traffic Services and Port Operations – Americas and Antarctica	October 2001
288	Volume 8, 2002/03 – Satellite Navigation Systems	March 2002

**(4) Tidal Publications**

<i>NP No</i>	<i>Admiralty Tide Tables</i> (corrected by Annual Notice to Mariners 1/2001)
203-02	Volume 3 Indian Ocean and South China Sea (including Tidal Stream Tables)
204-02	Volume 4 Pacific Ocean (including Tidal Stream Tables)

<i>NP No</i>	<i>Co-Tidal Atlas</i>
215	Edition 1 South East Asia, 1979

<i>DP No</i>	<i>Admiralty Tidal Prediction Software</i>	<i>Edition</i>
550	TotalTide CD-ROM	May 2001
560	Simplified Harmonic Method of Tidal Prediction (SHM for Windows) CD-ROM	May 2001

**268 AUSTRALIA - Miscellaneous correction.**

AHS (01/6618). (AH00/153)

**Aus 663 [467/1995]**Substitute [accompanying note](#)

1° 28'.0 S 144° 57'.3 E

**Aus 665 [226/1983]**Substitute [accompanying note](#)

5° 31'.7 S 149° 39'.2 E

**Aus 666 [467/1995]**Substitute [accompanying note](#)

2° 32'.1 S 150° 42'.6 E

**Aus 667 [574/1997]**Substitute [accompanying note](#)

2° 36'.6 S 150° 48'.0 E

**Aus 668 [45/2000]**Substitute [accompanying note](#) in SE corner**Aus 674 [289/2000]**Substitute [accompanying note](#)

5° 33'.8 S 150° 12'.7 E

**Aus 679 (plan, Duke of York Group) [45/2000]**Substitute [accompanying note](#)

4° 05'.2 S 152° 31'.1 E

**Aus 684 [730/2000]**Substitute [accompanying note](#) outside N border

155° 08'.6 E

**Aus 701 [396/2000]**Substitute [accompanying note](#)

12° 13'.7 S 142° 02'.4 E

**Aus 710 [650/2000]**Substitute [accompanying note](#)

15° 52'.0 S 136° 17'.5 E

**Aus 725 [NC 30/04/1989]**Substitute [accompanying note](#)

14° 16'.8 S 129° 40'.4 E

**Aus 726 [99/2001]**Substitute [accompanying note](#)

14° 45'.3 S 127° 37'.3 E

**Aus 727 [222/2001]**Substitute [accompanying note](#)

14° 11'.0 S 127° 00'.0 E

**Aus 830 [237/2002]**Insert magenta limits, with legend *Aus 270* in SE corner

North

16° 28'.24 S

South

16° 29'.49 S

East

145° 29'.60 E

West

145° 27'.15 E

Delete

plan Port Douglas centred on  
magenta limits with legend See Plan centred on

17° 10'.00 S

145° 24'.00 E

16° 28'.90 S

145° 27'.80 E

**Aus 832 [71/2002]**

Insert	magenta limits, with legend <i>Aus 270</i> in SE corner		
	North	14° 58'.54 S	
	South	14° 59'.79 S	
	East		145° 21'.97 E
	West		145° 20'.84 E
	magenta limits, with legend <i>Aus 270</i> in SE corner		
	North	14° 25'.14 S	
	South	14° 34'.89 S	
	East		145° 03'.11 E
	West		144° 44'.94 E
Amend	light, to <i>Mo(U)</i>	14° 59'.3 S	145° 21'.2 E
		14° 59'.1 S	145° 21'.2 E
Delete	plan Approaches to Cape Flattery centred on	14° 27'.10 S	145° 54'.00 E
	plan Cape Flattery Wharf centred on	14° 46'.20 S	145° 56'.30 E
	plan Howick Group centred on	15° 04'.40 S	144° 47'.00 E
	magenta limits with legend See Plan centred on	14° 29'.50 S	144° 55'.50 E
	magenta limits with legend See Plan centred on	14° 57'.40 S	145° 20'.60 E

**Aus 833 [45/2002]**

Insert	magenta limits, with legend <i>Aus 270</i> in NE corner		
	North	14° 25'.14 S	
	East		145° 03'.11 E
	West		144° 44'.94 E
	magenta limits, with legend <i>Aus 270</i> in SE corner		
	North	14° 05'.94 S	
	South	14° 11'.29 S	
	East		144° 36'.39 E
	West		144° 26'.62 E
Delete	plan Cape Melville and Pipon Islets centred on	13° 41'.90 S	144° 58'.60 E
	magenta limits with legend See Plan centred on	14° 08'.00 S	144° 32'.00 E
	magenta limits with legend See Aus 832 centred on	14° 26'.20 S	144° 55'.50 E

**269\* AUSTRALIA - QUEENSLAND - Bundaberg - Pilot boarding place.**

Queensland Transport Notice 104/2002 (02/2143). (AH99/304)

**Aus 243 [189/2002]**

Move	pilot boarding place from	24° 45'.49 S	152° 27'.53 E
	to	24° 45'.6 S	152° 29'.7 E

**Aus 817 [236/2002]**

Insert	pilot boarding place	24° 45'.6 S	152° 29'.7 E
--------	----------------------	-------------	--------------

**Aus 818 [566/2001]**

Insert	pilot boarding place	24° 45'.6 S	152° 29'.7 E
--------	----------------------	-------------	--------------

**270\* AUSTRALIA - QUEENSLAND - Bundaberg - Maintained depth.**

Queensland Transport Notice 89/2002 (02/1901). (AH99/343)

**Aus 243 [269/2002]**

Amend	maintained depth, to 9 <sub>7</sub> m, centred on	24° 45'.52 S	152° 23'.38 E
-------	---	--------------	---------------

**Aus 243 (plan, Port Bundaberg)**

Amend	maintained depth, to 9 <sub>7</sub> m, centred on	24° 45'.36 S	152° 24'.47 E
		24° 45'.98 S	152° 22'.81 E
	maintained depth, to 9 <sub>8</sub> m, centred on	24° 46'.27 S	152° 22'.83 E
		24° 46'.41 S	152° 22'.86 E

**271\* AUSTRALIA - QUEENSLAND - Proserpine River - Light beacons; light buoys withdrawn.**  
Queensland Transport Notice 114/2002 (02/2228). (AH00/107)

**Aus 252 [192/2002]**

Insert	light beacon, Fl. G. 3s, with triangular topmark	20° 30'.645 S 20° 29'.899 S	148° 44'.044 E 148° 43'.518 E
Delete	light buoy	20° 29'.59 S 20° 29'.90 S	148° 44'.07 E 148° 43'.50 E

**272\* AUSTRALIA - QUEENSLAND - Weipa - Spoil ground.**  
Queensland Transport (02/2157). AHS MMI 2-1-21062 (AH00/178)

**Aus 4 [663/2001]**

Insert	spoil ground, radius 1.1 M, with legend <i>Spoil Ground</i> , centred on	12° 39'.58 S	141° 39'.40 E
Delete	spoil ground with legend Spoil Ground, centred on	12° 39'.05 S	141° 40'.84 E

**Aus 301 [621/2001]**

Insert	spoil ground, radius 1.1 M, with legend <i>Spoil Ground</i> , centred on	12° 39'.67 S	141° 39'.35 E
Delete	spoil ground with legend Spoil Ground, centred on	12° 39'.14 S	141° 40'.79 E

**Aus 701 [268/2002]**

Insert	spoil ground, radius 1.1 M, with legend <i>Spoil Ground</i> , centred on	12° 39'.67 S	141° 39'.35 E
Delete	spoil ground with legend Spoil Ground, centred on	12° 39'.14 S	141° 40'.79 E

**273\* AUSTRALIA - TIMOR SEA - Hibernia Reef - Shoal northeastward disproved.**  
HMAS *Leeuwin* (02/2261). (AH97/95)

**Aus 314 [214/2002]**

Delete	depth 14 <sub>2</sub> m, enclosing contour and legends ED and Co	11° 47'.0 S	123° 30'.5 E
--------	--	-------------	--------------

**Aus 413 [563/2001]**

Delete	depth 7 <sub>4</sub> fm, enclosing contour and legend Co	11° 47'.0 S	123° 30'.5 E
--------	--	-------------	--------------

**Aus 4603 (INT 603) [569/2001]**

Delete	depth 16m, enclosing contour and legend Co	11° 47'.0 S	123° 30'.5 E
--------	--	-------------	--------------

**274\* AUSTRALIA - TIMOR SEA - Cartier Islet - Shoal northeastward disproved.**  
HMAS *Leeuwin* (02/2230). (AH97/95)

**Aus 314 [273/2002]**

Insert	depth, 58m	12° 24'.7 S	123° 50'.2 E
Delete	depth 20m, enclosing contour and legends ED and R	12° 23'.2 S	123° 49'.8 E

**Aus 319 [214/2002]**

Insert	depth, 58m	12° 24'.7 S	123° 50'.2 E
Delete	depth 20m, enclosing contour and legends ED and R	12° 23'.2 S	123° 49'.8 E

**Aus 413 [273/2002]**

Insert	depth, 31fm contour enclosing 15fm	12° 24'.7 S 12° 24'.5 S	123° 50'.2 E 123° 55'.5 E
Delete	depth 12fm, enclosing contour and legend R depth 19fm, enclosing contour and legend Co	12° 23'.2 S 12° 24'.0 S	123° 49'.8 E 123° 53'.7 E

**275 INDONESIA - Kai Islands - Light.**  
Indonesia Notice 51/400/01 (02/2160). (AH99/65)

**Aus 4060 (INT 60) [200/2002]**  
Insert light 6° 01'.0 S 132° 26'.0 E

**Aus 4603 (INT 603) [273/2002]**  
Insert light 6° 00'.7 S 132° 25'.8 E

**276 INDONESIA - Sanana Island - Light.**  
Indonesia Notice 51/404/01 (02/2159). (AH99/65)

**Aus 4603 (INT 603) [275/2002]**  
Insert light 2° 28'.2 S 126° 02'.8 E

**277\* WESTERN AUSTRALIA - Fremantle - Light buoys.**  
Western Australia Notice 3/2002 (02/2138). (AH99/30)

**Aus 113 [133/2002]**  
Move light buoy A from 32° 03'.393 S 115° 42'.936 E  
to 32° 03'.387 S 115° 42'.945 E  
light buoy No1 from 32° 03'.513 S 115° 42'.954 E  
to 32° 03'.514 S 115° 42'.963 E

**278\* WESTERN AUSTRALIA - Fremantle - Berth; silo.**  
Western Australia Notice 2/2002 (02/2096). (AH00/238, AH00/305)

**Aus 112 [708/2001]**  
Insert firm line between 32° 02'.910 S 115° 44'.420 E  
32° 02'.954 S 115° 44'.374 E  
32° 02'.948 S 115° 44'.365 E  
32° 02'.975 S 115° 44'.335 E  
32° 03'.019 S 115° 44'.392 E  
  
Delete building with legend SILO centred on 32° 02'.45 S 115° 44'.69 E  
existing HWL between 32° 02'.91 S 115° 44'.42 E  
32° 03'.02 S 115° 44'.39 E

**Aus 113 [277/2002]**  
Delete building centred on 32° 02'.46 S 115° 44'.63 E  
building with legend WHEAT SILO centred on 32° 02'.51 S 115° 44'.60 E  
conveyor belt between 32° 02'.47 S 115° 44'.64 E  
32° 02'.57 S 115° 44'.73 E  
32° 02'.63 S 115° 44'.67 E  
conveyor belt between 32° 02'.49 S 115° 44'.63 E  
32° 02'.52 S 115° 44'.69 E

**279\* WESTERN AUSTRALIA - Kwinana - Nomenclature.**  
Western Australia Notice 1/2002 (02/2095). (AH02/81)

**Aus 114 [134/2002]**  
Amend name A I S to, *KBB*, centred on 32° 12'.50 S 115° 45'.90 E  
name A I S to, *KBB*, centred on 32° 12'.69 S 115° 45'.70 E  
name Bulk Cargo Jetty to, *Kwinana Bulk Jetty*, centred on 32° 14'.46 S 115° 45'.23 E  
berth No 1 to, 3, centred on 32° 14'.41 S 115° 45'.31 E  
berth No 2 to, 4, centred on 32° 14'.52 S 115° 45'.28 E

**Aus 114 (inset, Kwinana Grain Jetty)**  
Amend name Bulk Cargo Jetty to, *Kwinana Bulk Jetty*, centred on 32° 14'.57 S 115° 45'.20 E  
berth No 2 to, 4, centred on 32° 14'.52 S 115° 45'.28 E

**Aus 117 [135/2002]**  
Amend name A I S to, *KBB*, centred on 32° 12'.53 S 115° 45'.81 E  
name A I S to, *KBB*, centred on 32° 12'.71 S 115° 45'.71 E  
name Bulk Cargo Jetty to, *Kwinana Bulk Jetty*, centred on 32° 14'.46 S 115° 45'.14 E

**280\* SOUTH AUSTRALIA - Port Pirie - Feature.**

Boat Books, AHS (02/2514). (AH01/298)

**Aus 778 [195/2002]***On certain copies only*

Delete	HWL area between	33° 04'.9 S	138° 01'.2 E
		33° 04'.7 S	138° 00'.1 E
		33° 06'.0 S	138° 00'.0 E
		33° 05'.8 S	138° 01'.0 E
	HWL area between	33° 03'.9 S	138° 01'.0 E
		33° 04'.6 S	138° 01'.3 E
	HWL area between	33° 04'.7 S	138° 01'.5 E
		33° 05'.0 S	138° 01'.8 E

**281\* SOUTH AUSTRALIA - Long Spit - Light established; light permanently discontinued.***Former Notice - 178(P)/2002 is cancelled*

List of Lights Vol K/2002 -- 2048.50,2048.00

AMSA (02/612). Auscoast 107 and 108/02 (AH99/35)

**Aus 345 [166/2002]**

Insert	white light beacon, <i>FI(2) 10s 10M</i>	34° 36'.12 S	138° 05'.52 E
Delete	light	34° 34'.4 S	138° 06'.6 E

**Aus 444 [195/2002]**

Insert	light, <i>FI(2) 10M</i>	34° 36'.52 S	138° 05'.12 E
Delete	light	34° 34'.8 S	138° 06'.2 E
	depth 6fm	34° 37'.0 S	138° 05'.2 E

**Aus 781 [240/2002]**

Insert	white light beacon, <i>FI(2) 10s 29ft 10M</i>	34° 36'.015 S	138° 05'.420 E
Delete	light	34° 34'.3 S	138° 06'.5 E

**282\* AUSTRALIA - TASMANIA - Launceston - Nav aids withdrawn.**

Port of Launceston (02/2161). (AH99/38-02)

**Aus 168 (inset, Continuation of River Tamar) [643/2001]**

Delete	beacons, with legend 1st Leg Dilston Cut Leads	(a) 41° 19'.99 S	147° 03'.41 E
		41° 19'.99 S	147° 03'.43 E
	leading line, emanating from (a)		
	fixed points, with legend Bns	(b) 41° 19'.95 S	147° 03'.50 E
		41° 19'.95 S	147° 03'.52 E
	leading line, emanating from (b)		
	fixed points, with legend 2nd Leg Dilston Cut Leads	(c) 41° 19'.88 S	147° 03'.79 E
		41° 19'.89 S	147° 03'.80 E
	leading line, emanating from (c)		
	beacons	(d) 41° 19'.91 S	147° 03'.93 E
		41° 19'.92 S	147° 03'.96 E
	leading line, emanating from (d)		

**283\* AUSTRALIA - BASS STRAIT - Hogan Island - Light elevation.**

List of Lights Vol K/2002 -- 2493.00

AMSA (02/2158). (AH99/38-02)

**Aus 357 [199/2002]**

Amend	light elevation, to <i>446ft</i>	39° 13'.2 S	146° 58'.8 E
-------	----------------------------------	-------------	--------------

**Aus 802 [457/2001]**

Amend	light elevation, to <i>136m</i>	39° 13'.2 S	146° 58'.8 E
-------	---------------------------------	-------------	--------------

**284(T)/2002 AUSTRALIA - QUEENSLAND - Mooloolaba - Harbour works; light beacon altered.**

*Date* - Until 14 May 2002

Queensland Transport Notices 100 & 107/2002. (02/2143) (AH99/440)

A crane barge is conducting mooring pile replacement between No 5 light beacon (26° 41'.02 S 153° 08'.03 E) and jetty head (26° 41'.28 S 153° 07'.88 E).

Every second pile of the outer row adjacent to the navigation channel will be lit, Q. Y.

No7 light beacon (26° 41'.34 S 153 08'.03 E) has been altered to *Fl. G.*

Mariners are advised to navigate with caution in the area.

**Chart temporarily affected – Aus 235.**

**285(T)/2002 AUSTRALIA - QUEENSLAND - Hay Point - Harbour works.**

*Date* - Until further notice

Queensland Transport Notices 108 & 133/2002 (02/2227, 02/2578). (AH01/111)

Construction of a new wharf at the northern end of the Dalrymple Bay Coal Terminal has commenced.

Mooring buoys, Q. Y, have been established in the following positions:

21° 14'.91 S 149° 17'.57 E

21° 15'.00 S 149° 17'.86 E

21° 15'.16 S 149° 17'.97 E

Mariners are advised to navigate with caution in the area.

**Chart temporarily affected – Aus 249 – Aus 250.**

**286(T)/2002 SOUTH AUSTRALIA - Port Vincent - Yachting buoys withdrawn.**

*Former Notice* - 716(T)/2001 is cancelled

Transport SA Notice 51/2001 (01/9615). (AH99/37)

Cancel this notice on receipt.

**Chart formerly affected – Aus 780 – Aus 781**

**287(P)/2002 AUSTRALIA - TASMANIA - Blackman Bay - Buoyage.**

AMS (02/1899). (AH99/38-02)

Beacons in Blackman Bay have been repositioned as follows:

<i>Number</i>	<i>Position</i>	<i>Characteristic</i>
No 1	42° 50'.85 S 147° 53'.22 E	
No 3	42° 50'.95 S 147° 53'.11 E	<i>Fl(2) 5s</i>
No 4	42° 50'.95 S 147° 52'.62 E	
No 5	42° 51'.05 S 147° 52'.85 E	
No 6	42° 51'.08 S 147° 52'.40 E	
No 8	42° 51'.15 S 147° 52'.37 E	
No 9	42° 50'.95 S 147° 52'.30 E	<i>Fl. G. 4s</i>
No 11	42° 51'.39 S 147° 52'.24 E	
No 12	42° 51'.61 S 147° 52'.30 E	
No 13	42° 51'.62 S 147° 52'.27 E	<i>Fl. G. 3s</i>
No 14	42° 51'.71 S 147° 52'.12 E	
No 15	42° 51'.82 S 147° 51'.98 E	
No 16	42° 51'.93 S 147° 51'.89 E	<i>Fl. R. 3s</i>
No 17	42° 52'.21 S 147° 51'.71 E	
No 18	42° 52'.42 S 147° 51'.64 E	<i>Iso. R. 4s</i>
No 19	42° 52'.44 S 147° 51'.38 E	

A block correction will be issued in due course.

**Chart which will be affected – Aus 171.**

**288(T)/2002 AUSTRALIA - TASMANIA - Devonport - Dredging completed.**

*Former Notice* - 207(T)/2002 is cancelled

Port of Devonport Corp (02/2519). (AH02/56)

Cancel this notice on receipt.

**Chart formerly affected – Aus 164**

**289(T)/2002 AUSTRALIA - VICTORIA - Port Phillip - Light buoy withdrawn.**

Former Notice - 119(T)/2002 is cancelled  
Victorian Notice 18/2002 (02/2328). (AH99/24)

Cancel this notice on receipt.

**Chart formerly affected – Aus 143 – Aus 155**

**290(T)/2002 AUSTRALIA - VICTORIA - Port Phillip - Port Melbourne - Dredging completed.**

Former Notice - 120(T)/2002 is cancelled  
Victorian Notice 18/2002 (02/2328). (AH99/209-02)

Cancel this notice on receipt

**Chart formerly affected – Aus 143 – Aus 154 – Aus 155**

**291(T)/2002 AUSTRALIA - VICTORIA - Port Phillip - Port Melbourne and South Channel - Underwater survey; drilling.**

Date - Until 20 May 2002  
Victorian Notice 17/2002 (02/2327). (AH99/209-02)

The work barges, *Donna* and *Denise*, are engaged in vibrocoring operations from 0700 to 1700 in Port Melbourne Channel between No 1 and 6 beacons, followed by a similar operations at the east and west ends of South Channel.

The barge, *Sideson 2*, and the tug, *Taurus*, are engaged in core sample drilling from 0700 to 1900 in the same areas.

*Sideson 2* will be marked by one white strobe light at the mast and one yellow flashing light at each corner.

Further information may be obtained from:

HCC on VHF Ch 12 or phone 9644 9700  
Point Lonsdale on VHF Ch 12 or phone 5258 1252  
*Donna* and *Denise* on VHF Ch 12  
Mr Alan McLennan on mobile phone 0417 493 149  
*Sideson 2* on VHF Ch 12  
*Taurus* on VHF Ch 12 or on mobile phone 0409 400 722

Mariners are advised to navigate with caution in the vicinity of the vessels.

**Chart temporarily affected – Aus 143 – Aus 144 – Aus 154 – Aus 155 – Aus 158.**

**292(T)/2002 AUSTRALIA - VICTORIA - Port Phillip - Williamstown Channel - Light beacon destroyed; light buoy.**

Date - Until further notice  
List of Lights Vol K/2002 -- 2341.00  
Victorian Notice 22/2002 (02/2404). (AH99/21-02)

Williamstown Channel Beacon No 17 (37° 51'.799 S 144° 55'.292 E) has been destroyed; a starboard lateral light buoy, *Fl. G. 5s*, exists in situ.

**Chart temporarily affected – Aus 154.**

**293(T)/2002 AUSTRALIA - VICTORIA - Port Phillip - Port Melbourne - Depth information.**

Former Notice - 181(T)/2002 is cancelled  
Victorian Notices 23/2002 and 24/2002 (02/2403 & 02/2405). (AH99/209-02)

Available depths as at 12 April 2002:

<i>Berth</i>	<i>Metres</i>
Station Pier Outer East	10.2
Gellibrand Pier	12.1
No3 Webb Dock	9.9
No4 East Webb Dock	12.1
No6 Yarraville Wharf	10.2
No1 East Swanson Dock	12.9
No2 West Swanson Dock	13.1
No3 West Swanson Dock	12.7
B Appleton Dock	10.7
C Appleton Dock	10.7
D Appleton Dock	10.7

\*Indicates new or revised entry.

No4 East Swanson Dock and No26 Lower South Wharf, (now extended to incorporate No25 Lower South Wharf) have been restored to charted depth.

**Chart temporarily affected – Aus 154.**

III

**NAVIGATION WARNINGS**

The following radio messages have been received during the period to 19 April 2002. Signal copies of these messages may be destroyed. It is recommended that the reprint of Navigational Warnings should be kept in a file or a book divided into areas. Cancellation should be made on receipt of signals and reprints.

Rigs on location other than those listed in the latest Section III summary are the subject of Radio Navigational Warnings. Rigs in transit will not be the subject of Warnings.

**AUSCOAST WARNING**

- 104 Cancelled.
- 105 NW Coast. Nine anchors and mooring buoys in area 20° 41'.4 S to 20° 42'.1 S and 115° 33'.7 E to 115° 35'.3 E; buoys may be unlit.
- 106 Cancelled.
- 107 S Coast. Long Spit light K2048 (34° 34'.3 S 138° 06'.5 E) permanently discontinued.
- 108 S Coast. Long Spit light K2048.5 established in position 34° 36'.0 S 138° 05'.5 E. Characteristic *Fl(2) 10s 9m 10M* (0.5 fl 2.0 ec 0.5 fl 7.0 ec). Structure is white GRP hut with radar reflector on single pile.
- 109 NE Coast. Island Point light K3186 (16° 28'.9 S 145° 28'.0 E) light sectors altered:
  - White 162° - 285° (123°)
  - Red 285° - 325° (40°)
  - Obscured 325° - 162° (163°)
- 110 Cancelled.
- 111 Cancelled.
- 112 S Coast. Marion Reef light K2022.1 established in position 35° 09'.21 S 137° 49'.28 E. Characteristic *Fl. 7.5s 12m 10M*. Structure is white GRP hut on white pile.
- 113 NW Coast. Drill rig *Enasco 56* in position 19° 59'.2 S 116° 31'.2 E. 2.5M clearance requested.
- 114 S Coast. Troubridge Island light K2022 (35° 07'.1 S 137° 49'.6 E) permanently discontinued.

**NAVAREA X WARNINGS**

Nil issued

**Navigational warnings in force as at 181500UTC APR 02.**

**Auscoast**

053 068 081 087 093 102 103 105 107 108 109 112 113 114

**Navarea X**

001

**Summary of mobile drilling rigs as at 181500UTC APR 02.**

<i>Name</i>	<i>Position</i>
Sedco 703	10° 37'.6 S 126° 01'.7 E
Sedco 702	19° 18'.2 S 116° 33'.9 E
Enasco 56	19° 59'.2 S 116° 31'.2 E

**NAVAREA XIV WARNINGS**

- 059 Cancelled.
- 060 Cancelled.
- 061 Cancelled.
- 062 Cancelled.
- 063 Cancelled.
- 064 Cancelled.
- 065 Cancelled.
- 066 Cancelled.
- 067 Cancelled.
- 068 Cancelled.
- 069 Cancelled.

**Navarea XIV warnings in force as at 180001UTC APR 02.**

058.

**IV**

**Nil Report**