




Australian Notices to Mariners are the authority for correcting Australian Charts

# AUSTRALIAN NOTICES TO MARINERS

© Commonwealth of Australia 2006 - Copyright restrictions apply to Notices to Mariners

 Notices 543 - 616

Published fortnightly by the Australian Hydrographic Service

R. NAIRN

*Hydrographer of Australia*

- SECTIONS.**
- I. **Australian Notices to Mariners, including blocks and notes.**
  - II. **Amendments to Admiralty List of Lights and Fog Signals, Vol K**
  - III. **Navigational Warnings.**
  - IV. **Hydrographic Reports.**
  - V. **Amendments to Admiralty List of Radio Signals (NP 281(2), 282, 283(2), 285, 286(4))**
  - VI. **Amendments to Admiralty Sailing Directions (NP 9, 13, 14, 15, 33, 34, 35, 36, 39, 44, 51, 60, 61, 62, 100, 136)**

[British Admiralty Notices to Mariners](#)

[New Zealand Notices to Mariners](#)

*The substance of these notices should be inserted on the charts affected.*

*Bearings are referred to the true compass and are reckoned clockwise from North; those relating to lights are given as seen by an observer from seaward. Positions quoted in permanent notices relate to the horizontal datum for the chart(s). When preliminary or temporary notices affect multiple charts, positions will be provided in relation to only one horizontal datum and that datum will be specified. When the multiple charts do not have a common horizontal datum, mariners will be required to adjust the position(s) for those charts not on the specified datum. The range quoted for a light is its nominal range. Depths are with reference to the chart datum of each chart. Heights are above mean high water springs or mean higher high water, as appropriate.*

*The capital letter (P) or (T) after the number of any notice denotes a preliminary or temporary notice respectively, which are contained separately at the end of the permanent notices. A star (\*) adjacent to the number of a notice indicates that the notice is based on original information.*

**Mariners are particularly requested to notify the AUSTRALIAN HYDROGRAPHIC SERVICE, Locked Bag 8801 Wollongong, NSW 2500 (Fax 02-4221 8599, e-mail [Hydro.NTM@defence.gov.au](mailto:Hydro.NTM@defence.gov.au) or, alternatively by filling in and submitting the [Hydrographic Notes](#) forms located on the web site – [www.hydro.gov.au](http://www.hydro.gov.au)), immediately on the discovery of new dangers or suspected dangers to navigation. For changes or defects in aids to navigation notify AusSAR (Fax 02-6230 6868 or email [rcaus@amsa.gov.au](mailto:rcaus@amsa.gov.au)).**

Copies of these notices can be obtained from the AUSTRALIAN HYDROGRAPHIC OFFICE, 8 Station Street, Wollongong; Distributors for the sale of Australian Navigational Products; AHS website [www.hydro.gov.au](http://www.hydro.gov.au) or register for eNotices at [www.hydro.gov.au/enotices/enotices.htm](http://www.hydro.gov.au/enotices/enotices.htm).

The Notices may be copied for the purpose of inserting their substance on official charts and other publications. However, any copies of the notices may not be sold for profit.

## IMPORTANT NOTICE

This edition of Notices to Mariners includes all significant information affecting AHS products which the AHS has become aware of since the last edition. All reasonable efforts have been made to ensure the accuracy and completeness of the information, including third party information, on which these updates are based. The AHS regards third parties from which it receives information as reliable, however the AHS cannot verify all such information and errors may therefore exist. The AHS does not accept liability for errors in third party information.

This work is copyright. Apart from any use permitted under the Copyright Act 1968, no part may be reproduced by any process, adapted, communicated or commercially exploited without prior written permission from The Commonwealth represented by the Australian Hydrographic Service. Copyright in some of the material in this publication may be owned by another party and permission for the reproduction of that material must be obtained from the owner.

## NUMERICAL INDEX OF CHARTS AFFECTED

Edition No 12

9 June 2006

Notices	Aus Chart, INT Chart, ENC Cell, Aus Pubs
543.....	Aus 367, 370, 375, 376, 819, 823, 826, 827, 829, 833, 837, AX 70309, 70722, 72309, 72722, AZ 61109, 61209, 68060, 76109, AU438149, 438150, 5192P1, 5192P2
544.....	Amendment to Australian Notice to Mariners No 2.
545.....	Amendment to Australian National Tide Tables 2006
546.....	Aus 371, 374, 376, 377
547.....	Aus 209
548.....	Aus 235, 236, 814
549.....	Aus 235
550.....	Aus 365, 424, 4602, INT 602
551.....	Aus 819
552.....	Aus 819
553.....	Aus 245, 819, AU424151, 5244X5
554.....	Aus 822
555.....	Aus 249, 250, 823, AU422149, 5250P2
556.....	Aus 292, 376, 839, AU220140, 499142
557.....	Aus 377
558.....	Aus 384, 519
559.....	Aus 520, 521
560.....	Aus 395, 547
561.....	Aus 395, 547, 674
562.....	Aus 395, 547, 674
563.....	Aus 386, 676, 4622, INT 622
564.....	Aus 462, 4060, 4603, 4604, 4622, INT 60, 603, 603, 622
565.....	Aus 15
566.....	Aus 306, 442, 716
567.....	Aus 320, 322, 323, 415, 732, 4721, 4722, INT 721, 722
568.....	Aus 323, 415, 733, 4722, INT 722
569.....	Aus 325, 326, 414, 415, 4722, INT 722
570.....	Aus 57, 742
571.....	Aus 327, 742
572.....	Aus 62, 327, 328, 742
573.....	Aus 61, 327, 328, 415, 416, 742
574.....	Aus 776
575.....	Aus 178
576.....	Aus 422, 789, 487
577.....	Aus 177
578.....	Aus 143, 144, 158
579.....	Aus 148, 181, 357A, 422, 487, 802
580.....	Aus 359, 422, 423, 805
581(T).....	Aus 220, 813, 814
582(T).....	Aus 235, 236, 237
583(T).....	Aus 237
584(T).....	Aus 238
585(T).....	Aus 236
586(T).....	Aus 241
587(T).....	Aus 250, AU5250P2
588(T).....	Aus 250, AU5250P2
589(T).....	Aus 249, 250, AU422149, 5250P2
590(T).....	Aus 249, 370, AU422149
591(T).....	Aus 826, AU320147
592(T).....	Aus 263, 264, AU5262X4
593(T).....	Aus 373, 830, 831, AU417145
594(T).....	Aus 373, 831, AU417145
595(T).....	Aus 270, 833, AU415144
596(T).....	Aus 280, 374, 833, AU220140, 415143
597(T).....	Aus 376, 377, AU411143
598(T).....	Aus 376
599(T).....	Aus 376, 377, 378, 840,4620, 4720, INT 620, 720, AU210140, 410143
600(T).....	Aus 397, 461, 680, 4622, INT 622

601(T) .....	Aus 397, 680
602(T) .....	Aus 674
603(T) .....	Aus 395, 547, 4622, INT 622
604(T) .....	Aus 462, 576, 662, 4604, 4622, INT 604, 622
605(T) .....	Aus 301, 376, 700, AU220140, 411141
606(T) .....	Aus 4, AU413141, 5XX4P1
607(T) .....	Aus 4, AU413141, 5XX4P1
608(T) .....	Aus 58, 59
609(T) .....	Aus 328, 415, 416
610(T) .....	Aus 63, 328, 743
611(T) .....	Aus 169, 171
612(T) .....	Aus 179
613(T) .....	Aus 62, 742
614(T) .....	Aus 143, 155
615(T) .....	Aus 143
616(T) .....	Aus 143, 144, 158

---

## NUMERICAL INDEX OF CHARTS AFFECTED

Edition No 12

Aus Chart	Notices	Aus Chart	Notices
Aus 4.....	606(T), 607(T)	Aus 519.....	558
Aus 15.....	565	Aus 520.....	559
Aus 57.....	570	Aus 521.....	559
Aus 58.....	608(T)	Aus 547.....	560, 561, 562, 603(T)
Aus 59.....	608(T)	Aus 576.....	604(T)
Aus 61.....	573	Aus 662.....	604(T)
Aus 62.....	572, 613(T)	Aus 674.....	561, 562, 602(T)
Aus 63.....	610(T)	Aus 676.....	563
Aus 143.....	578, 614(T), 615(T), 616(T)	Aus 680.....	600(T), 601(T)
Aus 144.....	578, 616(T)	Aus 700.....	605(T)
Aus 148.....	579	Aus 716.....	566
Aus 155.....	614(T)	Aus 732.....	567
Aus 158.....	578, 616(T)	Aus 733.....	568
Aus 169.....	611(T)	Aus 742.....	570, 571, 572, 573, 613(T)
Aus 171.....	611(T)	Aus 743.....	610(T)
Aus 177.....	577	Aus 776.....	574
Aus 178.....	575	Aus 789.....	576
Aus 179.....	612(T)	Aus 802.....	579
Aus 181.....	579	Aus 805.....	580
Aus 209.....	547	Aus 813.....	581(T)
Aus 220.....	581(T)	Aus 814.....	548, 581(T)
Aus 235.....	548, 549, 582(T)	Aus 819.....	543, 551, 552, 553
Aus 236.....	548, 582(T), 585(T)	Aus 822.....	554
Aus 237.....	582(T), 583(T)	Aus 823.....	543, 555
Aus 238.....	584(T)	Aus 826.....	543, 591(T)
Aus 241.....	586(T)	Aus 827.....	543
Aus 245.....	553	Aus 829.....	543
Aus 249.....	555, 589(T), 590(T)	Aus 830.....	593(T)
Aus 250.....	555, 587(T), 588(T), 589(T)	Aus 831.....	593(T), 594(T)
Aus 263.....	592(T)	Aus 833.....	543, 595(T), 596(T)
Aus 264.....	592(T)	Aus 837.....	543
Aus 270.....	595(T)	Aus 839.....	556
Aus 280.....	596(T)	Aus 840.....	599(T)
Aus 292.....	556	Aus 4060.....	564
Aus 301.....	605(T)	Aus 4602.....	550
Aus 306.....	566	Aus 4603.....	564
Aus 320.....	567	Aus 4604.....	564, 604(T)
Aus 322.....	567	Aus 4620.....	599(T)
Aus 323.....	567, 568	Aus 4622.....	563, 564, 600(T), 603(T), 604(T)
Aus 325.....	569		
Aus 326.....	569	Aus 4720.....	599(T)
Aus 327.....	571, 572, 573	Aus 4721.....	567
Aus 328.....	572, 573, 609(T), 610(T)	Aus 4722.....	567, 568, 569
Aus 357A.....	579	AX 70309.....	543
Aus 359.....	580	AX 70722.....	543
Aus 365.....	550	AX 72309.....	543
Aus 367.....	543	AX 72722.....	543
Aus 370.....	543, 590(T)	AZ 61109.....	543
Aus 371.....	546	AZ 61209.....	543
Aus 373.....	593(T), 594(T)	AZ 68060.....	543
Aus 374.....	546, 596(T)	AZ 76109.....	543
Aus 375.....	543		
Aus 376.....	543, 546, 556, 597(P), 598(T), 599(T), 605(T)	INT Chart	Notices
Aus 377.....	546, 557, 597(P), 599(T)	INT 60.....	564
Aus 378.....	599(T)	INT 602.....	550
Aus 384.....	558	INT 603.....	564
Aus 386.....	563	INT 604.....	564, 604(T)
Aus 395.....	560, 561, 562, 603(T)	INT 620.....	599(T)
Aus 397.....	600(T), 601(T)	INT 622.....	563, 564, 600(T), 603(T), 604(T)
Aus 414.....	569		
Aus 415.....	567, 568, 569, 573, 609(T)	INT 720.....	599(T)
Aus 416.....	573, 609(T)	INT 721.....	567
Aus 422.....	576, 579, 580	INT 722.....	567, 568, 569
Aus 423.....	580		
Aus 424.....	550		
Aus 442.....	566		
Aus 461.....	600(T)		
Aus 462.....	564, 604(T)		
Aus 487.....	576, 579		

## NUMERICAL INDEX OF CHARTS AFFECTED

ENC Cell	Notices		
AU210140 .....	599(T)		
AU220140 .....	556, 596(T), 605(T)		
AU320147 .....	591(T)		
AU410143 .....	599(T)		
AU411141 .....	605(T)		
AU411143 .....	597(P)		
AU413141 .....	606(T), 607(T)		
AU415143 .....	596(T)		
AU415144 .....	595(T)		
AU417145 .....	593(T), 594(T)		
AU422149 .....	555, 589(T), 590(T)		
AU424151 .....	553		
AU438149 .....	543		
AU438150 .....	543		
AU499142 .....	556		
AU5XX4P1 .....	606(T), 607(T)		
AU5192P1 .....	543		
AU5192P2 .....	543		
AU5244X5 .....	553		
AU5250P2 .....	555, 587(T), 588(T), 589(T)		
AU5262X4 .....	592(T)		

**543 AUSTRALIA - Products.**

AHO (A159327, A192098, A193652, A193897, A193950, A194060, A194510).

**New Edition**

<i>Chart</i>	<i>Published</i>	<i>Title and description of amendments</i>	<i>Scale</i>	<i>Folio</i>	<i>Index Chart</i>	<i>Price</i>
Aus 376	31/3/2006	Australia - Papua New Guinea - Torres Strait <i>General updating incorporating maritime jurisdictional boundaries. Horizontal datum is referred to WGS 84.</i>	1:300 000	8	Aus 65000	
Aus 819	31/3/2006	Australia - East Coast - Queensland - Bustard Head to North Reef <i>General updating incorporating maritime jurisdictional boundaries.</i>	1:150 000	7	Aus 65001	\$29.50
Aus 823	31/3/2006	Australia - East Coast - Queensland - Percy Isles to Mackay <i>General updating incorporating maritime jurisdictional boundaries.</i>	1:150 000	7	Aus 65000 & Aus 65001	\$29.50
Aus 826	31/3/2006	Australia - East Coast - Queensland - Bowen to Cape Bowling Green <i>General updating incorporating maritime jurisdictional boundaries.</i>	1:150 000	8	Aus 65000	\$29.50
Aus 831	31/3/2006	Australia - East Coast - Queensland - Low Isles to Cape Flattery <i>General updating incorporating maritime jurisdictional boundaries.</i>	1:150 000	8	Aus 65000	\$29.50
Aus 837	31/3/2006	Australia - East Coast - Queensland - Olinda Entrance to Meer Island <i>General updating incorporating maritime jurisdictional boundaries.</i>	1:150 000	8	Aus 65000	\$29.50

**New edition miscellaneous chart**

<i>Chart</i>	<i>Published</i>	<i>Title</i>	<i>Scale</i>	<i>Remarks</i>
AX 70309	26/5/2006	Australia - North Coast - Darwin to Penguin Shoal (Eastern Sheet) Scenario	1:300 000	Fleet use only.
AX 70722	26/5/2006	Australia - North Coast - Northern Territory - Beagle Gulf and Clarence Strait Scenario	1:150 000	Fleet use only.
AX 72309	26/5/2006	Australia - North Coast - Darwin to Penguin Shoal (Eastern Sheet) Minor War Vessel Exercise Scenario	1:300 000	Fleet use only.
AX 72722	26/5/2006	Australia - North Coast - Northern Territory - Beagle Gulf and Clarence Strait Minor War Vessel Exercise Scenario	1:150 000	Fleet use only.
AZ 61109	26/5/2006			Fleet use only.
AZ 61209	26/5/2006			Fleet use only.
AZ 76109	26/5/2006			Fleet use only.

**New Electronic Navigation Chart (Seafarer ENC) to be released shortly**

<i>Cell Name</i>	<i>Title</i>
AU438149	Twofold Bay
AU438150	Approaches to Twofold Bay
AU5191P1	Ulladulla
AU5191P3	Kiama
AU5192P1	Eden
AU5192P2	East Boyd Bay Wharves

**New Edition to be Published Shortly**

<i>Chart</i>	<i>Title</i>	<i>Scale</i>	<i>Expected Publication Date</i>	<i>Expected Stock Availability</i>
Aus 367	Australia - East Coast - Queensland - North Reef to Pine Peak Island	1:300 000	26/5/2006	30/6/2006
Aus 827	Australia - East Coast - Queensland - Cape Bowling Green to Palm Isles	1:150 000	26/5/2006	30/6/2006
Aus 829	Australia - East Coast - Queensland - Brook Islands to Russel Island	1:150 000	26/5/2006	30/6/2006

**Chart permanently withdrawn**

<i>Chart</i>	<i>On publication of new chart/edition</i>	<i>Remarks</i>
Aus 370		Permanently withdrawn without replacement.
Aus 375		Permanently withdrawn without replacement.
Aus 376	Aus 376	
Aus 819	Aus 819	
Aus 823	Aus 823	
Aus 826	Aus 826	
Aus 831	Aus 831	
Aus 837	Aus 837	
AX 70309	AX 70309	
AX 70722	AX 70722	
AX 72309	AX 72309	
AX 72722	AX 72722	
AZ 61109	AZ 61109	
AZ 61209	AZ 61209	
AZ 68060		Permanently withdrawn without replacement.
AZ 76109	AZ 76109	

**544 AUSTRALIA - Products - Amendment to Australian Notice to Mariners No 2.**

AHO (A193168).

**New agent for the sale of navigational products**

Pounder Navigational Services	Telephone	+61 (0)7 4036 3696	<b>C</b>
8 Red Gum Close	Fax	+61 (0)7 4036 3696	
Mount Sheridan 4868			

**545 AUSTRALIA - Products - Amendment to Australian National Tide Tables 2006.**

AHO (A193644).

*Insert legend, ★ 0.3 MUST BE SUBTRACTED FOR CHART DATUM, at bottom of pages 168, 169 and 170.*

**546\* AUSTRALIA - Miscellaneous correction.**

AHO (A159327).

**Aus 371 [296/2006]**

Delete	legend Adjoining Chart Aus 370 in S border		149° 18'.0 E
	legend Adjoining Chart Aus 370 in E border	20° 07'.0 S	

**Aus 374 [506/2006]**

Delete	legend Adjoining Chart Aus 375 in N border		143° 35'.0 E
--------	--	--	--------------

**Aus 376 [NE 31/03/2006]**

Delete	legend Adjoining Chart Aus 375 in S border		142° 55'.0 E
--------	--	--	--------------

**Aus 377 [219/2006]**

Delete	legend Adjoining Chart Aus 375 in S border		143° 50'.0 E
--------	--	--	--------------

*Note: this amendment has been incorporated in New Editions of Aus 367, Aus 4620, Aus 4621 and Aus 4720 to be published shortly.*

**547\* AUSTRALIA - NEW SOUTH WALES - Port Stephens - Light buoy.**

NSW Maritime Notice HI0608 (A148564, A193162).

**Aus 209** [385/2006]

Insert west cardinal conical light buoy, Q(9)15s, with topmark 32° 42'.754 S 152° 03'.220 E

**548\* AUSTRALIA - QUEENSLAND - Moreton Bay - Maintained depths.**

Maritime Safety Queensland Notice 307(T)/2006 (A193369).

**Aus 235** [496/2006]Amend legend to 15.0m 26° 55'.3 S 153° 11'.7 E  
27° 00'.6 S 153° 14'.6 E  
27° 03'.0 S 153° 17'.0 E**Aus 236** [496/2006]Amend legend to 15.0m 27° 00'.6 S 153° 14'.6 E  
27° 03'.0 S 153° 17'.0 E**Aus 814** [496/2006]

Amend legend to 15.0m 27° 02'.6 S 153° 15'.7 E

**549\* AUSTRALIA - QUEENSLAND - Mooloolaba - Harbour works.**

Maritime Safety Queensland mA109473, AHO (A193816).

**Aus 235 (plan, Mooloolaba Harbour)** [548/2006]

Insert accompanying block 26° 41'.0 S 153° 07'.7 E

**550\* AUSTRALIA - QUEENSLAND - Point Cartwright - Wreck eastwards.**Maritime Safety Queensland Notice 269/2006 (A192409, A193175, A194068). Wreck is FV *Lauryn G***Aus 365** [497/2006]Insert depth, 46fm, enclosed by danger circle, with legend *Wk* 26° 18'.10 S 153° 43'.44 E**Aus 424** [497/2006]Insert depth, 46fm, enclosed by danger circle, with legend *Wk* 26° 18'.0 S 153° 43'.5 E**Aus 4602 (INT 602)** [40/2006]Insert depth, 85m, enclosed by danger circle, with legend *Wk* 26° 18'.0 S 153° 43'.5 E**551\* AUSTRALIA - QUEENSLAND - Lady Musgrave Island to North Reef - Light ranges altered.**List of Lights Vol K/2006 - 2963, 2972, 2992.1, 3014  
AMSA (A192561, A192562).**Aus 819** [NE 31/3/2006]Amend light range to 16M 23° 54'.5 S 152° 23'.5 E  
light range to 18M 23° 51'.9 S 151° 23'.4 E  
light range to 17/14M 23° 29'.2 S 151° 14'.2 E  
light range to 17M 23° 11'.1 S 151° 54'.2 E**552\* AUSTRALIA - QUEENSLAND - East Banks - Spoil ground.**

Maritime Safety Queensland (A192796, A192813).

**Aus 819** [551/2006]Insert dashed line between 23° 51'.80 S 151° 27'.74 E  
23° 51'.80 S 151° 28'.45 E  
dashed line between 23° 53'.32 S 151° 29'.35 E  
23° 53'.30 S 151° 28'.01 E  
Delete dashed line between 23° 51'.80 S 151° 27'.74 E  
23° 51'.49 S 151° 27'.92 E  
23° 51'.80 S 151° 28'.45 E  
dashed line between 23° 53'.32 S 151° 29'.35 E  
23° 53'.82 S 151° 29'.01 E  
23° 53'.30 S 151° 28'.01 E

**553\* AUSTRALIA - QUEENSLAND - Gladstone - Depths.**  
Maritime Safety Queensland mA109005 (A193433).

**Aus 245 [500/2006]**

Insert	depth, $1_8$ m, enclosed by contour	23° 47'.130 S	151° 12'.158 E
	depth, $2_3$ m	23° 47'.202 S	151° 12'.224 E
	depth, $4_7$ m	(a) 23° 47'.799 S	151° 11'.914 E
	depth, $3_6$ m	(b) 23° 47'.863 S	151° 12'.100 E
	and extend contour W to enclose (a) and (b)		
	depth, $3_2$ m	23° 48'.131 S	151° 12'.855 E
	depth, $3_3$ m	23° 48'.341 S	151° 12'.789 E
	depth, $3_9$ m, and extend contour S to enclose	23° 48'.411 S	151° 12'.958 E
	depth, $4_9$ m, enclosed by contour	23° 48'.051 S	151° 13'.287 E
Substitute	depth, $4_9$ m, enclosed by contour, for depth $5_6$ m	23° 48'.39 S	151° 13'.21 E
Delete	depth $4_4$ m	23° 47'.19 S	151° 12'.24 E
	depth $4_1$ m	23° 47'.89 S	151° 12'.11 E
	depth $4_2$ m	23° 48'.33 S	151° 12'.81 E
		23° 48'.41 S	151° 13'.01 E
	depth $6_7$ m and enclosing contour	23° 48'.06 S	151° 13'.27 E

**Aus 819 [552/2006]**

Insert	depth, $1_8$ m, enclosed by contour	23° 47'.13 S	151° 12'.16 E
Substitute	depth, $3_2$ m, for depth $3_3$ m	23° 48'.1 S	151° 12'.9 E

**AU424151 [502/2006]**

**AU5244X5 [500/2006]**

**554\* AUSTRALIA - QUEENSLAND - Sabina Point - Depths.**  
AHO (A193816).

**Aus 822 [NE 17/3/2006]**

Insert	accompanying block	22° 25'.0 S	150° 17'.0 E
--------	--------------------	-------------	--------------

**555\* AUSTRALIA - QUEENSLAND - Hay Point - Light beacon established.**  
Maritime Safety Queensland Notices 283/2006, 300/2006 (A192885, A193372).

**Aus 249 [503/2006]**

Insert	port lateral light beacon, <i>Fl.R.4s</i> , without topmark	21° 15'.96 S	149° 20'.80 E
Delete	depth $13_4$ m	21° 16'.0 S	149° 20'.9 E

**Aus 250 (plan, Hay Point) [250/2006]**

Insert	port lateral light beacon, <i>Fl.R.4s</i> , without topmark	21° 15'.956 S	149° 20'.805 E
--------	---	---------------	----------------

**Aus 823 [NE 31/3/2006]**

Insert	port lateral light beacon, <i>Fl.R.4s Racon (Q)</i> , without topmark	21° 14'.93 S	149° 24'.77 E
	port lateral light beacon, <i>Fl.R.4s</i> , without topmark	21° 15'.96 S	149° 20'.80 E
	depth, $14$ m	21° 16'.46 S	149° 21'.45 E
Delete	depth $13_4$ m	21° 16'.0 S	149° 20'.9 E

**AU422149 [503/2006]**

**AU5250P2 [250/2006]**

**556\* AUSTRALIA - TORRES STRAIT - Wyborn Reef - Light range altered.**

List of Lights Vol K/2006 - 3252  
AMSA (A192562).

**Aus 292 [1099/2005]**

Amend	light range to 11/8M	10° 49'.15 S	142° 46'.50 E
-------	----------------------	--------------	---------------

**Aus 376 [546/2006]**

Amend	light range to 11/8M	10° 49'.2 S	142° 46'.5 E
-------	----------------------	-------------	--------------

**Aus 839 [NE 17/3/2006]**

Amend	light range to 11/8M	10° 49'.2 S	142° 46'.5 E
-------	----------------------	-------------	--------------

**AU220140 [506/2006]****AU499142 [252/2006]****557\* AUSTRALIA - TORRES STRAIT - Eastern Passage to Pandora Passage - Depths.**

AMSA (A193955), HMAS *Flinders* HI 239 (A193956), RV *Melville* (A194036).

**Aus 377 [546/2006]**

Insert	depth, 1046m	10° 30'.99 S	145° 26'.44 E
	depth, 914m, enclosed by contour	10° 28'.16 S	145° 17'.48 E
	depth, 788m, enclosed by contour	9° 59'.54 S	144° 49'.34 E
	depth, 532m	9° 53'.39 S	144° 44'.39 E
	contour between	10° 25'.77 S	145° 27'.25 E
		10° 24'.70 S	145° 24'.80 E
		10° 22'.30 S	145° 24'.16 E
Substitute	depth, 85m, enclosed by contour, for depth 101m	9° 47'.7 S	144° 44'.9 E
Delete	depth 981m	10° 27'.5 S	145° 22'.3 E
	contour between	10° 26'.2 S	145° 25'.7 E
		10° 26'.5 S	145° 20'.5 E

**558\* PAPUA NEW GUINEA - Star Passage and Ward Hunt Strait - Depths.**  
 HMAS *Melville* mA109654, mA109664 (A193431, A193432).

**Aus 384 [990/2005]**

Insert	depth, 579m	9° 02'.24 S	149° 47'.99 E	
	depth, 557m	8° 58'.89 S	149° 46'.99 E	
	depth, 524m	8° 55'.54 S	149° 48'.03 E	
	depth, 496m	8° 52'.84 S	149° 48'.07 E	
	contour between		8° 53'.38 S	149° 49'.10 E
			8° 53'.30 S	149° 47'.60 E
	depth, 599m	9° 26'.82 S	149° 46'.82 E	
	unsurveyed boundary between		9° 14'.9 S	149° 52'.9 E
			9° 14'.9 S	149° 48'.9 E
			9° 06'.4 S	149° 49'.0 E
			8° 59'.8 S	149° 46'.3 E
			8° 56'.7 S	149° 47'.5 E
			8° 45'.8 S	149° 47'.8 E
	unsurveyed boundary between		9° 31'.43 S	149° 51'.85 E
			9° 17'.35 S	149° 33'.60 E
	Delete	unsurveyed boundary between	9° 14'.9 S	149° 52'.9 E
			8° 45'.8 S	149° 47'.8 E
unsurveyed boundary between		9° 31'.4 S	149° 51'.9 E	
		9° 31'.6 S	149° 54'.1 E	
		9° 17'.4 S	149° 33'.6 E	

**Aus 519 [43/2006]**

Insert	depth, 579m	9° 02'.24 S	149° 47'.99 E	
	depth, 557m	8° 58'.89 S	149° 46'.99 E	
	depth, 524m	8° 55'.54 S	149° 48'.03 E	
	depth, 496m	8° 52'.84 S	149° 48'.07 E	
	contour between		8° 53'.38 S	149° 49'.10 E
			8° 53'.30 S	149° 47'.60 E
	depth, 776m	9° 30'.30 S	149° 51'.33 E	
	depth, 599m	9° 26'.82 S	149° 46'.82 E	
	depth, 554m	9° 23'.58 S	149° 42'.24 E	
	depth, 531m	9° 21'.25 S	149° 38'.92 E	
	unsurveyed boundary between		9° 06'.40 S	149° 49'.00 E
			8° 59'.80 S	149° 46'.30 E
			8° 56'.66 S	149° 47'.48 E
			8° 45'.77 S	149° 47'.76 E
			9° 31'.43 S	149° 51'.85 E
			9° 19'.40 S	149° 36'.05 E
	Delete	unsurveyed boundary between	9° 06'.4 S	149° 49'.0 E
8° 53'.3 S			149° 49'.0 E	
8° 45'.8 S			149° 47'.8 E	
unsurveyed boundary between		9° 31'.4 S	149° 51'.9 E	
		9° 31'.6 S	149° 54'.1 E	
	9° 19'.4 S	149° 36'.1 E		

**559\* PAPUA NEW GUINEA - Tancred Reef - Depths.**  
 HMAS *Melville* mA109664 (A193430).

**Aus 520 [931/2005]**

Insert	depth, 45m, enclosed by contour	8° 53'.14 S	149° 01'.74 E
	depth, 37m, enclosed by contour	8° 52'.72 S	149° 01'.43 E
	depth, 75m	8° 51'.05 S	148° 59'.06 E
		8° 42'.12 S	148° 45'.22 E
	depth, 77m	8° 49'.68 S	148° 56'.73 E
	depth, 79m	8° 48'.41 S	148° 54'.96 E
	depth, 78m	8° 47'.23 S	148° 53'.12 E
	depth, 73m	8° 44'.63 S	148° 49'.28 E
	depth, 74m	8° 43'.32 S	148° 47'.09 E
	unsurveyed boundary between	8° 54'.15 S	149° 04'.72 E
		8° 41'.80 S	148° 46'.10 E

Delete	unsurveyed boundary between	8° 54'.2 S	149° 04'.7 E
		8° 54'.2 S	149° 02'.8 E
		8° 42'.6 S	148° 44'.5 E
		8° 41'.8 S	148° 45'.0 E
		8° 41'.8 S	148° 46'.1 E

**Aus 521 [809/2005]**

Insert	depth, 75m	8° 42'.12 S	148° 45'.22 E
	depth, 74m	8° 43'.32 S	148° 47'.09 E
	unsurveyed boundary between	8° 42'.66 S	148° 47'.40 E
		8° 41'.80 S	148° 46'.10 E

Delete	unsurveyed boundary between	8° 44'.4 S	148° 47'.4 E
		8° 42'.6 S	148° 44'.5 E
		8° 41'.8 S	148° 45'.0 E
		8° 41'.8 S	148° 46'.1 E

**560\* PAPUA NEW GUINEA - New Britain - Bialla to Oto Reef - Light beacons established.**  
 NMSA PNG Notices 15/2006 & 17/2006 (A193442, A193786, A192526).

**Aus 395 [509/2006]**

Substitute	light beacon, <i>Fl(2)4s 4M</i> , without topmark, for beacon	5° 19'.5 S	150° 17'.9 E
------------	---	------------	--------------

**Aus 547 [509/2006]**

Substitute	light beacon, <i>Fl(2)4s 23ft 4M</i> , without topmark, for beacon	5° 19'.6 S	150° 18'.1 E
------------	--	------------	--------------

Delete	depth 128fm	5° 19'.4 S	150° 18'.2 E
--------	-------------	------------	--------------

**Aus 547 (plan, Bialla Harbour)**

Insert	starboard lateral light beacon, <i>Fl(2)G.8s 3M No 11</i> , with topmark	5° 17'.175 S	150° 58'.910 E
--------	--	--------------	----------------

Delete	depth 12fm	5° 17'.16 S	150° 58'.93 E
	depth 2 <sub>4</sub> fm	5° 17'.20 S	150° 58'.92 E

**561\* PAPUA NEW GUINEA - Kimbe - Tower.**  
 HMAS *Melville* (A192854).

**Aus 395 [560/2006]**

Insert	radio tower, with legend <i>TR(262) (R Lt)</i>	5° 33'.26 S	150° 09'.82 E
--------	--	-------------	---------------

**Aus 547 [560/2006]**

Insert	radio tower, with legend <i>TR(262) (R Lt)</i>	5° 33'.26 S	150° 09'.82 E
--------	--	-------------	---------------

**Aus 674 [510/2006]**

Insert	radio tower, with legend <i>TR(81) (R Lt)</i>	5° 33'.261 S	150° 09'.955 E
--------	---	--------------	----------------

**562\* PAPUA NEW GUINEA - Stettin Bay - Depths.**HMAS *Melville* mA109660, AHO (A193816).**Aus 395 [561/2006]**

Insert	depth, 8 <sub>1</sub> fm, enclosed by contour	5° 28'.15 S	150° 06'.93 E
--------	---	-------------	---------------

Delete	depth 0 <sub>1</sub> fm, enclosing contour and legend Rep(1996)	5° 27'.8 S	150° 06'.7 E
	depth 28fm	5° 28'.2 S	150° 06'.7 E
	depth 0 <sub>1</sub> fm and semi enclosing contour	5° 28'.3 S	150° 06'.4 E

**Aus 547 [561/2006]**

Insert	depth, 8 <sub>1</sub> fm, enclosed by contour	5° 28'.15 S	150° 06'.93 E
--------	---	-------------	---------------

Delete	depth 0 <sub>1</sub> fm, enclosing contour and legend Rep(1996)	5° 27'.8 S	150° 06'.7 E
	depth 0 <sub>1</sub> fm and enclosing contour	5° 28'.5 S	150° 06'.8 E

**Aus 674 [561/2006]**

Insert	<a href="#">accompanying block</a>	5° 29'.0 S	150° 07'.0 E
--------	------------------------------------	------------	--------------

**563\* PAPUA NEW GUINEA - New Britain - Cape Gloucester - Light beacon established.**

List of Lights Vol K/2006 - 3482

NMSA PNG Notice 13/2006 (A193500, A192526).

**Aus 386 [890/2005]**

Insert	light beacon, <i>Fl(2)10s 23ft 10M</i> , without topmark	5° 24'.10 S	148° 21'.72 E
--------	--	-------------	---------------

Delete	dangerous rock	5° 24'.2 S	148° 21'.6 E
--------	----------------	------------	--------------

**Aus 676 (plan, Borgen Bay and Approaches) [991/2005]**

Insert	light beacon, <i>Fl(2)10s 23ft 10M</i> , without topmark	5° 24'.05 S	148° 22'.23 E
--------	--	-------------	---------------

Delete	dangerous rock	5° 24'.1 S	148° 22'.1 E
		5° 24'.0 S	148° 22'.3 E

**Aus 4622 (INT 622) [509/2006]**

Insert	light, <i>Fl(2)10M</i>	5° 24'.1 S	148° 22'.2 E
--------	------------------------	------------	--------------

Delete	dangerous rock	5° 24'.2 S	148° 21'.1 E
		5° 23'.7 S	148° 23'.1 E

**564\* PAPUA NEW GUINEA - Manus Island - Depths.**

AHO, SOPAC mA103315 (A193544).

**Aus 462 [303/2006]**

Insert	depth, 98fm, enclosed by contour	3° 03'.4 S	147° 50'.5 E
--------	----------------------------------	------------	--------------

	depth, 265fm,	3° 04'.9 S	147° 55'.0 E
--	---------------	------------	--------------

	depth, 299fm, with legend, <i>ED</i>	1° 40'.5 S	146° 13'.9 E
--	--------------------------------------	------------	--------------

	depth, 57fm, enclosed by broken contour, with legend, <i>ED</i>	1° 36'.8 S	146° 56'.1 E
--	---	------------	--------------

Delete	depth 846fm legend Rep (1984)	1° 39'.8 S	146° 12'.4 E
--------	----------------------------------	------------	--------------

	3° 00'.0 S	147° 51'.0 E
--	------------	--------------

	3° 03'.0 S	148° 03'.8 E
--	------------	--------------

	3° 04'.0 S	148° 07'.0 E
--	------------	--------------

**Aus 4060 (INT 60) [390/2006]**

Insert	depth, 179m, and extend contour E to enclose	3° 03'.4 S	147° 50'.5 E
--------	--	------------	--------------

Delete	depth 304m	3° 00'.7 S	147° 32'.4 E
--------	------------	------------	--------------

**Aus 4603 (INT 603) [388/2006]**

Insert	depth, 179m, enclosed by contour	3° 03'.4 S	147° 50'.5 E
	depth, 105m, enclosed by danger circle	1° 36'.8 S	146° 56'.1 E
	contour between	1° 43'.6 S	146° 30'.3 E
		1° 44'.4 S	146° 39'.3 E

Substitute	danger circle, for contour enclosing depth	1° 40'.5 S	146° 15'.9 E
------------	--	------------	--------------

Delete	depth 255m	1° 37'.4 S	146° 32'.4 E
		1° 43'.6 S	146° 30'.3 E
	contour between	1° 32'.5 S	146° 32'.0 E
		1° 44'.4 S	146° 39'.3 E
		depth 532m and enclosing danger circle	3° 03'.3 S

**Aus 4604 (INT 604) [1031/2005]**

Insert	depth, 179m, enclosed by contour	3° 03'.4 S	147° 50'.5 E
	depth, 105m, enclosed by danger circle	1° 36'.8 S	146° 56'.1 E

Delete	depth 532m and enclosing danger circle	3° 04'.5 S	148° 01'.0 E
--------	--	------------	--------------

**Aus 4622 (INT 622) [563/2006]**

Insert	depth, 179m, enclosed by contour	3° 03'.4 S	147° 50'.5 E
--------	----------------------------------	------------	--------------

Substitute	depth, 484m, for depth 504m danger circle for contour enclosing depth	3° 04'.9 S	147° 55'.0 E
		1° 40'.5 S	146° 13'.9 E
		1° 36'.8 S	146° 56'.1 E

Delete	depth 255m and enclosing contour danger circle centred on	1° 37'.4 S	146° 32'.4 E
		3° 03'.0 S	148° 01'.0 E
		3° 00'.0 S	147° 47'.5 E

**565\* AUSTRALIA - NORTHERN TERRITORY - Gove - Light.**

List of Lights Vol K/2006 - 3310

Alcan (A190332).

**Aus 15 (plan, Gove Harbour) [434/2006]**

Amend	light to <i>Fl(2)10s</i>	12° 12'.72 S	136° 41'.39 E
-------	--------------------------	--------------	---------------

**566\* AUSTRALIA - NORTHERN TERRITORY - Warnawi Island - Light discontinued.**

List of Lights Vol K/2006 - 3312.6

AMSA ATH 06/17 (A193486).

**Aus 306 [163/2006]**

Delete	light	11° 48'.8 S	136° 01'.7 E
--------	-------	-------------	--------------

**Aus 442 [513/2006]**

Delete	light	11° 48'.8 S	136° 01'.7 E
--------	-------	-------------	--------------

**Aus 716 [820/2003]**

Delete	light	11° 48'.8 S	136° 01'.7 E
--------	-------	-------------	--------------

**567\* WESTERN AUSTRALIA - Adele Island - Light range altered.**

List of Lights Vol K/2006 - 1640  
AMSA (A192562).

<b>Aus 320</b> [997/2005]			
Amend	light and racon to <i>Fl.5s 16M Racon (C)</i>	15° 30'.6 S	123° 09'.5 E
<b>Aus 322</b> [515/2006]			
Amend	light range to <i>16M</i>	15° 30'.6 S	123° 09'.5 E
<b>Aus 323</b> [998/2005]			
Amend	light and racon to <i>Fl.5s 16M Racon (C)</i>	15° 30'.6 S	123° 09'.5 E
<b>Aus 415</b> [390/2006]			
Amend	light range to <i>16M</i>	15° 30'.6 S	123° 09'.5 E
<b>Aus 732</b> [998/2005]			
Amend	light range to <i>16M</i>	15° 30'.6 S	123° 09'.5 E
<b>Aus 4721 (INT 721)</b> [513/2006]			
Amend	light range to <i>16M</i>	15° 30'.6 S	123° 09'.5 E
<b>Aus 4722 (INT 722)</b> [125/2006]			
Amend	light range to <i>16M</i>	15° 30'.6 S	123° 09'.5 E

**568\* WESTERN AUSTRALIA - Cape Leveque - Light range altered.**

List of Lights Vol K/2006 - 1650  
AMSA (A192562).

<b>Aus 323</b> [567/2006]			
Amend	light range to <i>22M</i>	16° 23'.8 S	122° 55'.7 E
<b>Aus 415</b> [567/2006]			
Amend	light range to <i>22M</i>	16° 23'.8 S	122° 55'.7 E
<b>Aus 733</b> [998/2005]			
Insert	light and racon, <i>Fl.12s 43m 22M Racon (K)</i>	16° 23'.79 S	122° 55'.70 E
Delete	light and racon	16° 23'.6 S	122° 55'.7 E
<b>Aus 4722 (INT 722)</b> [567/2006]			
Amend	light range to <i>22M</i>	16° 23'.8 S	122° 55'.7 E

**569\* WESTERN AUSTRALIA - Rowley Shoals - Cunningham Island - Light range altered.**

List of Lights Vol K/2006 - 1674  
AMSA (A192562).

<b>Aus 325</b> [486/2001]			
Amend	light range to <i>16M</i>	17° 31'.3 S	118° 57'.2 E
<b>Aus 326</b> [123/2002]			
Amend	light range to <i>16M</i>	17° 31'.3 S	118° 57'.2 E
<b>Aus 414</b> [126/2006]			
Amend	light range to <i>16M</i>	17° 31'.3 S	118° 57'.2 E
<b>Aus 415</b> [568/2006]			
Amend	light range to <i>16M</i>	17° 31'.3 S	118° 57'.2 E
<b>Aus 4722 (INT 722)</b> [568/2006]			
Amend	light range to <i>16M</i>	17° 31'.3 S	118° 57'.2 E

**570\* WESTERN AUSTRALIA - Rosemary Island - Light altered.**

List of Lights Vol K/2006 - 1690.4  
AMSA (A192562).

**Aus 57** [351/2006]

Amend light to *Fl.5s 47m 10M* 20° 28'.6 S 116° 36'.0 E

**Aus 742** [48/2006]

Amend light to *Fl.5s 47m 10M* 20° 28'.6 S 116° 36'.0 E

**571\* WESTERN AUSTRALIA - Rosemary Island northwestwards - Wellhead and pipeline.**

*Former Notice* - 152(T)/2006 is cancelled  
Apache Energy Ltd (A179528), AHO (A193816).

**Aus 327** [221/2006]

Insert [accompanying block](#) 20° 17'.5 S 116° 16'.5 E

**Aus 742** [570/2006]

Insert [accompanying block](#) 20° 17'.5 S 116° 16'.5 E

**572\* WESTERN AUSTRALIA - Montebello Islands - Well.**

Apache Energy Ltd (A193641).

**Aus 62** [457/2005]

Insert depth, *41m*, enclosed by danger circle, with legend *Well* 20° 25'.478 S 115° 41'.418 E

**Aus 327** [571/2006]

Insert depth, *22fm*, enclosed by danger circle, with legend *Well* 20° 25'.56 S 115° 41'.34 E

Delete depth *19fm* 20° 25'.6 S 115° 40'.9 E

**Aus 328** [390/2006]

Insert depth, *41m*, enclosed by danger circle, with legend *Well* 20° 25'.56 S 115° 41'.35 E

**Aus 742** [571/2006]

Insert depth, *41m*, enclosed by danger circle, with legend *Well* 20° 25'.48 S 115° 41'.42 E

**573\* WESTERN AUSTRALIA - North West Island - Light range altered.**

List of Lights Vol K/2006 - 1690.98  
AMSA (A192562).

**Aus 61** [678/2005]

Amend light range to *18M* 20° 21'.6 S 115° 31'.5 E

**Aus 327** [572/2006]

Amend light range to *18M* 20° 21'.7 S 115° 31'.4 E

**Aus 328** [572/2006]

Amend light range to *18M* 20° 21'.7 S 115° 31'.4 E

**Aus 415** [569/2006]

Amend light range to *18M* 20° 21'.6 S 115° 31'.5 E

**Aus 416** [516/2006]

Amend light range to *18M* 20° 21'.6 S 115° 31'.5 E

**Aus 742** [572/2006]

Amend light range to *18M* 20° 21'.6 S 115° 31'.5 E

**574\* SOUTH AUSTRALIA - Corny Point - Light.**

List of Lights Vol K/2006 - 1996  
AMSA (A192562).

**Aus 776 [441/2006]**

Move	light	34° 53'.9 S	137° 00'.7 E
	to	34° 53'.80 S	137° 00'.64 E

**575\* AUSTRALIA - TASMANIA - King Island - Currie - Lights altered.**

List of Lights Vol K/2006 - 2189.3, 2189.31  
King Island Ports Corporation (A193651).

**Aus 178 (plan, Currie Harbour) [720/2005]**

Amend	lights to <i>F.Bu</i>	39° 55'.49 S	143° 50'.73 E
		39° 55'.49 S	143° 50'.81 E

**576\* AUSTRALIA - TASMANIA - King Island - Light range altered.**

List of Lights Vol K/2006 - 2191.8  
AMSA (A192562).

**Aus 422 [518/2006]**

Amend	light range to <i>9M</i>	39° 58'.7 S	144° 07'.7 E
-------	--------------------------	-------------	--------------

**Aus 487 [395/2006]**

Amend	light range to <i>9M</i>	39° 58'.7 S	144° 07'.7 E
-------	--------------------------	-------------	--------------

**Aus 789 [94/2005]**

Amend	light range to <i>9M</i>	39° 58'.7 S	144° 07'.7 E
-------	--------------------------	-------------	--------------

**577\* AUSTRALIA - TASMANIA - Sloop Point - Rock height.**

AHO (A193939).

**Aus 177 [518/2006]**

Insert	legend ( <i>1.5</i> )	42° 20'.43 S	145° 11'.25 E
--------	-----------------------	--------------	---------------

**578\* AUSTRALIA - VICTORIA - Port Phillip - West Channel - Lights altered; lights discontinued.**

Former Notices - 1132(P)/2005 &amp; 378(P)/2006 are cancelled

List of Lights Vol K/2006 - 2216, 2216.1, 2221, 2222, 2222.5, 2223, 2226, 2226.5, 2228, 2230, 2230.5, 2231, 2231.5

Victorian Notice 68/2006 (A193391).

**Aus 143** [521/2006]

Amend	light characteristic to <i>Fl(2)R</i>	38° 13'.1 S	144° 44'.0 E
	light characteristic to <i>Fl(2)G</i>	38° 14'.8 S	144° 43'.2 E
		38° 13'.0 S	144° 44'.4 E
Substitute	starboard lateral beacon with topmark, for starboard lateral light beacon	38° 11'.9 S	144° 45'.8 E
	beacon, for light beacon	38° 16'.5 S	144° 42'.1 E
Delete	light, with sectors and leading lines 204.4° and 185°	38° 19'.0 S	144° 40'.7 E

**Aus 144** [1001/2005]

Amend	light characteristic to <i>Fl(2)R.4s</i>	38° 15'.61 S	144° 42'.42 E
	light characteristic to <i>Fl(2)G.4s</i>	38° 15'.96 S	144° 42'.64 E
Substitute	beacon with legend <i>Wedge</i> , for light beacon	38° 16'.48 S	144° 42'.14 E
Delete	light, with sectors and leading line 204.4°	38° 19'.0 S	144° 40'.7 E

**Aus 158** [357/2006]

Amend	light characteristic to <i>Fl(2)R.4s</i>	38° 15'.61 S	144° 42'.42 E
		38° 14'.72 S	144° 43'.01 E
		38° 13'.92 S	144° 43'.46 E
		38° 13'.05 S	144° 43'.96 E
	light characteristic to <i>Fl(2)G.4s</i>	38° 15'.96 S	144° 42'.64 E
		38° 14'.81 S	144° 43'.18 E
		38° 13'.98 S	144° 43'.67 E
		38° 13'.03 S	144° 44'.40 E
Substitute	port lateral beacon with topmark, for port lateral light beacon	38° 12'.36 S	144° 44'.48 E
	starboard lateral beacon with topmark, for starboard lateral light beacon	38° 12'.36 S	144° 44'.99 E
		38° 11'.94 S	144° 45'.84 E
	beacon, for light beacon	38° 16'.48 S	144° 42'.14 E
Delete	light, with sectors and leading lines 204.4° and 195°	38° 19'.0 S	144° 40'.7 E

**579\* AUSTRALIA - BASS STRAIT - Hogan Island to Clifty Island - Light ranges altered.**

List of Lights Vol K/2006 - 2493, 2500

AMSA (A192562).

**Aus 148 (plan, Hogan Group)** [720/2005]

Amend	light range to <i>16M</i>	39° 13'.13 S	146° 59'.06 E
-------	---------------------------	--------------	---------------

**Aus 181** [1074/2005]

Amend	light range to <i>16M</i>	38° 57'.0 S	146° 42'.3 E
-------	---------------------------	-------------	--------------

**Aus 357A** [267/2006]

Amend	light range to <i>16M</i>	39° 13'.1 S	146° 59'.1 E
		38° 57'.0 S	146° 42'.3 E

**Aus 422** [576/2006]

Amend	light range to <i>16M</i>	39° 13'.1 S	146° 59'.1 E
		38° 57'.0 S	146° 42'.3 E

**Aus 487** [576/2006]

Amend	light range to <i>16M</i>	39° 13'.1 S	146° 59'.1 E
		38° 57'.0 S	146° 42'.3 E

**Aus 802** [266/2006]

Amend	light range to <i>16M</i>	39° 13'.1 S	146° 59'.1 E
		38° 57'.0 S	146° 42'.3 E

**580\* AUSTRALIA - VICTORIA - Little Rame Head - Light range altered.**

List of Lights Vol K/2006 - 2557.5  
 AMSA (A192562).

<b>Aus 359</b> [451/2006] Amend light range to 19M	37° 41'.1 S	149° 40'.4 E
<b>Aus 422</b> [579/2006] Amend light range to 19M	37° 41'.1 S	149° 40'.4 E
<b>Aus 423</b> [451/2006] Amend light range to 19M	37° 41'.1 S	149° 40'.4 E
<b>Aus 805</b> [451/2006] Amend light range to 19M	37° 41'.1 S	149° 40'.4 E

**581(T)/2006 AUSTRALIA - NEW SOUTH WALES - Tweed River - Dredging operations.**

Date - Until 10 October 2006

Maritime Safety Queensland Notice 342(T)/2006 (A194124).

The dredge *Port Frederick* is operating in the entrance to the Tweed River (28° 10'.3 S 153° 33'.4 E).

The dredge is discharging spoil between the entrance and Palm Beach (28° 07'.1 S 153° 28'.2 E).

The dredge may be contacted on VHF Ch 16.

Mariners are advised to navigate with caution in the area.

**Chart temporarily affected - Aus 220 - Aus 813 - Aus 814.**

**582(T)/2006 AUSTRALIA - QUEENSLAND - Moreton Bay - North West Channel, Spitfire Channel and Inner Bar - Dredging operations.**

Date - Until 13 September 2006

Maritime Safety Queensland Notice 323(T)/2006 (A193542).

Dredge *Brisbane* is conducting dredging operations in the North West Channel (26° 50'.0 S 153° 09'.0 E) and Spitfire Channel (27° 02'.8 S 153° 16'.3 E (WGS 84 datum)).

The dredge keeps a listening watch on VHF Ch 12.

Dredge material is discharged at the Fisherman Islands Extension adjacent to the proposed berth FI 10 and the dredge is utilising the barge *Essex* as a mooring platform.

The barge is moored in position 27° 21'.72 S 153° 10'.63 E and displays appropriate lights and shapes.

A floating pipeline is deployed between the rock wall and the mooring.

Mariners are advised to navigate with caution in the area.

**Chart temporarily affected - Aus 235 - Aus 236 - Aus 237.**

**583(T)/2006 AUSTRALIA - QUEENSLAND - Brisbane River - Inner Bar Reach - Dredging operations.**

Date - Until 20 July 2006

Former Notice - 459(T)/2006 is cancelled

Maritime Safety Queensland Notice 263(T)/2006 (A192266).

Dredge *Amity* is operating adjacent to Fisherman Islands berth No 10 (27° 21'.69 S 153° 10'.67 E).

Floating pipelines are deployed between the dredge and the rock wall.

Mariners are advised to navigate with caution in the area.

**Chart temporarily affected - Aus 237.**

**584(T)/2006 AUSTRALIA - QUEENSLAND - Brisbane River - Pinkenba Reach - Harbour works.**

Date - Until 17 July 2006

Maritime Safety Queensland Notice 368(T)/2006 (A194571).

Works are in progress for the demolition of Pinkenba Grain Wharf (25'.65 S 153° 07'.28 E).

Mariners are advised to navigate with caution in the area.

**Chart temporarily affected - Aus 238.**

**585(T)/2006 AUSTRALIA - QUEENSLAND - Moreton Bay - Light beacon re-established; light buoy withdrawn.**

Former Notice - 527(T)/2006 is cancelled

List of Lights Vol K/2006 - 2863.7

Maritime Safety Queensland Notice 333/2006 (A193716).

Cancel this notice on receipt.

**Chart formerly affected - Aus 236.**

**586(T)/2006 AUSTRALIA - QUEENSLAND - Urangan - Dredging operations.***Date - Until 31 July 2006*

Maritime Safety Queensland Notice 346(T)/2006 (A194118).

Dredging operations are in progress in vicinity of 25° 17'.9 S 152° 54'.8 E (chart datum).

Available depths may be reduced by up to 0.3 metres by a submerged pipeline, marked at either end by signs and light buoys.

Mariners are advised to navigate with caution in the area.

**Chart temporarily affected - Aus 241.****587(T)/2006 AUSTRALIA - QUEENSLAND - Hay Point - Obstruction.**

Maritime Safety Queensland Notice 326(T)/2006 (A193658).

An obstruction exists in position 21° 16'.05 S 149° 19'.00 E.

Mariners are advised to navigate with caution in the area.

**Chart temporarily affected - Aus 250 - AU5250P2.****588(T)/2006 AUSTRALIA - QUEENSLAND - Hay Point - Harbour works.***Date - Until 22 June 2006*

Maritime Safety Queensland Notice 340(T)/2006 (A194050).

Harbour works are in progress in position 21° 15'.78 S 149° 18'.77 E.

Mariners are advised to navigate with caution in the area.

**Chart temporarily affected - Aus 250 - AU5250P2.****589(T)/2006 AUSTRALIA - QUEENSLAND - Hay Point - Shoaling removed.***Former Notice - 532(T)/2006 is cancelled*

Maritime Safety Queensland Notice 351(T)/2006 (A194225).

Cancel this notice on receipt.

**Chart formerly affected - Aus 249 - Aus 250 - AU422149 - AU5250P2.****590(T)/2006 AUSTRALIA - QUEENSLAND - Flat Top Island - Light restored to normal.***Former Notice - 362(T)/2006 is cancelled*

List of Lights Vol K/2006 - 3028

Maritime Safety Queensland Notice 193/2006 (A188852).

Cancel this notice on receipt.

**Chart formerly affected - Aus 249 - AU422149.****591(T)/2006 AUSTRALIA - QUEENSLAND - Burdekin River - Obstruction; buoys.***Former Notice - 256(T)/2005 is cancelled*

Maritime Safety Queensland Notice 98(T)/2005 (A129407).

Two buoys, marking an obstruction, exist in positions 19° 41'.53 S 147° 31'.94 E and 19° 41'.58 S 147° 31'.97 E.

Mariners are advised to navigate with caution in the area.

**Chart temporarily affected - Aus 826 - AU320147.**

**592(T)/2006 AUSTRALIA - QUEENSLAND - Cairns - Smiths Creek - Dredging operations completed.**

*Former Notice* - 469(T)/2006 is cancelled  
 Maritime Safety Queensland Notice 262(T)/2006 (A192263).

Cancel this notice on receipt.

**Chart formerly affected - Aus 263 - Aus 264 - AU5262X4.**

**593(T)/2006 AUSTRALIA - QUEENSLAND - Low Islets - Sector light trial extended.**

*Date* - Until 30 June 2006  
*Former Notice* - 366(T)/2006 is cancelled  
 AMSA ATH 2006/06 (A188413).

A sector light, in addition to the existing light, exists as follows:

<i>Position</i>	<i>Characteristic</i>	<i>Sector</i>
16° 23'.07 S 145° 33'.59 E	<i>Iso. 2s 20m 10M</i>	<i>Green 313° - 318° (5°)</i> <i>White 318° - 323° (5°)</i> <i>Red 323° - 328° (5°)</i>

**Chart temporarily affected - Aus 373 - Aus 830 - Aus 831 - AU417145.**

**594(T)/2006 AUSTRALIA - QUEENSLAND - Cape Tribulation - Undine Reef - Light beacon unlit.**

*Former Notice* - 1119(T)/2005 is cancelled  
 List of Lights Vol K/2005 - 3195.8  
 Maritime Safety Queensland Notice 655(T)/2005 (A175314).

The light beacon (16° 06'.58 S 145° 38'.21 E) is unlit.

**Chart temporarily affected - Aus 373 - Aus 831 - AU417145.**

**595(T)/2006 AUSTRALIA - QUEENSLAND - Howick Group - Scientific instruments recovered.**

*Former Notice* - 367(T)/2006 is cancelled  
 HMAS' *Paluma* and *Mermaid* (A189024).

Cancel this notice on receipt.

**Chart formerly affected - Aus 270 - Aus 833 - AU415144.**

**596(P)/2006 AUSTRALIA - QUEENSLAND - Eden Reef - Racon discontinued.**

*Former Notice* - 326(P)/2006 is cancelled  
 Auscoast warning 116/2006 (A192739).

*Note:* Notice to Mariners 506/2006 refers.

Cancel this notice on receipt.

**Chart formerly affected - Aus 280 - Aus 374 - Aus 833 - AU220140 - AU415143.**

**597(P)/2006 AUSTRALIA - TORRES STRAIT - Yule Entrance - Shoal southwestwards.**

*Former Notice* - 470(P)/2005 is cancelled  
 G Bethune (A134722).

A shoal, unknown depth, has been reported in position 10° 29' S 143° 48' E (datum unknown).

A survey will be undertaken shortly by RAN LADSU.

Mariners are advised to navigate with caution in the area.

**Chart which will be affected - Aus 376 - Aus 377 - AU411143.**

**598(T)/2006 AUSTRALIA - TORRES STRAIT - Turnagain Island - Scientific instruments westward.**

*Former Notice* - 197(T)/2006 is cancelled  
RNOTI (A181394).

Scientific instruments, tide gauges, exist as follows:

<i>Position (WGS 84 datum)</i>	<i>Depth</i>
9° 38'.103 S 141° 51'.826 E	7m
9° 24'.993 S 141° 57'.276 E	6.7m
9° 37'.956 S 142° 03'.728 E	6.6m

Mariners are advised to navigate with caution in the area.

**Chart temporarily affected - Aus 376.****599(T)/2006 PAPUA NEW GUINEA - Bristow Island - Light unlit.**

*Former Notice* - 430(T)/2005 is cancelled  
List of Lights Vol K/2006 - 3469  
Lawson and Treloar (A77974).

The light K3469 (9° 05'.9 S 143° 16'.9 E (WGS 84 datum)) is unlit.

**Chart temporarily affected - Aus 376 - Aus 377 - Aus 378 - Aus 840 - Aus 4620 - Aus 4720 - AU210140 - AU410143.****600(T)/2006 PAPUA NEW GUINEA - New Britain - Rabaul to Cape Lambert - Lights restored to normal.**

*Former Notice* - 472(T)/2006 is cancelled  
List of Lights Vol K/2006 - 3492, 3493.5  
PNG NMSA Notice 28/2006, 34/2006 (A194229, A194428).

Cancel this notice on receipt.

**Chart formerly affected - Aus 397 - Aus 461 - Aus 680 - Aus 4622.****601(T)/2006 PAPUA NEW GUINEA - New Britain - Rabaul - Light beacon unlit.**

NMSA PNG (A146349).

Mackenzie Shoal light beacon K3500 (4° 15'.4 S 152° 13'.4 E) is unlit.

**Chart temporarily affected - Aus 397 - Aus 680.****602(T)/2006 PAPUA NEW GUINEA - New Britain - Kimbe - Light beacons unlit.**

*Former Notice* - 115(T)/2002 is cancelled  
PNG Harbours Board, MV *Morobe Coast* (02/81), PNG NMSA Notice 16/2006 (A193442).

The following light beacons have been destroyed:

Kimbe Island	5° 12'.3 S 150° 22'.6 E	K3486
No1	5° 28'.7 S 150° 22'.7 E	K3488
No2	5° 31'.9 S 150° 10'.5 E	K3488.2
No3	5° 32'.0 S 150° 09'.6 E	K3488.4
No4	5° 32'.6 S 150° 09'.1 E	K3488.5
No5	5° 32'.7 S 150° 09'.4 E	K3488.6
No6	5° 32'.5 S 150° 10'.3 E	K3488.8

**Chart temporarily affected - Aus 674.****603(T)/2006 PAPUA NEW GUINEA - New Britain - Cape Hollman - Light restored to normal.**

*Former Notice* - 580(T)/2005 is cancelled  
List of Lights Vol K/2006 - 3484  
PNG NMSA Notice 14/2006 (A193442).

Cancel this notice on receipt.

**Chart formerly affected - Aus 395 - Aus 547 - Aus 4622.**

**604(T)/2006 PAPUA NEW GUINEA - Manus Island - Lights restored to normal.**

*Former Notice* - 895(T)/2004 is cancelled  
PNG NMSA Notices 19-21, 29, 31-32/2006 (A193786, A194229).

Cancel this notice on receipt.

**Chart formerly affected - Aus 462 - Aus 576 - Aus 662 - Aus 4604 - Aus 4622.**

**605(T)/2006 AUSTRALIA - QUEENSLAND - Carpentaria Shoal - Light buoy off station.**

*Date* - Until 30 November 2006  
*Former Notice* - 368(T)/2006 is cancelled  
List of Lights Vol K/2006 - 3296  
AMSA ATH 2006/05 (A188261).

Carpentaria Shoal light buoy is off station in position 10° 44'.91 S 141° 03'.35 E. The buoy will be replaced in position in November 2006.

**Chart temporarily affected - Aus 301 - Aus 376 - Aus 700 - AU220140 - AU411141.**

**606(T)/2006 AUSTRALIA - QUEENSLAND - Weipa - Depth information.**

*Former Notice* - 1011(T)/2005 is cancelled  
Maritime Safety Queensland Notice 317(T)/2006 (A193537).

Available depths as at 12 May 2006:

	<i>Metres</i>
South Channel	11.1
Departure Channel	10.8
* Cora Bank South Channel	7.1
Humbug Point Approaches	8.6
Humbug Point Berth	9.5
* Evans Landing	9.6
Lorim Point East	12.5
Lorim Point West	12.3

Mariners are advised that the revised minimum under keel clearance for Weipa South Channel is 1.2 metres.

\* Indicates revised entry.

**Chart temporarily affected - Aus 4 - AU413141 - AU5XX4P1.**

**607(T)/2006 AUSTRALIA - QUEENSLAND - Weipa - Buoyage.**

List of Lights Vol K/2006 - 3300.8  
Maritime Safety Queensland Notice 337(T)/2006 (A193932).

The No 16 light beacon (12° 40'.40 S 141° 48'.68 E (WGS 84 datum)) has been withdrawn.

A lit sars tower, *Q.R*, exists in position 12° 40'.33 S 141° 48'.74 E.

A light beacon, *F(2)15s*, exists in position 12° 40'.31 S 141° 48'.70 E.

**Chart temporarily affected - Aus 4 - AU413141 - AU5XX4P1.**

**608(T)/2006 WESTERN AUSTRALIA - Dampier - Dredging operations completed.**

*Former Notice* - 204(T)/2006 is cancelled  
Port of Dampier Marine Notice 18/2006 (A194259).

Cancel this notice on receipt.

**Chart formerly affected - Aus 58 - Aus 59.**

**609(T)/2006 WESTERN AUSTRALIA - Barrow Island - Scientific instruments northwestward recovered.**

*Former Notice* - 1088(T)/2005 is cancelled  
MetOcean (A193373, A193374).

Cancel this notice on receipt.

**Chart formerly affected - Aus 328 - Aus 415 - Aus 416.**

**610(T)/2006 WESTERN AUSTRALIA - Mary Anne Island - Light destroyed.**

List of Lights Vol K/2006 - 1696  
Auscoast warning 134/2006 (A194128).

The light (21° 15'.80 S 115° 27'.77 E (AGD 66 datum)) has been destroyed.

**Chart temporarily affected - Aus 63 - Aus 328 - Aus 743.**

**611(T)/2006 AUSTRALIA - TASMANIA - Marion Narrows - Buoy replaced in position.**

*Former Notice* - 540(T)/2006 is cancelled  
Marine and Safety Tasmania Notice M62-06 (A193117).

Cancel this notice on receipt.

**Chart formerly affected - Aus 169 - Aus 171.**

**612(T)/2006 AUSTRALIA - TASMANIA - Waterhouse Passage - Longitudinal error corrected.**

*Former Notice* - 485(T)/2006 is cancelled  
AHO (A193399).

Cancel this notice on receipt.

**Chart formerly affected - Aus 179.**

**613(T)/2006 AUSTRALIA - TASMANIA - Burnie - Dredging operations completed.**

*Former Notice* - 478(T)/2006 is cancelled  
Marine and Safety Tasmania Notice M60-06 (A193719).

Cancel this notice on receipt.

**Chart formerly affected - Aus 62 - Aus 742.**

**614(T)/2006 AUSTRALIA - VICTORIA - Port Phillip - Mordialloc - Shoaling removed.**

*Former Notice* - 245(T)/2006 is cancelled  
Victorian Notice 73/2006 (A194414).

Cancel this notice on receipt

**Chart formerly affected - Aus 143 - Aus 155**

**615(T)/2006 AUSTRALIA - VICTORIA - Port Phillip - Patterson River - Shoaling removed.**

*Former Notice* - 489(T)/2006 is cancelled  
Victorian Notice 74/2006 (A194415).

Cancel this notice on receipt.

**Chart formerly affected - Aus 143.**

**616(T)/2006 AUSTRALIA - VICTORIA - Port Phillip Entrance - Scientific instrument.**

*Date* - Until 29 September 2006  
Victorian Notice 71(T)/2006 (A193629).

A scientific instrument, *FL.Y.3s*, exists in position 38° 18'.80 S 144° 37'.95 E.

**Chart temporarily affected - Aus 143 - Aus 144 - Aus 158.**

II

AMENDMENTS TO ADMIRALTY LIST OF LIGHT AND FOG SIGNALS VOLUME K 2006/07

Edition No 12 dated 9 June 2006

Last Amendment: Edition No 11 dated 26 May 2006

1264-2	Drini	8 08-27 110 34-60	Fl W 4s	18	6	White beacon 8	<i>fl 1</i>
*	*	*	*	*	*	*	*
1264-23	Ngrenehan Gunungkidul	8 07-58 110 31-20	Fl W 4s	25	6	White beacon 8	<i>fl 0-5</i>
*	*	*	*	*	*	*	*
1264-25	Gesing	8 06-37 110 28-08	Fl W 4s	19	6	White beacon 8	<i>fl 0-5</i>
*	*	*	*	*	*	*	*
1264-27	Depok Bantul	8 00-82 110 17-53	Fl W 4s	11	6	White beacon 8	<i>fl 0-5</i>
*	*	*	*	*	*	*	*
1264-29	Kuwaru Bantul	7 59-40 110 13-55	Fl W 4s	12	6	White beacon 8	<i>fl 0-5</i>
*	*	*	*	*	*	*	*
1264-7	Trisik	7 58-20 110 11-22	Fl W 5s	11	6	White beacon 8	<i>fl 0-5</i>
*	*	*	*	*	*	*	*
1264-73	Bugel Kubon Progo	7 57-1 110 09-2	Fl W 4s	11	6	White beacon 8	<i>fl 0-5</i>
*	*	*	*	*	*	*	*
1264-75	Glagah Kulon Progo	7 54-92 110 04-65	Fl W 4s	11	6	White beacon 8	<i>fl 0-5</i>
*	*	*	*	*	*	*	*
1427-4	Pulau Payongpayongan	4 22-78 115 50-08	Fl W 6s	32	6	White metal framework tower 10	<i>fl 0-5</i>
	*				*		
1564	- Tg Matube	1 57-0 121 32-5	Fl G 6s	16	11	Green $\triangle$ on beacon	<i>fl 1-5</i>
							*
1564-3	- Pulau Tokodimba	1 55-17 121 22-00	Fl G 3s	27	7	Green $\triangle$ on beacon	<i>fl 0-3</i>
							*
1660	<b>Gantheaume Point</b> (COM)	17 58-53 122 10-55	Fl(2) W 10s	33	17	White lantern on stainless steel framework tower 24	<i>fl 1, ec 2, fl 1, ec 6.</i> <b>FIW10s 18M (P) June 2006</b>
							*
1709 Seq 1	Enfield. <i>FPSO NGANHURRA</i>	21 28-9 114 00-5	Mo(U) W 15s	...	...	Storage tanker	Racon
*	*	*	*	*	*	*	*
1881-4	- S side	34 45-1 135 53-9	F R	...	2	Beacon	<b>Destroyed (T) 2006</b>
							*
1967-75	-- No 38	33 08-57 138 00-71	Q R	...	...	Red $\square$ on beacon	
		*					

Volume K *continued*

<b>2050</b>	- Port Gawler. About 4M S	34 44-2 138 27-9	Fl W 5s	4	5	Beacon	
			*				*
<b>2096-5</b>	---	35 39-00 137 41-64	Fl G 4s	...	2		
	*	*	*	*	*	*	*
<b>2130-5</b>	Bungalow Bay. Ldg Lts 047-1°. Front	37 54-73 140 23-82	F Bu				
	*	*	*	*	*	*	*
<b>2130-51</b>	-- Rear	37 54-73 140 23-82	F Bu				
	*	*	*	*	*	*	*
<b>2131-2</b>	- Ldg Lts 037-7°. Front	37 57-10 140 28-48	F R				
	*	*	*	*	*	*	*
<b>2131-21</b>	-- Rear	37 57-10 140 28-48	F R				
	*	*	*	*	*	*	*
<b>2135</b>	-	38 03-33 140 41-95	F W				
	*	*	*	*	*	*	*
<b>2170</b>	Thylacine	39 14-2 142 54-1	Mo(U) W 15s	...	...	Platform	Racon
	*	*	*	*	*	*	*
<b>2222-5</b>	- No 4	38 14-73 144 43-01	Fl(3) R 10s	5	3	Red □ on red pile	<b>TE until June 2006.</b> <b>Fl(2) R 4s 5M (P) 2006</b>
		*					*
<b>2226-5</b>	- No 7 Seq 1	38 13-98 144 43-67	Fl(4) G 12s	7	3	Green △ on green pile	<b>TE until June 2006.</b> <b>Fl(2) G 4s 5M (P) 2006</b>
							*
<b>2235-101</b>	- Mussel Farm	38 06-16 144 42-18	Fl(4) Y 12s	...	3	Yellow X on beacon	
		*	*				*
<b>2235-102</b>	--	38 06-61 144 42-18	Fl(4) Y 12s	...	3	Yellow X on beacon	
		*	*				*
<b>2235-103</b>	--	38 06-16 144 41-43	Fl(4) Y 12s	...	3	Yellow X on beacon	
		*	*				*
<b>2235-104</b>	--	38 06-61 144 41-43	Fl(4) Y 12s	...	3	Yellow X on beacon	
		*	*				*
<b>2235-105</b>	--	38 06-16 144 40-68	Fl(4) Y 12s	...	3	Yellow X on beacon	
		*	*				*
<b>2235-106</b>	--	38 06-61 144 40-68	Fl(4) Y 12s	...	3	Yellow X on beacon	
		*	*				*

II

Volume K *continued*

<b>2239-801</b>	- Bellarine Bank. Mussel Farm	38 06-74 144 35-14	Fl(4) Y 10s	...	3	Yellow X on beacon	
		*	*			*	
<b>2239-802</b>	--	38 07-21 144 35-57	Fl(4) Y 10s	...	3	Yellow X on beacon	
		*				*	
<b>2239-803</b>	--	38 07-21 144 34-31	Fl(4) Y 10s	...	3	Yellow X on beacon	
		*	*			*	
<b>2239-804</b>	--	38 07-67 144 34-71	Fl(4) Y 10s	...	3	Yellow X on beacon	
		*	*			*	
<b>2239-805</b>	--	38 07-69 144 33-45	Fl(4) Y 10s	...	3	Yellow X on beacon	
		*	*			*	
<b>2239-806</b>	--	38 08-15 144 33-86	Fl(4) Y 10s	...	3	Yellow X on beacon	
		*	*			*	
<b>2319-6</b>	-- No 2	38 19-50 144 44-66	Fl R 5s	4	2	Red □ on beacon	<b>Destroyed; light buoy Fl R 5s in situ (T) 2006</b>
							*
<b>2608</b>	<i>Remove from List</i>						
<b>2625-5</b>	-- Ldg Lts 252-8°. Front	33 59-91 151 12-37	Fl Y 2s				
		*					
<b>2630</b>	- Cooks River. S Breakwater. Head	33 57-0 151 10-1	Fl R 3s	...	3	Post	
			*				
<b>2653</b>	Vaucluse Water Tower	33 51-70 151 16-52	Oc WR 3s	129	4	Tower	R 084°-097-5°(13-5°), W 097-5°-165°(67-5°)
		*					
<b>2696-37</b>	-	33 51-81 151 11-86	Q W	...	2	△ on yellow beacon, black top	
			*			*	
<b>2771-2</b>	-- Ldg Lts 091°55'. Front	32 42-91 152 09-08	F Bu	14	4	□ on beacon	
			*			*	*
<b>2771-21</b>	--- Rear. 64m from front	32 42-91 152 09-12	F Bu	22	4	□ on beacon	
			*			*	*
<b>2874-23</b>	<i>Remove from List</i>						
<b>2988-2</b>	-- A7	23 49-51 151 15-34	Fl Y 4s	...	...	X on yellow beacon	<b>Destroyed; X on yellow light buoy, Fl Y 4s, in situ (T) 2006</b>
							*

Volume K *continued*

<b>3028</b>	Flat Top Island	21 09-69 149 14-79	Fl(4) WR 20s	53	W 10 R 6	White round metal tower 10	(fl 0-5, ec 1-5) x 3, fl 0-5, ec 13-5. W 004-2°-170-1°(165-9°), R 170-1°-187-7°(17-6°), W 187-7°-277-6°(89-9°), R 277-6°-284-4°(6-8°), W 284-4°-347-5°(63-1°), R 347-5°-004-2° (16-7°). Obscured by Round Top Island about 299°-308°(9°). <b>Reported TE 2006.</b> Port Signals
							*
<b>3194</b>	<b>Low Islets.</b> Centre of W Islet (COM)	16 23-07 145 33-59	Fl W 10s	20	17	White round tower, red cupola 21	fl 0-2
--	--	...	Iso WRG 2s	20	10	...	G 313°-318°(5°), W 318°-323°(5°), R 323°-328°(5°). <b>On trial (T) until June 2006</b>
							*
<b>3233-485</b>	<i>Remove from List</i>						
<b>3296</b>	<i>Carpentaria</i> (COM)	10 44-4 141 03-4	Fl(2) W 8s	...	...	Black ♂ on black pillar buoy, red band	Racon. <b>Moved 0-54M S (T) until November 2006</b>
							*
<b>3312-6</b>	<i>Remove from List</i>						
<b>3314</b>	<b>Cape Don</b> (COM)	11 18-55 131 45-96	Fl W 12s	50	21	Grey concrete tower, white lantern 36	Intens 260°
							*
<b>3480</b>	Unea Island. Nambabad Islet	4 55-78 149 08-07	Fl(2) W 8s	7	10	Concrete platform on pile 7	fl 0-4, ec 1, fl 0-4, ec 6-2 Vis 232-3°-141-7°(269-4°). Ra refl
		*				*	*
<b>3482</b>	- Cape Gloucester	5 24-15 148 22-17	Fl(2) W 10s	7	...	Concrete platform on pile 7	fl 0-5, ec 2, fl 0-5, ec 7. Ra refl
*	*	*	*	*	*	*	*
<b>3504</b>	- Gazelle Peninsula. Cape Gazelle	4 19-36 152 23-78	Fl(2) W 6s	5	8	White hut	fl 0-3, ec 1, fl 0-3, ec 4-4. Vis 092°-270°(178°)
							*
<b>3505</b>	- Cape Wanata	4 20-14 152 24-24	Fl W 3s	5	9	White hut	fl 0-3. Vis 180°-015°(195°)
							*
<b>3608</b>	<b>Cape Tourville</b> (COM)	42 07-38 148 20-57	Fl W 6s	126	18	White concrete tower and lantern 11	
		*	*		*		*
<b>3609-7</b>	Maria Island. Darlington	42 34-77 148 03-70	Fl G 5s	...	5	...	fl 1
		*			*		*
<b>3609-8</b>	Point Home Lookout	42 33-16 147 57-13	Oc W 6s	57	12	White concrete tower and lantern 14	ec 1-5
	*				*		
<b>3634-5</b>	- Bedlam Walls Point	42 50-47 147 20-03	Fl G 5s	...	...	Green beacon	
		*					

Volume K *continued*

**4285** *Remove from List*

<b>4322</b>	- Approaches. Fairway Light	44 22-95 171 18-10	Mo(A) W 10s	5	9	White beacon, red stripes	<b>Destroyed (T) 2006</b>
							*
<b>4388</b>	- Ackers Point (MSA)	46 53-72 168 09-82	Fl(3) WR 10s	20	W 7 R 4	White metal tower 5	<i>(fl 0-5, ec 1-5) x 2, fl 0-5, ec 5-5.</i> W 118°-251-8°(133-8°) but partially obscured by land 118°-160°(42°), R 251-8°-257°(5-2°), W 257°-000°(103°) but partially obscured by land 320°-000°(40°)
							*
<b>4662</b>	- Cape Washington	19 06-6 177 57-8	Fl W 5s	63	11	White metal framework tower 8	<i>fl 1.</i> Obscured by land when bearing less than 007°. <b>TE 2006</b>
							*
<b>4666</b>	North Astrolabe Reef. Solo	18 38-3 178 32-2	LFl W 30s	29	10	Red metal tower, white bands 32	<i>fl 3.</i> <b>TE 2006</b>
							*
<b>4722</b>	- Levuka. Na Tubari. Ldg Lts 263°08'. Front	17 40-8 178 50-3	F Bu	15	7	Orange △ on church	Neon □
							*
<b>4722-1</b>	---- Rear. 250m from front	17 40-8 178 50-2	F Bu	30	11	Orange ▽ on pole	Neon □
							*
<b>4796</b>	- Port Boisé. Entrance	22 21-5 166 58-1	Fl R 2-5s	7	4	Red □ on red beacon	<i>fl 0-5</i>
							*
<b>4796-1</b>	---	22 21-4 166 58-2	Fl G 2-5s	7	4	Green △ on green beacon	<i>fl 0-5</i>
							*
<b>4965-93</b>	-- Southwards	17 46-7 149 25-7	Q(3) W 5s	2	4	◇ on black beacon, yellow band 4	<b>TE 2006</b>
							*
<b>4969</b>	- Passe Avamoā. Pointe Matapiri. Ldg Lts 126°18'. Front	16 43-1 151 02-0	Iso G 4s	32	6	White □ on white column, red bands 15	Vis on leading line only. <b>TE 2006</b>
							*
<b>4974</b>	- Pointe du Lotus	16 41-1 151 29-6	Fl(2) G 6s	4	5	Green △ on green beacon 7	<i>fl 1, ec 1, fl 1, ec 3.</i> <b>TE 2006</b>
							*
<b>4979-8</b>	- Baie Tapuamu. SW	16 37-2 151 33-0	Fl R 2-5s	4	4	Red □ on red beacon 6	<i>fl 0-5.</i> <b>TE 2006</b>
							*
<b>4980</b>	- Baie Utuone. NNW	16 38-1 151 32-9	Q R	4	5	Red □ on red beacon 8	<b>TE 2006</b>
							*
<b>4982</b>	- <b>Pointe Te Turi Roa</b>	16 32-8 151 47-2	Fl W 5s	13	15	White pylon 13	<b>TE 2006</b>
							*

### III

#### NAVIGATION WARNINGS

The following radio messages have been received during the period to 26 May 2006. Signal copies of these messages may be destroyed. It is recommended that the reprint of Navigational Warnings should be kept in a file or a book divided into areas. Cancellation should be made on receipt of signals and reprints.

Rigs on location other than those listed in the latest Section III summary are the subject of Radio Navigational Warnings. Rigs in transit will not be the subject of Warnings.

#### AUSCOAST WARNING

- 133 SE Coast. Seismic SV *Veritas Viking II* towing 2.5M cables in area 38° 17' S to 38° 41' S and 147° 23' E to 148° 04' E. 5M clearance requested.
- 134 NW Coast. Mary Anne Island light K1696 (21° 15'.7 S 115° 27'.8 E) destroyed.
- 135 Cancelled.
- 136 NW Coast. Drill rig *BHD Supply* in position 20° 41'.0 S 115° 24'.0 E. 2.5M clearance requested. Two associated unlit mooring buoys in position 20° 43'.5 S 115° 22'.8 E and 20° 39'.7 S 115° 27'.0 E.
- 137 N Coast. Cape Don light K3314 (11° 18'.5 S 131° 46'.0 E) altered to *Fl. 12s*.
- 138 NW Coast. Drill rig *Ensco 106* in position 19° 29'.5 S 116° 58'.9 E. 2.5M clearance requested.
- 139 NW Coast. Seismic SV *Western Trident* towing 7 x 3.5M cables in area 19° 40' S to 20° 35' S and 113° 54' E to 115° 10' E. 5M clearance requested.
- 140 SE Coast. Point Home Lookout light K3609.8 (42° 33'.1 S 147° 57'.2 E) altered to *Oc.6s 12M*.

#### NAVAREA X WARNINGS

Nil issued.

#### Navigational warnings in force as at 250001UTC MAY 06.

##### Auscoast

079 106 112 113 114 115 116 117 125 130 131 132 133 134 136 137 138 139 140.

##### Navarea X

001 004.

#### Summary of mobile drilling rigs as at 250001UTC MAY 06.

<i>Name</i>	<i>Position</i>
Stena Clyde	12° 17'.5 S 124° 19'.9 E
Ocean Bounty	19° 15'.6 S 116° 38'.3 E
Ensco 106	19° 29'.5 S 116° 58'.9 E
Atwood Eagle	19° 50'.5 S 115° 09'.9 E
Sedco 703	19° 50'.6 S 115° 47'.8 E
Jack Bates	19° 55'.6 S 114° 25'.4 E
BHD Supply	20° 41'.0 S 115° 24'.0 E
Ensco 67	29° 27'.0 S 114° 52'.2 E
Maersk Guardian	39° 14'.2 S 142° 54'.1 E
Ocean Patriot	38° 17'.6 S 148° 42'.2 E

#### NAVAREA XIV WARNINGS

Nil issued.

#### Navarea XIV warnings in force as at 250001UTC MAY 06.

2005 070.

2006 008.

**HYDROGRAPHIC REPORTS**

Locality	Report	Ship/Authority	Observer
NSW- Botany Bay	Light Beacon		P Mendes

# AMENDMENTS TO ADMIRALTY LIST OF RADIO SIGNALS 2006

Edition No 12 dated 9 June 2006

---

## VOLUME 2, NP 282, 2006/07

Published BA Wk 7/06

---

(Last Amendments: Edition No 11 dated 26 May 2006)

## RADAR BEACONS

Page 54, **SPAIN (Islas Baleares)** section, insert:

**Laja de Sant Carles, Menorca, Lt Buoy Racon** 39°51'·91N 4°18'·60E **68620**  
K

Spanish Notice 17/191/06 Ad21/06

Page 62, **NIGERIA** section, insert:

**Erha Oil Terminal, FPSO Racon** 5°21'·50N 4°20'·50E **73035**  
X

Capt Adu, Ehra and Yoho Marine Operations Ad21/06

Page 85, **CHINA** section, insert:

**Xiangshan Gang, Lt Buoy No 1 Racon** 29°40'·12N 121°57'·89E **81663**  
X

Chinese Notice 15/266/06 Ad21/06

Insert:

**Banyang Jiao, Lt Bn Racon** 30°01'·04N 121°57'·77E **81685**  
X

Chinese Notice 17/324/06 Ad21/06

Page 123, **COLOMBIA (Caribbean Coast)** section

**94840 Puerto Bolivar, Lt Buoy 1**

Delete position 12°17'·35N 71°58'·64W and replace by: 12°17'·41N 71°58'·72W

Colombian Notice 13/06 Ad20/06

## LEGAL TIME

Page 215, **Honduras**, delete entry and replace by:

<b>Honduras</b>	+06	+05	7 May 2006	30 Sept 2006
-----------------	-----	-----	------------	--------------

OAG Worldwide Ltd Ad21/06

Page 217, **Nicaragua**, in Daylight Saving Time, Begins column, delete Second Sun in April and replace by: Last Sun in April

OAG Worldwide Ltd Ad20/06

---

(Last Amendments: Edition No 11 dated 26 May 2006)

**RADIO WEATHER SERVICES AND NAVIGATIONAL WARNINGS**Pages 96 and 97, **AUSTRALIA, TELSTRA SEAPHONE**, delete section

BOM Ad21/06

Page 102, diagram **AUSTRALIA, VHF Radiotelephone** delete and replace by diagram on page 33

BOM Ad21/06

**VOLUME 5, NP 285, 2005/06**

Published BA Wk 23/05

(Last Amendments: Edition No 11 dated 26 May 2006)

**A new edition of this volume is in the press and will be published shortly**Page 55, **Chapter 3: COMMUNICATIONS SYSTEMS FOR USE IN THE GLOBAL SYSTEM, POINTS OF CONTACT FOR COSPAS-SARSAT 406 MHz BEACON REGISTRATION, Lithuania**, contacts table, delete entry and replace by:

<b>Lithuania</b>	MRCC Klaipėda J. Janonio St. 24, LT 92251 Klaipėda, Lithuania	+370 46 499669 +370 4616 36884 (Mobile)		+370 46 499677
		mrcc@msa.lt		

MRCC Klaipėda Ad20/06


Page 356, **Chapter 17: DISTRESS, SEARCH AND RESCUE, JAMAICA, National SAR Agency**, delete Tel: +1 876 9678190 and replace by: Tel: +1 876 9678031 / 2 / 3

Jamaica Coast Guard Ad20/06

Page 360, **LITHUANIA**, delete section and replace by:

<b>National SAR Agency:</b> MRCC Klaipėda <b>Address:</b> J. Janonio St. 24, LT 92251 Klaipėda, Lithuania <b>Tel:</b> +370 46 499669 & +370 616 36884 (Mobile) <b>Fax:</b> +370 46 499677 <b>E-mail:</b> mrcc@msa.lt			
MRCC Klaipėda is responsible for co-ordinating Search and Rescue operations within the Lithuanian SRR. MRCC Klaipėda maintains a continuous watch on 2182 kHz, VHF Ch 16 and also has DSC facilities on VHF Ch 70 and 2187.5 kHz.			
	<b>Telephone +370</b>	<b>Fax +370</b>	<b>Others</b>
MRCC KLAIPĖDA	46 499670 46 499669	46 499677	<b>Inmarsat B</b> (AOR-E) 327703310 (Tel) (AOR-E) 327703312 (Fax) (AOR-E) 327703314 (Tlx) <b>Inmarsat C</b> (AOR-E) 427799011 <b>E-mail</b> mrcc@msa.lt

MRCC Klaipėda Ad20/06



Page 377, **SOLOMON ISLANDS**, delete section and replace by:

<b>National SAR Agency:</b> Marine Division, Ministry of Transport, Communications and Works			
<b>Address:</b> P.O. Box G32, Honiara, Solomon Islands			
<b>Tel:</b> +677 21609			
<b>Fax:</b> +677 23798			
The Marine Division of the Ministry of Transport, Communications and Works at Honiara is responsible for co-ordinating Search and Rescue operations. Honiara (H4H) maintains a continuous listening watch on 2182 kHz for distress calls.			
	<b>Telephone +677</b>	<b>Fax +677</b>	<b>Others</b>
HONIARA (H4H)	21609	23798	
MRCC HONIARA	21609	23798	

Solomon Telecom Ad21/06

## AMENDMENTS TO ADMIRALTY SAILING DIRECTIONS 2006

### NP 13 Australia Pilot Volume I (2005 Edition)

#### Western Australia - North West Cape — Oil field

**246**

*After Paragraph 6.275 3 Insert:*

#### **Marine exploitation**

##### **6.275a**

- 1* Enfield oil field lies within a circle of radius 1½ miles centred on position 21°29'S 113°59'E (Chart Aus 329). The field comprises four production wells, an FPSO and an inter-connecting submarine oil pipeline.

A restricted area has been established around the production wells and FPSO. For remarks on safety zones see 1.11.

A cautionary area within which vessels are to avoid navigating, anchoring or fishing, has also been established around the field.

Australian Notice 9/390/06

[Ad 21/06]

### NP 14 Australia Pilot Volume II (2004 Edition)

#### **Victoria - Port Campbell — Platform; production wells; submarine gas pipelines**

**86**

Paragraph 3.46 *Replace by:*

- 1* Production wells and a gas field have been established in the following positions:

Minerva production wells, centred on position 38°42'·8S 142°57'·5E.

Casino production wells, centred on position 38°47'·5S 142°43'·2E.

Thylacine gas field, centred on position 39°14'·2S 142°54'·1E.

- 2* A restricted area has been established around the production wells and the platform. For remarks on safety zones see 1.10.

A Cautionary Area within which vessels are to avoid navigating, anchoring or fishing, has also been established around Thylacine gas field.

Paragraph 3.47 *Replace by:*

- 1* Submarine gas pipelines have been laid from position 38°37'·4S 142°57'·8E to Minerva and Casino production wells, 5½ miles SSW and 17 miles SW respectively, of Point Sturgess.

Another gas pipeline has been laid from position 38°37'·6S 142°58'·5E to Thylacine gas field, 37 miles S of Point Sturgess. For further information on pipelines see 1.33.

**87**

*After Paragraph 3.50 1 line 12 Add:*

Clear of Casino Production Wells (38°48'S 142°43'E) (3.46), thence:

*After Paragraph 3.51 1 line 9 Add:*

NE of Thylacine gas field (39°14'S 142°54'E) (3.46), thence:

Australian Notice 8/356/06; Australian Chart 349

[Ad 20/06]

(9 June 2006)

### NP 34 Indonesia Pilot Volume II (2003 Edition)

#### **Pulau-pulau Marabatua — Pulau Payongpayongan Light**

**217**

Paragraph 8.24 *1 Replace by:*

- 1* **Spare**

**218**

Paragraph 8.38 *4 lines 4-5 Replace by:*

Pulau Payongpayongan Light (4°23'S 115°48'E), white iron framework structure.

Indonesian Notice 13/95/06

[Ad 21/06]

### NP 39 South Indian Ocean Pilot (2004 Edition)

#### **Comores - Ile de Mayotte — Navigation restriction**

**75**

*After Paragraph 3.119 3 Insert:*

**Navigation restriction.** Access to the interior of Mayotte harbour by vessels arriving from abroad is authorised only via Passe Mtsamboro.

Government vessels and those private vessels which have been ordered or authorised to carry out SAR operations by Mayotte RCC are exempt from the above restriction.

Mayotte Prefecture, Decree No 03/AM/2006 dated 9 January 2006

[Ad 21/06]