



Australian Notices to Mariners are the authority for correcting Australian Charts and Publications

AUSTRALIAN NOTICES TO MARINERS

Notices 742 - 802 

List of Temporary and Preliminary Notices in force

Published fortnightly by the Australian Hydrographic Service

Commodore R. NAIRN RAN
Hydrographer of Australia

-
- SECTIONS.**
- I. **Australian Notices to Mariners, including blocks and notes.**
 - II. **Hydrographic Reports.**
 - III. **Navigational Warnings.**

For Notices affecting Admiralty List of Lights and Fog Signals; List of Radio Signals; and Sailing Directions see **British Notices to Mariners.**

The substance of these notices should be inserted on the charts affected.

Bearings are referred to the true compass and are reckoned clockwise from North; those relating to lights are given as seen by an observer from seaward. Positions quoted in permanent notices relate to the horizontal datum for the chart(s). When preliminary or temporary notices affect multiple charts, positions will be provided in relation to only one horizontal datum and that datum will be specified. When the multiple charts do not have a common horizontal datum, mariners will be required to adjust the position(s) for those charts not on the specified datum. The range quoted for a light is its nominal range. Depths are with reference to the chart datum of each chart. Heights are above mean high water springs or mean higher high water, as appropriate.

The capital letter (P) or (T) after the number of any notice denotes a preliminary or temporary notice respectively, which are contained separately at the end of the permanent notices. A star () adjacent to the number of a notice indicates that the notice is based on original information.*

Mariners are particularly requested to notify the **AUSTRALIAN HYDROGRAPHIC SERVICE**, Locked Bag 8801 Wollongong, NSW 2500 (Fax 02-4223 6599, e-mail Hydro.NTM@defence.gov.au or, alternatively by filling in and submitting the **Hydrographic Notes** forms located on the web site – www.hydro.gov.au), immediately on the discovery of new dangers or suspected dangers to navigation. For changes or defects in aids to navigation notify AusSAR (Fax 02-6230 6868 or email rccaus@amsa.gov.au).

Copies of Australian notices are available free of charge from the Australian Hydrographic Service (AHS) website (www.hydro.gov.au) and through the eNotices (email) service (www.hydro.gov.au/enotices/enotices.htm).

Individual Notices may be copied for the purpose of inserting Notice substance on official charts and publications. Paper copies may be printed by chart agents and distributed to customers on a cost recovery basis. Participating chart agents are listed on the AHS website as providing a 'Paper Notices to Mariners' service (www.hydro.gov.au/prodserv/distributors/distributors.htm). Copies of the notices may not be sold for profit without prior written agreement.

IMPORTANT NOTICE

This edition of Notices to Mariners includes all significant information affecting AHS products which the AHS has become aware of since the last edition. All reasonable efforts have been made to ensure the accuracy and completeness of the information, including third party information, on which these updates are based. The AHS regards third parties from which it receives information as reliable, however the AHS cannot verify all such information and errors may therefore exist. The AHS does not accept liability for errors in third party information.

© Commonwealth of Australia 2009

This work is copyright. Apart from any use permitted under the Copyright Act 1968, no part may be reproduced by any process, adapted, communicated or commercially exploited without prior written permission from The Commonwealth represented by the Australian Hydrographic Service.

NUMERICAL INDEX OF NOTICES TO MARINERS

Edition No 13

Notices	Aus Chart, INT Chart, ENC Cell, AHP
742.....	Aus 230, 361, 489, AU403141, 403142, 404142, 404144, 405144, 416123, 437149, 437150, 5XX122, 5XX175, 5XX672
743.....	Amendment to Australian Notice to Mariners No 2
744.....	Amendment to Australian National Tide Tables 2009
745.....	Aus 207, 208
746.....	Aus 219
747.....	Aus 219
748.....	Aus 220
749.....	Aus 235, 236, 364, 365, 814
750.....	Aus 236, 237, 364, 814
751.....	Aus 240, 365, 424, 426
752.....	Aus 241
753.....	Aus 822
754.....	Aus 257
755.....	Aus 4604, 4620, 4621, INT 604, 620, 621, AX 4620F, 4621F
756.....	Aus 259
757.....	Aus 831
758.....	Aus 831
759.....	Aus 546
760.....	Aus 715
761.....	Aus 722, AX 72722
762.....	Aus 314, 319, AX 0314F, 0319F
763.....	Aus 55
764.....	Aus 120
765.....	Aus 786, 788
766.....	Aus 141
767.....	Aus 797
768.....	Aus 141
769.....	Aus 143, 144, 158
770.....	Aus 153
771.....	Aus 181, 182
772(P).....	Aus 197, 365, 386, 387, 388, 396, 423, 424, 426, 462, 489, 809, 4060, 4601, 4602, 4603, 4604, 4620, 4621, 4622, AX 0809E, 4603F, 4604F, 4620F, 4621F, INT 60, 601, 602, 603, 604, 620, 621, 622, AU130120, 130150, 160150, 210150, 220150, 230150, 305146, 308150, 308151, 334152, 406146, 406147, 407147, 407148, 407149, 407150, 434151
773(T).....	Aus 207, 208, AU5XX208
774(T).....	Aus 230
775(T).....	Aus 230
776(T).....	Aus 230
777(T).....	Aus 230
778(T).....	Aus 238, AU5237X8
779(T).....	Aus 244, 245, AU5244X5
780(T).....	Aus 244, 245
781(T).....	Aus 244, 245, AU5244X5
782(T).....	Aus 248, 260, 261, 367, 820, 822, 4620, 4621, INT 620, 621, AX 4620F, 4621F, 60260, 67248, 67261, AU423150, 5261P1, 5261P2, 5XX248
783(T).....	Aus 260, 367, 822, AX 60260, AU423150
784(T).....	Aus 249, 250, AU5250P2
785(T).....	Aus 256, 257, AU5XX257
786(T).....	Aus 258, AU5258P1
787(T).....	Aus 831, 832, AU415145
788(T).....	Aus 293, 299, AU5XX299
789(T).....	Aus 293, 299
790(T).....	Aus 20
791(T).....	Aus 314, 319, AX 0314F, 0319F, AU313124
792(T).....	Aus 334, 754, AX 0334E, 0754E, 66002, AU332114, 432115, 433115
793(T).....	Aus 113, AU5XX113
794(P).....	Aus 346, 347
795(T).....	Aus 171
796(T).....	Aus 171, 795
797(T).....	Aus 171, 796
798(T).....	Aus 170
799(T).....	Aus 178, AU5178P4
800(T).....	Aus 181, 182, AU439146
801(T).....	Australian National Tide Tables 2009
802(T).....	Temporary and Preliminary notices in force

ENC Cell	Notices
AU130120	772(P)
AU130150	772(P)
AU160150	772(P)
AU210150	772(P)
AU220150	772(P)
AU230150	772(P)
AU305146	772(P)
AU308150	772(P)
AU308151	772(P)
AU313124	791(T)
AU332114	792(T)
AU334152	772(P)
AU403141	742
AU403142	742
AU404142	742
AU404144	742
AU405144	742
AU406146	772(P)
AU406147	772(P)
AU407147	772(P)
AU407148	772(P)
AU407149	772(P)
AU407150	772(P)
AU415145	787(T)
AU416123	742
AU423150	782(T), 783(T)
AU432115	792(T)
AU433115	792(T)
AU434151	772(P)
AU437149	742
AU437150	742
AU439146	800(T)
AU5XX113	793(T)
AU5XX122	742
AU5XX175	742
AU5178P4	799(T)
AU5XX208	773(T)
AU5237X8	778(T)
AU5244X5	779(T), 781(T)
AU5XX248	782(T)
AU5250P2	784(T)
AU5XX257	785(T)
AU5258P1	786(T)
AU5261P1	782(T)
AU5261P2	782(T)
AU5XX299	788(T)
AU5XX672	742

742 AUSTRALIA - Product

Australian Hydrographic Service (AA403619, AA414974, AA415129)

New Chart

<i>Chart</i>	<i>Published</i>	<i>Title and description of amendments</i>	<i>Scale</i>	<i>Index Chart</i>	<i>Price</i>
Aus 230	22/5/2009	Australia - East Coast - Queensland - Approaches to Gold Coast Seaway 27° 54' 00" S - 27° 59' 18" S 153° 23' 48" E - 153° 28' 24" E <i>New chart providing improved coverage of the Gold Coast Seaway.</i>	1:15 000	Aus 5001	\$35.00
Aus 489	22/5/2009	Australia - East Coast - New South Wales - Jervis Bay to Sugarloaf Point 32° 15' 48" S - 35° 12' 00" S 150° 40' 00" E - 156° 40' 36" E <i>New chart providing medium scale coverage of the approaches to Port Jackson and Port Botany.</i>	1:500 000	Aus 5001	\$35.00

New Electronic Navigation Chart (Seafarer ENC)

<i>Cell Name</i>	<i>Released</i>	<i>Title</i>
AU403141	July 2009	Bismark Sea - Baudissan Point to Bougainville Bay
AU403142	July 2009	Bismark Sea - Cell 9
AU404142	July 2009	Bismark Sea - Cape Djeruen to Sissano Lagoon
AU404144	July 2009	Bismark Sea - Aris Island to Vokeo Island
AU405144	July 2009	Bismark Sea - Bogia Harbour to Cape Purpur
AU416123	July 2009	Western Australia - Adele Island to Macleay Islands
AU437149	July 2009	New South Wales - Merimbula
AU437150	July 2009	New South Wales - Montague Island
AU5XX122	July 2009	South Australia - Yatala Channel including Thevenard
AU5XX175	July 2009	Tasmania - Spring Bay including Triabunna
AU5XX672	July 2009	New Britain - North Coast - Tavanatangir Harbour

Chart permanently withdrawn without replacement

Chart
Aus 361

For further details refer to the AHS website at www.hydro.gov.au for new edition and new chart stock arrival information.

When placing orders with a chart agent, mariners should advise whether their order pertains to the current edition or the new edition.

743 AUSTRALIA - Product - Amendment to Australian Notice to Mariners No 2

Australian Hydrographic Service (AA411281)

Page 16

Amend Marine Overseas Agency (PVT) Ltd details to read:

Marine Overseas Agency (PVT) Ltd

5th Floor, Paul VI Centre
24 Malwatta Road
Colombo II

Telephone
Fax
Email

(94) 11 232 6262
(94) 11 233 0689
marino@slt.lk

C

744 AUSTRALIA - Product - Amendment to Australian National Tide Tables 2009
Australian Hydrographic Service (AA412949)

Page 296
Amend Port Name RED I. to RED ISLAND POINT

Page 336
Amend Port Name RED I. to RED ISLAND POINT

Page 352
Amend FLOCK PIGEON I. To Chart Datum to 0.0

Amend McEWEN ISLET To Chart Datum to 0.0

Page 366
Amend APOLLO BAY To Chart Datum to 0.0

Page 370
Amend PORT FAIRY To Chart Datum to 0.0

745* AUSTRALIA - NEW SOUTH WALES - Newcastle - Maintained depth limit amended; light buoy withdrawn; ZOC diagram

Newcastle Port Corporation (AA412214, AA412215)

Aus 207 [621/2008]

Insert	dashed line, between	32° 53'.427 S	151° 45'.845 E
		32° 53'.257 S	151° 45'.724 E

Delete	contour, between	32° 53'.48 S	151° 45'.93 E
		32° 53'.26 S	151° 45'.72 E

Aus 208 [1219/2008]

Insert	accompanying block	32° 53'.0 S	151° 46'.0 E
--------	------------------------------------	-------------	--------------

746* AUSTRALIA - NEW SOUTH WALES - Camden Haven - Lights altered

NSW Maritime (AA410342)

Aus 219 (plan, Camden Haven) [692/2009]

Amend	light to <i>F.Bu</i>	31° 38'.27 S	152° 49'.97 E
	light to <i>F.Bu</i>	31° 38'.24 S	152° 50'.03 E

747* AUSTRALIA - NEW SOUTH WALES - Port Macquarie - Lights altered

NSW Maritime (AA410342)

Aus 219 (plan, Hastings River) [746/2009]

Amend	light to <i>Iso.R.2s & F.Bu</i>	31° 25'.63 S	152° 54'.71 E
	light to <i>Iso.R.2s & F.Bu</i>	31° 25'.61 S	152° 54'.87 E

Delete	legend	31° 25'.58 S	152° 55'.26 E
--------	--------	--------------	---------------

Aus 219 (plan, Port Macquarie) [746/2009]

Amend	light to <i>Iso.R.2s & F.Bu</i>	31° 25'.61 S	152° 54'.87 E
	light to <i>Iso.R.2s & F.Bu</i>	31° 25'.63 S	152° 54'.71 E

Delete	legend	31° 25'.56 S	151° 55'.04 E
--------	--------	--------------	---------------

748* AUSTRALIA - NEW SOUTH WALES - Wooli Wooli River - Lights altered
NSW Maritime (AA410342)

Aus220 (plan, Wooli Wooli River Entrance) [639/2009]

Amend	light to <i>Fl.Bu.3s 3M</i>	29° 53'.26 S	153° 16'.06 E
	light to <i>Iso.Bu.2s 2M</i>	29° 53'.25 S	153° 16'.09 E

749* AUSTRALIA - QUEENSLAND - Henderson Rock to Point Cartwright - Wrecks
T Jackson, Australian Hydrographic Service (AA407792)

Aus 235 [533/2009]

Insert	safe clearance depth, 45m, enclosed by danger circle with legend <i>Wk</i>	27° 03'.09 S	153° 30'.19 E
	depth, 6m, enclosed by danger circle with legend <i>Wk</i>	27° 00'.27 S	153° 28'.97 E
	safe clearance depth, 70m, enclosed by danger circle with legend <i>Wk</i>	26° 55'.10 S	153° 30'.37 E
	safe clearance depth, 50m, enclosed by danger circle with legend <i>Wk</i>	26° 43'.59 S	153° 23'.87 E
	depth, 38m, enclosed by danger circle with legend <i>Wk</i>	27° 00'.25 S	153° 29'.93 E
	Delete	depth, 69m	26° 54'.8 S
	depth, 31m	27° 00'.1 S	153° 29'.7 E

Aus 236 [693/2009]

Insert	safe clearance depth, 60m, enclosed by danger circle with legend <i>Wk</i>	27° 06'.45 S	153° 30'.79 E
	safe clearance depth, 45m, enclosed by danger circle with legend <i>Wk</i>	27° 03'.09 S	153° 30'.19 E
	depth, 6m, enclosed by danger circle with legend <i>Wk</i>	27° 00'.27 S	153° 28'.97 E
	depth, 38m, enclosed by danger circle with legend <i>Wk</i>	27° 00'.25 S	153° 29'.93 E
	Delete	depth, 31m	27° 00'.1 S

Aus 364 [694/2009]

Insert	safe clearance depth, 33fm, enclosed by danger circle with legend <i>Wk</i>	27° 06'.55 S	153° 30'.81 E
	safe clearance depth, 24fm, enclosed by danger circle with legend <i>Wk</i>	27° 03'.19 S	153° 30'.21 E
Delete	depth, 22fm	27° 03'.7 S	153° 29'.8 E
	depth, 45fm	27° 03'.2 S	153° 31'.4 E

Aus 365 [405/2009]

Insert	safe clearance depth, 27fm, enclosed by danger circle with legend <i>Wk</i>	26° 43'.69 S	153° 23'.81 E
	safe clearance depth, 28fm, enclosed by danger circle with legend <i>Wk</i>	26° 55'.20 S	153° 30'.31 E

Aus 814 [533/2009]

Insert	safe clearance depth, 60m, enclosed by danger circle with legend <i>Wk</i>	27° 06'.55 S	153° 30'.73 E
	safe clearance depth, 45m, enclosed by danger circle with legend <i>Wk</i>	27° 03'.19 S	153° 30'.13 E
	safe clearance depth, 70m, enclosed by danger circle with legend <i>Wk</i>	26° 55'.20 S	153° 30'.31 E
	depth, 38m, enclosed by danger circle with legend <i>Wk</i>	27° 00'.35 S	153° 29'.87 E
	Delete	depth, 69m	26° 54'.9 S
	depth, 40m	27° 03'.3 S	153° 29'.7 E
	depth, 44m	27° 00'.8 S	153° 30'.1 E

750* AUSTRALIA - QUEENSLAND - Moreton Bay - Fisherman Islands - Historic wreck northwestwards
Queensland Museum (AA405767)

Aus 236 [749/2009]

Insert	dangerous wreck, with magenta legend <i>Historic Wk</i> (see Note)	27° 19'.31 S	153° 10'.38 E
Delete	wreck depth, 3m	27° 19'.4 S 27° 19'.2 S	153° 10'.5 E 153° 10'.3 E

Aus 237 [643/2009]

Insert	dangerous wreck, with magenta legend <i>Historic Wk</i> (see Note) accompanying Historic Wreck note	27° 19'.31 S 27° 22'.9 S	153° 10'.38 E 153° 08'.6 E
Delete	wreck	27° 19'.4 S	153° 10'.5 E

Aus 364 [749/2009]

Insert	magenta legend <i>Historic Wk</i> (see Note)	27° 19'.41 S	153° 10'.40 E
--------	----------------------------------------------	--------------	---------------

Aus 814 [749/2009]

Insert	magenta legend <i>Historic Wk</i> (see Note)	27° 19'.41 S	153° 10'.32 E
--------	----------------------------------------------	--------------	---------------

751* AUSTRALIA - QUEENSLAND - Noosa Head to Double Island Point - Wrecks

T Jackson, Australian Hydrographic Service (AA407792)

Aus 240 [NC 10/4/2009]

Insert	safe clearance depth, 10m, enclosed by danger circle with legend <i>Wk</i>	25° 58'.64 S	153° 10'.69 E
Delete	depth, 19 ₃ m depth, 22 ₂ m	25° 58'.7 S 25° 58'.7 S	153° 10'.6 E 153° 10'.8 E

Aus 365 [749/2009]

Insert	safe clearance depth, 5 ₃ fm, enclosed by danger circle with legend <i>Wk</i>	25° 58'.74 S	153° 10'.63 E
Insert	depth, 30fm, enclosed by danger circle with legend <i>Wk</i>	26° 17'.16 S	153° 15'.48 E
Insert	safe clearance depth, 30fm, enclosed by danger circle with legend <i>Wk</i>	26° 09'.10 S	153° 16'.67 E
Delete	wreck, with legend depth, 10fm depth, 31fm	25° 58'.5 S 25° 58'.9 S 26° 09'.6 S	153° 10'.7 E 153° 10'.5 E 153° 16'.5 E

Aus 424 [640/2009]

Insert	depth, 30fm, enclosed by danger circle with legend <i>Wk</i>	26° 17'.1 S	153° 15'.5 E
Insert	safe clearance depth, 30fm, enclosed by danger circle with legend <i>Wk</i>	26° 09'.0 S	153° 16'.7 E
Delete	depth, 28fm depth, 31fm depth, 29fm depth, 32fm	26° 06'.5 S 26° 10'.5 S 26° 15'.6 S 26° 17'.4 S	153° 16'.5 E 153° 19'.0 E 153° 13'.0 E 153° 20'.2 E

Aus 426 [696/2009]

Insert	safe clearance depth, 30fm, enclosed by danger circle with legend <i>Wk</i>	26° 09'.0 S	153° 16'.7 E
Delete	depth, 28fm depth, 31fm	26° 06'.5 S 26° 10'.5 S	153° 16'.5 E 153° 19'.0 E

752* AUSTRALIA - QUEENSLAND - Great Sandy Strait - Little Woody Island - Marine farms altered
Maritime Safety Queensland Notice 341/2009 (AA409167)

Aus 241 [NC 10/4/2009]

Insert [accompanying block](#) 25° 17'.0 S 153° 01'.5 E

753* AUSTRALIA - QUEENSLAND - Broad Sound Channel - Historic wreck; chart note
Queensland Museum (AA402912, AA403371)

Aus 822 [NC 8/5/2009]

Insert [accompanying Historic Wreck note](#) 22° 08'.5 S 149° 27'.5 E

Substitute magenta legend *Historic Wk* (see Note) for legend
Wk 22° 05'.0 S 150° 03'.0 E

754* AUSTRALIA - QUEENSLAND - Townsville - Light
Australian Hydrographic Service (AA413018), UKHO (AA413109)

Aus 257 [698/2009]

Amend light to Q.R No6 19° 15'.04 S 146° 49'.40 E

755* AUSTRALIA - CORAL SEA - Moore Reefs - Reef delineation
LADS Flight (AA411779)

Aus 4604 (INT 604) [556/2009]

Insert [accompanying block](#) 15° 30'.0 S 149° 30'.0 E

Aus 4620 (INT 620) [407/2009]

Insert [accompanying block](#) 15° 50'.0 S 149° 40'.0 E

Aus 4621 (INT 621) [407/2009]

Insert [accompanying block](#) 15° 50'.0 S 149° 40'.0 E

AX 4620F [407/2009]

Insert [accompanying block](#) 15° 50'.0 S 149° 40'.0 E

AX 4621F [407/2009]

Insert [accompanying block](#) 15° 50'.0 S 149° 40'.0 E

756* AUSTRALIA - QUEENSLAND - Lucinda - Tide Gauge Island - Island eroded
Maritime Safety Queensland (AA412562 - AA412565)

Aus 259 [645/2009]

Delete island, centred on 18° 31'.00 S 146° 18'.83 E

Aus 259 (plan, Port of Lucinda)

Delete island with legend, centred on 18° 31'.00 S 146° 18'.83 E

757* AUSTRALIA - QUEENSLAND - Daintree River - Light buoy repositioned
Maritime Safety Queensland Notice 385/2009 (AA412020)

Aus 831 [294/2009]

Move light buoy 16° 18'.6 S 145° 27'.2 E
to 16° 18'.76 S 145° 27'.21 E

758* AUSTRALIA - QUEENSLAND - Cape Bedford - Depth
HS *Blue* (AA284291)

Aus 831 [757/2009]

Substitute depth, 13₃m, for depth, 7₇m

15° 12'.0 S

145° 20'.6 E

759* PAPUA NEW GUINEA - Ake Reef to Banban Reefs - Depth
HMAS *Paluma* (DHDB 596633)

Aus 546 [478/2009]

Substitute depth, 2₉m, for depth, 4m

4° 59'.9 S

151° 08'.1 E

760* AUSTRALIA - NORTHERN TERRITORY - North East Bromby Islet - Light buoy withdrawn

Former Notice - 730(P)/2009 is cancelled

Auscoast Warning 148/2009 (AA413500), Australian Maritime Safety Authority ATH 19/2009 (AA412457)

Aus 715 [245/2009]

Delete light buoy

11° 48'.3 S

136° 43'.6 E

761* AUSTRALIA - NORTHERN TERRITORY - Melville Island - Depths
HMAS *Paluma* (DHDB 713963)

Aus 722 [705/2009]

Insert [accompanying block](#)

11° 54'.0 S

130° 50'.0 E

AX 72722 [705/2009]

Insert [accompanying block](#)

11° 54'.0 S

130° 50'.0 E

762* AUSTRALIA - TIMOR SEA - Osborn Passage - Light; restricted area
PTTEP Australia (AA413548)

Aus 314 [1280/2008]

Insert light description, Mo(U)15s
restricted area enclosing platform

12° 40'.3 S

124° 32'.4 E

12° 40'.3 S

124° 32'.4 E

Aus 319 [649/2009]

Insert light description, Mo(U)15s
restricted area enclosing platform

12° 40'.3 S

124° 32'.4 E

12° 40'.3 S

124° 32'.4 E

AX 0314F [1280/2008]

Insert light description, Mo(U)15s
restricted area enclosing platform

12° 40'.3 S

124° 32'.4 E

12° 40'.3 S

124° 32'.4 E

AX 0319F [649/2009]

Insert light description, Mo(U)15s
restricted area enclosing platform

12° 40'.3 S

124° 32'.4 E

12° 40'.3 S

124° 32'.4 E

763* AUSTRALIA - WESTERN AUSTRALIA - Port Walcott - Infrastructure; channel amended, nav aids
Maritime Solutions (AA293966, AA293967)

Aus 55 [603/2009]

Insert [accompanying block](#)

20° 34'.0 S

117° 12'.5 E

764* AUSTRALIA - SOUTH AUSTRALIA - Goat Island - Buoy
Australian Hydrographic Service (AA412952)

Aus 120 [655/2009]

On certain copies only

Substitute	north cardinal pillar buoy (unfilled) with topmark for buoy	32° 18'.0 S	133° 31'.5 E
------------	-------------------------------------------------------------	-------------	--------------

765* AUSTRALIA - VICTORIA - Port Fairy to Loutit Bay - Chart limits
Australian Hydrographic Service (AA401625)

Aus 786 [713/2009]

Insert	magenta limits, with legend <i>Aus 141</i> in SE corner, between	38° 34'.48 S	142° 11'.04 E
		38° 34'.48 S	142° 33'.41 E
		38° 20'.10 S	142° 33'.41 E
		38° 20'.10 S	142° 11'.04 E
		38° 34'.48 S	142° 11'.04 E
Delete	magenta legend, (see <i>Aus 141</i>)	38° 22'.9 S	142° 16'.5 E
		magenta legend, (see <i>Aus 141</i>)	38° 25'.0 S

Aus 788 [612/2009]

Insert	magenta limits, with legend <i>Aus 141</i> in SE corner, between	38° 47'.80 S	143° 39'.08 E
		38° 47'.80 S	143° 44'.00 E
		38° 43'.00 S	143° 44'.00 E
		38° 43'.00 S	143° 39'.08 E
		38° 47'.80 S	143° 39'.08 E
	magenta limits, with legend <i>Aus 141</i> in SE corner, between	38° 34'.25 S	143° 57'.93 E
		38° 34'.25 S	144° 01'.88 E
		38° 30'.92 S	144° 01'.88 E
		38° 30'.92 S	143° 57'.93 E
		38° 34'.25 S	143° 57'.93 E
Delete	magenta limits, with legend <i>Aus 141</i> , centred on	38° 45'.0 S	143° 41'.5 E
		magenta limits, with legend <i>Aus 141</i> , centred on	38° 32'.5 S

766* AUSTRALIA - VICTORIA - Warrnambool - Lights altered
Victorian Notice 72/2009 (AA409121)

Aus 141 (plan, Warrnambool) [NC 8/5/2009]

Amend	light to <i>Iso.Bu.6s 5M</i>	38° 23'.38 S	142° 29'.14 E
	light, <i>Iso.Bu.2s 5M</i>	38° 23'.45 S	142° 29'.13 E

Aus141 (plan, Port Fairy to Warrnambool)

Amend	light to <i>Iso.Bu.6s 5M</i>	38° 23'.38 S	142° 29'.14 E
	light to <i>Iso.Bu.2s 5M</i>	38° 23'.45 S	142° 29'.13 E
Delete	obscured sectors emanating from light	38° 23'.38 S	142° 29'.14 E
	red and green light sectors emanating from light	38° 23'.45 S	142° 29'.13 E

767* AUSTRALIA - TASMANIA - Cape Peron to Point Home - Wreck; light
Parks and Wildlife Service (AA413096), UKHO (AA413105)

Aus 797 [1135/2008]

Amend	light range to 12M	42° 33'.1 S	147° 57'.2 E
Delete	dangerous wreck	42° 44'.5 S	148° 01'.7 E

768* AUSTRALIA - VICTORIA - Apollo Bay - Depth
Deakin University (AA370664, DHDB 1077456, 1077515)

Aus 141 (plan, Apollo Bay) [766/2009]

Delete	depth, 197m, and enclosing contour	38° 45'.0 S	143° 42'.9 E
--------	------------------------------------	-------------	--------------

769* AUSTRALIA - VICTORIA - Port Phillip - Queenscliff - Light established

Former Notice - 737(P)/2009 is cancelled
Victorian Notice 83/2009 (AA412497)

Aus 143 [714/2009]

Insert	light, F.WG.28m 11/8M	38° 15'.90 S	144° 40'.23 E
--------	-----------------------	--------------	---------------

Aus 143 (plan, Queenscliff)

Insert	light, F.WG.28m 11/8M with sectors Green 040.7° - 042.5° (1.8°) White 042.5° - 044.2° (1.7°)	38° 15'.897 S	144° 40'.233 E
--------	----------------------------------------------------------------------------------------------------	---------------	----------------

Aus 144 [612/2009]

Insert	a dashed line in a direction 223.3° for a distance of 2900m, thence a continuous line for 8500m, with legend <i>Dir 043.3°</i> , emanating from light	38° 15'.897 S	144° 40'.233 E
	light, F.WG.28m 11/8M	38° 15'.897 S	144° 40'.233 E

Aus 158 [612/2009]

Insert	light, F.WG.28m 11/8M	38° 15'.897 S	144° 40'.233 E
--------	-----------------------	---------------	----------------

770* AUSTRALIA - VICTORIA - Port Phillip - Geelong - Port limit
UKHO (AA413569)

Aus 153 [71/2009]

Insert	dashed magenta line, with legend <i>Port of Geelong Port Limit</i> , between	38° 07'.617 S	144° 21'.470 E
		38° 07'.724 S	144° 21'.810 E
		38° 08'.094 S	144° 21'.771 E
		38° 08'.420 S	144° 22'.570 E
		38° 08'.222 S	144° 23'.247 E
		38° 07'.650 S	144° 23'.805 E
		38° 07'.983 S	144° 24'.359 E
		38° 07'.460 S	144° 24'.548 E
		38° 07'.443 S	144° 24'.667 E
	dashed magenta line, between	38° 04'.712 S	144° 23'.272 E
		38° 05'.535 S	144° 24'.667 E

771* AUSTRALIA - VICTORIA - Franklin River Channel to Lewis Channel - Light beacons established
 Victorian Notice 82/2009, 85/2009, 86/2009 (AA412868, AA412965, AA413951)

Aus 181 [555/2009]

Insert	port lateral light beacon, <i>LFI.R.10s No8</i> , with topmark	38° 43'.08 S	146° 18'.88 E
Substitute	port lateral light beacon, <i>FI(2)R.5s No6</i> , with topmark for beacon	38° 43'.5 S	146° 19'.4 E
	starboard lateral light beacon, <i>LFI.G.6s No11</i> , with topmark for light buoy	38° 43'.3 S	146° 25'.7 E
	starboard lateral light beacon, <i>FI(2)G.5s No15</i> , with topmark for light buoy	38° 42'.9 S	146° 26'.1 E

Aus 182 (plan, Lewis Channel) [613/2009]

Insert	starboard lateral light beacon, <i>FI(2)G.5s No15</i> , with topmark for light buoy	38° 42'.772 S	146° 26'.180 E
Substitute	starboard lateral light beacon, <i>LFI.G.6s No11</i> , with topmark for light buoy	38° 43'.22 S	146° 25'.76 E
Delete	light buoy	38° 42'.77 S	146° 26'.17 E

772(P)/2009 PACIFIC OCEAN - Sydney, Madang, Guam - Submarine cable

Former Notice - 616(P)/2009 is cancelled

Date - Until 3 August 2009

National Maritime Safety Authority PNG Notice 30/2009 (AA405883), Tyco Telecommunications (AA403608 - AA403613)

Cable ship *Tyco Durable* will be laying a submarine cable between the following positions:

5° 11'.31 S	146° 30'.24 E	6° 31'.60 S	148° 27'.86 E
7° 00'.14 S	150° 35'.97 E	8° 22'.43 S	154° 04'.60 E
8° 25'.15 S	154° 53'.89 E	9° 44'.52 S	156° 16'.47 E
9° 46'.80 S	156° 41'.46 E	10° 12'.80 S	156° 48'.19 E
10° 44'.75 S	156° 42'.08 E	11° 55'.84 S	155° 05'.61 E
12° 37'.32 S	154° 44'.87 E	14° 39'.32 S	154° 34'.20 E
17° 14'.67 S	154° 51'.82 E	17° 30'.05 S	154° 49'.21 E
18° 09'.54 S	154° 12'.62 E	18° 55'.26 S	154° 16'.17 E
19° 36'.40 S	154° 55'.39 E	22° 02'.52 S	155° 43'.38 E
23° 39'.33 S	154° 58'.09 E	24° 14'.57 S	155° 01'.04 E
25° 15'.51 S	154° 37'.85 E	27° 40'.00 S	154° 51'.43 E
28° 44'.08 S	155° 11'.78 E	29° 49'.33 S	155° 13'.40 E
31° 44'.23 S	154° 13'.43 E	32° 26'.54 S	154° 24'.93 E
33° 12'.84 S	153° 48'.67 E	33° 15'.49 S	153° 15'.46 E
33° 36'.81 S	152° 41'.50 E	33° 44'.10 S	152° 04'.35 E
33° 43'.72 S	151° 17'.54 E		

A submarine cable exists between the following positions (WGS84 datum):

1° 02'.50 N	145° 56'.38 E	0° 45'.44 N	145° 51'.70 E
0° 50'.76 S	145° 57'.18 E	1° 55'.25 S	145° 38'.81 E
2° 17'.97 S	145° 36'.93 E	4° 32'.43 S	146° 32'.98 E
5° 11'.31 S	146° 30'.24 E		

Note: Charting action will be undertaken on receipt of as laid positions.

Chart which will be affected – Aus 197 – Aus 365 – Aus 386 – Aus 387 – Aus 388 – Aus 396 – Aus 423 – Aus 424 – Aus 426 – Aus 462 – Aus 489 – Aus 809 – Aus 4060 (INT 60) – Aus 4601 (INT 601) – Aus 4602 (INT 602) – Aus 4603 (INT 603) – Aus 4604 (INT 604) – Aus 4620 (INT 620) – Aus 4621 (INT 621) – Aus 4622 (INT 622) -AX 0809E – AX 4603F – AX 4604F – AX 4620F – AX 4621F - AU130120 - AU130150 - AU160150 - AU210150 - AU220150 - AU230150 - AU305146 - AU308150 - AU308151 - AU334152 - AU406146 - AU406147 - AU407147 - AU407148 - AU407149 - AU407150 - AU434151

773(T)/2009 AUSTRALIA - NEW SOUTH WALES - Newcastle - Hunter River - South Arm - Harbour works; dredging operations

BHP Billiton (AA414562 - AA414564)

Harbour works and dredging operations are in progress in an area bounded by the following positions (WGS84 datum):

32° 53.47 S	151° 45.83 E
32° 53.42 S	151° 45.85 E
32° 53.34 S	151° 45.75 E
32° 53.24 S	151° 45.57 E
32° 53.19 S	151° 45.47 E
32° 53.15 S	151° 45.32 E
32° 53.17 S	151° 45.31 E

An exclusion zone exists within the area.

The dredge *Boskalis Dredecos JV* and support vessels *Gunfleet Sands* and *Big Boss* are onsite and will monitor VHF Ch 14.

Silt curtains have been established.

All hazards to navigation will display appropriate lights and signals.

Chart temporarily affected – Aus 207 – Aus 208 - AU5XX208

774(T)/2009 AUSTRALIA - QUEENSLAND - Gold Coast Seaway - Shoaling*Former Notice - 659(T)/2009 is cancelled*

Maritime Safety Queensland Notice 344(T)/2009 (AA409133)

An area of shoal water runs across the seaway entrance approximately 200m east northeast of the seaway south wall and is slowly moving northward across the line of the centre line leads (255°).

The shoal area has a least depth of 3.3m LAT and use of the centre line leads should be avoided at low tide by deep draft vessels. Breaking waves may be experienced at this location during the ebb tide or when seas rise above 1.4m.

Deepest water (over 3.8m) is found when navigating the seaway using the southern approach leads (291°).

Mariners are advised to navigate with caution in the area.

Chart temporarily affected – Aus 230**775(T)/2009 AUSTRALIA - QUEENSLAND - Southport - Dredging operations***Former Notice - 619(T)/2009 is cancelled**Date - Until 15 July 2009*

Maritime Safety Queensland Notice 295(T)/2009 (AA405778)

The dredge *Port Frederick* is conducting dredging operations in the North Channel (27° 55'.5 S 153° 25'.0 E) and West Crab Island Channel (27° 54'.2 S 153° 24'.5 E).

The dredge will monitor VHF Ch 16 and Ch 67.

The dredge will transport the spoil close to shore off Main Beach (27° 58'.66 S 153° 25'.92 E).

Mariners are advised to navigate with caution in the area.

Chart temporarily affected – Aus 230**776(T)/2009 AUSTRALIA - QUEENSLAND - Southport - South Channel - Dredging operations***Former Notice - 259(T)/2009 is cancelled**Date - Until 31 July 2009*

Maritime Safety Queensland Notice 104(T)/2009 (AA387350)

The dredge *Everglade* is conducting dredging operations in an area bounded by 27° 56'.50 S 153° 24'.63 E and 27° 55'.95 S 153° 25'.42 E.

The dredge will monitor VHF Ch 10.

A pipeline marked by light buoys, Q. Y, exists between the dredge and following positions:

27° 56'.46 S 153° 25'.27 E
 27° 56'.90 S 153° 25'.26 E
 27° 56'.94 S 153° 25'.29 E
 27° 57'.48 S 153° 25'.35 E
 27° 57'.81 S 153° 25'.37 E
 27° 58'.17 S 153° 25'.15 E

and:

27° 57'.48 S 153° 25'.35 E
 27° 57'.74 S 153° 24'.98 E.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected – Aus 230

777(T)/2009 AUSTRALIA - QUEENSLAND - Southport - Harbour works

Former Notice - 79(T)/2009 is cancelled

Maritime Safety Queensland Notice 18(T)/2009 (AA380382)

Harbour works associated with the construction of a new pier facility (27° 57'.95 S 153° 25'.15 E) are in progress.

The work site will be marked by special light buoys, *Fl. Y.2-5s*, in positions:

27° 57'.92 S 153° 25'.15 E

27° 57'.86 S 153° 25'.11 E

27° 57'.93 S 153° 25'.19 E

27° 57'.83 S 153° 25'.14 E

Mariners are advised to navigate with caution in the area.

Chart temporarily affected – Aus 230**778(T)/2009 AUSTRALIA - QUEENSLAND - Brisbane River - Lytton Reach - Diving operations**

Date - Until 14 July 2009

Maritime Safety Queensland Notice 407(T)/2009 (AA414166)

Diving operations are in progress in the vicinity of the Shell Oil Wharf (27° 25'.43 S 153° 07'.79 E).

Mariners are advised to navigate with caution in the area.

Chart temporarily affected – Aus 238 - AU5237X8**779(T)/2009 AUSTRALIA - QUEENSLAND - Gladstone - Dredging operations completed**

Former Notice - 507(T)/2009 is cancelled

Maritime Safety Queensland Notice 228(T)/2009 (AA399733)

Cancel this notice on receipt.

Chart formerly affected – Aus 244 – Aus 245 - AU5244X5**780(T)/2009 AUSTRALIA - QUEENSLAND - Gladstone - Auckland Channel - Light beacon restored**

Former Notice - 204(T)/2008 is cancelled

Maritime Safety Queensland Notice 413/2009 (AA414653)

Cancel this notice on receipt.

Chart formerly affected – Aus 244 – Aus 245**781(T)/2009 AUSTRALIA - QUEENSLAND - Clinton Bypass Channel - Light beacon restored**

Former Notice - 974(T)/2008 is cancelled

Maritime Safety Queensland Notice 414/2009 (AA414654)

Cancel this notice on receipt.

Chart formerly affected – Aus 244 – Aus 245 - AU5244X5

782(T)/2009 AUSTRALIA - QUEENSLAND - Shoalwater Bay - Military exercise*Date - Until 26 July 2009*

Department of Defence (AA415208)

A prohibited area, including all waters contained within the following boundaries, is declared from 6 July to 25 July 2009:

22° 21'.20 S 150° 10'.52 E	22° 20'.35 S 150° 12'.00 E
22° 16'.94 S 150° 12'.07 E	22° 14'.92 S 150° 20'.06 E
22° 10'.02 S 150° 30'.06 E	22° 19'.92 S 150° 45'.05 E
22° 40'.48 S 150° 55'.05 E	22° 46'.87 S 150° 53'.01 E
22° 46'.20 S 150° 48'.51 E	

The closure extends to all internal waters of Shoalwater Bay including Canoe Passage, Strong Tide Passage, Port Clinton, Pearl Bay and Island Head Creek.

Mariners are requested not to approach within 500m of any military vessel involved in the exercise.

In the event of bad weather safe anchorages are available in the south and west arms of Port Clinton.

Chart temporarily affected – Aus 248 – Aus 260 – Aus 261 – Aus 367 – Aus 820 – Aus 822 – Aus 4620 (INT 620) – Aus 4621 (INT 621) – AX 4620F – AX 4621F – AX 60260 – AX 67248 – AX 67261 - AU423150 - AU5261P1 - AU5261P2 - AU5XX248**783(T)/2009 AUSTRALIA - QUEENSLAND - Shoalwater Bay - Live firing***Date - Until 17 July 2009*

Maritime Safety Queensland Notice 405(T)/2009 (AA414162)

Live firing activities will be conducted in the Shoalwater Bay training area during the period 12 to 16 July 2009.

A marine danger area extends to all waters south of the line defined by the following positions (WGS84 datum):

22° 09'.00 S	150° 37'.00 E
22° 06'.00 S	150° 45'.00 E
22° 19'.00 S	150° 49'.00 E
22° 19'.92 S	150° 45'.05 E

All waters, creeks, beaches and other areas within the declared marine danger area are not available for access.

Mariners are advised to keep clear of this area throughout the above times.

Chart temporarily affected – Aus 260 – Aus 367 – Aus 822 – AX 60260 - AU423150**784(T)/2009 AUSTRALIA - QUEENSLAND - Hay Point - Diving operations completed***Former Notice - 510(T)/2009 is cancelled*

Maritime Safety Queensland Notice 232(T)/2009 (AA399730)

Cancel this notice on receipt.

Chart formerly affected – Aus 249 – Aus 250 - AU5250P2**785(T)/2009 AUSTRALIA - QUEENSLAND - Townsville - Ross River - Wreck**

Maritime Safety Queensland Notice 410(T)/2009 (AA414179)

A wreck marked by a special light buoy exists in position 19° 16'.58 S 146° 49'.87 E.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected – Aus 256 – Aus 257 - AU5XX257

786(T)/2009 AUSTRALIA - QUEENSLAND - Mourilyan - Depth information*Former Notice - 628(T)/2009 is cancelled*

Maritime Safety Queensland Notice 417(T)/2009 (AA414655)

Available depths as at 29 June 2009:

	<i>Metres</i>
Departure Channel	9.6
Inner Channel	9.6
* Swing Basin	6.7
* Sugar Berth	10.1

*Indicates revised entry.

Shoaling for a distance of 200m to seaward of the berth pocket can develop over time.

Chart temporarily affected – Aus 258 - AU5258P1**787(T)/2009 AUSTRALIA - QUEENSLAND - Cape Flattery - Wreck***Maritime Safety Queensland Notice 398(T)/2009 (AA414185)*

A wreck exists in position 14° 57'.19 S 145° 19'.86 E.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected – Aus 831 – Aus 832 - AU415145**788(T)/2009 AUSTRALIA - QUEENSLAND - Thursday Island - Madge Reef - Light relit***Former Notice - 217(T)/2009 is cancelled*

Maritime Safety Queensland Notice 62(T)/2009 (AA384459)

Cancel this notice on receipt.

Chart formerly affected – Aus 293 – Aus 299 - AU5XX299**789(T)/2009 AUSTRALIA - QUEENSLAND - Thursday Island - Hovell Rock - Light buoy re-established***Former Notice - 666(T)/2008 is cancelled*

Maritime Safety Queensland Notice 353(T)/2008 (AA342862)

Cancel this notice on receipt.

Chart formerly affected – Aus 293 – Aus 299**790(P)/2009 AUSTRALIA - NORTHERN TERRITORY - Melville Island - Cape Gambier - Reef delineation***Former Notice - 882(P)/2006 is cancelled*HMAS *Mermaid* (AA202844)

The drying edge of the reef to west of Cape Gambier has been found to lie 200m to 300m SW of charted position.

Mariners are advised to navigate with caution in the area.

Chart which will be affected – Aus 20**791(T)/2009 AUSTRALIA - TIMOR SEA - Osborn Passage - Light buoy established***Date - Until 31 July 2009*

Fugro Survey Pty Ltd (AA412307, AA412308)

A special light buoy, *Fl(5)Y.20s*, exists in position 12° 40'.68 S 124° 31'.17 E from 16 July 2009.**Chart temporarily affected – Aus 314 – Aus 319 – AX 0314F – AX 0319F - AU313124**

792(T)/2009 AUSTRALIA - WESTERN AUSTRALIA - Perth Canyon - Scientific instruments westwards*Date - Until 1 November 2012*

CSIRO (AA414960)

Subsurface scientific instruments, suspended 20m below the surface, exist in positions:

31° 55'.30 S 115° 00'.60 E	32° 03'.20 S 115° 04'.96 E
31° 59'.00 S 115° 14'.00 E	31° 46'.23 S 114° 56'.60 E
31° 43'.16 S 115° 01'.80 E	31° 41'.60 S 115° 07'.00 E
31° 38'.80 S 115° 11'.75 E	31° 37'.60 S 115° 14'.75 E

Chart temporarily affected – Aus 334 – Aus 754 – AX 0334E – AX 0754E – AX 66002 - AU332114 - AU432115 - AU433115**793(T)/2009 AUSTRALIA - WESTERN AUSTRALIA - Fremantle - Depth information***Former Notice - 128(T)/2008 is cancelled*

Fremantle Ports Notice 6(T)/2009 (AA414237)

Available depths as at 19 June 2009:

<i>Berth</i>	<i>Metres</i>
No 1	11.0
No 2	11.0
* No 4	12.4
No 5	12.4
No 6	12.4
* No 7	12.9
* No 8	13.0
* No 9	13.0
* No 10	10.0
* No 11	10.2
No 12	10.8
C	10.4
D	11.0
E	10.5
F	10.4
G	10.5
H	10.3

* Indicates new or revised entry.

Note: Victoria Quay berths A and B are no longer used for commercial operations.

Maximum draft of vessels using inner harbour berths must be obtained by contacting the Harbour Master's office.

Chart temporarily affected – Aus 113 - AU5XX113**794(T)/2009 AUSTRALIA - SOUTH AUSTRALIA - Kangaroo Island - Live firing completed southeastwards***Former Notice - 683(T)/2009 is cancelled*

Department of Defence RAAF (AA408607)

Cancel this notice on receipt.

Chart formerly affected – Aus 346 – Aus 347**795(T)/2009 AUSTRALIA - TASMANIA - River Derwent - Hobart - Buoy established**

Marine and Safety Tasmania Notice M86/2009 (AA414916, AA414949)

A special buoy exists in position 42° 54'.11 S 147° 23'.02 E.

Chart temporarily affected – Aus 171

796(T)/2009 AUSTRALIA - TASMANIA - Norfolk Bay - Scientific instrument recovered

Former Notice - 562(T)/2008 is cancelled
Marine and Safety Tasmania Notice M61/2008 (AA336491)

Cancel this notice on receipt.

Chart formerly affected – Aus 171 – Aus 795

797(T)/2009 AUSTRALIA - TASMANIA - Norfolk Bay - Obstructions removed

Former Notice - 337(T)/2009 is cancelled
Marine and Safety Tasmania Notice M38/2009 (AA390834)

Cancel this notice on receipt.

Chart formerly affected – Aus 171 – Aus 796

798(T)/2009 AUSTRALIA - TASMANIA - Maria Island - Darlington Bay - Harbour works completed

Former Notice - 178(T)/2009 is cancelled
Marine and Safety Tasmania Notice M17/2009 (AA382266)

Cancel this notice on receipt.

Chart formerly affected – Aus 170

799(T)/2009 AUSTRALIA - TASMANIA - Grassy Harbour - Lights relit

Former Notice - 687(T)/2009 is cancelled
Marine and Safety Tasmania Notice M77/2009 (AA410646)

Cancel this notice on receipt.

Chart formerly affected – Aus 178 - AU5178P4

800(T)/2009 AUSTRALIA - VICTORIA - Port Albert - Shoaling

Victorian Notice 63(T)/2009 (AA414814)

Shoaling exists between positions 38° 45'.13 S 146° 42'.66 E and 38° 44'.73 S 146° 40'.32 E (WGS84 datum).

Mariners are advised to navigate with caution in the area.

Chart temporarily affected – Aus 181 – Aus 182 - AU439146

801(T)/2009 AUSTRALIA - ANTT 2009 - Sufficiently promulgated

Former Notice - 1142(P)/2008 is cancelled
Australian Hydrographic Service (AA415150)

Cancel this notice on receipt.

802(T)/2009 AUSTRALIA - TEMPORARY AND PRELIMINARY NOTICES

Former Notice - 469(T)/2009 is cancelled
 Australian Hydrographic Service (AA400906)

<i>Notice</i>	<i>Charts affected</i>	<i>Locality and Subject</i>
		CORAL SEA
835/2008	Aus 4060-4602	<i>Capel Bank to Nova Bank</i> Shoaling
653/2001	Aus 614	<i>Lihou Reef</i> Shoals
		NEW SOUTH WALES
317/2006	Aus 191	<i>Batemans Bay</i> Shoaling; buoy
1035/2008	Aus 193-807-808-AX 0808E-60193-70193-AU5XX193	<i>Beecroft Peninsula</i> Light buoy off station
1292/2008	Aus 197-361-808-809-AX 0808E-0809E-63200-AU434151	<i>Bondi</i> Scientific instruments southeastwards
715/2009	Aus 198-199-AU5198X9	<i>Botany Bay</i> Light buoys moved
257/2009	Aus 216-AU5XX204	<i>Brisbane Water</i> Light beacon destroyed
746/2008	Aus 197-808-AX 0808E	<i>Cape Banks</i> Scientific instruments northeastwards
708/2008	Aus 195-197-806-807-808-809-810-811-812-813-AX 0808E-0809E	<i>Green Cape to Ballina Head</i> Scientific instruments
614/2009	Aus 193-807-808-AX 0808E-60193-67192-70193-AU436150-5XX193	<i>Jervis Bay</i> Scientific instruments
802/2008	Aus 197-200-201-AX 63200-AU5X200E	<i>Manly</i> Scientific instruments
199/2008	Aus 207-208	<i>Newcastle</i> Obstructions
648/2008	Aus 207-208	Harbour works; light beacons
866/2008	Aus 207-208-361-362-809-AX 0809E-AU433151-5XX208	Obstructions
716/2009	Aus 207-208-AU5XX208	Depth information
773/2009	Aus 207-208-AU5XX208	South Arm-Harbour works; dredging operations
1036/2008	Aus 197-198-808-AX 0808E-AU5198X9	<i>Point Long Nose</i> Offshore works
208/2009	Aus 808-AX 0808E-AU435151	<i>Port Hacking</i> Scientific instrument southeastwards
454/2006	Aus 202-AU5X200W	<i>Port Jackson</i> Shoaling
47/2007	Aus 200-201-AX 63200	West Channel-Light beacon destroyed; light buoy.
650/2007	Aus 200-203	Homebush Bay-Scientific instruments
864/2008	Aus 195-361-808-AX 0808E-AU435150-5XX194	<i>Port Kembla</i> Obstructions
317/2009	Aus 194-AU5XX194	Depth information
658/2009	Aus 209-AU433152	<i>Port Stephens</i> Shoaling
496/2009	Aus 807-808-AX 0808E-AU435150	<i>Shoalhaven Bight</i> Unexploded ordnance
		NORTHERN TERRITORY
242/2007	Aus 26-28-AX 72026	<i>Darwin</i> Obstruction; light buoys
662/2007	Aus 28	Depth information
222/2009	Aus 24-AU5XXX24	Light buoy off station

802(T)/2009 AUSTRALIA - TEMPORARY AND PRELIMINARY NOTICES (continued)

505/2008	Aus 316-318-725-726	<i>Joseph Bonaparte Gulf</i> Gas field development
790/2009	Aus 20	<i>Melville Island</i> Reef delineation
950/2004	Aus 309-311-315	<i>Troubadour Shoals</i> Scientific instruments
99/2009	Aus 26-29-309-315-316-319-320-722-AX 0309F-0315F-0319F-72026-72309-72722-AU313125-313126-313127-313128-314123-314124-413129	<i>Charles Point to Browse island (Western Australia)</i> Scientific instruments
QUEENSLAND		
460/2008	Aus 255	<i>Abbot Point</i> Light buoy established
664/2008	Aus 255-826	Scientific instruments
1044/2008	Aus 255-AU5XX255	Harbour works
1152/2008	Aus 255-AU5XX255	Depth information <i>Airlie Beach</i>
819/2008	Aus 252-253-268-AU5268P2	Light buoys established
1097/2008	Aus 252-253-268-AU5268P2	Wreck
214/2009	Aus 252-253-268-AU5268P2	Wreck
667/2009	Aus 252-253-268-AU5268P2	Abel Point-Wreck <i>Albatross Bay</i>
729/2009	Aus 4-701-AU413141	Scientific instruments <i>Arkwright Point</i>
1093/2008	Aus 365	Scientific instrument <i>Bribie Island</i>
501/2009	Aus 235-236	Harbour works <i>Brisbane River</i>
1090/2006	Aus 238	Quarries Reach-Lights altered
830/2007	Aus 238	Cameron Rocks-Light unlit
1131/2007	Aus 237	Fisherman Island-Floating pipeline
1132/2007	Aus 237-238	Lytton Reach-Mooring blocks; pipeline
751/2008	Aus 237	Fisherman Islands-Harbour works
810/2008	Aus 237-238-AU5237X8	Depth information
814/2008	Aus 238-AU5237X8	Newstead-Harbour works
1145/2008	Aus 237-AU5237X8	Fisherman Islands-Moorings
1146/2008	Aus 238-AU5237X8	Quarries Reach to Parker Island Reach-Harbour works
1193/2008	Aus 237-AU5237X8	Fisherman Islands-Harbour works
436/2009	Aus 237-AU5237X8	Pelican Banks Reach-Light buoy repositioned
500/2009	Aus 236-237-AU5237X8	Old Bar Cutting-Light beacon destroyed
720/2009	Aus 238-AU5237X8	Town Reach-Kangaroo Point-Wreck
778/2009	Aus 238-AU5237X8	Lytton Reach-Diving operations <i>Bundaberg</i>
657/2008	Aus 242	Burnett River-Sea Reach-Light beacon destroyed
91/2009	Aus 242-243-AU5XX242	Depth information <i>Cairns</i>
511/2009	Aus 262-263-264-830-AX 63262-AU417145-5262X4	Depth information
725/2009	Aus 263-264-AU5262X4	Dredging operations <i>Caloundra</i>
620/2009	Aus 235	Rock outcrop <i>Cape Bowling Green</i>
373/2007	Aus 371-826-827	Light buoy off station
114/2008	Aus 826-827	Scientific instrument <i>Cape Cleveland</i>
1198/2008	Aus 256-827-AU320147	Scientific instrument <i>Cape Flattery</i>
787/2009	Aus 831-832-AU415145	Wreck

802(T)/2009 AUSTRALIA - TEMPORARY AND PRELIMINARY NOTICES (continued)

429/2009	Aus 236-364-814	<i>Cape Moreton</i>
430/2009	Aus 235-364-365-814	Obstruction southeastwards
		Obstructions
		<i>Cape Upstart</i>
94/2009	Aus 826-827-AU320147	Wreck northwards
		<i>Cassady</i>
755/2008	Aus 371-372-827-828	Light beacon destroyed
		<i>Cooktown</i>
878/2006	Aus 270	Shoaling
876/2008	Aus 270-AU5270P6	Depth information
		<i>Double Island</i>
726/2009	Aus 830-AU417145	Scientific instrument
		<i>Gladstone</i>
654/2007	Aus 244-245-246	Depth information
559/2009	Aus 244-245-AU5244X5	Drilling operations
560/2009	Aus 244-245-AU5244X5	Harbour works; dredging operations
622/2009	Aus 245-AU5244X5	Scientific instruments
721/2009	Aus 245-AU5244X5	Scientific instruments
		<i>Gold Coast Seaway</i>
774/2009	Aus 230	Shoaling
		<i>Goold Island</i>
1099/2008	Aus 828-AU419146	Wreck
		<i>Great Sandy Strait</i>
248/2008	Aus 241-365-817	Light beacon destroyed
		<i>Hay Point</i>
168/2009	Aus 249-250-AU5250P2	Depth information
		<i>Hay Point to Bailey Islet</i>
562/2009	Aus 249-250-251-823-824- AU422149-5250P2	Scientific instruments
		<i>Heron Island</i>
111/2008	Aus 819	Scientific instruments
		<i>Hesket Rock</i>
442/2009	Aus 251-823-824-AU421149	Light beacon destroyed
		<i>Hook Reef</i>
930/2007	Aus 254-825	Beacon destroyed
		<i>Hydrographers Passage</i>
266/2009	Aus 821-AU420150	Depths
		<i>Karamea Bank</i>
166/2009	Aus 367-820-AU323151	Wreck
		<i>Karumba</i>
937/2007	Aus 6	Obstruction; buoy
1051/2008	Aus 6	Light beacon withdrawn
512/2009	Aus 6	Depth information
		<i>Keppel Bay</i>
508/2009	Aus 247-819-AU424150	Scientific instruments
		<i>Kirra Point</i>
391/2008	Aus 813-814	Offshore works
		<i>Laguna Quays</i>
1052/2006	Aus 252	Reduced depth
		<i>Lisa Jane Shoals</i>
1305/2008	Aus 247-819-820-AU424151	Scientific instrument
		<i>Lizard Island</i>
118/2008	Aus 832	Scientific instruments
		<i>Lucinda</i>
463/2008	Aus 259	Light buoy repositioned
		<i>Mackay</i>
564/2009	Aus 250-AU5250P1	Depth information
724/2009	Aus 250-AU5250P1	Harbour works
		<i>Mooloolaba</i>
621/2009	Aus 235	Shoaling

802(T)/2009 AUSTRALIA - TEMPORARY AND PRELIMINARY NOTICES (continued)

102/2007	Aus 235-236	<i>Moreton Bay</i>
694/2007	Aus 235-236	Light sector partially undefined.
733/2007	Aus 236	Brisbane River-Depth information and keel clearances
774/2007	Aus 236	Tangalooma Point-Wreck: buoy
710/2008	Aus 235-236	Scarborough-Shoaling
711/2008	Aus 236	Spitfire Channel-Light buoys established
712/2008	Aus 236-237-814	Wellington Point-Harbour works
750/2008	Aus 236	Light beacon destroyed; light buoys established
1089/2008	Aus 235-236-814	Light beacon damaged
1091/2008	Aus 236	Spitfire Channel-Wreck southwards
84/2009	Aus 236	Redcliffe-Scientific instrument southeastwards
87/2009	Aus 236-AU5237X8	Rous Channel-Shoaling
261/2009	Aus 236	Wynnum-Shoaling
321/2009	Aus 236-AU5237X8	Scarborough-Harbour works; light buoys
377/2009	Aus 235-236	Manly-Light beacon established
380/2009	Aus 236-814	Skirmish Passage-Wreck
434/2009	Aus 236-AU5237X8	Bramble Bay-Bridge construction
435/2009	Aus 236-AU5237X8	Manly-Harbour works; dredging operations
439/2009	Aus 235-236	Wynnum-Obstruction
660/2009	Aus 235-236-814	Pumicestone Channel-Wreck
661/2009	Aus 236	North East Channel-Light buoys off station
662/2009	Aus 236	Redland Bay-Light beacon destroyed
719/2009	Aus 236	Cleveland Point-Light beacon unlit
		North Stradbroke Island-Amity-Harbour works
786/2009	Aus 258-AU5258P1	<i>Mourilyan</i>
		Depth information
1244/2006	Aus 268	<i>Pioneer Bay</i>
663/2008	Aus 252-253-268	Harbour works; light buoys.
		Dredging operations
503/2009	Aus 235-365	<i>Point Cartwright</i>
		Obstruction southeastwards
717/2009	Aus 813-814	<i>Point Danger to Point Lookout</i>
		Scientific instruments
92/2009	Aus 247	<i>Port Alma</i>
623/2009	Aus 265-AU5247P1	Light buoy off station
		Depth information
117/2008	Aus 270	<i>Port Douglas</i>
		Depth information
73/2008	Aus 701	<i>Port Musgrave</i>
728/2009	Aus 701	Scientific instruments
		Scientific instruments
928/2008	Aus 235-236	<i>Pumicestone Channel</i>
502/2009	Aus 235	Light beacon destroyed
663/2009	Aus 235	Harbour works
		Light buoy off station
170/2009	Aus 829-AU418146	<i>Rocky Point</i>
		Light beacon withdrawn
624/2009	Aus 247-AU5247P2	<i>Rosslyn Bay</i>
		Dredging operations
665/2009	Aus 426-612	<i>Saumarez Reefs</i>
		Wreck
626/2009	Aus 260-367-822-AX 60260- AU423150-5261P1	<i>Shoalwater Bay</i>
		Live firing
722/2009	Aus 248-260-261-367-820-822- AX 60260-67248-67261-AU423150- 5261P1-5261P2-5XX248	Live firing
782/2009	Aus 248-260-261-367-820-822-4620- 4621-AX 4620F-4621F-60260- 67248-67261-AU423150-5261P1- 5261P2-5XX248	Military exercise
783/2009	Aus 260-367-822-AX 60260- AU423150	Live firing

802(T)/2009 AUSTRALIA - TEMPORARY AND PRELIMINARY NOTICES (continued)

671/2006	Aus 701	<i>Skardon River</i>
890/2007	Aus 701	Shoaling
		Shoaling
		<i>Southport</i>
775/2009	Aus 230	Dredging operations
776/2009	Aus 230	Dredging operations
777/2009	Aus 230	Harbour works
		<i>Surprise Rock</i>
329/2009	Aus 252-253-824-AU421149	Light beacon destroyed
		<i>Swains Reef</i>
311/2008	Aus 367-426	Scientific instruments
		<i>Thread Shoal to Myrmidon Reef</i>
116/2008	Aus 828	Scientific instruments
		<i>Thursday Island</i>
448/2009	Aus 293-299-AU5XX299	Depth information
		<i>Townsville</i>
1248/2008	Aus 256-257-AU5XX257	Light buoy
443/2009	Aus 256-257-AU5XX257	Depth information
785/2009	Aus 256-257-AU5XX257	Wreck
		<i>Upolu Reef</i>
446/2009	Aus 830-AU417145	Obstructions
		<i>Weipa</i>
936/2007	Aus 4	Light beacon destroyed
670/2008	Aus 4	Light buoy withdrawn
1103/2008	Aus 4-AU5XX4P1	Depth information
SOUTH AUSTRALIA		
		<i>Barker Inlet</i>
830/2008	Aus 130-780-781	Shoaling
		<i>Gleneig</i>
1161/2008	Aus 125	Shoaling
458/2009	Aus 125-781	Restricted area; light buoys
		<i>Holdfast Bay</i>
831/2008	Aus 125-345-780-781	Scientific instruments
		<i>Largs Bay</i>
456/2009	Aus 130-138-780-781-AU435138-5137X8	Light buoy off station
		<i>Margaret Brock Reef</i>
452/2002	Aus 127	Structure
		<i>Mundora Bay</i>
414/2008	Aus 344-778	Light beacon unlit
		<i>Murray River</i>
520/2009	Aus 347	Dredging operations; exclusion zone
		<i>Neptune Islands</i>
1208/2008	Aus 343-AX 0343E	Scientific instrument
		<i>Point Lowly</i>
455/2009	Aus 136-444-778	Light unreliable
		<i>Port Adelaide</i>
720/2008	Aus 137	Shoaling
110/2009	Aus 130-137	Harbour works
393/2009	Aus 130-137	Wreck
633/2009	Aus 137-AU5137X8	Depth information
		<i>Port Augusta</i>
265/2008	Aus 344-778	Light beacon destroyed
415/2008	Aus 344-778	Two Hummock Point-Light beacon altered
		<i>Port Stanvac</i>
721/2008	Aus 125-780-781	Obstruction; submarine pipeline; light buoys
335/2009	Aus 125-780-781	Scientific instrument
572/2009	Aus 125-780-781	Pipeline
		<i>Rapid Bay</i>
765/2008	Aus 345-347-780	Harbour works
		<i>Semaphore South</i>
457/2009	Aus 130-137	Harbour works

802(T)/2009 AUSTRALIA - TEMPORARY AND PRELIMINARY NOTICES (continued)

988/2008	Aus 134-343-345-444-776- AX 0343E-0776E	<i>Taylor Island</i> Light unlit
1170/2006	Aus 120	<i>Thevenard</i> Light beacon destroyed, temporary light
173/2008	Aus 777	<i>Wallaroo</i> Light beacon destroyed
176/2009	Aus 777	Depth information
334/2009	Aus 342-343-345-346-444- AX 0343E-AU336135	<i>Whidbey Isles to Kangaroo Island</i> Scientific instruments
268/2008	Aus 125	<i>Wirrina Cove</i> Shoaling
832/2008	Aus 345-780	<i>Yankalilla Bay</i> Light buoy off station
TASMANIA		
112/2009	Aus 767	<i>Ansons Bay</i> Beacon destroyed
220/2008	Aus 167-168	<i>Bell Bay</i> Light beacon destroyed
686/2009	Aus 163-AU5163P1	<i>Burnie</i> Depth information
905/2004	Aus 173	<i>D'Entrecasteaux Channel</i> Spat collection; light buoys
685/2009	Aus 164-AU5164P1	<i>Devonport</i> Depth information
922/2005	Aus 179-800	<i>Furneaux Group</i> Shoaling
131/2008	Aus 169	<i>Georges Bay</i> Shoaling
509/2008	Aus 171-172	<i>Hobart</i> Obstructions
522/2009	Aus 172	Depth information
890/2008	Aus 177	<i>Macquarie Harbour</i> Lights unlit
417/2008	Aus 355-766	<i>Maria Island</i> Scientific instrument eastwards
1129/2005	Aus 169-171	<i>Marion Narrows</i> Beacon destroyed
906/2004	Aus 171	<i>Norfolk Bay</i> Spat collection; light buoys
416/2008	Aus 171-173-174	<i>North West Bay</i> Wreck
634/2009	Aus 171	<i>Nubeena</i> Harbour works
833/2008	Aus 171-173-174-795	<i>River Derwent</i> Scientific instruments
684/2009	Aus 171-173-AU444147	Pipeline
795/2009	Aus 171	Hobart-Buoy established
1055/2008	Aus 167-799-AU442146-5167X8	<i>River Tamar</i> Port Dalrymple-Reclamation works
574/2009	Aus 173-174-795-AU444146	<i>Southport</i> Harbour works
460/2009	Aus 175	<i>Spring Bay</i> Depth information
274/2009	Aus 795-796	<i>Storm Bay</i> Scientific instruments

802(T)/2009 AUSTRALIA - TEMPORARY AND PRELIMINARY NOTICES (continued)

	TIMOR SEA
	<i>Osborn Passage</i>
982/2008 Aus 314-319-4721-4722-AU313124	Drilling operations
791/2009 Aus 314-319-AX 0314F-0319F-AU313124	Light buoy established
	<i>Sahul Banks</i>
476/2006 Aus 312	Scientific instruments
223/2009 Aus 312-4721-AX 0312F-4721F-AU311126	Navaid; racon non operational
	TORRES STRAIT
	<i>Varzin Passage</i>
566/2009 Aus 289-296-AU411141	Light buoy to be established
	VICTORIA
	<i>Barry Beach</i>
1002/2004 Aus 181-182	Shoaling
	<i>Barwon River</i>
1036/2007 Aus 143-144	Lights trial
	<i>Bass Strait</i>
468/2009 Aus 357A-422-423	Pipeline
	<i>Corner Inlet</i>
667/2007 Aus 181	Light destroyed
1213/2008 Aus 181-357A-802-AU439146	Shoaling
	<i>Lakes Entrance</i>
799/2007 Aus 357A	Scientific instrument
740/2009 Aus 182	Dredging operations
741/2009 Aus 182	Harbour works
	<i>Ninety Mile Beach</i>
458/2007 Aus 357A	Obstructions
	<i>Port Albert</i>
800/2009 Aus 181-182-AU439146	Shoaling
	<i>Port Phillip</i>
351/2005 Aus 143-144-158	South Channel-Shoaling
796/2007 Aus 143-158	South channel-Obstruction
797/2007 Aus 143-158	South Channel-Obstruction
897/2007 Aus 154	Port Melbourne-Shoaling
997/2007 Aus 154	Station Pier-Shoaling
223/2008 Aus 143-154-155	Port Melbourne-Princes Pier-Harbour works
361/2008 Aus 143-155	Ricketts Point-Beacon destroyed
475/2008 Aus 154-155	Port Melbourne-Dredging operations
510/2008 Aus 143-144-158	Dredging operations
513/2008 Aus 154	River Yarra-Light beacon withdrawn
893/2008 Aus 154-AU5XX154	River Yarra-Light beacon withdrawn
992/2008 Aus 154-AU5XX154	Hobsons Bay-Princes Pier-Trial nav aids
1212/2008 Aus 154-AU5XX154	Port Melbourne-River Yarra-Light buoys; restricted area
115/2009 Aus 157-AU439144	Clifton Springs-Harbour works
120/2009 Aus 154-AU5XX154	Port Melbourne-River Yarra-Harbour works
229/2009 Aus 143-155-AU438144	Port Melbourne Channel-Dredging operations; construction works
230/2009 Aus 154-AU5XX154	Port Melbourne-Depth information
278/2009 Aus 143-144-154-155-158-AU438144-439144-5XX154	Beacon upgrade works
399/2009 Aus 143-144-158-AU439144	South Channel-Light buoys established
464/2009 Aus 143-144-154-155-158-AU438144-439144-5XX154	Restricted areas
465/2009 Aus 153-157-AU5XX153	Depth information
582/2009 Aus 153-157-AU5XX153	Corio Quay-Harbour works
636/2009 Aus 154-AU5XX154	Port Melbourne-River Yarra-Harbour works
738/2009 Aus 143-158-AU439144	Rosebud-Harbour works
739/2009 Aus 143-155-AU438144	Werribee River-Dredging operations
	<i>Western Port</i>
514/2008 Aus 150-151	Phillip Island-Shoaling northwards

802(T)/2009 AUSTRALIA - TEMPORARY AND PRELIMINARY NOTICES (continued)

1

WESTERN AUSTRALIA

		<i>Albany</i>
729/2006	Aus 109	Light beacon; light buoy
272/2009	Aus 334-754-AX 0334E-0754E-66002-AU432115	<i>Alkimos Reef</i> Scientific instruments
174/2009	Aus 327-328-415-416-AX 0415F-AU320114	<i>Barrow Island</i> Seismic survey northwards
893/2007	Aus 50	<i>Broome</i> Wreck
100/2009	Aus 319-AX 0319F-AU314123	<i>Browse Island</i> Scientific instrument northwestwards
101/2009	Aus 319-AX 0319F-AU314123	Scientific instruments
1034/2007	Aus 57-58-59	<i>Dampier</i> Depth information
218/2008	Aus 57-58-59	Anchorage
259/2008	Aus 58-59	Light buoy established
260/2008	Aus 57-58-59	Dredging operations; exclusion zone
1207/2008	Aus 57-58-59	Phillip Point-Shoaling; lights established
630/2009	Aus 57	Goodwyn Island-Buoy established
678/2009	Aus 58-59	King Bay-Harbour works
523/2004	Aus 327-415	<i>Dampier Archipelago</i> Scientific instruments northwestwards
764/2008	Aus 110-118-759	<i>Emu Point</i> Light
779/2006	Aus 119	<i>Esperance</i> Scientific instrument
616/2008	Aus 119	Depth information
1158/2008	Aus 119-762	Scientific instrument to be established
745/2007	Aus 114	<i>Fremantle</i> James Point-Scientific instruments
470/2008	Aus 112-113-AX 63112	Rous Head-Obstruction; submarine pipeline; light buoys
273/2009	Aus 112-754-AX 0754E-63112-66002	Anchorage
452/2009	Aus 112-113-AU5XX113	Dredging operations
793/2009	Aus 113-AU5XX113	Depth information
518/2009	Aus 334-335-755-756-AX 0334E-0755E-AU434115	<i>Geographe Bay</i> Scientific instrument
946/2008	Aus 81	<i>Geraldton</i> Depth information
451/2009	Aus 81-751	Light buoy off station
570/2009	Aus 81	Light buoy withdrawn
1255/2008	Aus 327	<i>Glomar Shoal</i> Scientific instruments northwards
333/2009	Aus 109-110-118-AU5XX109	<i>King George Sound</i> Scientific instruments
453/2009	Aus 114-117-AX 70117-AU5111X4	<i>Kwinana</i> Light unlit
674/2009	Aus 323-324	<i>Lacepede Channel to Cape Boileau</i> Scientific instruments
102/2009	Aus 319-320-729-AX 0319F-AU314123	<i>Maret Islands</i> Scientific instruments
1306/2006	Aus 63-328-743	<i>Mary Anne Island</i> Light re-established; characteristics altered.
632/2009	Aus 328-329-744-AU422114	<i>Muiron Islands</i> Oil field development northwestwards
1256/2008	Aus 327	<i>North Rankin</i> Scientific instrument

802(T)/2009 AUSTRALIA - TEMPORARY AND PRELIMINARY NOTICES (continued)

108/2009	Aus 328-329-744-AU422114	<i>North West Cape</i>
680/2009	Aus 328-329-744-AU422114	Scientific instruments northwestwards FPSO off station
1156/2008	Aus 72-329-330-745-AU323113-324113	<i>North West Cape to Point Maud</i> Scientific instruments
673/2009	Aus 323	<i>Packer Island to North Head</i> Scientific instruments
792/2009	Aus 334-754-AX 0334E-0754E-66002-AU332114-432115-433115	<i>Perth</i> Scientific instruments westwards
681/2009	Aus 330-416-4708-AX 4708F-AU130090	<i>Point Cloates to Steep Point</i> Seismic survey
827/2008	Aus 54	<i>Port Hedland</i> Lights established
1254/2008	Aus 52-53-54-739-740	Scientific instruments
104/2009	Aus 54	Depth information
331/2009	Aus 52-53-54	Harbour works
332/2009	Aus 52-53-54	Dredging operations
677/2009	Aus 54-AU5XXX54	Light established
679/2009	Aus 328-AU320115	<i>Rankin Bank</i> Scientific instruments
225/2009	Aus 57-58-59-327-328-741-742-AU320115-421115-421116	<i>Rankin Bank to Dampier</i> Scientific instruments
734/2009	Aus 57-58-59-327-328-415-416-741-742-AX 0415F-AU320115-421115-421116	Production wells; platform; pipeline to be established
1157/2008	Aus 334-754-AX 0334E-0754E-66002-AU432115	<i>Rottnest Island</i> Scientific instrument to be established
103/2009	Aus 43	<i>Scott Reef</i> Scientific instruments
735/2009	Aus 64-743-744-AU417145	<i>Thevenard Island to Ashburton Road</i> Scientific instruments
1052/2008	Aus 40-732-733	<i>Yampi Sound</i> Comber Rock-Buoy off station
EAST TIMOR		
727/2006	Aus 901	<i>Dili</i> Light unlit
309/2005	Aus 311-312-313-4721	<i>Pulau Jaco</i> Light unlit
INDIAN OCEAN		
1135/2006	Aus 4071	Scientific instruments
800/2005	Aus 607	Light beacon
568/2009	Aus 4070-4071	<i>Sumatera</i> Scientific instruments westwards
PACIFIC OCEAN		
941/2008	Aus 399-462-4622	Scientific instruments
772/2009	Aus 197-365-386-387-388-396-423-424-426-462-489-809-4060-4601-4602-4603-4604-4620-4621-4622-AX 0809E-4603F-4604F-4620F-4621F-AU130120-130150-160150-210150-220150-230150-305146-308150-308151-334152-406146-406147-407147-407148-407149-407150-434151	Submarine cable

802(T)/2009 AUSTRALIA - TEMPORARY AND PRELIMINARY NOTICES *(continued)*

	PAPUA NEW GUINEA
609/2008 Aus 399-683-4622	<i>Bougainville Island</i> Lights unlit
557/2008 Aus 545-554	<i>Cape Gazelle</i> Light unlit
406/2008 Aus 547-4622	<i>Kimbe Island</i> Light unlit
121/2008 Aus 523	<i>Lae</i> Wreck
355/2008 Aus 523	Light buoy established
824/2008 Aus 391-662	<i>Los Negros Island</i> Light unlit
967/2005 Aus 646	<i>Madang</i> Horizontal datum anomaly
554/2008 Aus 508-628	<i>Nuakata Passage</i> Light unlit
404/2008 Aus 379-505-4620	<i>Port Moresby</i> Fish aggregation device southwards
1102/2008 Aus 399-AU407155	<i>Rantan Island</i> Light unlit

HYDROGRAPHIC REPORTS

<i>Locality</i>	<i>Report</i>	<i>Ship/Authority</i>	<i>Observer</i>
NT- Wessel Islands	Soundings	ACV <i>Holdfast Bay</i>	M Willmore

NAVIGATION WARNINGS

The following radio messages have been received during the period to 3 July 2009. Signal copies of these messages may be destroyed. It is recommended that the reprint of Navigational Warnings should be kept in a file or a book divided into areas. Cancellation should be made on receipt of signals and reprints.

Rigs on location other than those listed in the latest Section III summary are the subject of Radio Navigational Warnings. Rigs in transit will not be the subject of Warnings.

AUSCOAST WARNING

- 148 North East Bromby buoy (11° 48'.25 S 136° 43'.57 E) permanently discontinued.
- 149 Drill rig *Nan Hai 6* in position 21° 29'.20 S 113° 58'.70 E. 2.5M clearance requested.
- 150 Drill rig *Jack Bates* in position 19° 55'.20 S 113° 58'.48 E. 2.5M clearance requested.
- 151 Cancelled.
- 152 Cancelled.
- 153 Cancelled.
- 154 Drill rig *EnSCO 7500* in position 20° 25'.00 S 115° 55'.00 E. 2.5M clearance requested.

NAVAREA X WARNINGS

- 009 When participating in AUSREP, mariners are reminded that polling is the required method of position reporting in accordance with the amended navigation act 1912 and marine orders (Part 63).

A master of a ship in the AUSREP area is to make the ship available to be polled by RCC Australia using INMARSAT-C. Masters are asked not to send manual position reports unless polling is unavailable or they are directed by RCC Australia to do so.

Masters of ships being polled will still be required to send sailing plans, deviation reports and final reports.

Masters are reminded that when sending sail plans that the word 'Poll' be entered in the field 'N' (eg: N/ Poll). This enables the AUSREP system to automatically assign polling to the vessel.

Masters are required to set up their INMARSAT-C terminals address book with the special access code (SAC) 1243 via Perth LES 212 (Pacific Ocean) or 312 (Indian Ocean). When setting up the address book entry for sending to SAC 1243, ASCII, 7-bit or IA5 needs to be selected for data presentation or character code.

Navigational warnings in force as at 030001UTC JUL 09.**Auscoast**

086 089 096 102 128 133 134 137 138 139 144 145 148 149 150 154

Navarea X

009

Summary of mobile drilling rigs as at 030001UTC JUL 09.

<i>Name</i>	<i>Position</i>
Ocean Shield	13° 53'.70 S 128° 29'.00 E
West Atlas	12° 30'.26 S 124° 27'.45 E
Songa Venus	13° 00'.33 S 124° 24'.22 E
Atwood Eagle	19° 54'.48 S 115° 07'.55 E
Jack Bates	19° 55'.20 S 113° 58'.48 E
EnSCO 7500	20° 25'.00 S 115° 55'.00 E
Nan Hai 6	21° 29'.20 S 113° 58'.70 E
Ocean Epoch	21° 34'.03 S 114° 10'.00 E

NAVAREA XIV WARNINGS

Nil.

Navarea XIV warnings in force as at 030001UTC JUL 09.

2009 Nil.