

3 June 2011 Edition 11

Australian Notices to Mariners are the authority for correcting Australian Charts and Publications

AUSTRALIAN NOTICES TO MARINERS

Notices 538 - 584

Published fortnightly by the Australian Hydrographic Service

Commodore R. NAIRN RAN Hydrographer of Australia

SECTIONS.

- I. Australian Notices to Mariners, including blocks and notes.
- II. Hydrographic Reports.
- **III.** Navigational Warnings.

SUPPLEMENTS.

- I. Tracings
- II. Cumulative List of Australian Notices to Mariners.
- III. Temporary and Preliminary Notices in force.
- IV. Amendments to Admiralty List of Lights and Fog Signals (Vol K), Radio Signals (NP 281(2), 282, 283(2), 285, 286(4)) and Sailing Directions (NP 9, 13, 14, 15, 33, 34, 35, 36, 39, 44, 51, 60, 61, 62, 100, 136).

© Commonwealth of Australia 2011

This work is copyright. Apart from any use permitted under the Copyright Act 1968, no part may be reproduced by any process, adapted, communicated or commercially exploited without prior written permission from The Commonwealth represented by the Australian Hydrographic Service.

IMPORTANT NOTICE

This edition of Notices to Mariners includes all significant information affecting AHS products which the AHS has become aware of since the last edition. All reasonable efforts have been made to ensure the accuracy and completeness of the information, including third party information, on which these updates are based. The AHS regards third parties from which it receives information as reliable, however the AHS cannot verify all such information and errors may therefore exist. The AHS does not accept liability for errors in third party information.

GENERAL INSTRUCTIONS

The substance of these notices should be inserted on the charts affected.

Bearings are referred to the true compass and are reckoned clockwise from North; those relating to lights are given as seen by an observer from seaward. Positions quoted in permanent notices relate to the horizontal datum for the chart(s). When preliminary or temporary notices affect multiple charts, positions will be provided in relation to only one horizontal datum and that datum will be specified. When the multiple charts do not have a common horizontal datum, mariners will be required to adjust the position(s) for those charts not on the specified datum. The range quoted for a light is its nominal range. Depths are with reference to the chart datum of each chart. Heights are above mean high water springs or mean higher high water, as appropriate.

The capital letter (P) or (T) after the number of any notice denotes a preliminary or temporary notice respectively, which are contained separately at the end of the permanent notices. A star (*) adjacent to the number of a notice indicates that the notice is based on original information.

REPORTING OF DANGERS

Mariners are particularly requested to notify the AUSTRALIAN HYDROGRAPHIC SERVICE, Locked Bag 8801 Wollongong, NSW 2500 (Fax 02-4223 6599, e-mail Hydro.NTM@defence.gov.au or, alternatively by filling in and submitting the Hydrographic Notes forms located on the web site – www.hydro.gov.au), immediately on the discovery of new dangers or suspected dangers to navigation. For changes or defects in aids to navigation notify AusSAR (Fax 02-6230 6868 or email rccaus@amsa.gov.au).

AUTHORISED USE

Copies of Australian notices are available free of charge from the Australian Hydrographic Service (AHS) website (www.hydro.gov.au) and through the eNotices (email) service (www.hydro.gov.au/enotices/enotices.htm).

Individual Notices may be copied for the purpose of inserting Notice substance on official charts and publications. Paper copies may be printed by chart agents and distributed to customers on a cost recovery basis. Participating chart agents are listed on the AHS website as providing a 'Paper Notices to Mariners' service (www.hydro.gov.au/prodserv/distributors/distributors.htm). Copies of the notices may not be sold for profit without prior written agreement.

NUMERICAL INDEX OF NOTICES TO MARINERS

Edition No 11

Notices	Aus Chart, INT Chart, ENC Cell
538	Aus 490, 4620, 4621, 4635 INT 620, 621, 635
539	Aus 806
540	Aus 197, 204, 489, 809, AX 0809E
541	Aus 207, 809, AX 0809E
542	Aus 235
543	Aus 236
544	Aus 237
545	Aus 256, 827
546	Aus 293, 299
547	Aus 510
548	Aus 315, AX 0315F
549	Aus 314, 319, 322, AX 0314F, 0319F, 0322F
550	Aus 742, 744
551	Aus 112, 334, 754, AX 63112, 66002
552	Aus 114
553	Aus 139
554	Aus 130, 781
555	Aus 151, 152
556(T)	Aus 207, 208
557(T)	Aus 235, 236, 237, 238
558(T)	Aus 237
559(T)	Aus 237, 238
560(T)	Aus 236, 237
561(T)	Aus 241
562(T)	Aus 245
563(T)	Aus 260, 367, 822, AX 0260E, 0367E, 0822E, 60260
564(T)	Aus 250
565(T)	Aus 256, 827
566(T)	Aus 259, 267
567(T)	Aus 258
568(T)	Aus 258
569(T) 570(T)	Aus 270 Aus 292, 293, 299
570(T)	Aus 32
572(T)	Aus 319, 322, AX 0319F, 0322F
573(T)	Aus 322, AX 03191, 03221
574(T)	Aus 327, 741
575(T)	Aus 327, 741
576(T)	Aus 327, 742, 743, AU 421116
577(T)	Aus 62, 327, 328, 742, 743
578(T)	Aus 327, 742, 743
579(T)	Aus 743
580(T)	Aus 109, 110, 118
581(T)	Aus 109
582(T)	Aus 172
583(T)	Aus 167, 799
584(T)	Aus 155
• •	
-	

20 May 2011 3

L

NUMERICAL INDEX OF CHARTS AFFECTED

Edition No 11

Aus Chart	Notices	Aus Chart	Notices
Aus 32	571(T)	Aus 809	540, 541
Aus 62	. 577(T)	Aus 822	563(T)
Aus 109	580(T), 581(T)	Aus 827	545, 565(T)
Aus 110	580(T)	Aus 4620	538
Aus 112	. 551	Aus 4621	538
Aus 114	. 552	Aus 4635	538
Aus 118	. 580(T)	AX 0260E	563(T)
Aus 130	554	AX 0314F	549
Aus 139		AX 0315F	548
Aus 151		AX 0319F	549, 572(T)
Aus 152	555	AX 0322F	549, 572(T), 573(T)
Aus 155		AX 0367E	563(T)
Aus 167		AX 0809E	540, 541
Aus 172	\	AX 0822E	563(T)
Aus 197	1	AX 60260	563(T)
Aus 204		AX 63112	551
Aus 207		AX 66002	551
Aus 208		AA 00002	001
Aus 206 Aus 235			
	. 542, 557(T) 543, 557(T), 560(T)		
Aus 236	, (),	INT Chart	Nations
Aus 237	. 544, 557(T), 558(T), 559(T),	INT Chart	Notices
	560(T)	INT 620	538
Aus 238	. 557(T), 559(T)	INT 621	538
Aus 241	* *	INT 635	538
Aus 245	. 562(T)		
Aus 250			
Aus 256	. 545, 565(T)		
Aus 258	. 567(T), 568(T)	ENC Cell	Notices
Aus 259	. 566(T)	AU421116	576(T)
Aus 260	. 563(T)		
Aus 267	. 566(T)		
Aus 270	. 569(T)		
Aus 292	. 570(T)		
Aus 293	546, 570(T)		
Aus 299	546, 570(T)		
Aus 314			
Aus 315			
Aus 319	549, 572(T)		
Aus 322			
743 JZZ	J 549, 5/2(1), 5/3(1)		
	, , , , , , ,		
Aus 327	. 574(T), 575(T), 576(T), 577(T),		
Aus 327	. 574(T), 575(T), 576(T), 577(T), 578(T)		
Aus 328	. 574(T), 575(T), 576(T), 577(T), 578(T) . 577(T)		
Aus 328 Aus 334	. 574(T), 575(T), 576(T), 577(T), 578(T) . 577(T) . 551		
Aus 328 Aus 334 Aus 367	. 574(T), 575(T), 576(T), 577(T), 578(T) . 577(T) . 551 . 563(T)		
Aus 327	. 574(T), 575(T), 576(T), 577(T), 578(T) . 577(T) . 551 . 563(T) . 538		
Aus 327	. 574(T), 575(T), 576(T), 577(T), 578(T) . 577(T) . 551 . 563(T) . 538 . 538		
Aus 328	. 574(T), 575(T), 576(T), 577(T), 578(T) . 577(T) . 551 . 563(T) . 538 . 538 . 540		
Aus 328	. 574(T), 575(T), 576(T), 577(T), 578(T) . 577(T) . 551 . 563(T) . 538 . 538 . 540 . 538		
Aus 328	. 574(T), 575(T), 576(T), 577(T), 578(T) . 577(T) . 551 . 563(T) . 538 . 538 . 540 . 538 . 547		
Aus 327	. 574(T), 575(T), 576(T), 577(T), 578(T) . 577(T) . 551 . 563(T) . 538 . 538 . 540 . 538 . 547 . 574(T), 575(T)		
Aus 327	. 574(T), 575(T), 576(T), 577(T), 578(T) 577(T) 551 563(T) 538 538 540 538 547 574(T), 575(T) 550, 576(T), 577(T), 578(T)		
Aus 327	. 574(T), 575(T), 576(T), 577(T), 578(T) 577(T) 551 563(T) 538 538 540 538 547 574(T), 575(T) 550, 576(T), 577(T), 578(T) 576(T), 577(T), 578(T), 579(T)		
Aus 327	. 574(T), 575(T), 576(T), 577(T), 578(T) 577(T) 551 563(T) 538 538 540 538 547 574(T), 575(T) 550, 576(T), 577(T), 578(T) 576(T), 577(T), 578(T), 579(T)		
Aus 327	. 574(T), 575(T), 576(T), 577(T), 578(T) 577(T) 551 563(T) 538 538 540 538 547 574(T), 575(T) 550, 576(T), 577(T), 578(T) 576(T), 577(T), 578(T), 579(T) 550		
Aus 327	. 574(T), 575(T), 576(T), 577(T), 578(T) 577(T) 551 563(T) 538 538 540 538 547 574(T), 575(T) 550, 576(T), 577(T), 578(T) 576(T), 577(T), 578(T), 579(T) 550 551		
Aus 327	. 574(T), 575(T), 576(T), 577(T), 578(T) 577(T) 551 563(T) 538 538 540 538 547 574(T), 575(T) 550, 576(T), 577(T), 578(T) 576(T), 577(T), 578(T), 579(T) 550 551 554 583(T)		
Aus 327	. 574(T), 575(T), 576(T), 577(T), 578(T) 577(T) 551 563(T) 538 538 540 538 547 574(T), 575(T) 550, 576(T), 577(T), 578(T) 576(T), 577(T), 578(T), 579(T) 550 551		

538 AUSTRALIA - Product

Australian Hydrographic Service

New Chart to be published shortly

Chart Title Scale Expected Publication Date

Aus 490 Australia - East Coast - Queensland - Sandy Cape to Swain Reefs 1:500 000 17 June 2011
Aus 4635 Australia - East Coast - Queensland - Cape Byron to Mackay 1:1 500 000 17 June 2011

New Edition to be published shortly

Chart Title Scale Expected Publication Date

Aus 4620 Australia - Papua New Guinea - Percy Isles to Booby Island 1:1 500 000 17 June 2011 including Gulf of Papua

Aus 4621 Coral and Solomon Seas - Mackay to Solomon Islands 1:1 500 000 17 June 2011

Chart to be permanently withdrawn without replacement

Chart On publication of chart

Aus 424 Aus 4635 Aus 426 Aus 4635

For further details refer to the AHS website at www.hydro.gov.au for new edition and new chart stock arrival information.

When placing orders with a chart agent, mariners should advise whether their order pertains to the current edition or the new edition.

539* AUSTRALIA - NEW SOUTH WALES - Cape Green - Wreck

Southern Ocean Exploration (AA532491)

Aus 806 [30/2011]

Insert depth, 68m, enclosed by danger circle with legend,

Wk 37° 18'.30 S 150° 03'.18 E

Delete depth 60m 37° 18'.1 S 150° 02'.8 E

540* AUSTRALIA - NEW SOUTH WALES - Bulbararing Bay - Wreck

CBDesign (AA527319)

Aus 197 [83/2011]

Insert depth, $8_2 m$, enclosed by danger circle with legend,

Wk 33° 27′.88 S 151° 27′.45 E

Aus 204 [1361/2010]

Insert depth, 82m, enclosed by danger circle with legend,

Wk 33° 27′.88 S 151° 27′.45 E

Aus 489 [238/2011]

Insert depth, 8_2m , enclosed by danger circle with legend,

Wk 33° 27'.88 S 151° 27'.45 E

Aus 809 [33/2011]

Insert depth, 8_2m , enclosed by danger circle with legend,

Wk 33° 27′.88 S 151° 27′.45 E

AX 0809E [33/2011]

Insert depth, 8_2m , enclosed by danger circle with legend,

Wk 33° 27'.88 S 151° 27'.45 E

AUSTRALIA - NEW SOUTH WALES - Newcastle - Pilot boarding place; traffic scheme

Newcastle Port Corporation (AA533093, AA533094)

Aus 207 [4	<i>151/</i> 201 <i>1</i> 1
------------	----------------------------

Insert	accompanying block A	32º 56'.5 S	151º 50'.0 E
	accompanying block B	32º 56'.5 S	151º 52'.5 E
	accompanying note	32º 58'.3 S	151º 43'.0 E

Aus 809 [540/2011]

Insert	pilot boarding place with legend <i>East</i>	32º 57'.11 S	151º 53'.73 E
	magenta legend West centered on	32º 57'.10 S	151° 51′.80 E

Delete aeronautical radio beacon 32º 48'.2 S 151º 49'.7 E

AX 0809E [540/2011]

Insert pilot boarding place with legend East magenta legend West centered on 32° 57′.11 S 151° 53′.73 E 151° 51′.80 E

Delete aeronautical radio beacon 32° 48′.2 S 151° 49′.7 E

542* AUSTRALIA - QUEENSLAND - Bribie Island - Lights

Maritime Safety Queensland Notice 452/2011 (AA535062)

Aus 235 [290/2011]

Amend light to Q.Bu.15m 8M (F.Y Day) & Q.WR.10M 26° 49'.63 S 153° 07'.86 E light to Iso.Bu.27m 8M (F.Y Day) 26° 48'.84 S 153° 07'.32 E

543* AUSTRALIA - QUEENSLAND - Moreton Bay - Pelican Banks - Light beacon repositioned

Maritime Safety Queensland Notice 439/2011 (AA534375)

Aus 236 [498/2011]

Move light beacon 27° 34'.8 S 153° 24'.3 E to 27° 34'.66 S 153° 24'.28 E

544* AUSTRALIA - QUEENSLAND - Brisbane River - Lytton Rocks Reach - Light

Maritime Safety Queensland (AA535057, AA535058)

Aus 237 [498/2011]

Amend light to VQ(3)5s 27° 23'.80 S 153° 09'.19 E

545* AUSTRALIA - QUEENSLAND - Townsville - Navaids

Former Notices - 376(T)/2011,476(T)/2011 are cancelled Maritime Safety Queensland Notice 472/2011 (AA536088)

Aus 2	256 [697	/20	091

7 140 =00 L	[001/2000]		
Move	light beacon	19º 08'.3 S	146º 53'.4 E
	to	19º 08'.455 S	146º 53'.391 E
	light beacon	19º 07'.7 S	146º 54'.4 E
	to	19º 07'.598 S	146º 54'.566 E
Delete	light beacon	19º 08'.8 S	146º 53'.2 E
Aus 827 [902/2010		
Move	light beacon	19º 08'.3 S	146º 53'.4 E
	to	19º 08'.46 S	146º 53'.39 E
	light beacon	19º 07'.7 S	146º 54'.4 E
	to	19º 07'.60 S	146º 54'.57 E

546* AUSTRALIA - QUEENSLAND - Prince of Wales Island - Pilot boarding place

Maritime Safety Queensland Notice 426/2011 (AA533978)

Aus 293 [454/2011]

Insert pilot boarding place, with legend Boat Channel 10° 36'.09 S 142° 12'.42 E

Aus 299 [454/2011]

Insert pilot boarding place, with legend Boat Channel 10° 36'.00 S 142° 12'.48 E

547* PAPUA NEW GUINEA - Jomard Entrance - Depths

Geoscience Australia (DHDB 1694140)

Aus 510 [89/2011]

Insert accompanying block 11° 13′.5 S 152° 02′.0 E

548* AUSTRALIA - WESTERN AUSTRALIA - Timor Sea - Unexploded ordnance

Australian Hydrographic Service (Australian Notice to Mariners No12)

Aus 315 [780/2008]

Insert magenta legend Unexploded Ordnance (see Note),

centred on 12° 18'.67 S 128° 22'.76 E accompanying note 12° 34'.5 S 128° 41'.0 E

AX 0315F [NC 26/9/2008]

Insert magenta legend Unexploded Ordnance (see Note),

centred on 12° 18'.67 S 128° 22'.76 E accompanying note 12° 34'.5 S 128° 41'.0 E

549* AUSTRALIA - WESTERN AUSTRALIA - Timor Sea - Unexploded ordnance

Australian Hydrographic Service (Australian Notice to Mariners No12)

Aus 314 [14	12/2011]		
Insert	accompanying note	12º 53'.8 S	125º 47'.5 E
	magenta legend <i>Unexploded Ordnance</i> (see Note), centred on	12º 49'.73 S	123º 05'.14 E
Aus 319 [11	13/2010]		
Insert	magenta legend <i>Unexploded Ordnance</i> (see Note), centred on accompanying note	12º 49'.73 S 13º 22'.8 S	123º 05'.14 E 123º 21'.7 E
Aus 322 [15	57/2010]		
Insert	accompanying note	12º 59'.3 S	121º 26'.2 E
	magenta legend <i>Unexploded Ordnance</i> (see Note), centred on	12º 49'.73 S	123º 05'.14 E
AX 0314F [1	142/2011]		
Insert	accompanying note magenta legend <i>Unexploded Ordnance</i> (see Note), centred on	12º 53'.8 S	125° 47′.5 E
		12º 49'.73 S	123º 05'.14 E
AX 0319F [1	1113/2010		
Insert	accompanying note magenta legend <i>Unexploded Ordnance</i> (see Note),	13º 22'.8 S	123º 21'.7 E
	centred on	12º 49'.73 S	123º 05'.14 E
AX 0322F [157/2010]			
Insert	magenta legend <i>Unexploded Ordnance</i> (see Note), centred on accompanying note	12º 49'.73 S 12º 59'.3 S	123º 05'.14 E 121º 26'.2 E

550* AUSTRALIA - WESTERN AUSTRALIA - Montebello Islands to Bessieres Island - Unexploded ordnance Australian Hydrographic Service (Australian Notice to Mariners No12)

Aus 742 [<i>45</i> Insert	accompanying note magenta pecked circle, radius 0.5M, with legend	20° 47′.5 S	116º 35'.0 E
Aus 744 [11	Unexploded Ordnance (see Note), centred on	20º 22'.95 S	115º 40'.03 E
Insert	magenta pecked circle, radius 0.75M, with legend Unexploded Ordnance (see Note), centred on accompanying note	21° 29'.00 S 22° 01'.4 S	114º 39'.70 E 114º 55'.6 E

551* AUSTRALIA - WESTERN AUSTRALIA - Direction Bank to Rottnest Island - Unexploded ordnance Australian Hydrographic Service (Australian Notice to Mariners No12)

Aus 112 [45] Insert	9/2011] magenta pecked circle, radius 463m, with legend Unexploded Ordnance (see Note), centred on accompanying note	31º 58'.25 S 31º 57'.3 S	115º 32'.10 E 115º 48'.5 E	
Aus 334 [40 Insert	6/2011] magenta legend Unexploded Ordnance (see Note),centred on magenta legend Unexploded Ordnance (see Note), centred on accompanying note	31° 45′.13 S 31° 47′.43 S 31° 31′.0 S	115° 13'.29 E 115° 14'.39 E 115° 55'.5 E	
Aus754 [459 Insert	magenta legend <i>Unexploded Ordnance</i> (see Note), centred on magenta legend <i>Unexploded Ordnance</i> (see Note), centred on magenta legend <i>Unexploded Ordnance</i> (see Note), centred on accompanying note	31° 58′.25 S 31° 45′.13 S 31° 47′.43 S 31° 15′.5 S	115° 32'.10 E 115° 13'.29 E 115° 14'.39 E 115° 35'.5 E	
AX 63112 [<i>4</i> Insert	59/2011] accompanying note magenta pecked circle, radius 463m, with legend Unexploded Ordnance (see Note), centred on	31° 57′.3 S 31° 58′.25 S	115° 48'.5 E 115° 32'.10 E	
AX 66002 [4 Insert	59/2011] magenta legend <i>Unexploded Ordnance</i> (see Note), centred on magenta legend <i>Unexploded Ordnance</i> (see Note), centred on accompanying note	31° 45′.13 S 31° 47′.43 S 31° 37′.0 S	115° 13'.29 E 115° 14'.39 E 115° 42'.0 E	
552* AUSTRALIA - WESTERN AUSTRALIA - Garden Island - Light buoy withdrawn HMAS Farncomb (AA536002)				
Aus 114 [<i>40</i> Delete	7/2011] light buoy	32º 13'.13 S	115º 42'.28 E	
Department t	STRALIA - SOUTH AUSTRALIA - Edithburgh - Light for Transport, Energy and Infrastructure SA (AA534331) an, Macdonnell Sound) [303/2011] light to Q.R	35º 05'.33 S	137º 44'.92 E	
554* AUSTRALIA - SOUTH AUSTRALIA - Port Adelaide - Light Department for Transport, Energy and Infrastructure SA (AA534328)				
Aus 130 [11 Amend	75/2010] light to <i>Fl.5</i> s <i>5M</i>	34º 44'.06 S	138º 27'.91 E	
Aus 781 [30	3/2011] light to <i>Fl.5</i> s <i>5M</i>	34º 44'.06 S	138º 27'.91 E	

555* AUSTRALIA - VICTORIA - Hastings Bight - Wreck Australian Hydrographic service (AA535805)

Aus 151 [308/2011]

stranded wreck Insert 38º 18'.318 S 145º 12'.597 E

Aus 152 (plan, Hastings Bight) [960/2010] Insert stranded wreck

38º 18'.318 S 145º 12'.597 E

3 June 2011 10

556(T)/2011 AUSTRALIA - NEW SOUTH WALES - Newcastle - Depth information Former Notice - 200(T)/2011 is cancelled Newcastle Port Corporation (AA536779)

Available depths as at 30 May 2011:

Available depths as at 30 May 2011:	
Berth	Metres
Western Basin 3	11.6
Western Basin 4	11.6
Eastern Basin 1	11.6
Eastern Basin 2 North of Ch 450	11.6
Eastern Basin 2 South of Ch 450	11.0
Channel Berth	8.3
Dyke 1	12.8
Dyke 2	12.8
Dyke 4	16.5
Dyke 5	16.5
Dyke 6	6.3
* Mayfield 4 Ch 27 to 266	12.6
BHP Wharf 6 to Ch 1050	7.9
* Kooragang 2	11.4
Kooragang 2 North Dolphin Ch 182 to 228	11.1
Kooragang 2 South Dolphin Ch -92 to 00	10.9
* Kooragang 3	13.0
Kooragang 4	16.5
Kooragang 5	16.5
Kooragang 6	16.5
* Kooragang 8	15.4
Kooragang 9	15.6
Kooragang Ship Receival KSR	7.5
* Throsby 1	8.4
Carrington Wharf	To be sounded as and when required
Foreshore Park Berth	5.9
Elgo Wharf	To be sounded as and when required
Channels	·
Entrance Approach	17.7
Entrance Channel (18.0m)	18.0
Entrance Channel (17.4m)	17.4
Entrance Channel (16.8m)	16.8
Entrance Channel (16.2m)	16.1
Entrance Channel to Horseshoe	15.2
Horseshoe	15.0
Steelworks Channel to Swinging Basin	15.0
Swinging Basin	15.0
Swinging Basin to Mayfield 4	12.8
Hunter River South Arm (Kooragang 6 to Kooragang 9)	15.0
Basin Cutting	12.8
Basin Area to Eastern & Western Basin Berths	12.3
Basin Area to 1 Throsby	10.0
Stockton Crossing	3.6
* Indicates revised entry.	

Chart temporarily affected - Aus 207 - Aus 208

3 June 2011 11

557(T)/2011 AUSTRALIA - QUEENSLAND - Moreton Bay - Brisbane River - Depth information

Former Notice - 516(T)/2011 is cancelled

Brisbane Port Corporation (AA536200, AA536604)

Available depths and under keel clearances (UKC)	at 27 May	2011:
Berth	Metres	Remarks
Fisherman Islands No10	13.1	riomano
Fisherman Islands No9	13.1	
* Fisherman Islands No8	13.5	
Fisherman Islands No7	13.1	
Fisherman Islands No6	12.8	
Fisherman Islands No5	12.6	
Fisherman Islands No4	12.7	
* Fisherman Islands No3	12.8	
* Fisherman Islands No2	12.7	
* Fisherman Islands No1	13.0	
* Fisherman Islands Grain and Woodchip	12.5	
* Caltex Fisherman Islands	14.4	
Fisherman Islands Coal	13.5	
Fisherman Islands General Purpose	10.6	
BP Luggage Point	14.3	
Caltex Products	10.0	
* Cement Australia Co Wharf	9.7	
* BP Products	10.5	
Shell	11.0	
Pacific Terminals	9.9	
Incitec North	10.0	
Incited South	9.1	
Pinkenba 1	10.1	
Pinkenba 2	10.1	
Riverside Marina	-	
Sugar Terminal	9.8 8.2	
* Cairncross Fitting Out Wharf * Cairncross Breasting Wharf	6.Z 6.7	
Brisbane Naval Wharf	-	
Maritime No3	5.6	(not maintained)
Maritime No2	8.3	(not maintained)
Maritime No1	9.0	
Hamilton No4	10.3	
* Hamilton No1	8.6	
Brisbane Cruise Ship Terminal	9.1	
, , , , , , , , , , , , , , , , , , , ,		
	Metres	UKC/Remarks
Moreton Bay :		
North East Channel	5.5	1.5
North West Channel	15.0	2.3 (280m width)
North West Bypass Channel	9.2	1.6
Spitfire Channel	15.0	1.5 (600m width)
East Knoll Bypass Channel	6.9	1.4
East Channel	15.0	1.5 (300m width from western side)
Main Channel (M8 - M9)	10.0	1.8
Entrance Channel (E5 - EBCN)	14.7	1.5
Brisbane River:		
Entrance Beacons and Bar Cutting	12.1	1.46
Fisherman Islands Swing Basin	13.1 13.0	1. 40 1.3
Pelican Banks Reach to Hamilton Reach	8.9	0.6 / 0.9 (draft/tide)
Cement Australia Swing Basin	8.8	0.6 / 0.9 (draft/tide)
Pinkenba Swing Basin	8.9	0.6 / 0.9 (draft/tide)
Hamilton Swing Basin	8.6	0.6 / 0.9 (draft/tide)
* Indicates new or revised entry.	0.0	(

Chart temporarily affected - Aus 235 - Aus 236 - Aus 237 - Aus 238

558(T)/2011 AUSTRALIA - QUEENSLAND - Brisbane River - Whyte Island - Dredging operations

Date - Until 22 June 2011

Maritime Safety Queensland Notice 493(T)/2011 (AA537053)

The dredge Ken Harvey is conducting dredging operations in the vicinity of (27° 24'.00 S 153° 09'.60 E).

The dredge has deployed anchors marked by special light buoys, Fl. Y.3s.

The dredge will monitor VHF Ch 12 and display appropriate lights and shapes.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 237

559(T)/2011 AUSTRALIA - QUEENSLAND - Brisbane River - Lytton Reach - Harbour works completed

Former Notice - 414(T)/2011 is cancelled

Maritime Safety Queensland Notice 422(T)/2011 (AA533403)

Cancel this notice on receipt.

Chart formerly affected - Aus 237 - Aus 238

560(T)/2011 AUSTRALIA - QUEENSLAND - Moreton Bay - Koopa Channel - Obstruction

Maritime Safety Queensland Notice 453(T)/2011 (AA535060)

An obstruction marked by a special light buoy, Fl. Y.3s, exists in position 27° 21'.75 S 153° 10'.20 E.

Chart temporarily affected - Aus 236 - Aus 237

561(T)/2011 AUSTRALIA - QUEENSLAND - Great Sandy Strait - Middle Bank - Scientific instrument recovered

Former Notice - 162(T)/2011 is cancelled

Maritime Safety Queensland Notice 491(T)/2011 (AA537054)

Cancel this notice on receipt.

Chart formerly affected - Aus 241

562(T)/2011 AUSTRALIA - QUEENSLAND - Gladstone - Curtis Island - Dredging Operations

Date - Until 26 August 2011

Maritime Safety Queensland Notice 455(T)/2011

Dredging operations are in progress in position 23° 47'.30 S 151° 12'.45 E.

Spoil will be deposited in the East Banks spoil ground.

The dredge will display appropriate lights and shapes; and will monitor VHF Ch 13 and Ch 16.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 245

563(T)/2011 AUSTRALIA - QUEENSLAND - Shoalwater Bay - Live firing completed

Former Notice - 421(T)/2011 is cancelled

Cancel this notice on receipt.

Chart formerly affected - Aus 260 - Aus 367 - Aus 822 - AX 0260E - AX 0367E - AX 0822E - AX 60260

564(T)/2011 AUSTRALIA - QUEENSLAND - Hay Point - Dredging and drilling operations

Former Notice - 316(T)/2011 is cancelled

Date - Until 30 September 2011

Maritime Safety Queensland Notice 465(T)/2011 (AA536254)

Jack-up rig BHD Supply and support vessel MT Kythira are conducting drilling and blasting operations in the area centered on 21° 15'.97 S 149° 18'.85 E.

The dredges Gemok 121 and Orion 1805 are conducting dredging operations.

All vessels will monitor VHF Ch 14 and 16 and display appropriate lights and symbols.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 250

565(T)/2011 AUSTRALIA - QUEENSLAND - Townsville - Obstructions

Date - Until 30 June 2011

Maritime Safety Queensland Notice 490(T)/2011 (AA536781)

Obstructions exist in positions 19° 07'.70 S 146° 54'.38 E and 19° 08'.30 S 146° 53'.45 E.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 256 - Aus 827

566(T)/2011 AUSTRALIA - QUEENSLAND - Lucinda - Exclusion zone

Former Notice - 320(T)/2011 is cancelled

Maritime Safety Queensland Notice 495(T)/2011 (AA537225)

A 200m exclusion zone exists around the Bulk Sugar Terminal (18° 31'.25 S 146° 23'.17 E); including the mooring dolphins. A 100m exclusion zone exists around either side of the trestle leading to the wharf from the mainland.

Chart temporarily affected - Aus 259 - Aus 267

567(T)/2011 AUSTRALIA - QUEENSLAND - Clump Point - Light beacon restored

Former Notice - 170(T)/2011 is cancelled

Maritime Safety Queensland Notice 476(T)/2011 (AA536252)

Cancel this notice on receipt.

Chart formerly affected - Aus 258

568(T)/2011 AUSTRALIA - QUEENSLAND - Mourilyan Harbour - Wreck

Maritime Safety Queensland Notice 475(T)/2011 (AA536253)

A wreck marked by a special light buoy, Fl. Y.3s, exists in position 17° 36'.43 S 146° 07'.46 E.

Chart temporarily affected - Aus 258

569(T)/2011 AUSTRALIA - QUEENSLAND - Port Douglas - Light beacon restored

Former Notice - 530(T)/2011 is cancelled

Maritime Safety Queensland Notice 460(T)/2011 (AA535066)

Cancel this notice on receipt.

Chart formerly affected - Aus 270

570(T)/2011 AUSTRALIA - QUEENSLAND - Thursday Island - Light buoy off station

Maritime Safety Queensland Notice 458(T)/2011 (AA535717)

The west cardinal light buoy (10° 36'.55 S 142° 12'.77 E) is off station.

Chart temporarily affected - Aus 292 - Aus 293 - Aus 299

571(T)/2011 AUSTRALIA - WESTERN AUSTRALIA - Wyndham - Harbour works

WA Department of Transport Notices 77, 78/2011 (AA536789, AA536790)

Harbour works associated with the construction of the Anthon Landing Jetty and KMG Iron Ore Loading Jetty are in progress.

Exclusion zones, marked by special light buoys, Fl. Y.3s, at the seaward corners, exist in the area bounded by the following positions:

15° 27'.57 S 128° 05'.99 E 15° 27'.57 S 128° 05'.88 E 15° 27'.73 S 128° 05'.94 E 15° 25'.50 S 128° 06'.98 E 15° 25'.50 S 128° 06'.50 E 15° 26'.20 S 128° 06'.50 E 15° 26'.20 S 128° 06'.57 E

The vessels will display appropriate lights and shapes.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 32

572(T)/2011 AUSTRALIA - WESTERN AUSTRALIA - Seringapatam Reef - Seismic survey northeastwards completed Former Notice - 486(T)/2011 is cancelled NT Shipping Agencies (AA527692)

Cancel this notice on receipt.

Chart formerly affected - Aus 319 - Aus 322 - AX 0319F - AX 0322F

573(T)/2011 AUSTRALIA - WESTERN AUSTRALIA - Scott Reef - Seismic survey northeastwards completed Former Notice - 431(T)/2011 is cancelled NT Shipping Agencies (AA527690, AA527691)

Cancel this notice on receipt.

Chart formerly affected - Aus 322 - AX 0322F

574(T)/2011 AUSTRALIA - WESTERN AUSTRALIA - Glomar Shoal - Scientific instrument westwards Date - Until 28 November 2011

MetOcean Engineers (AA537101)

A scientific instrument marked by a special light buoy, FI(5)Y.20s, exists in position 19° 35'.05S 116° 28'.47E.

Chart temporarily affected - Aus 327 - Aus 741

575(T)/2011 AUSTRALIA - WESTERN AUSTRALIA - Glomar Shoal - FPSO off station westwards

Date - Until 15 July 2011

Woodside Energy (AA537051)

The FPSO Cossack Pioneer (19° 35'.35 S 116° 26'.76 E) is off station; an unlit riser turret mooring exists in situ.

Chart temporarily affected - Aus 327 - Aus 741

576(T)/2011 AUSTRALIA - WESTERN AUSTRALIA - Cape Preston - Harbour works completed

Former Notice - 458(T)/2010 is cancelled

Australian Hydrographic Service (NTM 457/2011)

Cancel this notice on receipt.

Chart formerly affected - Aus 327 - Aus 742 - Aus 743 - AU421116

AUSTRALIA - WESTERN AUSTRALIA - Barrow Island - Scientific instruments

Former Notices - 631(T)/2010,533(T)/2011 are cancelled MetOcean Engineers (AA536573)

Scientific instruments exist as follows:

Position (WGS84 datum) Remarks 19° 49'.29 S 115° 38'.17 E 5 poly floats 19° 49'.35 S 115° 38'.07 E lit buoy, FI(5) Y.20s

Chart temporarily affected - Aus 62 - Aus 327 - Aus 328 - Aus 742 - Aus 743

AUSTRALIA - WESTERN AUSTRALIA - Barrow Island to Solitary Island - Survey operations 578(T)/2011

Date - Until 29 July 2011

WA Department of Transport (AA536255, AA536785)

MV Silver Star, is conducting survey operations between the following positions:

20° 48'.62 S 115° 29'.02 E

20° 51'.66 S 115° 28'.78 E

21° 05'.46 S 115° 42'.29 E

21° 10'.30 S 115° 49'.25 E

A 0.27M exclusion zone exists around the vessel.

The vessel will display appropriate lights and shapes and monitor VHF Channels 8 and 16.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 327 - Aus 742 - Aus 743

3 June 2011 16

579(T)/2011 AUSTRALIA - WESTERN AUSTRALIA - Onslow - Scientific instruments

Department of Transport WA Notice 79/2011 (AA536980)

Subsurface scientific instruments marked by special light buoys, Fl.Y.6s, exist in the following positions:

```
21° 36'.48 S 115° 04'.31 E
21° 34'.01 S 115° 00'.98 E
21° 34'.22 S 115° 01'.83 E
21° 34'.15 S 115° 03'.42 E
21° 31'.22 S 115° 05'.62 E
21° 31′.62 S 115° 08′.12 E
21° 38'.93 S 114° 55'.54 E
21° 35'.35 S 114° 56'.40 E
21° 30'.45 S 115° 11'.73 E
21° 32'.82 S 115° 04'.61 E
21° 33'.30 S 115° 04'.14 E
21° 31'.81 S 114° 46'.23 E
21° 37'.87 S 114° 41'.40 E
21° 19'.69 S 115° 09'.41 E
21° 19'.59 S 115° 23'.48 E
21° 29'.19 S 115° 12'.91 E
21° 27'.07 S 115° 02'.05 E
21° 29'.00 S 115° 01'.54 E
21° 32'.05 S 115° 03'.16 E
21° 43'.09 S 114° 46'.22 E.
```

Chart temporarily affected - Aus 743

580(T)/2011 AUSTRALIA - WESTERN AUSTRALIA - King George Sound - Survey operations

Date - Until 31 July 2011

Albany Port Authority Notice 1/2011 (AA535068)

Jack-up rig Ocean Driller is conducting drilling operations in the area bounded by the following positions (WGS84):

```
35°02'.497 S 117°54'.609 E 35°02'.350 S 117°54'.553 E 35°02'.268 S 117°54'.573 E 35°02'.149 S 117°54'.881 E 35°02'.286 S 117°54'.939 E 35°01'.841 S 117°56'.600 E 35°01'.949 S 117°56'.653 E 35°02'.086 S 117°58'.146 E 35°02'.176 S 117°58'.056 E 35°03'.410 S 117°59'.759 E
```

Mariners should not pass within 50m of the platform.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 109 - Aus 110 - Aus 118

581(T)/2011 AUSTRALIA - WESTERN AUSTRALIA - Albany - Harbour works

Former Notice - 633(T)/2010 is cancelled Date - Until 30 November 2011 WA Department of Transport (AA537007)

Works associated with the construction of the new marina are in progress (35° 01'.9 S 117° 53'.3 E).

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 109

582(T)/2011 AUSTRALIA - TASMANIA - River Derwent - New Town Bay - Wreck

Marine and Safety Tasmania (AA537008, AA537009)

A wreck exists in position 42° 50'.68 S 147° 19'.08 E.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 172

583(T)/2011 AUSTRALIA - TASMANIA - River Tamar - Middle Bank - Light restored

Former Notice - 443(T)/2011 is cancelled Marine and Safety Tasmania Notice M80/2011 (AA535711)

Cancel this notice on receipt.

Chart formerly affected - Aus 167 - Aus 799

584(T)/2011 AUSTRALIA - VICTORIA - Port Phillip - Light buoys withdrawn

Date - Until 30 June 2011 Victorian Notice 80(T)/2011 (AA537371)

T5 light buoy (37° 58'.87 S 144° 55'.69 E) and T6 light buoy (37° 58'.86 S 144° 55'.08 E) have been temporarily withdrawn.

Chart temporarily affected - Aus 155

HYDROGRAPHIC REPORTS

Locality	Report	Ship/Authority	Observer
QLD- Hay Point	Harbour works	MV Hammonia Malta	J Filek

13 August 2010 19

NAVIGATION WARNINGS

The following radio messages have been received during the period to 3 June 2011. Signal copies of these messages may be destroyed. It is recommended that the reprint of Navigational Warnings should be kept in a file or a book divided into areas. Cancellation should be made on receipt of signals and reprints.

Rigs on location other than those listed in the latest Section III summary are the subject of Radio Navigational Warnings. Rigs in transit will not be the subject of Warnings.

AUSCOAST WARNING

155	Special purpose vessel Southern Supporter conducting geotechnical and geophysical survey with towed array in an
	area bounded by 19° 55'⋅0 S to 20° 08'⋅0 S and 114° 59'⋅0 E to 115° 24'⋅0 E. 1.0M clearance requested.
156	Unlit yellow marker buoys deployed in an area bounded by 38° 12'⋅0 S to 38° 17'⋅0 S and 148° 10'⋅0 E to 148° 17'⋅0 E.
157	Mooring buoy laid in position 20° 01'.99S 113° 37'.79 E. 1.5M clearance requested.
158	8 lit mooring buoys in vicinity of 20° 28'·8 S 113° 54'·3 E. 1.5M clearance requested.
159	Cancelled.
160	Special purpose vessel Western Spirit conducting seismic survey towing ten 7000m cable in an area bounded by 200
	26'⋅0 S to 21° 08'⋅0 S and 114° 22'⋅0 E to 114° 58'⋅0 E. 6.0M clearance requested.
161	Cancelled.
162	Cancelled.
163	Cancelled.
164	Cancelled.
165	Drill rig Stena Clyde in position 19º 15'-50 S 116º 38'-30 E. 2.5M clearance requested.
166	Drill rig Ocean America in position 13º 12'.58 S 122º 37'.20 E. 2.5M clearance requested.

NAVAREA X WARNINGS

Nil.

167

Navigational warnings in force as at 030001UTC JUN 11.

Auscoast

2011 015 029 094 118 129 132 134 140 147 149 152 153 154 155 156 158 160 165 166 167

Cossack Pioneer light K1687.85 in position 19º 35'-32 S 116º 26'-41 E unlit.

Navarea X 2011 001 004

Summary of mobile drilling rigs as at 030001UTC JUN 11.

Name	Position
Ocean America	13º 12'.58 S 122º 37'.20 E
Stena Clyde	19° 15'.50 S 116° 38'.30 E
Ocean Patriot	19° 14'.63 S 115° 41'.17 E
Ensco 109	20° 04'.42 S 115° 17'.83 E
Maersk Discoverer	19° 54'.90 S 115° 15'.10 E
Atwood Eagle	20° 14'·16 S 115° 01'·73 E
Atwood Osprey	20° 08'·12 S 114° 06'·98 E
Nan Hai 6	21° 26'.00 S 114° 02'.00 E

NAVAREA XIV WARNINGS

043	Cancelled.		
044	Cancelled.		
045	Cancelled.		
046	Cancelled.		
047	Cancelled.		
047	South Pacific Ocean, Fiji. Suva Harbour, Nadi Waters – Navula Passage.		
	The following lights are unreliable:	-	
	Suva Harbour leading light front K4672	18º 06'⋅56 S 178º 24'⋅22 E	
	Suva Harbour leading light rear K4672.1	18° 05'.92 S 178° 24'.34 E	
	The following lights are unlit:		
	Momi Bay leading light front K4704	17º 54'⋅87 S 177º 16'⋅45 E	
	Momi Bay leading light rear K4704.1	17º 54'-64 S 177º 17'-50 E	

Navarea XIV warnings in force as at 030001UTC JUN 11.

2010 047 **2011** 042 047