



11 February 2011

Edition 3

Australian Notices to Mariners are the authority for correcting Australian Charts and Publications

AUSTRALIAN NOTICES TO MARINERS

Notices 135 – 184

Published fortnightly by the Australian Hydrographic Service

Commodore R. NAIRN RAN
Hydrographer of Australia

SECTIONS.

- I. **Australian Notices to Mariners, including blocks and notes.**
- II. **Hydrographic Reports.**
- III. **Navigational Warnings.**

SUPPLEMENTS.

- I. **Tracings**
- II. **Cumulative List of Australian Notices to Mariners.**
- III. **Temporary and Preliminary Notices in force.**
- IV. **Amendments to Admiralty List of Lights and Fog Signals (Vol K),
Radio Signals (NP 281(2), 282, 283(2), 285, 286(4)) and Sailing
Directions (NP 9, 13, 14, 15, 33, 34, 35, 36, 39, 44, 51, 60, 61, 62, 100, 136).**

© Commonwealth of Australia 2011

This work is copyright. Apart from any use permitted under the Copyright Act 1968, no part may be reproduced by any process, adapted, communicated or commercially exploited without prior written permission from The Commonwealth represented by the Australian Hydrographic Service.

IMPORTANT NOTICE

This edition of Notices to Mariners includes all significant information affecting AHS products which the AHS has become aware of since the last edition. All reasonable efforts have been made to ensure the accuracy and completeness of the information, including third party information, on which these updates are based. The AHS regards third parties from which it receives information as reliable, however the AHS cannot verify all such information and errors may therefore exist. The AHS does not accept liability for errors in third party information.

GENERAL INSTRUCTIONS

The substance of these notices should be inserted on the charts affected.

Bearings are referred to the true compass and are reckoned clockwise from North; those relating to lights are given as seen by an observer from seaward. Positions quoted in permanent notices relate to the horizontal datum for the chart(s). When preliminary or temporary notices affect multiple charts, positions will be provided in relation to only one horizontal datum and that datum will be specified. When the multiple charts do not have a common horizontal datum, mariners will be required to adjust the position(s) for those charts not on the specified datum. The range quoted for a light is its nominal range. Depths are with reference to the chart datum of each chart. Heights are above mean high water springs or mean higher high water, as appropriate.

The capital letter (P) or (T) after the number of any notice denotes a preliminary or temporary notice respectively, which are contained separately at the end of the permanent notices. A star (*) adjacent to the number of a notice indicates that the notice is based on original information.

REPORTING OF DANGERS

Mariners are particularly requested to notify the AUSTRALIAN HYDROGRAPHIC SERVICE, Locked Bag 8801 Wollongong, NSW 2500 (Fax 02-4223 6599, e-mail Hydro.NTM@defence.gov.au or, alternatively by filling in and submitting the [Hydrographic Notes](#) forms located on the web site – www.hydro.gov.au), immediately on the discovery of new dangers or suspected dangers to navigation. For changes or defects in aids to navigation notify AusSAR (Fax 02-6230 6868 or email rccaus@amsa.gov.au).

AUTHORISED USE

Copies of Australian notices are available free of charge from the Australian Hydrographic Service (AHS) website (www.hydro.gov.au) and through the eNotices (email) service (www.hydro.gov.au/enotices/enotices.htm).

Individual Notices may be copied for the purpose of inserting Notice substance on official charts and publications. Paper copies may be printed by chart agents and distributed to customers on a cost recovery basis. Participating chart agents are listed on the AHS website as providing a 'Paper Notices to Mariners' service (www.hydro.gov.au/prodserv/distributors/distributors.htm). Copies of the notices may not be sold for profit without prior written agreement.

NUMERICAL INDEX OF NOTICES TO MARINERS

Edition No 3

Notices	Aus Chart, INT Chart, ENC Cell, AHP
135.....	Aus 523, 635, 664, 816, 817, AU 240130, 301142, 301143, 301144, 301145, 301146, 302142, 302143, 302144, 303144
136.....	Aus 208
137.....	Aus 238
138.....	Aus 235
139.....	Aus 270
140.....	Aus 386, 387, 396, 397, 546, 547, 548, 554, 673
141.....	Aus 391, 462, 4060, 4603, 4604, 4622, AX 4603F, 4604F, INT 60, 603, 604, 622
142.....	Aus 314, 4060, 4603, 4721, 4722, AX 0314F, 4603F, 4721F, 4722F, INT 60, 603, 721, 722
143.....	Aus 57
144.....	Aus 64, 743
145.....	Aus 754
146.....	Aus 120, 122
147.....	Aus 343, 346, 444
148.....	Aus 139, 780, 781
149.....	Aus 402, 449, 4074, INT 74, 9035
150.....	Aus 449, INT 9035
151.....	Aus 600, INT 9036
152.....	Aus 603, INT 9014
153.....	Aus 167
154.....	Aus 154
155.....	Aus 801
156.....	Aus 357
157(T).....	Aus 194
158(P).....	Aus 195
159(T).....	Aus 235, 236, 237, 238
160(T).....	Aus 238
161(T).....	Aus 236
162(T).....	Aus 241
163(T).....	Aus 244, 245, 819
164(T).....	Aus 268
165(T).....	Aus 268
166(T).....	Aus 256, 257
167(T).....	Aus 256, 257
168(T).....	Aus 258, 267
169(T).....	Aus 258
170(T).....	Aus 258
171(T).....	Aus 258, 829
172(T).....	Aus 377, 378, 379, 502, 4620, INT 620
173(T).....	Aus 24, 27, 28
174(T).....	Aus 62, 742, 743
175(T).....	Aus 328, 742
176(T).....	Aus 328, 328, 744
177(T).....	Aus 329, 745
178(T).....	Aus 112
179(P).....	Aus 778
180(T).....	Aus 130, 138, 781
181(T).....	Aus 349, 487, 787, 4728, INT 728
182(T).....	Aus 487, 4728, INT 728
183(T).....	Aus 154
184(T).....	Aus 143, 158

NUMERICAL INDEX OF CHARTS AFFECTED

Edition No 3

11 February 2011

Aus Chart	Notices	Aus Chart	Notices
Aus 24.....	173(T)	Aus 603	152
Aus 27.....	173(T)	Aus 635	135
Aus 28.....	173(T)	Aus 664	135
Aus 57.....	143	Aus 673	140
Aus 62.....	174(T)	Aus 742	174(T), 175(T)
Aus 64.....	144	Aus 743	144, 174(T)
Aus 112.....	178(T)	Aus 744	176(T)
Aus 120.....	146	Aus 745	177(T)
Aus 122.....	146	Aus 754	145
Aus 130.....	180(T)	Aus 778	179(P)
Aus 138.....	180(T)	Aus 780	148
Aus 139.....	148	Aus 781	148, 180(T)
Aus 143.....	184(T)	Aus 787	181(T)
Aus 154.....	154, 183(T)	Aus 801	155
Aus 158.....	184(T)	Aus 816	135
Aus 167.....	153	Aus 817	135
Aus 194.....	157(T)	Aus 819	163(T)
Aus 195.....	158(P)	Aus 829	171(T)
Aus 208.....	136	Aus 4060	141, 142
Aus 235.....	138, 159(T)	Aus 4074	149
Aus 236.....	159(T), 161(T)	Aus 4603	141, 142
Aus 237.....	159(T)	Aus 4604	141
Aus 238.....	137, 159(T), 160(T)	Aus 4620	172(T)
Aus 241.....	162(T)	Aus 4622	141
Aus 244.....	163(T)	Aus 4721	142
Aus 245.....	163(T)	Aus 4722	142
Aus 256.....	166(T), 167(T)	Aus 4728	181(T), 182(T)
Aus 257.....	166(T), 167(T)	AX 0314F.....	142
Aus 258.....	168(T), 169(T), 170(T), 171(T)	AX 4603F.....	141, 142
Aus 267.....	168(T)	AX 4604F.....	141
Aus 268.....	164(T), 165(T)	AX 4721F.....	142
Aus 270.....	139	AX 4722F.....	142
Aus 314.....	142		
Aus 328.....	175(T), 176(T)	INT Chart	Notices
Aus 329.....	176(T), 177(T)	INT 60.....	141, 142
Aus 343.....	147	INT 74.....	149
Aus 346.....	147	INT 603.....	141, 142
Aus 349.....	181(T)	INT 604.....	141
Aus 357.....	156	INT 620.....	172(T)
Aus 366.....	135	INT 622.....	141
Aus 377.....	172(T)	INT 721.....	142
Aus 378.....	172(T)	INT 722.....	142
Aus 379.....	172(T)	INT 728.....	181(T), 182(T)
Aus 386.....	140	INT 9014.....	152
Aus 387.....	140	INT 9035.....	149, 150
Aus 391.....	141	INT 9036.....	151
Aus 396.....	140		
Aus 397.....	140	ENC Cell	Notices
Aus 402.....	149	AU240130	135
Aus 444.....	147	AU301142	135
Aus 449.....	149, 150	AU301143	135
Aus 462.....	141	AU301144	135
Aus 487.....	181(T), 182(T)	AU301145	135
Aus 502.....	172(T)	AU301146	135
Aus 523.....	135	AU302142	135
Aus 546.....	140	AU302143	135
Aus 547.....	140	AU302144	135
Aus 548.....	140	AU303144	135
Aus 554.....	140		
Aus 600.....	151		

135 AUSTRALIA - TASMANIA - Products

Australian Hydrographic Service

New Chart

<i>Chart</i>	<i>Published</i>	<i>Title and description of amendments</i>	<i>Scale</i>	<i>Index Chart</i>	<i>Price</i>
Aus 523	14/2/2011	Papua New Guinea - North East Coast - Nassau Bay to Finschhafen 6° 31'·00 S - 7° 24'·40 S 146° 55'·00 E - 148° 19'·40E <i>New chart with amended limits providing improved coverage of Huon Gulf, updated for new surveys.</i>	1:150 000	Aus 5000	\$35.00
Aus 664	14/2/2011	Papua New Guinea - Kumili Islands 2° 18'·30 S - 2° 36'·00 S 147° 09'·00 E - 147° 36'·90 E <i>New chart providing improved coverage of Kumuli Islands.</i>	1:50 000	Aus 5000	\$35.00

New Electronic Navigation Chart (Seafarer ENC)

<i>Cell Name</i>	<i>Released</i>	<i>Title</i>
AU240130	February 2011	Australia - Head of Great Australian Bight to Cape Jaffa
AU301142	February 2011	South Pacific Ocean - Cell 5
AU301143	February 2011	South Pacific Ocean - Cell 6
AU301144	February 2011	South Pacific Ocean - Cell 7
AU301145	February 2011	South Pacific Ocean - Kamiet Islands
AU301146	February 2011	South Pacific Ocean - Cell 8
AU302142	February 2011	Bismarck Sea - Wuvulu Island
AU302143	February 2011	Bismarck Sea - Manus Island to Ava Island
AU302144	February 2011	Bismarck Sea - Ninigo Group
AU303144	February 2011	Bismarck Sea - Cell 15

New Chart to be published shortly

<i>Chart</i>	<i>Title</i>	<i>Scale</i>	<i>Expected Publication Date</i>
Aus 635	Papua New Guinea - Kwaiapan Bay Plan: Kwaiapan Bay	1:50 000 1:10 000	25 February 2011
Aus 816	Australia - East Coast - North Spit to Breaksea Spit	1:150 000	25 February 2011
Aus 817	Australia - East Coast - Great Sandy Strait and Hervey Bay	1:150 000	25 February 2011

Chart permanently withdrawn

<i>Chart</i>	<i>On publication of new chart</i>
Aus 523	Aus 523

Chart to be permanently withdrawn without replacement

<i>Chart</i>	<i>On publication of new chart</i>
Aus 366	Aus 816, Aus 817

For further details refer to the AHS website at www.hydro.gov.au for new edition and new chart stock arrival information.

When placing orders with a chart agent, mariners should advise whether their order pertains to the current edition or the new edition.

136* AUSTRALIA - NEW SOUTH WALES - Hunter River - Depths, Light
UKHO (AA508514)

Aus 208 [894/2010]

Amend	light to <i>Dir WRG</i>	32° 53'.77 S	151° 46'.41 E
-------	-------------------------	--------------	---------------

Aus 208 (plan, Hunter River (South Arm))

Insert	depth, <i>2₈m</i>	32° 53'.238 S	151° 45'.524 E
	depth, <i>8₄m</i>	32° 53'.233 S	151° 45'.588 E

137* AUSTRALIA - QUEENSLAND - Brisbane River - Pinkenba Reach to Town Reach - Light buoy and light beacon repositioned

Maritime Safety Queensland Notice 58, 69/2011 (AA513775, 514194)

Aus 238 [989/2010]

Move	light buoy	27° 28'.65 S	153° 01'.96 E
	to	27° 28'.655 S	153° 01'.974 E
	light beacon	27° 25'.90 S	153° 07'.18 E
	to	27° 25'.903 S	153° 07'.188 E

138* AUSTRALIA - QUEENSLAND - Mooloolaba - Point Cartwright - Depths

Port of Brisbane Corporation (DHDB 1616271)

Aus 235 [NE 17/12/2010]

Insert	accompanying block	26° 43'.0 S	153° 11'.5 E
--------	------------------------------------	-------------	--------------

139* AUSTRALIA - QUEENSLAND - Port Douglas - Light beacons removed

Maritime Safety Queensland Notices 45/2011 (AA513902)

Aus 270 (plan, Port Douglas) [356/2010]

Delete	light beacon	16° 29'.05 S	145° 27'.52 E
	light beacon	16° 29'.12 S	145° 27'.50 E

140* PAPUA NEW GUINEA - New Britain - Chart limits
Australian Hydrographic Service (AA514543)

Aus 386 [1112/2010]

Delete	magenta limits, with legend Aus 676, centred on	6° 08'.5 S	149° 02'.5 E
	magenta limits, with legend Aus 676, centred on	6° 14'.5 S	149° 33'.0 E

Aus 387 [1053/2010]

Delete	magenta legend, (see Aus 676)	5° 28'.1 S	147° 43'.7 E
--------	-------------------------------	------------	--------------

Aus 396 [203/2010]

Insert	magenta limits, with legend <i>Aus 671</i> in SE corner, between	5° 40'.90 S	151° 26'.00 E
		5° 40'.90 S	151° 39'.26 E
		5° 30'.80 S	151° 39'.26 E
		5° 30'.80 S	151° 26'.00 E
		5° 40'.90 S	151° 26'.00 E

Delete	magenta limits, with legend Aus 676, centred on	6° 14'.0 S	149° 33'.0 E
	magenta limits, with legend Aus 676, centred on	5° 37'.5 S	151° 29'.0 E

Aus 397 [1163/2010]

Insert	magenta limits, with legend <i>Aus 671</i> in SE corner, between	5° 07'.60 S	151° 56'.00 E
		5° 07'.60 S	152° 09'.26 E
		4° 57'.50 S	152° 09'.26 E
		4° 57'.50 S	151° 56'.00 E
		5° 07'.60 S	151° 56'.00 E

Delete	magenta limits, with legend Aus 676, centred on	5° 00'.0 S	151° 59'.0 E
--------	---	------------	--------------

Aus 546 [993/2009]

Delete	magenta limits, with legend Aus 676, centred on	4° 34'.5 S	151° 37'.0 E
--------	---	------------	--------------

Aus 547 [993/2010]

Delete	magenta limits, with legend Aus 676, centred on	5° 18'.0 S	150° 05'.0 E
--------	---	------------	--------------

Aus 548 [1359/2009]

Delete	magenta limits, with legend Aus 676, centred on	5° 27'.0 S	148° 28'.0 E
	magenta limits, with legend Aus 676, centred on	5° 34'.0 S	149° 13'.0 E

Aus 554 [1163/2010]

Insert	magenta limits, with legend <i>Aus 671</i> in SE corner, between	5° 07'.60 S	152° 02'.60 E
		5° 07'.60 S	152° 09'.26 E
		4° 57'.50 S	152° 09'.26 E
		4° 57'.50 S	152° 02'.60 E

Delete	magenta limits, with legend Aus 676, centred on	4° 34'.0 S	152° 21'.5 E
--------	---	------------	--------------

Aus 673 [903/2010]

Delete	legend, Adjoining Chart Aus 676, in E border	5° 24'.0 S	148° 26'.5 E
--------	--	------------	--------------

141* PAPUA NEW GUINEA - Bismarck Sea - Depths
Nautilus Minerals Inc. (DHDB 1677222)

Aus 391 [1301/2010]

Insert	depth, 494m , enclosed by contour	2° 53'.08 S	147° 34'.12 E
	depth, 456m , enclosed by contour	3° 01'.86 S	147° 58'.96 E
	depth, 174m , enclosed by contour	3° 05'.34 S	147° 48'.38 E
	depth, 301m , enclosed by contour	3° 00'.78 S	147° 53'.02 E
	depth, 826m , and extend contour NW to enclose	3° 22'.25 S	148° 13'.45 E
	depth, 694m , enclosed by contour	3° 02'.97 S	146° 55'.35 E
Delete	depth, 555m	2° 52'.7 S	147° 34'.0 E
	depth, 548m	3° 00'.0 S	147° 54'.4 E
	depth, 962m	3° 22'.6 S	148° 14'.3 E

Aus 462 [1301/2010]

Insert	depth, 379fm	3° 03'.0 S	146° 55'.4 E
	depth, 452fm	3° 22'.2 S	148° 13'.4 E
	depth, 106fm	3° 29'.7 S	148° 05'.8 E
	depth, 95fm, enclosed by contour	3° 05'.3 S	147° 48'.4 E
	depth, 239fm	4° 05'.5 S	148° 14'.5 E
Substitute	depth, 270fm, for depth 304fm	2° 53'.0 S	147° 34'.5 E
	depth, 174fm, for depth 299fm	3° 37'.5 S	148° 40'.0 E
Delete	depth 526fm	3° 22'.5 S	148° 15'.0 E
	depth 589fm	4° 06'.3 S	148° 13'.0 E
	depth 301fm	4° 04'.5 S	148° 15'.0 E

Aus 4060 (INT 60) [102/2011]

Substitute	depth, 195m, enclosed by contour, for depth 317m and danger circle	3° 31'.0 S	148° 06'.5 E
	depth, 318m, for depth 546m	3° 38'.5 S	148° 37'.0 E
	depth, 437m, for depth 550m	4° 05'.5 S	148° 13'.5 E

Aus 4603 (INT 603) [1306/2010]

Insert	depth, 694m, and extend contour S to enclose	3° 03'.0 S	146° 55'.4 E
	depth, 494m, and extend contour W to enclose	2° 53'.1 S	147° 34'.1 E
Substitute	depth, 826m, for depth 962m	3° 22'.5 S	148° 14'.7 E
	depth, 195m, enclosed by contour, for depth 317m	3° 29'.0 S	148° 05'.5 E
	depth, 437m, for depth 550m	4° 05'.5 S	148° 14'.5 E
Delete	depth, 506m	2° 52'.5 S	147° 42'.5 E
	danger circle centred on	3° 29'.0 S	148° 05'.5 E
	depth, 750m	3° 35'.0 S	148° 07'.0 E

Aus 4604 (INT 604) [1373/2010]

Insert	depth, 694m, and extend contour S to enclose	3° 03'.0 S	146° 55'.4 E
	depth, 494m, and extend contour W to enclose	2° 53'.1 S	147° 34'.1 E
Substitute	depth, 826m, for depth 962m	3° 22'.5 S	148° 14'.7 E
	depth, 195m, enclosed by contour, for depth 317m	3° 29'.0 S	148° 05'.5 E
	depth, 318m, for depth 546m	3° 37'.5 S	148° 40'.0 E
	depth, 437m, for depth 550m	4° 05'.5 S	148° 14'.5 E
Delete	depth, 506m	2° 52'.5 S	147° 42'.5 E
	danger circle centred on	3° 29'.0 S	148° 05'.5 E
	depth, 750m	3° 35'.0 S	148° 07'.0 E

141* PAPUA NEW GUINEA - Bismarck Sea – Depths (continued)

Aus 4622 (INT 622) [1301/2010]

Insert	depth, 195m	3° 29'.7 S	148° 05'.8 E
	depth, 437m	4° 06'.4 S	148° 15'.6 E
	depth, 826m, and extend contour NW to enclose	3° 22'.2 S	148° 13'.4 E
	depth, 694m, enclosed by contour	3° 03'.0 S	146° 55'.4 E
	depth, 494m	2° 53'.1 S	147° 34'.1 E
Substitute	depth, 318m, for depth, 546m	3° 37'.1 S	148° 40'.3 E
Delete	depth, 317m, enclosed by danger circle	3° 30'.0 S	148° 06'.8 E
	depth, 550m	4° 04'.6 S	148° 14'.3 E
	depth, 962m	3° 22'.5 S	148° 14'.7 E

AX 4603F [1306/2010]

Insert	depth, 694m, and extend contour S to enclose	3° 03'.0 S	146° 55'.4 E
	depth, 494m, and extend contour W to enclose	2° 53'.1 S	147° 34'.1 E
Substitute	depth, 826m, for depth 962m	3° 22'.5 S	148° 14'.7 E
	depth, 195m, enclosed by contour, for depth 317m	3° 29'.0 S	148° 05'.5 E
	depth, 437m, for depth 550m	4° 05'.5 S	148° 14'.5 E
Delete	danger circle centred on	3° 29'.0 S	148° 05'.5 E
	depth, 750m	3° 35'.0 S	148° 07'.0 E
	depth, 506m	2° 52'.5 S	147° 42'.5 E

AX 4604F [1373/2010]

Insert	depth, 694m, and extend contour S to enclose	3° 03'.0 S	146° 55'.4 E
	depth, 494m, and extend contour W to enclose	2° 53'.1 S	147° 34'.1 E
Substitute	depth, 826m, for depth 962m	3° 22'.5 S	148° 14'.7 E
	depth, 195m, enclosed by contour, for depth 317m	3° 29'.0 S	148° 05'.5 E
	depth, 318m, for depth 546m	3° 37'.5 S	148° 40'.0 E
	depth, 437m, for depth 550m	4° 05'.5 S	148° 14'.5 E
Delete	depth, 506m	2° 52'.5 S	147° 42'.5 E
	danger circle centred on	3° 29'.0 S	148° 05'.5 E
	depth, 750m	3° 35'.0 S	148° 07'.0 E

142* AUSTRALIA - TIMOR SEA - Oil field
PTTEP Australasia Pty Ltd (AA515639)

Aus 314 [41/2011]

Insert	accompanying block	12° 07'.0 S	125° 00'.0 E
--------	------------------------------------	-------------	--------------

Aus 4060 (INT 60) [141/2011]

Substitute	lit single buoy mooring for FPSO	12° 08'.0 S	125° 00'.0 E
------------	----------------------------------	-------------	--------------

Aus 4603 (INT 603) [141/2011]

Substitute	lit single buoy mooring for FPSO	12° 08'.0 S	125° 00'.0 E
------------	----------------------------------	-------------	--------------

Aus 4721 (INT 721) [90/2011]

Insert	accompanying block	12° 07'.0 S	125° 00'.0 E
--------	------------------------------------	-------------	--------------

Aus 4722 (INT 722) [1306/2010]

Insert	accompanying block	12° 07'.0 S	125° 00'.0 E
--------	------------------------------------	-------------	--------------

AX 0314F [41/2011]

Insert	accompanying block	12° 07'.0 S	125° 00'.0 E
--------	------------------------------------	-------------	--------------

AX 4603F [141/2011]

Substitute	lit single buoy mooring for FPSO	12° 08'.0 S	125° 00'.0 E
------------	----------------------------------	-------------	--------------

AX 4721F [90/2011]

Insert	accompanying block	12° 07'.0 S	125° 00'.0 E
--------	------------------------------------	-------------	--------------

AX 4722F [1306/2010]

Insert	accompanying block	12° 07'.0 S	125° 00'.0 E
--------	------------------------------------	-------------	--------------

143* AUSTRALIA - WESTERN AUSTRALIA - Dampier Archipelago - Pipeline

Australian Hydrographic Service

Aus 57 [NE 19/11/2010]

Insert	accompanying block	20° 21'.5 S	116° 44'.0 E
--------	------------------------------------	-------------	--------------

144* AUSTRALIA - WESTERN AUSTRALIA - Rosily Shoals - Depth

Chevron Australia Pty Ltd (AA515096)

Aus 64 [1060/2010]

Insert	depth, 11 ₈ m,	21° 17'.42 S	115° 00'.15 E
--------	---------------------------	--------------	---------------

Aus 743 [93/2011]

Substitute	depth, 11 ₈ m, for depth, 11 ₆ m	21° 17'.4 S	115° 00'.2 E
------------	--	-------------	--------------

145* AUSTRALIA - WESTERN AUSTRALIA - Eglinton Rocks - Light buoy established

Department of Transport WA Notice 22/2011 (AA514981)

Aus 754 [997/2010]

Insert	east cardinal spar light buoy, Q(3)10s, without topmark	31° 37'.72 S	115° 39'.71 E
--------	---	--------------	---------------

Delete	rock awash	31° 37'.7 S	115° 39'.6 E
--------	------------	-------------	--------------

146* AUSTRALIA - SOUTH AUSTRALIA - Thevenard - Light beacon established
Department of Transport, Energy and Infrastructure SA Notice 4/2011 (AA514965)

Aus 120 [764/2009]

Insert	light beacon, <i>Fl.G.2s</i> , without topmark	32° 09'.28 S	133° 39'.17 E
Delete	depth, <i>1₅m</i>	32° 09'.3 S	133° 39'.2 E

Aus 122 [1000/2010]

Insert	light beacon, <i>Fl.G.2s</i> , without topmark	32° 09'.20 S	133° 39'.25 E
--------	--	--------------	---------------

147* AUSTRALIA - SOUTH AUSTRALIA - Kangaroo Island - Sanderson Bay - Depth
Australian Hydrographic Office (AA515003, AA515004)

Aus 343 [97/2011]

Substitute	depth, <i>6₂m</i> , for depth 19m	36° 03'.9 S	136° 49'.6 E
------------	--	-------------	--------------

Aus 346 [98/2011]

Substitute	depth, <i>3₂fm</i> , enclosed by contour, for depth, 10 ₂ fm	36° 04'.0 S	136° 49'.5 E
------------	--	-------------	--------------

Aus 444 [97/2011]

Insert	depth, <i>3₂fm</i> , enclosed by contour	36° 04'.0 S	136° 49'.5 E
Delete	depth 17fm	36° 03'.5 S	136° 48'.6 E
	depth 19fm	36° 04'.6 S	136° 48'.8 E

148* AUSTRALIA - SOUTH AUSTRALIA - Macdonnell Sound - Nomenclature
Australian Hydrographic Service (AA502274)

Aus 139 (plan, MacDonnell Sound) [1242/2010]

Amend	name to <i>Marion Reef</i>	35° 09'.3 S	137° 48'.7 E
-------	----------------------------	-------------	--------------

Aus 780 [1243/2010]

Amend	name to <i>Marion Reef</i>	35° 09'.30 S	137° 47'.34 E
-------	----------------------------	--------------	---------------

Aus 781 [1242/2010]

Amend	name to <i>Marion Reef</i>	35° 09'.3 S	137° 47'.3 E
-------	----------------------------	-------------	--------------

149* SOUTHERN OCEAN - Antarctica - Mawson Coast - Depths
Geoscience Australia (DHDB 1664015)

Aus 402 [1085/2006]

Insert	depth, 39fm , enclosed by contour	66° 55'.2 S	63° 00'.8 E
	depth, 70fm , enclosed by contour	67° 19'.0 S	62° 11'.3 E
	depth, 99fm , enclosed by contour	67° 13'.7 S	62° 02'.7 E
	depth, 90fm , enclosed by contour	67° 05'.2 S	61° 11'.7 E

Delete	depth 162fm	66° 54'.5 S	62° 58'.9 E
	depth 255fm	67° 14'.0 S	62° 00'.0 E

Aus449 (INT 9035) [1428/2009]

Insert	depth, 72m , enclosed by contour	66° 55'.18 S	63° 00'.78 E
	depth, 144m , enclosed by contour	67° 19'.57 S	62° 44'.86 E
	depth, 165m , enclosed by contour	67° 05'.17 S	61° 11'.67 E
	depth, 181m , enclosed by contour	67° 13'.73 S	62° 02'.70 E
	depth, 128m , enclosed by contour	67° 18'.96 S	62° 11'.30 E
	depth, 63m , enclosed by contour	67° 19'.45 S	62° 27'.25 E

Delete	depth 164m	66° 54'.6 S	63° 02'.9 E
	depth 329m	67° 19'.8 S	62° 44'.6 E

Aus 4074 (INT 74) [158/2009]

Substitute	depth, 128m , for depth 291m, extend contour to enclose	67° 21'.0 S	62° 15'.0 E
------------	---	-------------	-------------

150* AUSTRALIA - Antarctica - Mawson - Chart limits
Australian Hydrographic Service (DHDB 381401)

Aus449 (INT 9035) [149/2011]

Insert	magenta limits, with legend Aus 599 in SE corner, between	67° 40'.8 S	62° 14'.8 E
		67° 32'.0 S	62° 14'.8 E
		67° 32'.0 S	62° 51'.2 E
		67° 40'.8 S	62° 51'.2 E
		67° 40'.8 S	62° 14'.8 E

151* SOUTHERN OCEAN - Antarctica - Horseshoe Harbour - Depths
Australian Hydrographic Service

Aus 600 (INT 9036) (plan, Horseshoe Harbour) [99/2011]

Insert	accompanying block	67° 36'.1 S	62° 51'.6 E
--------	------------------------------------	-------------	-------------

152* SOUTHERN OCEAN - Antarctica - Dumont D'urville Sea - Depths
Geoscience Australia (DHDB 1664015)

Aus 603 (INT 9014) [548/2005]

Substitute	depth, 270m , enclosed by contour, for depth 36m, with legend ED	66° 48'.3 S	142° 30'.3 E
------------	--	-------------	--------------

153* AUSTRALIA - TASMANIA - Port Dalrymple - Sawyers Point - Depth
HydroSurvey Australia (DHDB 1380090)

Aus 167 [45/2011]

Insert	contour, between	41° 08'.34 S	146° 51'.52 E
		41° 08'.36 S	146° 51'.47 E
Delete	depth, 7 ₅ m	41° 08'.38 S	146° 51'.50 E
	contour, between	41° 08'.34 S	146° 51'.52 E
		41° 08'.36 S	146° 51'.47 E

Aus 167 (plan, Bell Bay)

Insert	contour, between	41° 08'.35 S	146° 51'.51 E
		41° 08'.36 S	146° 51'.48 E
Delete	contour, between	41° 08'.35 S	146° 51'.51 E
		41° 08'.36 S	146° 51'.48 E
	depth, 7 ₅ m	41° 08'.37 S	146° 51'.50 E

154* AUSTRALIA - VICTORIA - Port Phillip - River Yarra - Maintained depth, light
UKHO (AA508518)

Aus 154 [1315/2010]

Insert	legend, 10.0m	37° 49'.56 S	144° 54'.01 E
Amend	light to <i>F.R</i> & <i>Fl.R.2s</i>	37° 49'.40 S	144° 54'.19 E

155* AUSTRALIA - VICTORIA - Venus Bay - Obstruction
Transport Safety Victoria (AA515370, A515371)

Aus 801 [603/2010]

Insert	depth, 6 ₃ m, enclosed by danger circle with legend <i>Obstn</i>	38° 45'.65 S	145° 50'.98 E
Delete	depth, 3 ₁ m	38° 45'.8 S	145° 51'.3 E

156* AUSTRALIA - BASS STRAIT - Buoy
Australian Maritime Safety Authority (AA515464)

Aus 357 [NE 19/11/2010]

Delete	special pillar light buoy	38° 00'.2 S	148° 26'.6 E
--------	---------------------------	-------------	--------------

157(T)/2011 AUSTRALIA - NEW SOUTH WALES - Port Kembla - Depth information

Former Notice - 917(T)/2010 is cancelled

Port Kembla Port Corporation Notice 1/2011 (AA516621)

Available depths as at 28 January 2011:

<i>Berth</i>	<i>Metres</i>	<i>Remarks</i>
Inner Harbour	15.1	
North West Basin	11.2	
101	11.3	
102	15.7	
103	11.7	
104	15.3	
105	15.2	(14.8 for vessels overhanging)
106	13.7	
107	12.1	
108	-	Future Development
109	11.8	
110	10.7	(9.0)
111	15.4	
112	12.8	
* 113	10.7	9.5m east of bollard 3 (16.7m chainage)
201	10.3	To 250m
201	9.3	To 280m
201	9.0	To 350m
202	10.5	
202	10.4	
202	10.2	
203	10.1	
204	4.2	
205	6.8	
206	11.1	

* Indicates new or revised entry.

Chart temporarily affected - Aus 194**158(P)/2011 AUSTRALIA - NEW SOUTH WALES - Bellambi Point - Light sector**

Date - On or about 11 February 2011

Maritime NSW (AA516769)

A light, *F.WRG*, exists in position 34° 22'.11 S 150° 55'.57 E, with sectors:

Green 218.8° - 225.6° (6.8°)

White 225.6° - 235.6° (10°)

Red 235.6° - 241.3° (5.7°)

Chart which will be affected - Aus 195

159(T)/2011 AUSTRALIA - QUEENSLAND - Brisbane River - Depth information*Former Notice - 106(T)/2011 is cancelled*

Brisbane Port Corporation (AA516376), Maritime Safety Queensland Notice 131(T)/2011 (AA516940)

Available depths and under keel clearances (UKC) at 9 February 2011:

<i>Berth</i>	<i>Metres</i>	<i>Remarks</i>
Fisherman Islands No10	13.4	
Fisherman Islands No9	13.4	
Fisherman Islands No8	13.2	
Fisherman Islands No7	13.3	
Fisherman Islands No6	13.3	
Fisherman Islands No5	13.0	
Fisherman Islands No4	13.0	
Fisherman Islands No3	12.7	
Fisherman Islands No2	13.2	
Fisherman Islands No1	13.0	
Fisherman Islands Grain and Woodchip	12.7	
* Caltex Fisherman Islands	14.2	
* BP Luggage Point	13.2	
* Fisherman Islands Coal	13.3	
* Fisherman Islands General Purpose	10.7	
Caltex Products	9.8	
* Cement Australia Co Wharf	8.5	
* BP Products	10.7	
* Shell	11.0	
Pacific Terminals	10.8	
Incitec North	9.7	
* Incitec South	10.2	
Pinkenba 1	9.7	
Pinkenba 2	9.7	
Riverside Marina	-	
Sugar Terminal	9.8	
Cairncross Fitting Out Wharf	6.5	
Cairncross Breasting Wharf	5.6	
Brisbane Naval Wharf	-	
Maritime No3	5.6	(not maintained)
Maritime No2	8.5	
Maritime No1	8.9	
Hamilton No4	10.0	
Hamilton No1	9.0	
Brisbane Cruise Ship Terminal	9.4	
	<i>Metres</i>	<i>UKC/Remarks</i>
<i>Moreton Bay :</i>		
North East Channel	5.5	1.5
North West Channel	15.0 2.3	(280m width)
North West Bypass Channel	9.2	1.6
Spitfire Channel		15.0 1.5 (600m width)
East Knoll Bypass Channel	6.9	1.4
East Channel		15.0 1.5 (300m width from western side)
Main Channel (M8 - M9)	10.0	1.8
Entrance Channel (E5 - EBCN) 14.7	1.5	
<i>Brisbane River :</i>		
* Entrance Beacons and Bar Cutting	13.1	1.46
* Fisherman Islands Swing Basin	12.9	1.3
* Pelican Banks Reach to Hamilton Reach	8.9	0.6 / 0.9 (draft/tide)
* Cement Australia Swing Basin	7.1	0.6 / 0.9 (draft/tide)
Pinkenba Swing Basin	8.9	0.6 / 0.9 (draft/tide)
* Hamilton Swing Basin	8.7	0.6 / 0.9 (draft/tide)

*Indicates new or revised entry.

Chart temporarily affected - Aus 235 - Aus 236 - Aus 237 - Aus 238

160(T)/2011 AUSTRALIA - QUEENSLAND - Brisbane River - Hamilton Reach to South Brisbane Reach - Obstructions
Former Notice - 54(T)/2011 is cancelled
Maritime Safety Queensland Notice 101(T)/2011 (AA515727)

Navigational hazards and underwater obstructions exist in the area upstream of position 27° 26'.5 S 153° 03'.7 E

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 238

161(T)/2011 AUSTRALIA - QUEENSLAND - Moreton Bay - Bramble Bay - Scientific instrument
Maritime Safety Queensland Notice 130(T)/2011 (AA516947)

A scientific instrument marked by a special light buoy, *Fl.Y.4s*, exists in position 27° 18'.15 S 153° 06'.17 E.

Chart temporarily affected - Aus 236

162(T)/2011 AUSTRALIA - QUEENSLAND - Great Sandy Strait - Middle Bank - Scientific instrument
Date - Until 30 June 2011
Maritime Safety Queensland Notice 124(T)/2011 (AA516948)

A scientific instrument marked by a special light buoy, *Fl.Y.3s*, exists in position 25° 14'.74 S 152° 54'.86 E.

Chart temporarily affected - Aus 241

163(T)/2011 AUSTRALIA - QUEENSLAND - Gladstone - Fishermans Landing - Harbour works
Date - Until 30 September 2011
Maritime Safety Queensland Notice 109(T)/2011 (AA516332)

Harbour works are in progress for the construction of a rock wall from point (23° 47'.15 S 151° 10'.16 E) in a ENE direction for 8000 metres. *F.Y* lights will be established every 100 metres.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 244 - Aus 245 - Aus 819

164(T)/2011 AUSTRALIA - QUEENSLAND - Gloucester Passage - Light buoy off station
Maritime Safety Queensland Notice 96(T)/2011 (AA515724)

The light buoy, *Fl.R.2.5s* (20° 03'.3 S 148° 28'.2 E), is off station

Chart temporarily affected - Aus 268

165(T)/2011 AUSTRALIA - QUEENSLAND - Gloucester Passage - Light beacon damaged
Maritime Safety Queensland Notice 97(T)/2011 (AA515728)

The light beacon, *Q(9) 15s* (20° 03'.5 S 148° 26'.6 E), has been damaged.

Chart temporarily affected - Aus 268

166(T)/2011 AUSTRALIA - QUEENSLAND - Townsville - Nav aids unreliable
 Maritime Safety Queensland Notice 114(T)/2011 & 116(T)/2011 (AA516622, AA516335)

The following nav aids are reported as destroyed:

<i>Beacon</i>	<i>Position</i>	<i>Remarks</i>
North Cardinal Beacon	19° 07'.70 S 146° 54'.38 E	
Beacon S2	19° 08'.30 S 146° 53'.45 E	a port lateral light buoy, Q.R, exists in situ
Beacon S4	19° 08'.85 S 146° 53'.21 E.	
Sea Channel rear lead	19° 12'.25 S 146° 51'.74 E.	

The Sea Channel and Platypus channel leads are non operational

Many other nav aids within the port have been reported as unlit or off station.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 256 - Aus 257

167(T)/2011 AUSTRALIA - QUEENSLAND - Townsville - Depth information
 Former Notice - 1079(T)/2010 is cancelled
 Maritime Safety Queensland Notice 129(T)/2011 (AA516946)

Available depths as at 8 February 2011:

	<i>Metres</i>	<i>Remarks</i>
Sea Channel	11.8	
Platypus Channel	11.5	
Outer Harbour:		
* Arrival Channel	7.2	
* Departure Channel	10.4	
Inner Harbour:		
Harbour	11.9	
Berths:		
No 1	12.0	
* No 2	12.0	
No 3	11.9	
* No 4	10.3	
No 7	10.9	
No 8	9.3	
No 9	11.9	
No 10	9.7	From 10m mark to seaward dolphin
	9.0	From Ro-Ro ramp to 10m mark
* No 11	11.5	
Between No 7 and No 8	10.3	Seaward of zero mark at No 7
Between No 9 and No 10	10.6	Seaward of zero mark at No 10
Ross River Channel	-	No declared depth
Ross Creek	-	No declared depth, dredging in progress

* Indicates revised entry.

Chart temporarily affected - Aus 256 - Aus 257

168(T)/2011 AUSTRALIA - QUEENSLAND - Lucinda - Light buoys off station
 Maritime Safety Queensland Notice 114(T)/2011 (AA516335)

Nav aids in the Lucinda port area are off station.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 258 - Aus 267

169(T)/2011 AUSTRALIA - QUEENSLAND - Oyster Point - Exclusion zone
Maritime Safety Queensland Notice 117(T)/2011 (AA516626)

An exclusion zone exists in Port Hinchinbrook Marina and is closed to all marine traffic until further notice.

Chart temporarily affected - Aus 258

170(T)/2011 AUSTRALIA - QUEENSLAND - Clump Point - Light beacon unlit
Maritime Safety Queensland Notice 127(T)/2011 (AA516886)

The light beacon (17° 51'.20 S 146° 06'.97 E) is unlit.

Chart temporarily affected - Aus 258

171(T)/2011 AUSTRALIA - QUEENSLAND - Mourilyan - Hall Rock - Light beacons destroyed
Former Notice - 387(T)/2010 is cancelled
Maritime Safety Queensland Notice 125(T)/2011, 126(T)/2011 (AA516949, AA516950)

The following nav aids have been destroyed:

North cardinal light buoy, 17° 36'.05 S 146° 07'.98 E

No 4 light beacon 17° 36'.06 S 146° 07'.71 E

No 1 light beacon 17° 35'.88 S 146° 08'.05 E is missing top mark

Chart temporarily affected - Aus 258 - Aus 829

172(T)/2011 PAPUA NEW GUINEA - Gulf of Papua - Seismic survey
Petroleum Geo-Services (AA517084)

MV *Pacific Explorer* is conducting surveys in the areas bounded by the following positions:

8° 06'.5 S 145° 16'.1 E

8° 00'.9 S 145° 23'.8 E

8° 02'.0 S 145° 41'.8 E

8° 07'.2 S 145° 46'.1 E

8° 11'.4 S 146° 00'.0 E

8° 16'.2 S 146° 00'.0 E

8° 15'.8 S 145° 32'.9 E

8° 09'.9 S 145° 20'.6 E

8° 58'.1 S 144° 12'.5 E

8° 52'.7 S 144° 21'.1 E

9° 01'.1 S 144° 26'.5 E

9° 07'.2 S 144° 18'.3 E

Chart temporarily affected - Aus 377 - Aus 378 - Aus 379 - Aus 502 - Aus 4620 (INT 620)

173(T)/2011 AUSTRALIA - NORTHERN TERRITORY - Darwin - Depth information

Former Notice - 767(T)/2010 is cancelled

Darwin Port Corporation (AA516379)

Available depths as at 28 January 2011:

<i>Berths</i>	<i>Metres</i>
DLNG	13.1 (12.1 in Turning Basin)
LNG 1-2	10.8
* East Arm 0-100m	11.5
* East Arm 100-200m	12.4
* East Arm 200-300m	12.4
* East Arm 300-400m	12.6
* East Arm 400-500m	12.8
* East Arm 500-600m	13.4
East Arm 600-700m	11.8
* Bulk Solids Wharf	12.4
* Bulk Liquids Wharf	11.4
No 2 Fort Hill East	11.2
No 2 Fort Hill West	10.5
No 3 Stokes Hill East	4.7
No 3 Stokes Hill West	5.0
No 4 Stokes Hill East	1.9
No 4 Stokes Hill Middle	-0.2
No 4 Stokes Hill West	3.4
Fishermans Wharf East	2.1
Fishermans Wharf West	0.7
Perkins VBPS	-0.7

*Indicates new or revised entry.

Chart temporarily affected - Aus 24 - Aus 27 - Aus 28

174(T)/2011 AUSTRALIA - WESTERN AUSTRALIA - Barrow Island - Scientific instrument

Date - Until 30 April 2011

Department of Transport WA (AA516627)

A scientific instrument marked by a special light buoy, *Fl(5)Y.20s*, exists in position 20° 47'.67 S 115° 28'.64 E.

Chart temporarily affected - Aus 62 - Aus 742 - Aus 743

175(T)/2011 AUSTRALIA - WESTERN AUSTRALIA - Barrow Island - Pipeline, well

Date - Until 23 March 2011

Apache Energy Ltd (AA516410)

A pipeline is being laid by MV *Southern Ocean* between positions 20° 43'.32 S 114° 59'.05 E (East Spar), 20° 36'.07 S 114° 55'.15 E and 20° 26'.83 S 115° 07'.20 E (John Brooks).

A production well is being installed in position 20° 36'.07 S 114° 55'.15 E. A 500m exclusion zone exists.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 328 - Aus 742

176(T)/2011 AUSTRALIA - WESTERN AUSTRALIA - North West Cape - Scientific instruments northwards

Former Notice - 1095(T)/2010 is cancelled

MetOcean Engineers (AA519918, AA516919)

Scientific instruments exist as follows:

<i>Position (WGS84 datum)</i>	<i>Remarks</i>
21° 30'.80 S 114° 00'.85 E	special buoy with 5 white poly-floats
21° 31'.02 S 114° 01'.20 E	lit buoy, <i>Fl(5)Y.20s</i>

Chart temporarily affected - Aus 328 - Aus 329 - Aus 744

177(T)/2011 AUSTRALIA - WESTERN AUSTRALIA - Cape Range - Seismic survey completed

Former Notice - 1410(T)/2010 is cancelled

Shell Development (Australia) Pty Ltd (AA516651)

Cancel this notice on receipt.

Chart formerly affected - Aus 329 - Aus 745**178(T)/2011 AUSTRALIA - WESTERN AUSTRALIA - Fremantle - Buoy removed**

Fremantle Ports Notice 3/2011 (AA516336)

DWC No 2 buoy, 31° 59'.52 S 115° 41'.39 E, has been removed, a wreck pillar light buoy exists in situ.

Chart temporarily affected - Aus 112**179(P)/2011 AUSTRALIA - SOUTH AUSTRALIA - Port Augusta - Beacons established**

Former Notice - 1211(T)/2010 is cancelled

Department of Transport, Energy and Infrastructure SA Notice 5/2011 (AA516339)

The following beacons have been installed :

<i>Name</i>	<i>Position</i>	<i>Type</i>
Bcn21	32°34.03'S 137°45.91'E	Starboard Lateral beacon
Bcn23	32°33.54'S 137°46.21'E	Starboard Lateral beacon
Bcn24	32°34.05'S 137°45.76'E	Port Lateral light beacon, <i>Fl.R.3s</i>
Bcn25	32°32.90'S 137°46.57'E	Starboard Lateral beacon
Bcn26	32°33.48'S 137°46.07'E	Port Lateral beacon
Bcn27	32°32.58'S 137°46.81'E	Starboard lateral light beacon, <i>Fl.G.5s</i>
Bcn28	32°32.83'S 137°46.51'E	Port Lateral beacon
Bcn29	32°32.34'S 137°46.75'E	Starboard lateral light beacon, <i>Fl.G.2s</i>
Bcn30	32°32.59'S 137°46.71'E	Port Lateral light beacon, <i>Fl.R.5s</i>
Bcn31	32°32.04'S 137°46.35'E	Starboard lateral light beacon, <i>Fl.G.3s</i>
Bcn32	32°32.49'S 137°46.72'E	Port Lateral light beacon, <i>Fl.R.3s</i>
Bcn33	32°32.02'S 137°45.97'E	Starboard lateral light beacon, <i>Fl.G.5s</i>
Bcn34	32°32.33'S 137°46.61'E	Port Lateral beacon
Bcn35	32°31.97'S 137°45.86'E	Starboard lateral light beacon, <i>Fl.G.2s</i>
Bcn36	32°32.10'S 137°46.32'E	Port Lateral light beacon, <i>Q R</i>
Bcn37	32°31.73'S 137°45.71'E	Starboard Lateral beacon
Bcn38	32°32.07'S 137°46.05'E	Port Lateral beacon
Bcn39	32°31.57'S 137°45.76'E	Starboard Lateral beacon
Bcn40	32°32.02'S 137°45.83'E	Port Lateral beacon
Bcn41	32°31.28'S 137°45.87'E	Starboard Lateral beacon
Bcn42	32°31.93'S 137°45.69'E	Port Lateral beacon
Bcn43	32°30.81'S 137°46.07'E	Starboard lateral light beacon, <i>Fl.G.3s</i>
Bcn44	32°31.72'S 137°45.66'E	Port Lateral light beacon, <i>Fl.R.3s</i>
Bcn45	32°30.71'S 137°46.06'E	Starboard Lateral beacon
Bcn46	32°31.34'S 137°45.80'E	Port Lateral beacon
Bcn47	32°30.55'S 137°46.01'E	Starboard lateral light beacon, <i>Fl.G.5s</i>
Bcn48	32°31.15'S 137°45.89'E	Port Lateral beacon
Bcn49	32°30.26'S 137°45.65'E	Starboard lateral light beacon, <i>Fl.G.2s</i>
Bcn50	32°30.96'S 137°45.97'E	Port Lateral beacon
Bcn51	32°30.08'S 137°45.52'E	Starboard Lateral beacon
Bcn52	32°30.81'S 137°46.00'E	Port Lateral beacon
Bcn53	32°29.89'S 137°45.47'E	Starboard Lateral beacon
Bcn54	32°30.72'S 137°46.01'E	Port Lateral beacon
Bcn55	32°29.56'S 137°45.46'E	Starboard lateral light beacon, <i>Fl.G.5s</i>
Bcn56	32°30.63'S 137°45.97'E	Port Lateral beacon
Bcn58	32°30.57'S 137°45.94'E	Port Lateral beacon
Bcn60	32°30.28'S 137°45.62'E	Port Lateral light beacon, <i>Fl.R.5s</i>
Bcn62	32°30.13'S 137°45.48'E	Port Lateral light beacon, <i>Fl.R.2s</i>
Bcn64	32°29.90'S 137°45.42'E	Port Lateral light beacon, <i>Fl.R.5s</i>

Note: Charting area will be updated on rectification of the horizontal datum error in chart Aus 778

Chart which will be affected - Aus 778

11 February 2011

180(T)/2011 AUSTRALIA - SOUTH AUSTRALIA - Port Adelaide - Light beacon destroyed
Department of Transport, Energy and Infrastructure SA Notice 7/2011 (AA516888)

The rear lead beacon (34° 46'.71 S 138° 21'.59 E) has been destroyed; a light buoy, *Fl.2s*, has been established in situ.

Chart temporarily affected - Aus 130 - Aus 138 - Aus 781

181(T)/2011 AUSTRALIA - VICTORIA - Cape Otway - Seismic survey

Former Notice - 132(T)/2011 is cancelled

Date - Until 15 March 2011

Petroleum Geo-Services (AA516143, AA516144)

MV *Ramform Sterling*, and support vessel MV *Ocean Dynasty* are conducting a survey in an area bounded by the following positions:

38° 57'.8 S 143° 00'.6 E
38° 59'.1 S 143° 10'.4 E
39° 12'.0 S 143° 11'.4 E
39° 31'.9 S 143° 08'.9 E
39° 49'.4 S 143° 21'.4 E
39° 56'.1 S 143° 06'.2 E
39° 43'.7 S 142° 59'.0 E
39° 25'.5 S 142° 50'.3 E
39° 18'.3 S 142° 49'.9 E

Chart temporarily affected - Aus 349 - Aus 487 - Aus 787 - Aus 4728 (INT 728)

182(T)/2011 AUSTRALIA - TASMANIA - King Island - Seismic survey southwestwards

Date - Until 3 April 2011

Environment Resource Group Pty Ltd (AA516343, AA516344)

MV *Western Patriot*, will be conducting a survey in an area bounded by the following positions:

40° 41'.3 S 142° 56'.1 E
40° 34'.1 S 143° 10'.9 E
40° 52'.5 S 143° 26'.3 E
40° 59'.7 S 143° 11'.4 E

Chart temporarily affected - Aus 487 - Aus 4728 (INT 728)

183(T)/2011 AUSTRALIA - VICTORIA - Port Phillip - River Yarra - Light beacon removed

Date - Until 18 March 2011

Victorian Notice 24(T)/2011 (AA516346)

The light beacon *No. 49* is temporarily removed. A temporary light, *Fl.Y.2s*, has been established in position 37° 49'.272 S 144° 54'.766 E.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 154

184(T)/2011 AUSTRALIA - VICTORIA - Port Phillip - Rosebud - Dredging operations

Date - Until 28 February 2011

Victorian Notice 22(T)/2011 (AA515730)

Dredging operations are in progress in position 38° 21'.1 S 144° 54'.5 E.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 143 - Aus 158

HYDROGRAPHIC REPORTS

Nil Reports

III

NAVIGATION WARNINGS

The following radio messages have been received during the period to 11 February 2011. Signal copies of these messages may be destroyed. It is recommended that the reprint of Navigational Warnings should be kept in a file or a book divided into areas. Cancellation should be made on receipt of signals and reprints.

Rigs on location other than those listed in the latest Section III summary are the subject of Radio Navigational Warnings. Rigs in transit will not be the subject of Warnings.

AUSCOAST WARNING

- 031 Drill Rig *Maersk Discoverer* in position 19° 25'·32 S 114° 22'·34 E; 2.5M clearance requested.
 032 Cancelled.
 033 Cancelled.
 034 Cancelled.
 035 Special purpose vessel *Sapura 300* engaged in platform construction operations in vicinity of 20° 01'·5 S 116° 18'·5 E; 1.0M clearance requested.
 036 Drill Rig *Ensco 109* in position 19° 42'·13 S 116° 42'·30 E; 2.5M clearance requested.
 037 Cancelled.
 038 Cancelled.
 039 Cancelled.
 040 Cancelled.
 041 Cancelled.
 042 Cancelled.
 043 Ingham DGPS station ALRS Vol(2) in position 18° 33'·34 S 146° 18'·35 E temporarily discontinued.
 044 Cancelled.
 045 Cancelled.
 042 Cancelled.
 046 Cancelled.
 047 Cancelled.
 048 Cancelled.
 049 Special purpose vessel *Western Spirit* conducting seismic survey in area bounded by 21° 28'·3 S to 21° 56'·0 S and 112° 56'·2 E to 113° 58'·9 E. 6.0M clearance requested.
 050 Cancelled.
 051 Cancelled.
 052 Cancelled.
 053 Cancelled.
 054 Drill Rig *Ocean Patriot* in position 21° 23'·80 S 114° 01'·35 E; 2.5M clearance requested.
 055 Special purpose vessel *Geo atlantic* conducting seismic survey in area bounded by 19° 40'·0 S to 21° 00'·0 S and 113° 30'·0 E to 115° 00'·0 E. 6.0M clearance requested.

NAVAREA X WARNINGS

Nil.

Navigational warnings in force as at 110001UTC FEB 11.

Auscoast

2010 271 282 283 292 312 313 320 328

2011 007 008 015 029 030 031 035 036 043 049 054 055

Navarea X

2011 001

Summary of mobile drilling rigs as at 110001UTC FEB 11.

Name	Position
Songa Venus	11° 31'·23 S 127° 07'·03 E
Ocean Epoch	19° 23'·15 S 116° 18'·12 E
Ensco 109	20° 17'·23 S 116° 16'·31 E
Atwood Eagle	20° 06'·37 S 114° 43'·08 E
Maersk Discoverer	19° 25'·32 S 114° 22'·34 E
Jack Bates	20° 03'·52 S 113° 35'·59 E

NAVAREA XIV WARNINGS

003 Cancelled.

004 South Pacific Ocean, Fiji, Viti Levu east coast and southern Lau Group. The following lights are unlit:
Makogai K4733.4 17° 27'·2S 178° 58'·60 E
Vatoa (Turtle Island) K4759 19° 49'·7S 178° 13'·4 W

005 Cancelled.

006 Cancelled.

Navarea XIV warnings in force as at 110001UTC FEB 11.

2010 038 047 051

2011 004