



28 June 2013

Edition 13

Australian Notices to Mariners are the authority for correcting Australian Charts and Publications

AUSTRALIAN NOTICES TO MARINERS

Notices 621 – 665 

Published fortnightly by the Australian Hydrographic Service

Commodore B.K. BRACE RAN
Hydrographer of Australia

SECTIONS.

- I. [Australian Notices to Mariners, including blocks and notes.](#)
- II. [Hydrographic Reports.](#)
- III. [Navigational Warnings.](#)

SUPPLEMENTS.

- I. [Tracings](#)
- II. [Cumulative List of Australian Notices to Mariners.](#)
- III. [Cumulative List of Temporary and Preliminary Australian Notices to Mariners.](#)
- IV. [Temporary and Preliminary Notices in force.](#)
- V. [Amendments to Admiralty List of Lights and Fog Signals \(Vol K\), Radio Signals \(NP 281\(2\), 282, 283\(2\), 285, 286\(4\)\) and Sailing Directions \(NP 9, 13, 14, 15, 33, 34, 35, 36, 39, 44, 51, 60, 61, 62, 100, 136\).](#)

© Commonwealth of Australia 2013

This work is copyright. Apart from any use permitted under the Copyright Act 1968, no part may be reproduced by any process, adapted, communicated or commercially exploited without prior written permission from The Commonwealth represented by the Australian Hydrographic Service.

IMPORTANT NOTICE

This edition of Notices to Mariners includes all significant information affecting AHS products which the AHS has become aware of since the last edition. All reasonable efforts have been made to ensure the accuracy and completeness of the information, including third party information, on which these updates are based. The AHS regards third parties from which it receives information as reliable, however the AHS cannot verify all such information and errors may therefore exist. The AHS does not accept liability for errors in third party information.

GENERAL INSTRUCTIONS

The substance of these notices should be inserted on the charts affected.

Bearings are referred to the true compass and are reckoned clockwise from North; those relating to lights are given as seen by an observer from seaward. Positions quoted in permanent notices relate to the horizontal datum for the chart(s). When preliminary or temporary notices affect multiple charts, positions will be provided in relation to only one horizontal datum and that datum will be specified. When the multiple charts do not have a common horizontal datum, mariners will be required to adjust the position(s) for those charts not on the specified datum. The range quoted for a light is its nominal range. Depths are with reference to the chart datum of each chart. Heights are above mean high water springs or mean higher high water, as appropriate.

The capital letter (P) or (T) after the number of any notice denotes a preliminary or temporary notice respectively, which are contained separately at the end of the permanent notices. A star (*) adjacent to the number of a notice indicates that the notice is based on original information.

REPORTING OF DANGERS

Mariners are particularly requested to notify the AUSTRALIAN HYDROGRAPHIC SERVICE, Locked Bag 8801 Wollongong, NSW 2500 (Fax 02-4223 6599, e-mail Hydro.NTM@defence.gov.au or, alternatively by filling in and submitting the [Hydrographic Notes](#) forms located on the web site – www.hydro.gov.au), immediately on the discovery of new dangers or suspected dangers to navigation. For changes or defects in aids to navigation notify AusSAR (Fax 02-6230 6868 or email rccaus@amsa.gov.au).

AUTHORISED USE

Copies of Australian notices are available free of charge from the Australian Hydrographic Service (AHS) website (www.hydro.gov.au) and through the eNotices (email) service (www.hydro.gov.au/enotices/enotices.htm).

Individual Notices may be copied for the purpose of inserting Notice substance on official charts and publications. Paper copies may be printed by chart agents and distributed to customers on a cost recovery basis. Participating chart agents are listed on the AHS website as providing a 'Paper Notices to Mariners' service (www.hydro.gov.au/prodserv/distributors/distributors.htm). Copies of the notices may not be sold for profit without prior written agreement.

NUMERICAL INDEX OF NOTICES TO MARINERS

Edition No 13

Notices	Aus Chart, INT Chart, AHP, BA Pubs
621.....	NP14, NP203-14, NP285, NP286(4)
622.....	Amendment to Seafarers Handbook for Australian Waters AHP20
623.....	Amendment to Australian Notice to Mariners No7
624.....	Navigational warning service survey
625.....	Aus 193, AX 00193T, AXA 0193T
626.....	Aus 200
627.....	Aus 207, 809
628.....	Aus 208
629.....	Aus 222
630.....	Aus 256
631.....	Aus 378, 502
632.....	Aus 720, 721
633.....	Aus 309, 4721, INT 721, AX 00309T, 00309U, 04721U
634.....	Aus 24, 28
635.....	Aus 26, AX 00026T
636.....	Aus 318, 727
637.....	Aus 320, 729
638.....	Aus 37, 320, 729, 730
639.....	Aus 59
640.....	Aus 62, 67
641.....	Aus 742, 743
642.....	Aus 81
643.....	Aus 155
644(P).....	Aus 207, 809, AX 00809S
645(T).....	Aus 235, 236, 237, 238, 814, 815
646(T).....	Aus 236
647(T).....	Aus 235
648(P).....	Aus 242
649(T).....	Aus 247, 819
650(T).....	Aus 248, 260, 261, 367, 820, 822, AX 67248, 67261, 00260S, 00260T, 00367S, 00820S, 00822S
651(T).....	Aus 253, 268
652(T).....	Aus 256, 257
653(T).....	Aus 270
654(T).....	Aus 24, 26, 27, 28, AX 00026T
655(T).....	Aus 26, 28, AX 00026T
656(T).....	Aus 319, 322, 4721, 4722, INT 721, 722, AX 00319U, 00322U, 04721U, 04722U
657(T).....	Aus 58, 59
658(T).....	Aus 327
659(T).....	Aus 68, 742, 743
660(T).....	Aus 328, 743, 744
661(T).....	Aus 328, 329, 744, 745, 4723, 4725, INT 723, 725, AX 04723U
662(T).....	Aus 790
663(T).....	Aus 154
664(T).....	Aus 154
665(T).....	Aus 182

Aus Chart	Notices	Aus Chart	Notices
Aus 24.....	634, 654(T)	Aus 820	650(T)
Aus 26.....	635, 654(T), 655(T)	Aus 822	650(T)
Aus 27.....	654(T)	Aus 4721	633, 656(T)
Aus 28.....	634, 654(T), 655(T)	Aus 4722	656(T)
Aus 37.....	638	Aus 4723	661(T)
Aus 58.....	657(T)	Aus 4725	661(T)
Aus 59.....	639, 657(T)	AX 67248.....	650(T)
Aus 62.....	640	AX 67261.....	650(T)
Aus 67.....	640	AX 00026T.....	635, 654(T), 655(T)
Aus 68.....	659(T)	AX 00193T.....	625
Aus 81.....	642	AX 00260S	650(T)
Aus 154.....	663(T), 664(T)	AX 00260T.....	650(T)
Aus 155.....	643	AX 00309T.....	633
Aus 182.....	665(T)	AX 00309U	633
Aus 193.....	625	AX 00319U	656(T)
Aus 200.....	626	AX 00322U	656(T)
Aus 207.....	627, 644(P)	AX 00367S	650(T)
Aus 208.....	628	AX 00809S	644(P)
Aus 222.....	629	AX 00820S	650(T)
Aus 235.....	645(T), 647(T)	AX 00822S	650(T)
Aus 236.....	645(T), 646(T)	AX 04721U	633, 656(T)
Aus 237.....	645(T)	AX 04722U	656(T)
Aus 238.....	645(T)	AX 04723U	661(T)
Aus 242.....	648(P)	AXA 0193T	625
Aus 247.....	649(T)		
Aus 248.....	650(T)		
Aus 253.....	651(T)		
Aus 256.....	630, 652(T)		
Aus 257.....	652(T)		
Aus 260.....	650(T)		
Aus 261.....	650(T)		
Aus 268.....	651(T)		
Aus 270.....	653(T)		
Aus 309.....	633		
Aus 318.....	636		
Aus 319.....	656(T)		
Aus 320.....	637, 638		
Aus 322.....	656(T)		
Aus 327.....	658(T)		
Aus 328.....	660(T), 661(T)		
Aus 329.....	661(T)		
Aus 367.....	650(T)		
Aus 378.....	631		
Aus 502.....	631		
Aus 720.....	632		
Aus 721.....	632		
Aus 727.....	636		
Aus 729.....	637, 638		
Aus 730.....	638		
Aus 742.....	641, 659(T)		
Aus 743.....	641, 659(T), 660(T)		
Aus 744.....	660(T), 661(T)		
Aus 745.....	661(T)		
Aus 790.....	662(T)		
Aus 809.....	627, 644(P)		
Aus 814.....	645(T)		
Aus 815.....	645(T)		
Aus 819.....	649(T)		

621 AUSTRALIA - Product

UKHO (AA677045, AA679018, AA680011, AA680012)

Admiralty publication

<i>NP No</i>	<i>Title</i>	<i>Date</i>	<i>Remarks</i>
NP14	Australian Pilot Volume 2 (Twelfth Edition) 2013.	9/05/2013	The Eleventh Edition 2010 is cancelled.
	This publication is produced jointly by the Australian Hydrographic Office and the United Kingdom Hydrographic Office.		
NP203-14	Admiralty Tide Tables, Volume 3, Indian Ocean and South China Sea (including Tidal Stream Tables).	27/06/2013	
NP285	Admiralty List of Radio Signals. Global Maritime Distress and Safety System (GMDSS).	13/06/2013	The 2012/13 edition is cancelled.

<i>NP No</i>	<i>Remarks</i>
NP286(4)	The book limits of the 2013/14 edition of Volume 6, Part 4, NP286(4), will be amended and renamed Indian sub-Continent, South East Asia and Australasia.

If you have any questions with regard to this change then please contact customerservices@ukho.gov.uk

For further details refer to the AHS website at www.hydro.gov.au for new edition and new chart stock arrival information.

When placing orders with a chart agent, mariners should advise whether their order pertains to the current edition or the new edition.

622 AUSTRALIA - Product - Amendment to Seafarers Handbook for Australian Waters AHP20

Australian Maritime Safety Authority (AA678831, AA680454)

<i>Substitute</i>	accompanying table on pages 89 (6.15.4), 96 (7.1.11 & 7.1.12), 101 (7.3), 110 (8.6), 115 (8.9.6), 123 (8.14.3), 136 (9.2.1), 150 (9.7.1), 151 (9.8.2) and 153 (9.10).
-------------------	---

623 AUSTRALIA - Product - Amendment to Australian Notice to Mariners No7

Australian Maritime Safety Authority (AA678831)

Page 34

Reprints of Radio Navigational Warnings, Para 21

Amend AMSA web site to <http://www.amsa.gov.au/search-and-rescue/distress-and-safety-comms/msi/>

624 AUSTRALIA - Navigational warning service survey

Australian Maritime Safety Authority (AA666610)

The International Hydrographic Organization's World-Wide Navigational Warning Service (WWNWS) is conducting a survey concerning the quality of maritime safety information broadcast via SafetyNET and NAVTEX to identify measures to improve service. It provides an opportunity to comment on the quality of the content and reception of Navigational Warnings provided by each NAVAREA Coordinator. Please visit <http://www.needtopopulatethis.com> to complete the short survey. The World Meteorological Organization offers a similar survey regarding the World-Wide Meteorological Information and Warning Service available at: www.jcomm.info/mmms. Your participation is greatly appreciated and valued.

625* AUSTRALIA - NEW SOUTH WALES - Jervis Bay - Middle Ground - Depth; contour
 Defence Science and Technology Organisation (DHDB 2402638)

Aus 193 [969/2012]

Insert	contour, between	35° 06'.048 S	150° 46'.131 E
		35° 06'.169 S	150° 46'.150 E
		35° 06'.190 S	150° 46'.180 E

Delete	depth, 15 ₅ m	35° 06'.13 S	150° 46'.01 E
	contour, between	35° 06'.08 S	150° 46'.07 E
		35° 06'.14 S	150° 45'.96 E
		35° 06'.19 S	150° 46'.18 E
		35° 06'.02 S	150° 46'.14 E
		35° 06'.06 S	150° 46'.09 E

AX 00193T [969/2012]

Insert	contour, between	35° 06'.048 S	150° 46'.131 E
		35° 06'.169 S	150° 46'.150 E
		35° 06'.190 S	150° 46'.180 E

Delete	depth, 15 ₅ m	35° 06'.13 S	150° 46'.01 E
	contour, between	35° 06'.08 S	150° 46'.07 E
		35° 06'.14 S	150° 45'.96 E
		35° 06'.19 S	150° 46'.18 E
		35° 06'.02 S	150° 46'.14 E
		35° 06'.06 S	150° 46'.09 E

AXA 0193T [969/2012]

Insert	contour, between	35° 06'.048 S	150° 46'.131 E
		35° 06'.169 S	150° 46'.150 E
		35° 06'.190 S	150° 46'.180 E

Delete	depth, 15 ₅ m	35° 06'.13 S	150° 46'.01 E
	contour, between	35° 06'.08 S	150° 46'.07 E
		35° 06'.14 S	150° 45'.96 E
		35° 06'.19 S	150° 46'.18 E
		35° 06'.02 S	150° 46'.14 E
		35° 06'.06 S	150° 46'.09 E

626* AUSTRALIA - NEW SOUTH WALES - Port Jackson - Rushcutters Bay - Naval waters
 UKHO (AA678661)

Aus 200 [540/2013]

Delete	restricted area, centred on	33° 52'.3 S	151° 14'.0 E
--------	-----------------------------	-------------	--------------

627* AUSTRALIA - NEW SOUTH WALES - Newcastle - Pilot boarding place

Newcastle Port Corporation (AA679287)

Aus 207 [720/2012]

Insert	pilot boarding place with magenta legend, <i>Alpha</i> (see Note)	32° 57'.847 S	151° 51'.381 E
	pilot boarding place with magenta legend, <i>Bravo</i> (see Note)	32° 58'.871 S	151° 52'.686 E
Amend	note title to PILOT BOARDING AREAS ALPHA AND BRAVO	32° 58'.22 S	151° 43'.03 E
Delete	pilot boarding place	32° 57'.11 S	151° 51'.36 E
	pilot boarding place	32° 57'.10 S	151° 53'.72 E

Aus 809 [540/2013]

Insert	pilot boarding place with magenta legend, <i>Alpha</i>	32° 57'.85 S	151° 51'.38 E
	pilot boarding place with magenta legend, <i>Bravo</i>	32° 58'.87 S	151° 52'.69 E
Delete	pilot boarding place	32° 57'.1 S	151° 51'.4 E
	pilot boarding place	32° 57'.1 S	151° 53'.7 E

628* AUSTRALIA - NEW SOUTH WALES - Newcastle - Depths; infrastructure

Newcastle Port Corporation (DHDB 2374677)

Aus 208 [125/2013]

Insert	accompanying block A	32° 53'.9 S	151° 46'.2 E
	accompanying block B	32° 54'.6 S	151° 46'.3 E
	accompanying block C	32° 55'.3 S	151° 46'.2 E
Substitute	accompanying ZOC diagram	32° 53'.8 S	151° 45'.7 E

629* AUSTRALIA - NEW SOUTH WALES - Clarence River - Hickey Island to Goodwood Island - Light beacons

Port of Clarence River (Yamba) (AA678199)

Aus 222 [81/2013]

Insert	triangular topmark apex down	29° 25'.72 S	153° 21'.16 E
	light beacon, <i>Fl.Bu.2s</i> , without topmark	29° 23'.564 S	153° 20'.365 E
Delete	light beacon	29° 23'.56 S	153° 20'.34 E

630* AUSTRALIA - QUEENSLAND - Magnetic Island - Nomenclature

Australian Hydrographic Service (AA679153)

Aus 256 (plan, Nelly Bay) [31/2013]

Amend	plan title to <i>NELLY BAY</i>	19° 09'.8 S	146° 51'.0 E
-------	--------------------------------	-------------	--------------

631* PAPUA NEW GUINEA - Gulf of Papua - Submarine cable

Former Notice - 350(T)/2013 is cancelled

Alcatel-Lucent (AA676705)

Aus 378 [783/2012]

Insert	accompanying block	8° 05'.0 S	144° 32'.0 E
--------	--------------------	------------	--------------

Aus 502 [633/2012]

Insert	accompanying block	8° 05'.0 S	144° 32'.0 E
--------	--------------------	------------	--------------

28 June 2013

632* AUSTRALIA - NORTHERN TERRITORY - Melville Island - Depths eastwards
HMAS *Leeuwin* (DHDB 2267706)

Aus 720 [593/2011]

Insert	depth, 28 ₂ m, enclosed by contour	11° 23'.27 S	131° 33'.68 E
	depth, 22 ₈ m, and extend contour E to enclose	11° 21'.56 S	131° 31'.74 E

Delete	depth, 38m	11° 23'.2 S	131° 33'.8 E
	depth, 28 ₆ m	11° 21'.5 S	131° 31'.2 E

Aus 721 [324/2012]

Insert	depth, 4 ₉ m, enclosed by contour	11° 15'.53 S	131° 49'.18 E
	depth, 0 ₅ m, semi enclosed by contour	11° 15'.69 S	131° 48'.08 E
	depth, 28 ₂ m, enclosed by contour	11° 23'.27 S	131° 33'.68 E
	depth, 22 ₈ m, and extend contour E to enclose	11° 21'.56 S	131° 31'.74 E
	depth, 15 ₈ m, enclosed by contour	11° 10'.61 S	131° 23'.38 E
	depth, 25 ₇ m, enclosed by contour	11° 08'.47 S	131° 18'.90 E

Delete	depth, 38m	11° 23'.2 S	131° 33'.8 E
	depth, 28 ₆ m	11° 21'.5 S	131° 31'.2 E

633* AUSTRALIA - NORTHERN TERRITORY - Bathurst Island - Depths westwards
HMAS *Melville* (DHDB 2398006)

Aus 309 [500/2013]

Insert	depth, 34m, enclosed by contour	11° 17'.26 S	129° 51'.00 E
	depth, 49m, enclosed by contour	11° 29'.26 S	129° 48'.95 E
	depth, 19 ₇ m, enclosed by contour	11° 33'.98 S	129° 45'.18 E
	depth, 26 ₂ m, and extend contour NE to enclose	11° 31'.98 S	129° 46'.06 E
	depth, 12 ₇ m, and extend contour NE to enclose	11° 14'.01 S	129° 49'.73 E
	depth, 24 ₃ m, enclosed by contour	11° 16'.53 S	129° 49'.24 E

Delete	depth, 62m	11° 29'.7 S	129° 48'.8 E
	depth, 21 ₅ m	11° 34'.1 S	129° 45'.3 E
	depth, 29m	11° 32'.3 S	129° 45'.8 E
	depth, 18 ₇ m	11° 14'.1 S	129° 49'.7 E
	depth, 38m	11° 17'.0 S	129° 49'.0 E

Aus 4721 (INT 721) [501/2013]

Substitute	depth, 12 ₇ m, for depth, 15 ₄ m	11° 14'.0 S	129° 49'.7 E
------------	--	-------------	--------------

AX 00309T [500/2013]

Insert	depth, 34m, enclosed by contour	11° 17'.26 S	129° 51'.00 E
	depth, 49m, enclosed by contour	11° 29'.26 S	129° 48'.95 E
	depth, 19 ₇ m, enclosed by contour	11° 33'.98 S	129° 45'.18 E
	depth, 26 ₂ m, and extend contour NE to enclose	11° 31'.98 S	129° 46'.06 E
	depth, 12 ₇ m, and extend contour NE to enclose	11° 14'.01 S	129° 49'.73 E
	depth, 24 ₃ m, enclosed by contour	11° 16'.53 S	129° 49'.24 E

Delete	depth, 62m	11° 29'.7 S	129° 48'.8 E
	depth, 21 ₅ m	11° 34'.1 S	129° 45'.3 E
	depth, 29m	11° 32'.3 S	129° 45'.8 E
	depth, 18 ₇ m	11° 14'.1 S	129° 49'.7 E
	depth, 38m	11° 17'.0 S	129° 49'.0 E

633* AUSTRALIA - NORTHERN TERRITORY - Bathurst Island - Depths westwards (continued)
AX 00309U [382/2013]

Insert	depth, 34 _m , enclosed by contour	11° 17'.26 S	129° 51'.00 E
	depth, 49 _m , enclosed by contour	11° 29'.26 S	129° 48'.95 E
	depth, 19 _{7m} , enclosed by contour	11° 33'.98 S	129° 45'.18 E
	depth, 26 _{2m} , and extend contour NE to enclose	11° 31'.98 S	129° 46'.06 E
	depth, 12 _{7m} , and extend contour NE to enclose	11° 14'.01 S	129° 49'.73 E
	depth, 24 _{3m} , enclosed by contour	11° 16'.53 S	129° 49'.24 E

Delete	depth, 62m	11° 29'.7 S	129° 48'.8 E
	depth, 21 _{5m}	11° 34'.1 S	129° 45'.3 E
	depth, 29m	11° 32'.3 S	129° 45'.8 E
	depth, 18 _{7m}	11° 14'.1 S	129° 49'.7 E
	depth, 38m	11° 17'.0 S	129° 49'.0 E

AX 04721U [501/2013]

Substitute	depth, 12 _{7m} , for depth, 15 _{4m}	11° 14'.0 S	129° 49'.7 E
------------	---	-------------	--------------

634* AUSTRALIA - NORTHERN TERRITORY - Darwin - Frances Bay - Foul ground

Darwin Port Corporation Notice 95/2013 (AA678689)

Aus 24 [499/2013]

Insert	foul ground with legend, <i>Foul</i> , with 100m radius centred on	12° 28'.04 S	130° 51'.23 E
--------	--	--------------	---------------

Aus 28 [544/2013]

Insert	foul ground with legend, <i>Foul</i> , with 100m radius centred on	12° 28'.04 S	130° 51'.23 E
--------	--	--------------	---------------

635* AUSTRALIA - NORTHERN TERRITORY - Darwin - Elizabeth River - Light buoy

Darwin Port Corporation Notice 96(T)/2013 (AA678905)

Aus 26 [544/2013]

Delete	light buoy	12° 32'.35 S	130° 58'.43 E
--------	------------	--------------	---------------

AX 00026T [544/2013]

Delete	light buoy	12° 32'.35 S	130° 58'.43 E
--------	------------	--------------	---------------

636* AUSTRALIA - WESTERN AUSTRALIA - Koolama Bay to Glycosmis Bay - Rocks

R Lanaghan and B Withers (AA668863)

Aus 318 [NC 5/10/2012]

Insert	underwater rock semi enclosed by danger circle	13° 56'.20 S	127° 13'.46 E
--------	--	--------------	---------------

Substitute	islet for rock	13° 54'.4 S	127° 08'.0 E
------------	----------------	-------------	--------------

Aus 727 [1074/2012]

Insert	underwater rock enclosed by danger circle, with legend <i>Rep</i> (2013)	13° 56'.20 S	127° 13'.46 E
--------	--	--------------	---------------

Substitute	islet for rock	13° 54'.4 S	127° 08'.0 E
------------	----------------	-------------	--------------

637* AUSTRALIA - WESTERN AUSTRALIA - Winyalkan Island to Purrungku Island - Rocks
R Lanaghan and B Withers (AA668863)

Aus 320 [975/2012]

Insert	underwater rock enclosed by danger circle	14° 35'.24 S	125° 25'.75 E
	rock that covers and uncovers (a)	14° 32'.00 S	125° 19'.24 E
	rock that covers and uncovers (b) with danger line enclosing (a) and (b)	14° 32'.28 S	125° 19'.34 E
	rock that covers and uncovers (c)	14° 39'.36 S	125° 14'.50 E
	rock that covers and uncovers (d) with danger line enclosing (c) and (d)	14° 39'.49 S	125° 14'.78 E

Aus 729 [1074/2012]

Insert	underwater rock enclosed by danger circle with legend, <i>Rep (2013)</i>	14° 35'.24 S	125° 25'.75 E
	rock that covers and uncovers (a) with legend, <i>Rep (2013)</i>	14° 32'.00 S	125° 19'.24 E
	rock that covers and uncovers (b) with danger line enclosing (a) and (b)	14° 32'.28 S	125° 19'.34 E
	rock that covers and uncovers (c) with legend, <i>Rep (2013)</i>	14° 39'.36 S	125° 14'.50 E
	rock that covers and uncovers (d) with danger line enclosing (c) and (d)	14° 39'.49 S	125° 14'.78 E

638* AUSTRALIA - WESTERN AUSTRALIA - York Sound to Camden sound - Rocks
R Lanaghan and B Withers (AA668863)

Aus 37 [884/2012]

Insert	underwater rock enclosed by danger circle with legend, <i>Rep (2013)</i>	14° 56'.86 S	125° 10'.61 E
	rock which covers and uncovers enclosed by danger circle with legend, <i>Rep (2013)</i>	14° 58'.20 S	125° 10'.50 E
	rock which covers and uncovers enclosed by danger circle with legend, <i>Rep (2013)</i>	15° 09'.06 S	125° 28'.42 E
	rock which covers and uncovers enclosed by danger circle with legend, <i>Rep (2013)</i>	15° 06'.65 S	125° 09'.53 E

Aus 320 [637/2013]

Insert	underwater rock enclosed by danger circle	14° 56'.86 S	125° 10'.61 E
	rock which covers and uncovers enclosed by danger circle	14° 58'.20 S	125° 10'.50 E
	rock which covers and uncovers and extend danger line W to enclose	15° 06'.65 S	125° 09'.53 E
	underwater rock enclosed by danger circle	15° 23'.46 S	124° 32'.70 E
	underwater rock enclosed by danger circle	15° 23'.07 S	124° 32'.20 E
	underwater rock enclosed by danger circle	15° 23'.31 S	124° 31'.67 E
Substitute	rock which covers and uncovers enclosed by danger circle for depth, 0 ₁ m	15° 24'.4 S	124° 29'.8 E

Aus 729 [637/2013]

Insert	underwater rock enclosed by danger circle with legend, <i>Rep (2013)</i>	14° 56'.86 S	125° 10'.61 E
--------	--	--------------	---------------

638* AUSTRALIA - WESTERN AUSTRALIA - York Sound to Camden sound – Rocks (continued)**Aus 730 [975/2012]**

Insert	underwater rock enclosed by danger circle with legend, <i>Rep (2013)</i>	14° 56'.86 S	125° 10'.61 E
	rock which covers and uncovers enclosed by danger circle with legend, <i>Rep (2013)</i>	14° 58'.20 S	125° 10'.50 E
	rock which covers and uncovers enclosed by danger circle with legend, <i>Rep (2013)</i>	15° 09'.06 S	125° 28'.42 E
	rock which covers and uncovers enclosed by danger circle with legend, <i>Rep (2013)</i>	15° 06'.65 S	125° 09'.53 E
	underwater rock enclosed by danger circle with legend, <i>Rep (2013)</i>	15° 23'.46 S	124° 32'.70 E
	underwater rock enclosed by danger circle with legend, <i>Rep (2013)</i>	15° 23'.07 S	124° 32'.20 E
	underwater rock enclosed by danger circle with legend, <i>Rep (2013)</i>	15° 23'.31 S	124° 31'.67 E
	underwater rock enclosed by danger circle with legend, <i>Rep (2013)</i>	15° 24'.64 S	124° 27'.12 E
Substitute	rock which covers and uncovers enclosed by danger circle with legend <i>Rep (2013)</i> , for depth 0 ₁ m	15° 24'.4 S	124° 29'.8 E
Move	rock enclosed by danger circle to	15° 24'.57 S 15° 24'.30 S	124° 27'.86 E 124° 27'.76 E
Delete	depth, 11 ₃ m	14° 58'.3 S	125° 10'.6 E

639* AUSTRALIA - WESTERN AUSTRALIA - Dampier - King Bay - Light buoy

Dampier Port Authority Notice 23/2013 (AA677766)

Aus 59 [502/2013]

Move	light buoy	20° 37'.97 S	116° 44'.87 E
	to	20° 37'.972 S	116° 44'.876 E

640* AUSTRALIA - WESTERN AUSTRALIA - Barrow Island - Mooring buoys

Chevron Australia Pty Ltd (AA677845)

Aus 62 [503/2013]

Insert	lit yellow cylindrical mooring buoy, <i>Fl.Y.10s</i>	20° 44'.16 S	115° 29'.06 E
	lit yellow cylindrical mooring buoy, <i>Fl.Y.10s</i>	20° 44'.00 S	115° 29'.16 E
Delete	depth, 2 ₅ m	20° 43'.9 S	115° 29'.2 E

Aus 67 [NC 2/11/2012]

Insert	lit yellow cylindrical mooring buoy, <i>Fl.Y.10s</i>	20° 44'.155 S	115° 29'.061 E
	lit yellow cylindrical mooring buoy, <i>Fl.Y.10s</i>	20° 44'.002 S	115° 29'.162 E
Delete	depth, 2 ₂ m	20° 44'.16 S	115° 29'.05 E

641* AUSTRALIA - WESTERN AUSTRALIA - Barrow Island - Pipeline

Former Notice - 423(T)/2013 is cancelled

Chevron Australia Pty Ltd (AA669419 - AA669425)

Aus 742 [582/2013]

Insert	accompanying block	20° 53'.0 S	115° 30'.0 E
--------	--------------------	-------------	--------------

Aus 743 [546/2013]

Insert	accompanying block A	20° 53'.0 S	115° 30'.0 E
	accompanying block B	21° 10'.0 S	115° 45'.0 E
	supply pipeline, between	20° 57'.41 S	115° 34'.11 E
		21° 03'.57 S	115° 40'.35 E

642* AUSTRALIA - WESTERN AUSTRALIA - Geraldton - Lights

Geraldton Port Authority (AA677208, AA677209)

Aus 81 (plan, Port of Geraldton) [289/2013]

Insert	light, <i>F.Bu</i>	28° 46'.397 S	114° 36'.135 E
	light, <i>F.Bu</i>	28° 46'.395 S	114° 36'.148 E
	a dashed line in a direction 260.1° for a distance of 450m, with legend 080.1°, emanating from light	28° 46'.395 S	114° 36'.148 E

643* AUSTRALIA - VICTORIA - Port Phillip - Brighton - Light buoys

Parks Victoria (AA677050)

Aus 155 [591/2013]

Substitute	special conical light buoy, <i>Fl(4)Y.12s RBYC1</i> , with topmark for light buoy	37° 55'.63 S	144° 58'.24 E
	special conical light buoy, <i>Fl(4)Y.12s RBYC2</i> , with topmark for light buoy	37° 55'.40 S	144° 57'.37 E
	special conical light buoy, <i>Fl(4)Y.12s RBYC3</i> , with topmark for light buoy	37° 54'.46 S	144° 57'.16 E
	special conical light buoy, <i>Fl(4)Y.12s RBYC4</i> , with topmark for light buoy	37° 53'.61 S	144° 57'.08 E
	special conical light buoy, <i>Fl(4)Y.12s RBYC5</i> , with topmark for light buoy	37° 53'.81 S	144° 58'.46 E
	special conical light buoy, <i>Fl(4)Y.12s RBYC6</i> , with topmark for light buoy	37° 54'.35 S	144° 58'.56 E

Aus 155 (plan, Brighton) [591/2013]

Substitute	special conical light buoy, <i>Fl(4)Y.12s RBYC6</i> , with topmark for light buoy	37° 54'.35 S	144° 58'.56 E
------------	---	--------------	---------------

644(P)/2013 AUSTRALIA - NEW SOUTH WALES - Newcastle - Precautionary area

Date - On or about 12 July 2013

Newcastle Port Corporation (AA679287)

A precautionary area exists in an area bounded by the following positions:

32° 57'·87 S 151° 50'·54 E

32° 59'·58 S 151° 52'·72 E

32° 58'·85 S 151° 53'·53 E

32° 57'·14 S 151° 51'·35 E.

The precautionary area centred on 32° 57'·5 S 151° 52'·5 E has been revoked.

Note: A block update will be issued in due course.

Chart which will be affected – Aus 207 – Aus 809 – AX 00809S

645(T)/2013 AUSTRALIA - QUEENSLAND - Moreton Bay - Brisbane River - Depth information*Former Notice - 596(T)/2013 is cancelled*

Brisbane Port Corporation (AA680904)

Available depths and under keel clearances (UKC) at 26 June 2013:

<i>Berth</i>	<i>Metres</i>	<i>Remarks</i>
* Fisherman Islands No12	13.9	
Fisherman Islands No11	13.3	
* Fisherman Islands No10	13.2	
Fisherman Islands No9	13.2	
* Fisherman Islands No8	13.0	
Fisherman Islands No7	13.2	
Fisherman Islands No6	13.6	
Fisherman Islands No5	13.2	
Fisherman Islands No4	13.0	
Fisherman Islands No3	12.9	
Fisherman Islands No2	13.0	
Fisherman Islands No1	12.9	
Fisherman Islands Grain and Woodchip	12.1	
Caltex Fisherman Islands	14.3	
* Fisherman Islands Coal	14.0	
* Fisherman Islands General Purpose	10.5	
BP Luggage Point	13.7	
Caltex Products	10.0	
* Cement Australia Co Wharf	9.6	
BP Products	10.3	
* Shell	10.5	
Pacific Terminals	10.5	
Incitec North	10.0	
* Incitec South	9.9	
Pinkenba 1	10.4	
Pinkenba 2	10.4	
Riverside Marina	-	
Sugar Terminal	9.8	
Cairncross Fitting Out Wharf	7.4	
Cairncross Breasting Wharf	5.5	
Brisbane Naval Wharf	4.3	
Maritime No1	8.5	
Hamilton No4	10.0	
Hamilton No1	8.3	
Brisbane Cruise Ship Terminal	8.2	
	<i>Metres</i>	<i>UKC/Remarks</i>
<i>Moreton Bay:</i>		
North West Channel	15.0	2.3 (280m width)
North West Bypass Channel	9.2	1.6
Spitfire Channel	15.0	1.5 (600m width) Shoaling least depth, 14.6m, exists in position 27° 02'.39 S 153° 15'.66 E.
East Knoll Bypass Channel	6.0	1.4
East Channel	15.0	1.5 (300m width from western side)
Main Channel (M8 - M9)	10.0	1.8
Entrance Channel (E5 - EBCN)	14.7	1.5
<i>Brisbane River:</i>		
Outer Bar Cutting	14.0	1.46
* Inner Bar Cutting	13.8	1.46
Fisherman Islands Swing Basin	13.9	1.3
* River	9.1	0.6 / 0.9 (draft/tide)
Cement Australia Swing Basin	9.1	0.6 / 0.9 (draft/tide)
Pinkenba Swing Basin	9.1	0.6 / 0.9 (draft/tide)
Hamilton Swing Basin	8.5	0.6 / 0.9 (draft/tide)
* Indicates new or revised entry.		

Chart temporarily affected – Aus 235 – Aus 236 – Aus 237 – Aus 238 – Aus 814 – Aus 815

28 June 2013

646(T)/2013 AUSTRALIA - QUEENSLAND - Moreton Bay - Russell Island - Pile driving

Date - Until 16 July 2013

Maritime Safety Queensland Notice 481(T)/2013 (AA680391)

The barges *Gosford* and *Todkills Barge* are conducting pile driving operations in the vicinity of position 27° 38'.73 S 153° 22'.88 E.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected – Aus 236**647(T)/2013 AUSTRALIA - QUEENSLAND - Mooloolaba - Shoaling**

Former Notice - 343(T)/2013 is cancelled

Maritime Safety Queensland Notice 468(T)/2013 (AA678935)

A least depth of 3.2m exists within the main channel to Mooloolah River.

Mariners are advised to keep at least 30m clear from the seaward end of the eastern breakwater due to obstructions and to navigate with caution in the area.

Chart temporarily affected – Aus 235**648(P)/2013 AUSTRALIA - QUEENSLAND - Bundaberg - Burnett River - Nav aids established**

Date - On or about 30 September 2013

Maritime Safety Queensland Notice 470(T)/2013 (AA678944)

Light beacons have been established as follows:

Name	Position	Characteristic	Remarks
No14	24° 45'.303 S 152° 24'.148 E	Fl.R.2s	
No15 (MRDF)	24° 45'.243 S 152° 24'.027 E	Q (F Day) & Fl.G.4s	Front lead
MRDR	24° 45'.225 S 152° 24'.091 E	Iso.2s (F Day)	Rear lead
No17 (IRDF)	24° 45'.387 S 152° 23'.392 E	Q (F Day) & Fl.G.4s	Front lead
IRDR	24° 45'.315 S 152° 23'.483 E	Iso.2s (F Day)	Rear lead
No18	24° 45'.526 S 152° 23'.281 E	Fl.R.2s	No20 renumbered
No19 (MRAF)	24° 45'.497 S 152° 23'.161 E	Q (F Day) & Fl.G.4s	Front lead
MRAR	24° 45'.546 S 152° 22'.995 E	Iso.2s (F Day)	Rear lead
No20	24° 45'.756 S 152° 22'.996 E	Fl.R.4s	No22 renumbered
No21 (IRAF)	24° 45'.847 S 152° 22'.813 E	Q (F Day) & Fl.G.4s	Front lead
IRAR	24° 45'.900 S 152° 22'.746 E	Iso.2s (F Day)	Rear lead
No22	24° 45'.833 S 152° 22'.949 E	Fl.R.4s	No24 renumbered
No24	24° 45'.994 S 152° 22'.893 E	Fl.R.4s	No26 renumbered

Light buoys have been established as follows:

Name	Position	Characteristic
No23	24° 46'.052 S 152° 22'.758 E	Fl.Y.2.5s
No25	24° 46'.187 S 152° 22'.730 E	Fl.Y.2.5s
No27	24° 46'.251 S 152° 22'.736 E	Fl.Y.2.5s
No29	24° 46'.288 S 152° 22'.773 E	Fl.Y.2.5s
No31	24° 46'.317 S 152° 22'.821 E	Fl.Y.2.5s.

Note: a new edition of Aus 242 will be published in due course.

Chart which will be affected – Aus 242

649(T)/2013 AUSTRALIA - QUEENSLAND - Rosslyn Bay - Pipeline

Date - Until 31 August 2013

Maritime Safety Queensland Notice 505(T)/2013 (AA680912)

A pipeline exists on the seabed between the following:

<i>Position</i>	<i>Remarks</i>
23° 09'.14 S 150° 47'.75 E	special light buoy, <i>Fl.Y.2s</i>
23° 09'.15 S 150° 47'.46 E	
23° 09'.24 S 150° 47'.42 E	special light buoy, <i>Fl.Y.2s</i>
23° 09'.35 S 150° 47'.34 E	
23° 09'.53 S 150° 47'.31 E	
23° 09'.56 S 150° 47'.35 E.	

Mariners are advised not to anchor in the vicinity of the pipeline.

Chart temporarily affected – Aus 247 – Aus 819**650(T)/2013 AUSTRALIA - QUEENSLAND - Shoalwater Bay - Live firing**

Date - Until 16 August 2013

Maritime Safety Queensland Notice 442(T)/2013 (AA677073)

Live firing activities will be conducted in the Shoalwater Bay training area during the period 1 July to 15 August 2013.

A marine danger area extends to all internal waters bounded by the following positions:

22° 21'.20 S 150° 10'.52 E	22° 20'.35 S 150° 12'.00 E
22° 16'.94 S 150° 12'.07 E	22° 14'.92 S 150° 20'.06 E
22° 14'.76 S 150° 20'.31 E	22° 12'.28 S 150° 25'.00 E
22° 09'.00 S 150° 25'.00 E	22° 09'.00 S 150° 37'.00 E
22° 14'.38 S 150° 37'.00 E	22° 19'.92 S 150° 45'.05 E
22° 29'.13 S 150° 49'.71 E	22° 40'.48 S 150° 55'.01 E
22° 46'.87 S 150° 53'.01 E	22° 46'.20 S 150° 48'.51 E.

All waters, creeks, beaches and other areas within the declared marine danger area are not available for access.

Mariners are advised to keep clear of this area throughout the above times.

Chart temporarily affected – Aus 248 – Aus 260 – Aus 261 – Aus 367 – Aus 820 – Aus 822 – AX 67248 – AX 67261 – AX 00260S – AX 00260T – AX 00367S – AX 00820S – AX 00822S**651(T)/2013 AUSTRALIA - QUEENSLAND - Muddy Bay - Harbour works**

Date - Until 20 October 2013

Maritime Safety Queensland Notice 497(T)/2013 (AA680645)

Works associated with the development of the marina are in progress in the vicinity of 20° 16'.24 S 148° 43'.50 E. The construction area is marked by special buoys.

Chart temporarily affected – Aus 253 – Aus 268

652(T)/2013 AUSTRALIA - QUEENSLAND - Townsville - Depth information*Former Notice - 402(T)/2013 is cancelled*

Maritime Safety Queensland Notice 477(T)/2013 (AA678924)

Available depths as at 17 June 2013:

	<i>Metres</i>	<i>Remarks</i>
* Sea Channel	11.8	
Platypus Channel	12.0	
Outer Harbour:		
* Arrival Channel	6.7	Less depth at southern end
Departure Channel	10.8	
Inner Harbour:		
Harbour	11.9	
Berths:		
No 1	12.1	
No 2	12.5	
No 3	12.0	
No 4	10.5	
No 7	10.6	
Between No 7 and No 8	10.6	Seaward of 0 mark at No 7
No 8	-	Works in progress
No 9	11.6	
* Between No 9 and No 10	8.1	Seaward of 0 mark at No 10
* No 10	11.0	
No 11	10.8	
Ross River Channel	1.8	Based on survey results dated 20 December 2012
Ross River	-	Upstream of bridge
Ross Creek	-	From Reef HQ to swing basin

* Indicates revised entry.

Chart temporarily affected – Aus 256 – Aus 257**653(T)/2013 AUSTRALIA - QUEENSLAND - Cooktown - Depth information***Former Notice - 751(T)/2012 is cancelled*

Maritime Safety Queensland Notice 501(T)/2013 (AA680585)

Available depths as at 24 June 2013:

	<i>Metres</i>
* Entrance Channel	1.7
* Inner Channel	2.8
* Public Wharf	2.6
* Swing Basin	2.6

* Indicates revised entry.

Chart temporarily affected – Aus 270

654(T)/2013 AUSTRALIA - NORTHERN TERRITORY - Darwin - West Point to Elizabeth River - Light buoys*Former Notice - 519(T)/2013 is cancelled**Date - Until 30 November 2014**Darwin Port Corporation Notice 97(T)/2013 (AA680168)*Special spar light buoys, *Fl.Y.4s*, exist in the following positions:

12° 26'.12 S 130° 46'.20 E
 12° 29'.25 S 130° 48'.00 E
 12° 29'.48 S 130° 48'.16 E
 12° 32'.88 S 130° 50'.75 E
 12° 29'.82 S 130° 52'.41 E
 12° 33'.05 S 130° 52'.41 E
 12° 30'.69 S 130° 54'.07 E.

Special conical light buoys, *Fl.Y.6s*, exist in the following positions:

12° 29'.27 S 130° 51'.42 E
 12° 29'.78 S 130° 52'.08 E
 12° 29'.74 S 130° 53'.10 E
 12° 31'.77 S 130° 56'.14 E.

Chart temporarily affected – Aus 24 – Aus 26 – Aus 27 – Aus 28 – AX 00026T**655(T)/2013 AUSTRALIA - NORTHERN TERRITORY - Darwin - East Arm - Blaydin Point - Harbour works***Former Notice - 476(T)/2013 is cancelled**Darwin Port Corporation Notice 99(T)/2013 (AA680123)*

Works associated with the construction of the module offloading facility are in progress in an area bounded by the following positions:

12° 30'.51 S 130° 54'.25 E
 12° 30'.29 S 130° 55'.63 E
 12° 30'.62 S 130° 55'.90 E
 12° 31'.02 S 130° 55'.99 E
 12° 31'.13 S 130° 55'.74 E
 12° 30'.57 S 130° 55'.28 E
 12° 30'.97 S 130° 54'.50 E
 12° 30'.71 S 130° 54'.26 E.

An exclusion zone exists within the area of the works.

The causeway is marked at the extremities by *Q.Y* lights. A silt curtain marked by *Q.Y* lights exists around the causeway.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected – Aus 26 – Aus 28 – AX 00026T**656(T)/2013 AUSTRALIA - WESTERN AUSTRALIA - Browse Island - Drill rig northwestwards***Former Notice - 1288(T)/2012 is cancelled**Date - Until 30 September 2013**Australian Maritime Safety Authority Auscoast Warning 174/2013 (AA680007), MODU Jack Bates (AA680156)*Drill rig *Jack Bates* is conducting drilling operations in position 13° 24'.59 S 122° 59'.02 E.**Chart temporarily affected – Aus 319 – Aus 322 – Aus 4721 (INT 721) – Aus 4722 (INT 722) – AX 00319U – AX 00322U – AX 04721U – AX 04722U**

657(T)/2013 AUSTRALIA - WESTERN AUSTRALIA - Mermaid Sound - Scientific instruments

Date - Until 31 October 2013

MetOcean Engineers (AA679768)

Scientific instruments exist as follows:

<i>Position</i>	<i>Remarks</i>
20° 33'.25 S 116° 43'.10 E	Fl(5)Y.20s
20° 33'.23 S 116° 43'.15 E	5 poly floats.

Chart temporarily affected – Aus 58 – Aus 59**658(T)/2013 AUSTRALIA - WESTERN AUSTRALIA - Dampier Archipelago - Scientific instruments northwestwards**

Date - Until 31 October 2013

MetOcean Engineers (AA679768)

Scientific instruments exist as follows:

<i>Position</i>	<i>Remarks</i>
19° 36'.49 S 116° 06'.68 E	Fl(5)Y.20s
19° 36'.65 S 116° 06'.49 E	10 vinny floats.

Chart temporarily affected – Aus 327**659(T)/2013 AUSTRALIA - WESTERN AUSTRALIA - Cape Preston - Drilling operations completed**

Former Notice - 480(T)/2013 is cancelled

Department of Transport WA Notice 64/2013 (AA668443)

Cancel this notice on receipt.

Chart formerly affected – Aus 68 – Aus 742 – Aus 743**660(T)/2013 AUSTRALIA - WESTERN AUSTRALIA - Serrurier Island - Scientific instruments recovered**

Former Notice - 483(T)/2013 is cancelled

MetOcean Engineers (AA679768)

Cancel this notice on receipt.

Chart formerly affected – Aus 328 – Aus 743 – Aus 744**661(T)/2013 AUSTRALIA - WESTERN AUSTRALIA - North West Cape - Light altered**

Date - Until 16 September 2013

Australian Maritime Safety Authority Temporary ATH 14/2013 (AA679583)

The light (21° 48'.37 S 114° 09'.61 E) has been temporarily altered to *Fl.10s 129m 21M*.**Chart temporarily affected – Aus 328 – Aus 329 – Aus 744 – Aus 745 – Aus 4723 (INT 723) – Aus 4725 (INT 725) – AX 04723U****662(T)/2013 AUSTRALIA - TASMANIA - Stanley - North Point - Beacon destroyed**

Marine and Safety Tasmania Notice M70/2013 (AA680160)

The beacon (40° 42'.60 S 145° 16'.25 E) has been destroyed.

Chart temporarily affected – Aus 790

663(T)/2013 AUSTRALIA - VICTORIA - Port Phillip - Williamstown - Harbour works*Former Notice* - 1064(T)/2012 is cancelled*Date* - Until 31 July 2013

Victorian Notices 135(T)/2012, 80(T)/2013 (AA630011, AA678930)

Harbour works associated with the rehabilitation of Ann St Pier (37° 51'.63 S 144° 54'.59 E) including the demolition of the pier end are in progress.

The light *F.G* (37° 51'.58 S 144° 54'.61 E) has been repositioned to 37° 51'.59 S 144° 54'.61 E.

Two mooring piles marked by lights exist in the vicinity of position 37° 51'.56 S 144° 54'.63 E and two light buoys exist in the vicinity of position 37° 51'.55 S 144° 54'.64 E.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected – Aus 154

664(T)/2013 AUSTRALIA - VICTORIA - Port Phillip - Port Melbourne - Webb Dock - Drilling operations completed*Former Notice* - 619(T)/2013 is cancelled

Victorian Notice 75(T)/2013 (AA677861)

Cancel this notice on receipt.

Chart formerly affected – Aus 154

665(T)/2013 AUSTRALIA - VICTORIA - Port Welshpool - Harbour works completed*Former Notice* - 369(T)/2013 is cancelled

Victorian Notice 81/2013 (AA680129)

Cancel this notice on receipt.

Chart formerly affected – Aus 182

HYDROGRAPHIC REPORTS

<i>Locality</i>	<i>Report</i>	<i>Ship/Authority</i>	<i>Observer</i>
AHS- Product	Website error		D Culloton D Watkins M Normington S Rakhmatullin
Product	Temporary and Preliminary Cumulative List error		E Caslake
QLD- Undine Reef	Light characteristic		J McIntyre

NAVIGATION WARNINGS

The following radio messages have been received during the period to 27 June 2013. Signal copies of these messages may be destroyed. It is recommended that the reprint of Navigational Warnings should be kept in a file or a book divided into areas. Cancellation should be made on receipt of signals and reprints.

Rigs on location other than those listed in the latest Section III summary are the subject of Radio Navigational Warnings. Rigs in transit will not be the subject of Warnings.

AUSCOAST WARNING

166 Cancelled.
 167 Cancelled.
 168 Special purpose vessel *Polarcus Alima* conducting seismic survey in an area bounded by of 16° 40'.0 S to 17° 50'.0 S and 117° 15'.0 E to 118° 10'.0 E. 6M clearance requested.
 169 Cancelled.
 170 Cancelled.
 171 Cancelled.
 172 North West Cape light K1710 in position 21° 48'.37 S 114° 09'.61 E temporarily changed to *Fl.10s 21M*.
 173 Cancelled.
 174 Drill rig *Jack Bates* in position 13° 24'.59 S 122° 59'.02 E. 2.5M clearance requested.

NAVAREA X WARNINGS

030 Cancelled.
 031 Cancelled.
 032 Cancelled.
 033 Cancelled.
 034 Cancelled.
 035 35 metre upturned barge abandoned and adrift in vicinity 8° 32'.14 S 144° 25'.62 E at 252000UTC June 2013 drifting 270 at 0.7 kts.

Navigational warnings in force as at 270001UTC JUN 13.**Auscoast**

2012 318

2013 024 028 075 091 096 098 099 132 134 135 145 151 154 157 158 163 168 172 174

Navarea X

2013 035

Summary of mobile drilling rigs as at 270001UTC JUN 13.

<i>Name</i>	<i>Position</i>
Jack Bates	13° 24'.59 S 122° 59'.02 E
Transocean Legend	13° 44'.28 S 122° 20'.13 E
EnSCO 109	20° 00'.38 S 115° 38'.29 E
Atwood Falcon	20° 04'.23 S 115° 11'.00 E
EnSCO 104	21° 19'.51 S 115° 06'.45 E
Atwood Osprey	20° 24'.30 S 114° 50'.57 E
Ocean America	20° 45'.41 S 114° 44'.00 E
Deepwater Frontier	19° 47'.59 S 114° 38'.93 E
Nan Hai 6	21° 31'.40 S 114° 07'.50 E
Noble Clyde Boudreaux	22° 05'.20 S 113° 10'.85 E
Atwood Eagle	20° 01'.08 S 115° 12'.05 E

NAVAREA XIV WARNINGS

041 Cancelled.
 042 Cancelled.
 043 Cancelled.
 044 Cancelled.
 045 Cancelled.
 046 Cancelled.

Navarea XIV warnings in force as at 270001UTC JUN 13.

2012 076

2013 Nil

To accompany Australian Notice to Mariners 622/2013

Website:	www.amsa.gov.au/environment/index.asp
----------	--

P89

Website:	https://apps.amsa.gov.au/moreview/MarineNoticeExternal.html
----------	---

P96

Website:	www.amsa.gov.au/vessels/standards-regulations/marine-orders
----------	--

P96

Telephone:	+61 2 6279 5925
Fax:	+61 2 6279 5922
Website and email online:	www.amsa.gov.au/vessels/shipping-registration/

P101

AMSA Portal:	www.amsa.gov.au/navigation/shipping-management/pilotage
--------------	--

P110

AMSA Pilotage Portal:	www.amsa.gov.au/navigation/shipping-management/pilotage
-----------------------	--

P115

Website:	www.amsa.gov.au/navigation/shipping-management/pilotage
----------	--

P123

Website:	www.amsa.gov.au/search-and-rescue/distress-and-safety-comms/msi/
----------	--

P136

Website:	www.amsa.gov.au/navigation/services/ais
----------	--

P150


Website:	www.amsa.gov.au/navigation/resources/lrit
----------	--

P151

Website:	www.amsa.gov.au/vessels/ship-safety/incident-reporting/comm-vessels-gen-report/index.asp
----------	--


P153

To accompany Australian Notice to Mariners 628/2013




© Commonwealth of Australia 2013
Block B for chart Aus 208 (68.7 x 90.7mm)

To accompany Australian Notice to Mariners 628/2013



© Commonwealth of Australia 2013
Block A for chart Aus 208 (53.7 x 80.5mm)

To accompany Australian Notice to Mariners 628/2013




Block C for chart Aus 208

© Commonwealth of Australia 2013


(189.7 x 128.2mm)

To accompany Australian Notice to Mariners 628/2013



© Commonwealth of Australia 2013
Block D for Aus 208 (65-4 x 103-5mm)

To accompany Australian Notice to Mariners 631/2013




© Commonwealth of Australia 2013
 Block for chart Aus 378 (43.5 x 61.9mm)

Block for chart Aus 502

(87.1 x 123.8mm)

(118.6 x 140.3mm)

To accompany Australian Notice to Mariners 641/2013




Block A for chart Aus 743

© Commonwealth of Australia 2013

(127.2 x 153.9mm)

To accompany Australian Notice to Mariners 641/2013



Block B for chart Aus 743

(82.4 x 150.2mm)

© Commonwealth of Australia 2013