

6 September 2013

Australian Notices to Mariners are the authority for correcting Australian Charts and Publications

AUSTRALIAN NOTICES TO MARINERS

Notices 881 - 940



Published fortnightly by the Australian Hydrographic Service

Commodore B.K. BRACE RAN Hydrographer of Australia

SECTIONS.

- I. Australian Notices to Mariners, including blocks and notes.
- II. Hydrographic Reports.
- III. Navigational Warnings.

SUPPLEMENTS.

- I. Tracings
- II. Cumulative List of Australian Notices to Mariners.
- III. Cumulative List of Temporary and Preliminary Australian Notices to Mariners.
- IV. Temporary and Preliminary Notices in force.
- V. Amendments to Admiralty List of Lights and Fog Signals (Vol K), Radio Signals (NP 281(2), 282, 283(2), 285, 286(4)) and Sailing Directions (NP 9, 13, 14, 15, 33, 34, 35, 36, 39, 44, 51, 60, 61, 62, 100, 136).

© Commonwealth of Australia 2013

This work is copyright. Apart from any use permitted under the Copyright Act 1968, no part may be reproduced by any process, adapted, communicated or commercially exploited without prior written permission from The Commonwealth represented by the Australian Hydrographic Service.

IMPORTANT NOTICE

This edition of Notices to Mariners includes all significant information affecting AHS products which the AHS has become aware of since the last edition. All reasonable efforts have been made to ensure the accuracy and completeness of the information, including third party information, on which these updates are based. The AHS regards third parties from which it receives information as reliable, however the AHS cannot verify all such information and errors may therefore exist. The AHS does not accept liability for errors in third party information.

GENERAL INSTRUCTIONS

The substance of these notices should be inserted on the charts affected.

Bearings are referred to the true compass and are reckoned clockwise from North; those relating to lights are given as seen by an observer from seaward. Positions quoted in permanent notices relate to the horizontal datum for the chart(s). When preliminary or temporary notices affect multiple charts, positions will be provided in relation to only one horizontal datum and that datum will be specified. When the multiple charts do not have a common horizontal datum, mariners will be required to adjust the position(s) for those charts not on the specified datum. The range quoted for a light is its nominal range. Depths are with reference to the chart datum of each chart. Heights are above mean high water springs or mean higher high water, as appropriate.

The capital letter (P) or (T) after the number of any notice denotes a preliminary or temporary notice respectively, which are contained separately at the end of the permanent notices. A star (*) adjacent to the number of a notice indicates that the notice is based on original information.

REPORTING OF DANGERS

Mariners are particularly requested to notify the AUSTRALIAN HYDROGRAPHIC SERVICE, Locked Bag 8801 Wollongong, NSW 2500 (Fax 02-4223 6599, e-mail Hydro.NTM@defence.gov.au or, alternatively by filling in and submitting the Hydrographic Notes forms located on the web site – www.hydro.gov.au), immediately on the discovery of new dangers or suspected dangers to navigation. For changes or defects in aids to navigation notify AusSAR (Fax 02-6230 6868 or email rccaus@amsa.gov.au).

AUTHORISED USE

Copies of Australian notices are available free of charge from the Australian Hydrographic Service (AHS) website (www.hydro.gov.au) and through the eNotices (email) service (www.hydro.gov.au/enotices/enotices.htm).

Individual Notices may be copied for the purpose of inserting Notice substance on official charts and publications. Paper copies may be printed by chart agents and distributed to customers on a cost recovery basis. Participating chart agents are listed on the AHS website as providing a 'Paper Notices to Mariners' service (www.hydro.gov.au/prodserv/distributors/distributors.htm). Copies of the notices may not be sold for profit without prior written agreement.

NUMERICAL INDEX OF NOTICES TO MARINERS

Edition No 18

Notices	Aus Chart, INT Chart, ENC Cell, AHP, BA Pubs
881	Aus 63
882	Amendment to Australian Notice to Mariners No 2
883	Erratum
884	Navigational warning service survey
885	Aus 818, 819
886	Aus 827
887	Aus 258, 829
888	Aus 515, 516
889	Aus 22
890	Aus 309, 722, AX 00309T, 00309U, 00722T
891	Aus 24, 28
892	Aus 305, 710
893 894	Aus 110, 118, AX 00110S Aus 741
895	Aus 741 Aus 327
896	Aus 154
897	Aus 169
898	Aus 171, 173, 174
899	Aus 173, 174
900	Aus 168
901	Aus 178
902(T)	Aus 196, 198, 199
903(T)	Aus 220, 222, 812, 813
904(T)	Aus 207, 208
905(T)	Aus 200, 202, AX 00202T
906(T)	Aus 200, 202, AX 00202T
907(T)	Aus 193, 489, 806, 807, 808, 4643, INT 643, AX 00193T, 00808S, 6031S, 6031G, AXA 0193T
908(T)	Aus 237
909(T)	Aus 262, 263, 264, 830, AX 63262, AXA 0830T
910(T)	Aus 827, 828
911(T)	Aus 244, 245
912(T) 913(T)	Aus 230 Aus 250
914(T)	Aus 235, 236, 237, 238, 814, 815
915(T)	Aus 260, 367, 822, AX 00260S, 00260T, 00367S, 00822S
916(T)	Aus 249, 250, AX 00249S
917(T)	Aus 4620, 4621, INT 620, 621, AX 04620U, 04621U
918(T)	Aus 505, 621
919(T)	Aus 24, 26, 27, 28, AX 00026T
920(T)	Aus 26, 27, 28, AX 00026T
921(T)	Aus 328, 4723, 4725, INT 723, 725, AX 04723U
922(T)	Aus 319, 320, 4721, 4722, INT 721, 722, AX 00319U, 04721U, 04722U
923(T)	Aus 55, 56
924(T)	Aus 58, 59, 60
925(T)	Aus 114, 117, AX 00117T
926(T)	Aus 327
927(T)	Aus 327, 4723, INT 723, AX 04723U
928(T)	Aus 328, 329
929(T)	Aus 314, 319, 4721, 4722, INT 721, 722, AX 00314U, 00319U, 04721U, 04722U
930(T) 931(T)	Aus 52, 53, 54 Aus 55, 326, 327, 740, 741
932(T)	Aus 327, 4723, INT 723, AX 04723U
933(T)	Aus 4708, 4714, 4723, INT 708, 714, 723, AX 04708U, 04714U, 04723U
934(T)	Aus 137
935(T)	Aus 143
936(T)	Aus 154, 155
937(T)	Aus 144, 158
938(T)	Aus 143, 155
939(T)	Aus 151, 152
940(T)	Aus 171, 173, 174

NUMERICAL INDEX OF CHARTS AFFECTED

Edition No 18

Aus Chart	Notices	Aus Chart	Notices
Aus 22	889	Aus 263	909(T)
Aus 24	891, 919(T)	Aus 264	909(T)
Aus 26	919(T), 920(T)	Aus 305	892
Aus 27	919(T), 920(T)	Aus 309	890
Aus 28	891, 919(T), 920(T)	Aus 314	929(T)
Aus 52	930(T)	Aus 319	922(T), 929(T)
Aus 53	930(T)	Aus 320	922(T)
Aus 54	930(T)	Aus 326	931(T)
Aus 55	923(T), 931(T)	Aus 327	894, 895, 926(T), 927(T), 931(T),
			932(T)
Aus 56	923(T)	Aus 328	921(T), 928(T)
Aus 58	924(T)	Aus 329	928(T)
Aus 59	924(T)	Aus 367	915(T)
Aus 60	924(T)	Aus 489	907(T)
Aus 63	881	Aus 505	918(T)
Aus 110	893	Aus 515	888
Aus 114	925(T)	Aus 516	888
Aus 117	925(T)	Aus 621	918(T)
Aus 118	893	Aus 710	892
Aus 137	934(T)	Aus 722	890
Aus 143	935(T), 938(T)	Aus 740	931(T)
Aus 144	937(T)	Aus 741	894, 931(T)
Aus 151	939(T)	Aus 806	907(T)
Aus 152	939(T)	Aus 807	907(T)
Aus 154	896, 936(T)	Aus 808	907(T)
Aus 155	936(T), 938(T)	Aus 812	903(T)
Aus 158	937(T)	Aus 813	903(T)
Aus 168	900	Aus 814	914(T)
Aus 169	897	Aus 815	914(T)
Aus 109 Aus 171	898, 940(T)	Aus 818	885
Aus 173	898, 899, 940(T)	Aus 819	885
Aus 174	898, 899, 940(T)	Aus 822	915(T)
Aus 174 Aus 178	901	Aus 827	886, 910(T)
Aus 193	907(T)	Aus 828	910(T)
Aus 195 Aus 196	902(T)	Aus 829	887
Aus 198	902(T)	Aus 830	909(T)
Aus 190 Aus 199	902(T)	Aus 4620	917(T)
Aus 200	905(T), 906(T)	Aus 4621	917(T)
Aus 200 Aus 202	905(T), 906(T)	Aus 4643	907(T)
Aus 202 Aus 207	904(T)	Aus 4708	933(T)
Aus 207 Aus 208		Aus 4708 Aus 4714	933(T)
Aus 200 Aus 220	904(T) 903(T)	Aus 4721	
			922(T), 929(T) 922(T), 929(T)
Aus 222	903(T)	Aus 4722	922(T), 929(T) 021(T), 027(T), 022(T), 022(T)
Aus 230	912(T)	Aus 4723	921(T), 927(T), 932(T), 933(T)
Aus 235	914(T)	Aus 4725	921(T) 910(T) 020(T)
Aus 236	914(T)	AX 00026T	919(T), 920(T)
Aus 237	908(T), 914(T)	AX 00110S	893 025(T)
Aus 238	914(T)	AX 00117T	925(T)
Aus 244	911(T)	AX 00193T	907(T)
Aus 245	911(T)	AX 00202T	905(T), 906(T)
Aus 249	916(T)	AX 00249S	916(T)
Aus 250	913(T), 916(T)	AX 00260S	915(T)
Aus 258	887	AX 00260T	915(T)
Aus 260	915(T)	AX 00309T	890
Aus 262	909(T)	AX 00309U	890

Aus Chart	Notices
AX 00314U	929(T)
AX 00319U	922(T), 929(T)
AX 00367S	915(T)
AX 00722T	890
AX 00808S	907(T)
AX 00822S	915(T)
AX 04620U	917(T)
AX 04621U	917(T)
AX 04708U	933(T)
AX 04714U	933(T)
AX 04721U	922(T), 929(T)
AX 04722U	922(T), 929(T)
AX 04723U	921(T), 927(T), 932(T), 933(T)
AX 6031G	907(T)
AX 6031S	907(T)
AX 63262	909(T)
AXA 0193T	907(T)
AXA 0830T	909(T)

INT Chart	Notices
INT 620	917(T)
INT 621	917(T)
INT 643	907(T)
INT 708	933(T)
INT 714	933(T)
INT 721	922(T), 929(T)
INT 722	922(T), 929(T)
INT 723	921(T), 927(T), 932(T), 933(T)
INT 725	921(T)

881 **AUSTRALIA - Product**

Australian Hydrographic Service (AA693026)

New Edition to be published shortly						
Chart	Title			Scale	Expected Publication Date	
Aus 63	Australia – North West Coast – Passage	Western Australia – Ma	ry Anne	1:50 000	20 September 2013	
Australia	n National Tide Tables 2014					
AHP No	Title	Recommended retail price (incl GST)	Remarks			
AHP11	Australian National Tide Tables (ANTT) 2014	\$64.90			nal Tide Tables 2014 for apua New Guinea, Solomon	
	(111)2011		ISlands and East Timor. Provides tidal information for 2014. Available from accredited chart distribution agents.			
			-			

For further details refer to the AHS website at www.hydro.gov.au for new edition and new chart stock arrival information.

When placing orders with a chart agent, mariners should advise whether their order pertains to the current edition or the new edition.

882 AUSTRALIA - Product - Amendment to Australian Notice to Mariners No 2 Australian Hydrographic Service (AA692613)

Page 14		
Insert new Singapore chart agent:		
KH Charts Singapore Pte Ltd	Telephone	(65) 6545 9880
896 Dunearn Road	Fax	(65) 6545 8892
03-05 Sime Darby Centre	Email	Leslie.Khoo@kelvinhughes.com.sg
Singapore 589472	Website	www.kelvinhughes.com

883 **AUSTRALIA - Product - Erratum**

C Herron (AA694141)

A revised tracing for Aus 235 from Edition 16/2013 (NTM 793) is attached.

884 AUSTRALIA - Navigational warning service survey

Australian Maritime Safety Authority (AA666610)

The International Hydrographic Organization's World-Wide Navigational Warning Service (WWNWS) is conducting a survey concerning the quality of maritime safety information broadcast via SafetyNET and NAVTEX to identify measures to improve service. It provides an opportunity to comment on the quality of the content and reception of Navigational Warnings provided by each NAVAREA Coordinator. Please visit http://www.surveymonkey.com/s/IHO_survey to complete the short survey. The World Meteorological Organization offers a similar survey regarding the World-Wide Meteorological Information and Warning Service available at: www.jcomm.info/mmms. Your participation is greatly appreciated and valued.

885* AUSTRALIA - QUEENSLAND - Bunker Group - Lady Musgrave Island - Beacon

Australian Hydrographic Service (AA112539)

Aus 818 [8 Delete	347/2013] structure colour, BRB	23° 53'.8 S	152° 24'.7 E
Aus 819 [8 Delete	347/2013] structure colour, BRB	23° 53'.8 S	152° 24'.7 E

С

886* Maritime Sat	AUSTRALIA - QUEENSLAND - Cape Bowling Green - Light buoy fety Queensland Notice 658(T)/2013 (AA691700, AA691665)		
Aus 827 [84 Insert	46/2013] west cardinal pillar light buoy, <i>Q(9)15s</i> , with topmark	19° 17'.86 S	147° 22'.28 E
Delete	depth, 13 ₅ m	19° 17'.8 S	147° 22'.5 E
887* Maritime Sat	AUSTRALIA - QUEENSLAND - Clump Point - Light fety Queensland Notice 639/2013 (AA690698)		
Aus 258 (pl Delete	l an, Dunk Island) [798/2013] light	17° 51'.0 S	146° 06'.4 E
Aus 829 [<i>N</i> e Delete	C 5/10/2012] light	17° 51'.0 S	146° 06'.4 E
888* Australian H	PAPUA NEW GUINEA - Trobriand Islands - Chart limits; light beacon ydrographic Service (AA150036, AA690606)		
Aus 515 [13 Insert	32/2013] magenta limits, with legend <i>Aus 637</i> in SE corner, between	8° 39'.20 S 8° 39'.20 S	151° 11'.00 E 151° 14'.80 E
	magenta limits, with legend <i>Plan Aus</i> 637 in SW corner, between	8° 34'.90 S 8° 34'.90 S 8° 38'.82 S 8° 38'.82 S 8° 38'.82 S 8° 34'.90 S	151° 14'.80 E 151° 14'.00 E 151° 14'.00 E 151° 20'.40 E 151° 20'.40 E
Aus 516 [50	03/2011		
Insert	magenta limits, with legend <i>Aus 637</i> in NE corner, between	8° 18'.40 S 8° 39'.20 S 8° 39'.20 S 8° 18'.40 S 8° 18'.40 S	151° 14'.80 E 151° 14'.80 E 150° 57'.15 E 150° 57'.15 E 151° 14'.80 E
	magenta limits, with legend <i>Plan Aus 637</i> in NE corner, between	8° 33'.81 S 8° 38'.82 S 8° 38'.82 S 8° 38'.82 S 8° 33'.81 S 8° 33'.81 S	151° 20'.40 E 151° 20'.40 E 151° 20'.40 E 151° 14'.00 E 151° 14'.00 E 151° 20'.40 E
Substitute	starboard lateral light beacon, Fl.G.5s, with topmark for beacon	8° 33'.8 S	151° 01'.1 E
889*	AUSTRALIA - NORTHERN TERRITORY - Apsley Strait - Saint Asaph Ba		

HMAS Glenelg (AA692686, AA692687), Australian Hydrographic Service (AA692689, AA692690)

Aus 22 [78 Insert	38/2010] depth, 2 ₂ m, enclosed by contour	11° 19'.18 S	130° 23'.26 E
Delete	depth, 12 ₈ m	11° 19'.2 S	130° 23'.2 E

890 * Departmen	AUSTRALIA - NORTHERN TERRITORY - Clarence Strait - Marine far t of Primary Industry and Fisheries NT (DHDB 2466554)	n			
Aus 309 [8 Insert		12° 05'.6 S	120° 40' 2 F		
insen	marine farm symbol	12 05.05	130° 49'.3 E		
Aus 722 [8 Insert	302/2013] dashed line and marine farm symbol with legend, <i>(see Note)</i> , between	12° 05'.59 S	130° 49'.79 E		
moon	dashed nite and manife farm symbol with legend, (see Note), between	12° 06'.49 S	130° 49'.79 E		
		12° 06'.44 S 12° 05'.54 S	130° 48'.47 E 130° 48'.50 E		
		12° 05'.59 S	130° 49'.79 E		
	accompanying note	12° 25'.0 S	131° 22'.5 E		
	[802/2013]				
Insert	marine farm symbol	12° 05'.6 S	130° 49'.3 E		
	J [802/2013]				
Insert	marine farm symbol	12° 05'.6 S	130° 49'.3 E		
	r [802/2013]				
Insert	dashed line and marine farm symbol with legend, (see Note), between	12° 05'.59 S 12° 06'.49 S	130° 49'.79 E 130° 49'.79 E		
		12° 06'.44 S	130° 48'.47 E		
		12° 05'.54 S 12° 05'.59 S	130° 48'.50 E 130° 49'.79 E		
	accompanying note	12° 26'.5 S	131° 22'.5 E		
891* Darwin Por	AUSTRALIA - NORTHERN TERRITORY - Darwin - Fort Point - Infrast t Corporation Notice 140/2013 (AA691364)	ructure			
Aus 24 [74					
Insert	continuous line, between	12° 28'.356 S 12° 28'.370 S	130° 50'.692 E 130° 50'.658 E		
		12 20.010 0	100 00.000 2		
Aus 28 [74 Insert	<i>i9/2013</i>] continuous line, between	12° 28'.356 S	130° 50'.692 E		
		12° 28'.370 S	130° 50'.658 E		
892 * Departmen	AUSTRALIA - NORTHERN TERRITORY - West Island - Anchorages n t of Transport NT (AA691461)	orthwards			
Aus 305 [1					
Insert	anchor berth, desig <i>WD1</i> anchor berth, desig <i>WD2</i>	15° 26'.95 S 15° 22'.80 S	136° 32'.70 E 136° 33'.10 E		
	anchor berth, desig WD3	15° 20'.30 S	136° 34'.30 E		
Aus 710 [Aus 710 [1026/2012]				
Insert	anchor berth, desig WD1	15° 26'.95 S	136° 32'.70 E		
	anchor berth, desig <i>WD2</i> anchor berth, desig <i>WD3</i>	15° 22'.80 S 15° 20'.30 S	136° 33'.10 E 136° 34'.30 E		

Delete	depth, 16 ₇ m depth, 8 ₇ m	15° 20'.2 S 15° 27'.1 S

136° 34'.5 E

136° 32'.6 E

893* AUSTRALIA - WESTERN AUSTRALIA - Emu Point - Light Former Notice - 489(P)/2013 is cancelled Albany Port Authority (AA691162)		
Aus 110 [387/2013] Insert light, Iso.WRG.2s 10m 11M, with sectors Green 338° - 340.5° (2.5°) White 340.5° - 344.5° (4°) Red 344.5° - 347° (2.5°)	34° 59'.944 S	117° 56'.775 E
Aus 110 (inset, Oyster Harbour) [387/2013] Insert light, <i>Iso.WRG.2s 10m 11M</i>	34° 59'.944 S	117° 56'.775 E
Aus 118 [386/2013] Insert light, <i>Iso.WRG.2s 10m 11M</i>	34° 59'.94 S	117° 56'.78 E
AX 00110S [387/2013] Insert light, <i>Iso.WRG.2s 10m 11M</i> , with sectors Green 338° - 340·5° (2·5°) White 340·5° - 344·5° (4°) Red 344·5° - 347° (2·5°)	34° 59'.944 S	117° 56'.775 E
AX 00110S (inset, Oyster Harbour) [387/2013] Insert light, <i>Iso.WRG.2s 10m 11M</i>	34° 59'.944 S	117° 56'.775 E
894* AUSTRALIA - WESTERN AUSTRALIA - Glomar Shoal - Light buoy wes <i>Former Notice -</i> 941(T)/2011 is cancelled MetOcean Engineers (AA691347)	stwards	
Aus 741 [<i>805/2013</i>] Insert special spherical light buoy, <i>Q(5)Y.20s</i> , without topmark	19° 34'.64 S	116° 28'.92 E
895* AUSTRALIA - WESTERN AUSTRALIA - Rankin Bank - Racon eastward Woodside Energy Ltd (AA691102)	ls	
Aus 327 [<i>805/2013</i>] Insert magenta legend, <i>Racon(N)</i>	19° 36'.3 S	116° 10'.0 E
896* AUSTRALIA - VICTORIA - Port Phillip - River Yarra - Swanson Dock - I Victorian Notice 114/2013 (AA690702)	Light	
Aus 154 [<i>455/2013</i>] Move light to	37° 49'.11 S 37° 49'.109 S	144° 55'.00 E 144° 54'.991 E
897* AUSTRALIA - TASMANIA - Coles Bay - Picnic Island - Marine farm Department of Primary Industries, Parks, Water and Environment TAS (DHDB 2351298)		
Aus 169 (plan, Coles Bay) [1038/2012] Insert marine farm symbol with legend, (see Note)	42° 07'.50 S	148° 16'.27 E

898* AUSTRALIA - TASMANIA - North West Bay - Marine farms

Department of Primary Industries, Parks, Water and Environment TAS (DHDB 2351255)

Aus 171 [Insert	97/2013] marine farm symbol marine farm symbol	43° 02'.65 S 43° 03'.45 S	147° 17'.89 E 147° 16'.15 E
Aus 173 [96/2013]		
Insert	marine farm symbol	43° 02'.65 S	147° 17'.89 E
	marine farm symbol	43° 03'.45 S	147° 16'.15 E
Aus 174 ([plan, North West Bay] [1038/2012]		
Insert	marine farm symbol with legend, (see Note)	43° 02'.65 S	147° 17'.89 E
	marine farm symbol with legend, (see Note)	43° 03'.45 S	147° 16'.15 E

899* AUSTRALIA - TASMANIA - Recherche Bay - The Pigsties - Marine farms Department of Primary Industry and Fisheries NT (DHDB 2351255)

Aus 173 [9 Insert	96/2013] marine farm symbol	43° 31'.74 S	146° 54'.32 E
Aus 174 (j	plan, Recherche Bay) [1038/2012]		
Insert	dashed line and marine farm symbol with legend, (see Note), between	43° 31'.647 S 43° 31'.729 S 43° 31'.534 S 43° 31'.434 S 43° 31'.381 S 43° 31'.647 S	146° 53'.871 E 146° 53'.942 E 146° 54'.200 E 146° 54'.187 E 146° 54'.150 E 146° 53'.871 E
	dashed line and marine farm symbol with legend, <i>(see Note)</i> , between	43° 31'.268 S 43° 31'.299 S 43° 31'.411 S 43° 31'.541 S 43° 31'.543 S 43° 31'.268 S	146° 54'.388 E 146° 54'.307 E 146° 54'.274 E 146° 54'.272 E 146° 54'.363 E 146° 54'.388 E
	dashed line and marine farm symbol with legend, <i>(see Note)</i> , between	43° 31'.859 S 43° 32'.024 S 43° 32'.025 S 43° 31'.921 S 43° 31'.681 S 43° 31'.700 S 43° 31'.856 S 43° 31'.859 S	146° 54'.224 E 146° 54'.199 E 146° 54'.444 E 146° 54'.612 E 146° 54'.495 E 146° 54'.425 E 146° 54'.501 E 146° 54'.224 E

900* AUSTRALIA - TASMANIA - River Tamar - Mowbray Point - Marine farms

Department of Primary Industries, Parks, Water and Environment TAS (DHDB 2351255)

Aus 168 [8	311/2013]		
Insert	marine farm symbol with legend, (see Note)	41° 13'.511 S	146° 56'.650 E
	marine farm symbol with legend, (see Note)	41° 13'.870 S	146° 56'.940 E
	marine farm symbol with legend, (see Note)	41° 13'.665 S	146° 56'.697 E
Delete	foul symbol	41° 13'.50 S	146° 56'.69 E
	foul symbol	41° 13'.91 S	146° 57'.00 E
	foul symbol	41° 13'.67 S	146° 56'.71 E
	depth, 4 ₇ m	41° 13'.52 S	146° 56'.64 E
	depth, 3m	41° 13'.85 S	146° 56'.97 E

901* AUSTRALIA - TASMANIA - Smithton - Duck Bay - Marine farms Department of Primary Industries, Parks, Water and Environment TAS (DHDB 2351255)

Aus 178 (plan, Smithton) [860/2013] Insert dashed line, between

40° 47'.928 S	145° 04'.941 E
40° 47'.840 S	145° 05'.073 E
40° 47'.820 S	145° 05'.905 E
40° 47'.856 S	145° 05'.907 E
40° 47'.906 S	145° 05'.718 E
40° 47'.902 S	145° 05'.367 E
40° 48'.157 S	145° 05'.628 E
40° 48'.181 S	145° 05'.703 E
40° 48'.279 S	145° 05'.675 E
40° 48'.317 S	145° 05'.592 E
40° 48'.307 S	145° 05'.422 E
40° 48'.267 S	145° 05'.385 E
40° 48'.157 S	145° 05'.628 E
40° 47'.93 S	145° 04'.94 E
40° 47'.90 S	145° 05'.37 E

dashed line and marine farm symbol with legend, (see Note), between

Delete dashed line, between

902(T)/2013 AUSTRALIA - NEW SOUTH WALES - Botany Bay - Depth information Sydney Ports Corporation (AA691471, AA691472)

Available depths as at 20 August 2013:

	Berth	Metres
*	Main Channel to Molineux Point	15.6
*	Port Botany Swinging Basin	15.9
*	Kurnell 3 Approaches	12.3
*	Kurnell 1 & 2 Swinging Basin & Approaches	11.6
*	Hayes Dock (channel)	16.5
*	Brotherson Dock No5	16.5
*	Brotherson Dock No6	16.5
*	Brotherson Dock No7	13.8
*	Brotherson Dock No8	13.6
*	Brotherson Dock No9	13.6
*	Brotherson Dock No10	13.0
*	Brotherson Dock No11	13.0
*	Brotherson Dock No12	14.6
*	Bulk Liquids 1	18.3
*	Bulk Liquids 2	19.0
*	Kurnell No1	11.0
*	Kurnell No2	11.2
*	Kurnell No3	12.5
*	Indicates new or revised entry	

Indicates new or revised entry.

Chart temporarily affected - Aus 196 - Aus 198 - Aus 199

903(T)/2013 AUSTRALIA - NEW SOUTH WALES - Evans Head - Live firing Date - Until 20 September 2013

Department of Defence (AA693582)

Military exercise area Evans Head Air Weapons Range will be activated for a live firing from 9 to 13 September 2013 and 16 to 20 September 2013.

Chart temporarily affected - Aus 220 - Aus 222 - Aus 812 - Aus 813

904(T)/2013 AUSTRALIA - NEW SOUTH WALES - Newcastle - Depth information

Former Notice - 812(T)/2013 is cancelled Newcastle Port Corporation (AA693940)

Available depths as at 3 September 2013:

Available depths as at 3 September 2013:		
Berth	Metres	Remarks
* Eastern Basin 1	11.5	
Eastern Basin 2 North of Ch 450	11.6	
* Eastern Basin 2 South of Ch 450	11.5	
Western Basin 3	11.6	
Western Basin 4	11.6	
Channel Berth	9.7	
Dyke 1	12.6	
Dyke 2	12.3	
* Dyke 4	16.5	
	16.4	
* Dyke 5		
Dyke 6	5.0	
Mayfield 4 Ch 27 to 266	11.8	
BHP Wharf 6 to Ch 1050	7.3	
Kooragang 2	11.4	
Kooragang 2 North Dolphin Ch 182 to 243	11.4	
Kooragang 2 South Dolphin Ch -92 to 00	11.1	
Kooragang 3 Ch -40 to 00	11.8	
Kooragang 3 Ch 00 to 220	13.3	
* Kooragang 4	16.5	
Kooragang 5	16.5	
Kooragang 6	16.2	
Kooragang 7	16.2	
Kooragang 8	16.0	
Kooragang 9	15.9	
Kooragang 10	16.3	
Throsby 1	8.4	
Carrington Wharf		To be sounded as and when required
Foreshore Park Berth	5.9	
Elgo Wharf	0.0	To be sounded as and when required
		To be sounded as and when required
Channels		
Entrance Approach	17.7	
Entrance Channel (18.0m)	18.0	
Entrance Channel (17.4m)	17.4	
Entrance Channel (16.8m)	16.8	
Entrance Channel (16.2m)	16.2	
Entrance Channel to Horseshoe	15.2	
	15.0	
Horseshoe		
Steelworks Channel to Swinging Basin	15.0	
Swinging Basin	15.0	
Hunter River South Arm (Kooragang 6 to buoy 16)	15.0	
Hunter River South Arm (buoy 16 to buoy 20)	15.0	
Basin Cutting	12.6	
Basin Area to Eastern & Western Basin Berths	12.3	
	9.4	
Basin Area to 1 Throsby	•••	
Stockton Crossing	3.6	
 Indicates new or revised entry. 		

Chart temporarily affected - Aus 207 - Aus 208

905(T)/2013 AUSTRALIA - NEW SOUTH WALES - Port Jackson - Glebe Island - Harbour works completed *Former Notice* - 698(T)/2013 is cancelled Sydney Ports Corporation Notice 19/2013 (AA683785)

Cancel this notice on receipt.

Chart formerly affected - Aus 200 - Aus 202 - AX 00202T

906(T)/2013 AUSTRALIA - NEW SOUTH WALES - Sydney Harbour - Depth information Sydney Ports Corporation (AA691471, AA691472)

Available depths as at 20 August 2013:

	Berth	Metres
*	Overseas Passenger Terminal	10.0
*	Glebe Island 1	11.8
*	Glebe Island 2	11.9
*	Glebe Island 7	10.7
*	Glebe Island 8	8.4
*	White Bay 2	11.0
*	White Bay 3	10.6
*	White Bay 4	11.1
*	White Bay Cruise Terminal	10.5
*	Gore Cove 1	13.0
*	Gore Cove 2	9.8
*	Indicates new or revised entry.	

Chart temporarily affected - Aus 200 - Aus 202 - AX 00202T

907(T)/2013 AUSTRALIA - TASMAN SEA - Live firing

Date - Until 21 September 2013 Royal Australian Air Force (AA692669)

Military exercise area R453A, C-P will be activated for a live firing from 16 to 20 September 2013.

Chart temporarily affected - Aus 193 - Aus 489 - Aus 806 - Aus 807 - Aus 808 - Aus 4643 (INT 643) - AX 00193T - AX 00808S - AX 6031S - AX 6031G - AXA 0193T

908(T)/2013 AUSTRALIA - QUEENSLAND - Brisbane River - Fisherman Islands - Harbour works Date - Until 18 October 2013 Maritime Safety Queensland Notice 698(T)/2013 (AA694209)

Harbour works are in progress in position 27° 23'.10 S 153° 09'.63 E.

The barge Serinia is on site and will display appropriate lights and shapes.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 237

909(T)/2013 AUSTRALIA - QUEENSLAND - Cairns - Dredging operations completed *Former Notice* - 714(T)/2013 is cancelled

Maritime Safety Queensland Notice 670(T)/2013 (AA692829)

Cancel this notice on receipt.

Chart formerly affected - Aus 262 - Aus 263 - Aus 264 - Aus 830 - AX 63262 - AXA 0830T

910(T)/2013 AUSTRALIA - QUEENSLAND - Cassady - Light buoy unlit Maritime Safety Queensland Notice 645(T)/2013 (AA691874)

The safe water light buoy, *Iso.2s* (18° 36'.88 S 146° 21'.57 E), is unlit.

Chart temporarily affected - Aus 827 - Aus 828

911(T)/2013 AUSTRALIA - QUEENSLAND - Gladstone - Dredging operations completed Former Notice - 205(T)/2013 is cancelled

Maritime Safety Queensland Notices 122(T)/2013, 123(T)/2013 (AA653160, AA653161)

Cancel this notice on receipt.

Chart formerly affected - Aus 244 - Aus 245

912(T)/2013 AUSTRALIA - QUEENSLAND - Gold Coast - Nerang River - Harbour works *Former Notice* - 554(T)/2013 is cancelled *Date* - Until 30 June 2014 Maritime Safety Queensland Notices 327(T)/2013, 695(T)/2013 (AA668391, AA694012)

Construction works on the Gold Coast bridge are in progress.

The *F.Bu* lights in positions 27° 58'.62 S 153° 25'.27 E and 27° 58'.61 S 153° 25'.28 E are unlit.

Lateral light buoys will be positioned to guide vessels through the construction zone and beneath the relevant bridge navigation span as required. The temporary navigation span is *4.8m* HAT during normal conditions.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 230

913(T)/2013 AUSTRALIA - QUEENSLAND - Hay Point - Harbour works completed *Former Notice* - 601(T)/2013 is cancelled Maritime Safety Queensland Notice 592(T)/2013 (AA688009)

Cancel this notice on receipt.

Chart formerly affected - Aus 250

914(T)/2013 AUSTRALIA - QUEENSLAND - Moreton Bay - Brisbane River - Depth information Former Notice - 865(T)/2013 is cancelled Maritime Safety Queensland Notice 1305(T)/2012 (AA643540), Brisbane Port Corporation (AA693286)

Available depths and under keel clearances (UKC) at 30 August 2013:			
Berth	Metres	Remarks	
Fisherman Jalanda Na12	110		

В	erth	Metres	Remarks
	Fisherman Islands No12	14.0	
*	Fisherman Islands No11	14.0	
*	Fisherman Islands No10	13.3	
	Fisherman Islands No9	14.0	
	Fisherman Islands No8	14.0	
*	Fisherman Islands No7	14.1	
	Fisherman Islands No6	13.9	
*	Fisherman Islands No5	13.8	
*	Fisherman Islands No4	13.8	
	Fisherman Islands No3	13.6	
	Fisherman Islands No2	14.0	
	Fisherman Islands No1	14.0	
*	Fisherman Islands Grain and Woodchip	13.2	
	Caltex Fisherman Islands	-	
		14.3	
	Fisherman Islands Coal	14.0	
*	Fisherman Islands General Purpose	11.4	
*	BP Luggage Point	14.0	
	Caltex Products	10.2	
*	Cement Australia Co Wharf	9.5	
	BP Products	10.9	
	Shell	11.0	
*	Pacific Terminals	10.7	
*	Incitec North	9.6	
	Incitec South	10.2	
*	Pinkenba 1	10.4	
*	Pinkenba 2	10.4	
	Riverside Marina	-	
	Sugar Terminal	9.8	
	Cairncross Fitting Out Wharf	7.4	
	Cairncross Breasting Wharf	5.0	
	Brisbane Naval Wharf	4.3	
	Maritime No1	8.8	
	Hamilton No4	10.2	
	Hamilton No1	8.7	
	Brisbane Cruise Ship Terminal	8.7	
	·		
		Metres	UKC/Remarks
٨.	loreton Bay:		er ten ten ante
10		15.0	2.2.(290m) width)
	North West Channel	15.0	2.3 (280m width)
	North West Bypass Channel	9.2	1.6
	Spitfire Channel	15.0	1.5 (600m width) Shoaling least depth,
			14.6m, exists in position 27° 02'.39 S
			153° 15'.66 E.
	East Knoll Bypass Channel	6.0	1.4
	East Channel	15.0	1.5 (300m width from western side)
	Main Channel (M8 - M9)	10.0	1.8
			1.5
	Entrance Channel (E5 - EBCN)	14.7	1.5
_			
В	risbane River:		
	Outer Bar Cutting	14.0	1.46
		110	1.46
	Inner Bar Cutting	14.0	1.40
		14.0 14.0	1.3
	Fisherman Islands Swing Basin	14.0	1.3
	Fisherman Islands Swing Basin River	14.0 9.1	1.3 0.6 / 0.9 (draft/tide)
	Fisherman Islands Swing Basin River Cement Australia Swing Basin	14.0 9.1 9.1	1.3 0.6 / 0.9 (draft/tide) 0.6 / 0.9 (draft/tide)
	Fisherman Islands Swing Basin River Cement Australia Swing Basin Pinkenba Swing Basin	14.0 9.1 9.1 9.1	1.3 0.6 / 0.9 (draft/tide) 0.6 / 0.9 (draft/tide) 0.6 / 0.9 (draft/tide)
÷	Fisherman Islands Swing Basin River Cement Australia Swing Basin Pinkenba Swing Basin Hamilton Swing Basin	14.0 9.1 9.1	1.3 0.6 / 0.9 (draft/tide) 0.6 / 0.9 (draft/tide)
*	Fisherman Islands Swing Basin River Cement Australia Swing Basin Pinkenba Swing Basin	14.0 9.1 9.1 9.1	1.3 0.6 / 0.9 (draft/tide) 0.6 / 0.9 (draft/tide) 0.6 / 0.9 (draft/tide)

Chart temporarily affected - Aus 235 - Aus 236 - Aus 237 - Aus 238 - Aus 814 - Aus 815

915(T)/2013 AUSTRALIA - QUEENSLAND - Shoalwater Bay - Triangular Island - Live firing completed *Former Notice -* 817(T)/2013 is cancelled Maritime Safety Queensland Notice 690(T)/2013 (AA693343)

Cancel this notice on receipt.

Chart formerly affected - Aus 260 - Aus 367 - Aus 822 - AX 00260S - AX 00260T - AX 00367S - AX 00822S

916(T)/2013 AUSTRALIA - QUEENSLAND - Slade Island - Scientific instruments recovered Former Notice - 767(T)/2013 is cancelled Maritime Safety Queensland Notice 685(T)/2013 (AA693040)

Cancel this notice on receipt.

Chart formerly affected - Aus 249 - Aus 250 - AX 00249S

917(T)/2013 AUSTRALIA - CORAL SEA - Osprey Reef - Light buoy off station eastwards Former Notice - 870(T)/2013 is cancelled Australian Bureau of Meteorology (AA694198)

The light buoy, *Fl.Y.2s* ($14^{\circ} 48'.0 \text{ S} 153^{\circ} 35'.0 \text{ E}$), is drifting and currently in position $13^{\circ} 52'.10 \text{ S} 148^{\circ} 39'.21 \text{ E}$ (3 September 2013).

Chart temporarily affected - Aus 4620 (INT 620) - Aus 4621 (INT 621) - AX 04620U - AX 04621U

918(T)/2013 PAPUA NEW GUINEA - Port Moresby - Lark Patch - Light beacon destroyed National Maritime Safety Authority PNG Notice 39(T)/2013 (AA692723)

The light beacon, FI.R.3s 7m 4M (9° 31'.56 S 147° 08'.53 E), has been destroyed.

Chart temporarily affected - Aus 505 - Aus 621

919(T)/2013 AUSTRALIA - NORTHERN TERRITORY - Darwin - Weed Reef to Elizabeth River - Scientific instruments *Former Notices* - 410(T)/2013, 654(T)/2013 are cancelled Darwin Port Corporation Notice 145(T)/2013 (AA692841)

Special spar light buoys, *FI.Y.4s,* exist in the following positions: 12° 29'.39 S 130° 48'.12 E. 12° 29'.84 S 130° 52'.40 E 12° 30'.19 S 130° 53'.85 E 12° 32'.88 S 130° 50'.75 E.

Special conical light buoys, *FI.Y.6s,* exist in the following positions: 12° 29'.82 S 130° 53'.10 E 12° 29'.94 S 130° 52'.46 E 12° 31'.77 S 130° 56'.14 E 12° 32'.91 S 130° 52'.51 E.

Chart temporarily affected - Aus 24 - Aus 26 - Aus 27 - Aus 28 - AX 00026T

920(T)/2013 AUSTRALIA - NORTHERN TERRITORY - Darwin - East Arm - Light buoys recovered *Former Notice -* 605(T)/2013 is cancelled Darwin Port Corporation (AA693534)

Cancel this notice on receipt.

Chart formerly affected - Aus 26 - Aus 27 - Aus 28 - AX 00026T

Date - Until 1 October 2013 Chevron Australia Pty Ltd (AA691881), Australian Maritime Safety Authority Auscoast Warning 208/2013 (AA691881)

Drill rig Atwood Osprey is conducting drilling operations in position 20° 31'.19 S 114° 49'.43 E.

Chart temporarily affected - Aus 328 - Aus 4723 (INT 723) - Aus 4725 (INT 725) - AX 04723U

922(T)/2013 AUSTRALIA - WESTERN AUSTRALIA - Browse Island - Drill rig northwestwards Date - Until 30 August 2015 MODU Noble Clyde Boudreaux (AA693287), Australian Maritime Safety Authority Auscoast Warning 214/2013 (AA693323)

Drill rig Noble Clyde Boudreaux is conducting drilling operations in position 13° 49'.01 S 123° 19'.60 E.

Chart temporarily affected - Aus 319 - Aus 320 - Aus 4721 (INT 721) - Aus 4722 (INT 722) - AX 00319U - AX 04721U - AX 04722U

923(T)/2013 AUSTRALIA - WESTERN AUSTRALIA - Cape Lambert - Light beacons established Former Notice - 111(P)/2013 is cancelled Department of Transport WA Notice 140/2012 (AA644892)

Cancel this notice on receipt.

Chart formerly affected - Aus 55 - Aus 56

924(T)/2013 AUSTRALIA - WESTERN AUSTRALIA - Dampier - Diving operations completed *Former Notice* - 829(T)/2013 is cancelled Dampier Port Authority Notice 27/2013 (AA688019)

Cancel this notice on receipt.

Chart formerly affected - Aus 58 - Aus 59 - Aus 60

925(T)/2013 AUSTRALIA - WESTERN AUSTRALIA - Kwinana - Mooring buoy recovered *Former Notice* - 1106(T)/2012 is cancelled Fremantle Ports (AA693154)

Cancel this notice on receipt.

Chart formerly affected - Aus 114 - Aus 117 - AX 00117T

926(T)/2013 AUSTRALIA - WESTERN AUSTRALIA - Montebello Islands - Survey operations northeastwards completed

Former Notice - 833(T)/2013 is cancelled Woodside Energy Ltd (AA693618)

Cancel this notice on receipt.

Chart formerly affected - Aus 327

927(T)/2013 AUSTRALIA - WESTERN AUSTRALIA - Montebello Islands - Drill rig northwards moved Former Notice - 356(T)/2013 is cancelled MODU ENSCO 109 (AA693285)

Cancel this notice on receipt.

Chart formerly affected - Aus 327 - Aus 4723 (INT 723) - AX 04723U

928(T)/2013 AUSTRALIA - WESTERN AUSTRALIA - North West Cape - Drill rig northwestwards moved Former Notice - 834(T)/2013 is cancelled

MODU Atwood Eagle (AA692249), Australian Maritime Safety Authority Auscoast Warning 212/2013 (AA692269)

Cancel this notice on receipt.

Chart formerly affected - Aus 328 - Aus 329

929(T)/2013 AUSTRALIA - WESTERN AUSTRALIA - Penguin Shoal - Drill rig northwestwards

Date - Until 4 December 2013 MODU ENSCO 109 (AA693285), PTTEP Australasia Pty Ltd (AA693302)

Drill rig ENSCO 109 is conducting drilling operations in position 12° 40'.34 S 124° 32'.36 E.

Chart temporarily affected - Aus 314 - Aus 319 - Aus 4721 (INT 721) - Aus 4722 (INT 722) - AX 00314U - AX 00319U - AX 04721U - AX 04722U

930(T)/2013 AUSTRALIA - WESTERN AUSTRALIA - Port Hedland - Bed levelling Former Notice - 782(T)/2013 is cancelled

Date - Until 30 September 2013 Port Hedland Port Authority Notice 12/2013 (AA686285, AA692948, AA693160)

The MV *Reliance* is conducting bed levelling operations in the inner harbour, swing basin, berth pockets and the main shipping channel.

Information about the operations can be obtained on VHF Ch 12 and Ch 16.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 52 - Aus 53 - Aus 54

931(T)/2013 AUSTRALIA - WESTERN AUSTRALIA - Port Walcott - Scientific instruments Date - Until 15 October 2013

EGS Survey Pty Ltd (AA693283)

Subsurface scientific instruments exist in positions 20° 22'.5 S 117° 27'.1 E and 20° 28'.5 S 117° 16'.6 E.

Chart temporarily affected - Aus 55 - Aus 326 - Aus 327 - Aus 740 - Aus 741

932(T)/2013 AUSTRALIA - WESTERN AUSTRALIA - Rankin Bank - Drill rig eastwards

Date - Until 24 November 2013 MODU Atwood Eagle (AA692249), Australian Maritime Safety Authority Auscoast Warning 212/2013 (AA692269)

Drill rig Atwood Eagle is conducting drilling operations in position 19° 42'.41 S 115° 52'.53 E.

Chart temporarily affected - Aus 327 - Aus 4723 (INT 723) - AX 04723U

933(T)/2013 INDIAN OCEAN - Cocos Islands - Light buoy off station westwards Former Notice - 877(T)/2013 is cancelled Australian Bureau of Meteorology (AA694198)

The buoy (11° 26'.0 S 113° 36'.0 E) is drifting and currently in position 12° 09'.45 S 90° 57'.12 E (2 September 2013).

Chart temporarily affected - Aus 4708 (INT 708) - Aus 4714 (INT 714) - Aus 4723 (INT 723) - AX 04708U - AX 04714U - AX 04723U

934(T)/2013 AUSTRALIA - SOUTH AUSTRALIA - Port Adelaide - Dredging operations

Former Notice - 617(T)/2013 is cancelled *Date* - Until 31 December 2013 Department of Planning, Transport and Infrastructure SA Notice 16/2013 (AA677149, AA692948)

Dredging operations are in progress in the vicinity of position 34° 46'.48 S 138° 29'.04 E.

A dredge and support vessels are on site and will display appropriate lights and shapes.

A floating pipeline exists between berth No4 (34° 46'.48 S 138° 29'.04 E) and berth No8 (34° 45'.99 S 138° 29'.60 E).

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 137

935(T)/2013 AUSTRALIA - VICTORIA - Port Phillip - Patterson River - Shoaling Victorian Notice 119(T)/2013 (AA693049)

Shoaling, with least depth 0.5m, exists within the entrance to Patterson River (38° 04'.41 S 145° 07'.17 E).

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 143

936(T)/2013 AUSTRALIA - VICTORIA - Port Phillip - Gellibrand Pier - Harbour works Victorian Notice 117(T)/2013 (AA693380)

Harbour works associated with the rehabilitation of the pier (37° 51'.80 S 144° 54'.87 E) are in progress.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 154 - Aus 155

937(T)/2013 AUSTRALIA - VICTORIA - Port Phillip - South Channel - Shoaling; virtual AIS Former Notice - 1063(T)/2012 is cancelled Victorian Notices 141(T)/2012, 28(T)/2013, 122(T)/2013 (AA630248, AA655972, AA694016)

Virtual AIS exist as follows:

Position
38° 18'.11 S 144° 43'.86 E
38° 18'.23 S 144° 44'.39 E
38° 18'.29 S 144° 45'.51 E

Shoaling with a least depth of 14.8m exists in the vicinity and north of the virtual buoys. Deep draught vessels should pass to the south of the buoys.

Chart temporarily affected - Aus 144 - Aus 158

938(T)/2013 AUSTRALIA - VICTORIA - Port Phillip - Mordialloc - Shoaling removed *Former Notice* - 319(T)/2013 is cancelled Parks Victoria (AA694077)

Cancel this notice on receipt.

Chart formerly affected - Aus 143 - Aus 155

939(T)/2013 AUSTRALIA - VICTORIA - Western Port - Rutherford Inlet - Works postponed Former Notice - 620(T)/2013 is cancelled Parks Victoria (AA694077)

Cancel this notice on receipt.

Chart formerly affected - Aus 151 - Aus 152

940(T)/2013 AUSTRALIA - TASMANIA - D'Entrecasteaux Channel - Beacon destroyed Marine and Safety Tasmania Notice M87/2013 (AA693024)

The south cardinal beacon (43° 03'.50 S 147° 19'.81 E) has been destroyed.

Chart temporarily affected - Aus 171 - Aus 173 - Aus 174

HYDROGRAPHIC REPORTS

Locality	Report	Ship/Authority	Observer
TRACING-	Position error		C Herron

NAVIGATION WARNINGS

The following radio messages have been received during the period to 6 September 2013. Signal copies of these messages may be destroyed. It is recommended that the reprint of Navigational Warnings should be kept in a file or a book divided into areas. Cancellation should be made on receipt of signals and reprints.

Rigs on location other than those listed in the latest Section III summary are the subject of Radio Navigational Warnings. Rigs in transit will not be the subject of Warnings.

AUSCOAST WARNING

- 208 Drill rig Atwood Osprey in position 20° 31'.35 S 114° 49'.68 E. 2.5M clearance requested.
- 209 Five yellow buoys 6 metres in height with continuous flashing white lights established on 1M radius from position 21° 29'.25 S 113° 59'.51 E. 2M clearance requested.
- 210 Quetta Rock west cardinal pillar buoy with topmark *Q(9)15s 5M* in position 10° 40'.25 S 142° 37'.50 E unlit and AIS aid to navigation MMSI number 995031040 inoperative.
- 211 Cancelled.
- 212 Drill rig Atwood Eagle in position 19° 42'.41 S 115° 52'.53 E. 2.5M clearance requested.
- 213 Cancelled.
- 214 Drill rig Noble Clyde Boudreaux in position 13° 49'.00 S 123° 19'.35 E. 2.5M clearance requested.
- 215 East Diamond Islet light K3206.7 in position 17° 26'.45 S 151° 04'.53 E unlit.

NAVAREA X WARNINGS

- 048 Cancelled.
- 049 Cancelled.
- 050 The Indonesian Search and Rescue (SAR) Authority, Basarnas, now has the capability to issue maritime SAR broadcasts using Safetynet over the Indonesian Search and Rescue region as shown in Admiralty List of Radio Signals Volume 5 pages 440-441. GMDSS compliant ships transiting or operating in the Indonesian Search and Rescue region may receive urgency or distress broadcasts over the Pacific and Indian Ocean region satellites passing information of SAR incidents and requesting their assistance, when appropriate. Communications to respond to Basarnas issued broadcasts are: Basarnas Jakarta via telephone +62 21 65867510 or 65867511, e-mail kagahar@basarnas.go.id, kagahar@yahoo.com, kagahar@gmail.com, or facsimile +62 21 65867512.

Navigational warnings in force as at 050001UTC SEP 13.

Auscoast

2013 024 099 134 154 174 185 188 190 205 208 209 210 212 214 215

Navarea X

2013 037 042 050

Summary of mobile drilling rigs as at 050001UTC SEP 13.

Name	Position
Ensco 104	10° 01'.07 S 129° 27'.15 E
Noble Clyde Boudreaux	13° 49'.00 S 123° 19'.35 E
Jack Bates	13° 24'.59 S 122° 59'.02 E
Transocean Legend	13° 44'.28 S 122° 20'.13 E
Atwood Eagle	19° 42'.41 S 115° 52'.53 E
Ensco 109	20° 00'.38 S 115° 38'.29 E
Atwood Falcon	20° 04'.23 S 115° 11'.00 E
Atwood Osprey	20° 31'.35 S 114° 49'.68 E
Deepwater Frontier	19° 47'.55 S 114° 38'.95 E
Nan Hai 6	21° 31'.40 S 114° 07'.50 E

III

NAVAREA XIV WARNINGS

- 067 Cancelled.
- 068 Cancelled.
- 069 Cancelled.
- 070 Cancelled.
- 071 Cancelled.
- 072 Cancelled.
- O73 South Pacific Ocean. Hazardous operations rocket launch and space debris daily between 281942 UTC AUG 13 and 022010 UTC SEP 13 in area bounded by: 13° 00'.0 N 150° 00'.0 W
 11° 00'.0 N 149° 00'.0 W
 10° 00'.0 N 149° 00'.0 W
 16° 06'.0 S 154° 45'.0 W
 16° 06'.0 S 155° 45'.0 W
 00° 00'.0 N 153° 30'.0 W
 10° 00'.0 N 151° 00'.0 W.

Navarea XIV warnings in force as at 050001UTC SEP 13.

2013 065 073

To accompany Australian Notice to Mariners 890/2013

MARINE FARMS Marine farms, which may be floating or fixed structures and their associated moorings should be avoided. The farms are generally marked by buoys or beacons, which may be lit. Their charted positions are approximate.

Note for chart Aus 722

To accompany Australian Notice to Mariners 890/2013

MARINE FARMS Marine farms, which may be floating or fixed structures and their associated moorings should be avoided. The farms are generally marked by buoys or beacons, which may be lit. Their charted positions are approximate.

Note for chart AX 00722T



Australian Notices to Mariners

Notification of Errors requiring attention within:

Edition 16 - 2013 dated 9 AUG 2013

Please note that the following error has occurred within Edition 16 - 2013 dated 9 AUG 2013.

1. Supplement I - Tracings

RE: NtM 793/13

For the lower portion of the tracing; latitude should read 26° 50'S and longitude 153° 10'E.

This will be rectified in Edition 18 as a revised tracing.

We apologise for any inconvenience caused.

Please contact <u>hydro.ntm@defence.gov.au</u> if you have any questions.

© Commonwealth of Australia 2013

This work is copyright. Apart from any use permitted under the *Copyright Act 1968*, no part may be reproduced by any process, adapted or commercially exploited without prior written permission from the Commonwealth represented by the Australian Hydrographic Service.

