



22 March 2013

Edition 6

Australian Notices to Mariners are the authority for correcting Australian Charts and Publications

AUSTRALIAN NOTICES TO MARINERS

Notices 281 – 320



Published fortnightly by the Australian Hydrographic Service

Commodore B.K. BRACE RAN
Hydrographer of Australia

SECTIONS.

- I. **Australian Notices to Mariners, including blocks and notes.**
- II. **Hydrographic Reports.**
- III. **Navigational Warnings.**

SUPPLEMENTS.

- I. **Tracings**
- II. **Cumulative List of Australian Notices to Mariners.**
- III. **Cumulative List of Temporary and Preliminary Australian Notices to Mariners.**
- IV. **Temporary and Preliminary Notices in force.**
- V. **Amendments to Admiralty List of Lights and Fog Signals (Vol K), Radio Signals (NP 281(2), 282, 283(2), 285, 286(4)) and Sailing Directions (NP 9, 13, 14, 15, 33, 34, 35, 36, 39, 44, 51, 60, 61, 62, 100, 136).**

© Commonwealth of Australia 2013

This work is copyright. Apart from any use permitted under the Copyright Act 1968, no part may be reproduced by any process, adapted, communicated or commercially exploited without prior written permission from The Commonwealth represented by the Australian Hydrographic Service.

IMPORTANT NOTICE

This edition of Notices to Mariners includes all significant information affecting AHS products which the AHS has become aware of since the last edition. All reasonable efforts have been made to ensure the accuracy and completeness of the information, including third party information, on which these updates are based. The AHS regards third parties from which it receives information as reliable, however the AHS cannot verify all such information and errors may therefore exist. The AHS does not accept liability for errors in third party information.

GENERAL INSTRUCTIONS

The substance of these notices should be inserted on the charts affected.

Bearings are referred to the true compass and are reckoned clockwise from North; those relating to lights are given as seen by an observer from seaward. Positions quoted in permanent notices relate to the horizontal datum for the chart(s). When preliminary or temporary notices affect multiple charts, positions will be provided in relation to only one horizontal datum and that datum will be specified. When the multiple charts do not have a common horizontal datum, mariners will be required to adjust the position(s) for those charts not on the specified datum. The range quoted for a light is its nominal range. Depths are with reference to the chart datum of each chart. Heights are above mean high water springs or mean higher high water, as appropriate.

The capital letter (P) or (T) after the number of any notice denotes a preliminary or temporary notice respectively, which are contained separately at the end of the permanent notices. A star (*) adjacent to the number of a notice indicates that the notice is based on original information.

REPORTING OF DANGERS

Mariners are particularly requested to notify the AUSTRALIAN HYDROGRAPHIC SERVICE, Locked Bag 8801 Wollongong, NSW 2500 (Fax 02-4223 6599, e-mail Hydro.NTM@defence.gov.au or, alternatively by filling in and submitting the [Hydrographic Notes](#) forms located on the web site – www.hydro.gov.au), immediately on the discovery of new dangers or suspected dangers to navigation. For changes or defects in aids to navigation notify AusSAR (Fax 02-6230 6868 or email rccaus@amsa.gov.au).

AUTHORISED USE

Copies of Australian notices are available free of charge from the Australian Hydrographic Service (AHS) website (www.hydro.gov.au) and through the eNotices (email) service (www.hydro.gov.au/enotices/enotices.htm).

Individual Notices may be copied for the purpose of inserting Notice substance on official charts and publications. Paper copies may be printed by chart agents and distributed to customers on a cost recovery basis. Participating chart agents are listed on the AHS website as providing a 'Paper Notices to Mariners' service (www.hydro.gov.au/prodserv/distributors/distributors.htm). Copies of the notices may not be sold for profit without prior written agreement.

NUMERICAL INDEX OF NOTICES TO MARINERS

Edition No 6

Notices	Aus Chart, INT Chart, AHP, BA Pubs
281.....	Aus 134
282.....	Aus 200, 202, AX 00202T
283.....	Aus 813, 4643, INT 643
284.....	Aus 254, 825
285.....	Aus 830
286.....	Aus 328, 744
287.....	Aus 328, 329, 744
288.....	Aus 743, 744
289.....	Aus 81, 751
290.....	Aus 113
291.....	Aus 117, 754, AX 00117T, 00754S, A0745S
292.....	Aus 119
293.....	Aus 4074, INT 74
294.....	Aus 4074, INT 74
295.....	Aus 130, 137
296.....	Aus 143
297(T).....	Aus 196, 198, 199
298(T).....	Aus 207, 208
299(T).....	Aus 222
300(T).....	Aus 222
301(T).....	Aus 235, 236, 237, 238, 814, 815
302(T).....	Aus 236
303(T).....	Aus 235
304(T).....	Aus 815
305(T).....	Aus 252, 253
306(T).....	Aus 256, 257, 828
307(T).....	Aus 830
308(T).....	Aus 262, 263, 830
309(P).....	Aus 280, 833, 834
310(T).....	Aus 378, 502, 4620, 4622, INT 620, 622, AX 4620F
311(T).....	Aus 43, 306, 309, 310, 311, 312, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 714, 716, 717, 718, 719, 725, 726, 727, 728, 729, 732, 4720, 4721, 4722, INT 720, 721, 722, AX 00306U, 00309T, 00309U, 00310U, 00311U, 00314U, 00315U, 00317U, 00319U, 00321U, 00322U, 04720U, 04721U, 04722U
312(T).....	Aus 319, 320, 322, 4721, 4722, INT 721, 722, AX 00319U, 00322U, 04721U, 04722U
313(T).....	Aus 327, 328, 742
314(T).....	Aus 328
315(T).....	Aus 64, 743, 744
316(T).....	Aus 334, 754, AX 00334S, 00754S, A0754S
317(T).....	Aus 114, 117, AX 00117T
318(T).....	Aus 4709, 4727, INT 709, 727
319(T).....	Aus 143, 155
320(T).....	Aus 150

NUMERICAL INDEX OF CHARTS AFFECTED

Edition No 6

22 March 2013

[illegible]

281 AUSTRALIA - Product

Australian Hydrographic Service (AA657833)

New Chart

<i>Chart</i>	<i>Published</i>	<i>Title and description of amendments</i>	<i>Scale</i>	<i>Index Chart</i>	<i>Price</i>
Aus 134	22/03/2013	Australia - South Coast - South Australia - Approaches to Port Lincoln 34° 50'.20 S - 34° 36'.92 S 135° 51'.20 E - 136° 18'.60 E <i>New chart to provide improved coverage of navigation routes into Port Lincoln.</i>	1:37 500	Aus 5001	\$35.00

New Chart to be published shortly

<i>Chart</i>	<i>Title</i>	<i>Scale</i>	<i>Expected Publication Date</i>
Aus 66	Australia - North West Coast - Western Australia - Barrow Island - Town Point	1:10 000	5 April 2013

Chart permanently withdrawn

<i>Chart</i>	<i>On publication of new edition</i>
Aus 134	Aus 134

Note: New chart Aus 200 and new edition Aus 203 have been postponed and a revised publication notice will be issued in due course.

For further details refer to the AHS website at www.hydro.gov.au for new edition and new chart stock arrival information.

When placing orders with a chart agent, mariners should advise whether their order pertains to the current edition or the new edition.

282* AUSTRALIA - NEW SOUTH WALES - Port Jackson - Goat Island - Depths

Sydney Ports Corporation (AA657343)

Aus 200 [80/2013]

Insert	contour, between	33° 51'.135 S	151° 11'.876 E
		33° 51'.118 S	151° 11'.886 E
Delete	depth, 3 ₇ m contour, between	33° 51'.14 S	151° 11'.90 E
		33° 51'.14 S	151° 11'.88 E
		33° 51'.14 S	151° 11'.92 E
		33° 51'.12 S	151° 11'.88 E

Aus 202 [30/2013]

Insert	depth, 6 ₂ m, and extend contour E to enclose contour, between	33° 51'.158 S	151° 11'.872 E
		33° 51'.138 S	151° 11'.869 E
		33° 51'.117 S	151° 11'.877 E
Delete	depth, 3 ₇ m contour, between	33° 51'.14 S	151° 11'.90 E
		33° 51'.14 S	151° 11'.87 E
		33° 51'.15 S	151° 11'.91 E
		33° 51'.12 S	151° 11'.88 E

AX 00202T [30/2013]

Insert	depth, 6 ₂ m, and extend contour E to enclose contour, between	33° 51'.158 S	151° 11'.872 E
		33° 51'.138 S	151° 11'.869 E
		33° 51'.117 S	151° 11'.877 E
Delete	depth, 3 ₇ m contour, between	33° 51'.14 S	151° 11'.90 E
		33° 51'.14 S	151° 11'.87 E
		33° 51'.15 S	151° 11'.91 E
		33° 51'.12 S	151° 11'.88 E

283* AUSTRALIA - NEW SOUTH WALES - Ballina Head - Historic wreck southeastwards
Department for Sustainability, Environment, Water, Population and Communities (AA656651)

Aus 813 [1176/2012]

Insert	depth, 95m, enclosed by danger circle with magenta legend, <i>Historic Wk (see Note)</i>	28° 56'.45 S	153° 47'.72 E
--------	--	--------------	---------------

Delete	depth, 111m	28° 56'.7 S	153° 48'.2 E
--------	-------------	-------------	--------------

Aus 4643 (INT 643) [970/2012]

Insert	depth, 95m, enclosed by danger circle with magenta legend, <i>Historic Wk</i>	28° 56'.4 S	153° 47'.7 E
--------	---	-------------	--------------

284* AUSTRALIA - QUEENSLAND - Hook Reef - Beacons

Former Notice - 716(T)/2010 is cancelled

Maritime Safety Queensland Notices 224/2013, 225/2013 (AA657497, AA657500)

Aus 254 (plan, Hook Reef) [243/2013]

Move	beacon	19° 49'.1 S	149° 07'.5 E
	to	19° 49'.08 S	149° 06'.98 E

Substitute	beacon, No3, with north cardinal topmark for beacon	19° 44'.0 S	149° 10'.1 E
------------	---	-------------	--------------

Aus 825 [243/2013]

Substitute	beacon, with north cardinal topmark for beacon	19° 44'.0 S	149° 10'.1 E
------------	--	-------------	--------------

Move	beacon	19° 49'.1 S	149° 07'.5 E
	to	19° 49'.08 S	149° 06'.98 E

285* AUSTRALIA - QUEENSLAND - Sudbury Reef - Depth

LADS (AA657695, AA657696, AA657697)

Aus 830 [247/2013]

Insert	depth, 14m, enclosed by contour	16° 57'.99 S	146° 16'.36 E
--------	---------------------------------	--------------	---------------

286* AUSTRALIA - WESTERN AUSTRALIA - Bessieres Island - Unexploded ordnance northwestwards

Australian Hydrographic Service (Australian Notice to Mariners No12)

Aus 328 [977/2012]

Insert	magenta dashed circle, radius 500m, with legend <i>Unexploded Ordnance (see Note)</i> , centred on	21° 28'.922 S	114° 40'.178 E
--------	--	---------------	----------------

Delete	magenta circle, with legend <i>Unexploded Ordnance (see Note)</i> ,	21° 28'.9 S	114° 39'.8 E
--------	---	-------------	--------------

Aus 744 [1080/2012]

Move	magenta dashed circle, radius 500m, with legend <i>Unexploded Ordnance (see Note)</i> ,	21° 29'.03 S	114° 39'.66 E
	to	21° 28'.922 S	114° 40'.178 E

287* AUSTRALIA - WESTERN AUSTRALIA - North West Cape - Light buoy northwestwards
MetOcean Engineers (AA655644)

Aus 328 [286/2013]			
Move	light buoy	21° 31'.0 S	114° 01'.2 E
	to	21° 34'.51 S	113° 58'.56 E
Aus 329 [1079/2012]			
Move	light buoy	21° 31'.0 S	114° 01'.2 E
	to	21° 34'.51 S	113° 58'.56 E
Aus 744 [286/2013]			
Delete	light buoy	21° 31'.0 S	114° 01'.2 E

288* AUSTRALIA - WESTERN AUSTRALIA - Muiron Islands to Tortoise Island - Pipeline; depths
Former Notice - 619(T)/2012 is cancelled
BHP Billiton Petroleum Pty Ltd (DHDB 2318717)

Aus 743 [250/2013]			
Insert	accompanying block	21° 37'.0 S	114° 46'.0 E
Aus 744 [287/2013]			
Insert	accompanying block A	21° 36'.0 S	114° 20'.0 E
	accompanying block B	21° 36'.0 S	114° 43'.0 E

289* AUSTRALIA - WESTERN AUSTRALIA - Geraldton - Depths
Swathe Services (Australia) Pty Ltd (DHDB 2290945)

Aus 81 [92/2013]			
Insert	depth, 7 ₄ m	28° 42'.635 S	114° 34'.557 E
Delete	depth, 8m	28° 42'.61 S	114° 34'.49 E
	depth, 8m, and enclosing contour	28° 44'.64 S	114° 35'.90 E
	depth, 9 ₃ m, and enclosing contour	28° 45'.32 S	114° 36'.02 E
	contour, between	28° 46'.37 S	114° 36'.11 E
		28° 46'.38 S	114° 36'.12 E
		28° 46'.39 S	114° 36'.10 E
Aus 81 (plan, Port of Geraldton) [92/2013]			
Insert	depth, 5m, enclosed by contour	28° 45'.663 S	114° 36'.515 E
	depth, 3 ₉ m, enclosed by contour	28° 45'.692 S	114° 36'.597 E
	depth, 4 ₉ m, enclosed by contour	28° 45'.733 S	114° 36'.545 E
Substitute	depth, 8 ₉ m, for depth, 9 ₈ m	28° 45'.44 S	114° 34'.02 E
	depth, 5m, enclosed by contour for depth, 5 ₃ m	28° 46'.40 S	114° 35'.45 E
Delete	depth, 9 ₃ m, and enclosing contour	28° 45'.32 S	114° 36'.02 E
	depth, 4 ₈ m, and enclosing contour	28° 46'.38 S	114° 36'.11 E
	depth, 5 ₉ m	28° 45'.74 S	114° 36'.56 E
Aus 751 [943/2012]			
Delete	depth, 9 ₃ m	28° 45'.3 S	114° 36'.0 E

290* AUSTRALIA - WESTERN AUSTRALIA - Fremantle - Depths
Fremantle Ports (DHDB 2225266)

Aus 113 [1030/2012]

Insert	accompanying block	32° 02'.70 S	115° 45'.25 E
--------	------------------------------------	--------------	---------------

291* AUSTRALIA - WESTERN AUSTRALIA - Success Bank - Seal Rock - Depths
Department of Transport WA (DHDB 2254279)

Aus 117 [190/2013]

Insert	depth, 4 ₂ m, enclosed by contour	32° 05'.007 S	115° 40'.210 E
	depth, 4 ₉ m, enclosed by contour	32° 05'.671 S	115° 40'.048 E
	depth, 2 ₂ m	32° 05'.367 S	115° 40'.118 E

Delete	rock	32° 05'.39 S	115° 40'.12 E
--------	------	--------------	---------------

Aus 754 [1253/2012]

Insert	depth, 4 ₉ m, enclosed by contour	32° 05'.67 S	115° 40'.05 E
--------	--	--------------	---------------

AX 00117T [190/2013]

Insert	depth, 4 ₂ m, enclosed by contour	32° 05'.007 S	115° 40'.210 E
	depth, 4 ₉ m, enclosed by contour	32° 05'.671 S	115° 40'.048 E
	depth, 2 ₂ m	32° 05'.367 S	115° 40'.118 E

Delete	rock	32° 05'.39 S	115° 40'.12 E
--------	------	--------------	---------------

AX 00754S [1253/2012]

Insert	depth, 4 ₉ m, enclosed by contour	32° 05'.67 S	115° 40'.05 E
--------	--	--------------	---------------

AX A0754S [1253/2012]

Insert	depth, 4 ₉ m, enclosed by contour	32° 05'.67 S	115° 40'.05 E
--------	--	--------------	---------------

292* AUSTRALIA - WESTERN AUSTRALIA - Esperance - Light beacon
Esperance Ports Sea & Land (AA657381)

Aus 119 (plan, Esperance) [729/2012]

Substitute	port lateral beacon, with topmark, for light beacon	33° 52'.06 S	121° 54'.27 E
------------	---	--------------	---------------

293* SOUTHERN OCEAN - Southeast Indian Ridge - Depths
Australian Hydrographic Service (DHDB 2155525)

Aus 4074 (INT 74) [1032/2012]

Insert	depth, 1507m, enclosed by contour	54° 02'.3 S	146° 14'.8 E
	depth, 1513m, enclosed by contour	56° 50'.2 S	147° 33'.4 E

294* SOUTHERN OCEAN - Gribb Bank to Macquarie Island - Depths

Australian Hydrographic Service (DHDB 2155467, 2155476), Geoscience Australia GA2493 (DHDB 1695548, 1695551)

Aus 4074 (INT 74) [293/2013]

Insert	depth, 1948m, enclosed by contour	57° 19'.7 S	150° 56'.0 E
--------	-----------------------------------	-------------	--------------

Delete	depth, 2835m, and enclosing contour	62° 36'.0 S	87° 15'.0 E
	depth, 2950m, and enclosing contours	61° 23'.0 S	107° 17'.0 E
	depth, 2415m, and enclosing contour	64° 00'.0 S	125° 15'.0 E
	depth, 1463m, and enclosing danger circle	53° 43'.0 S	158° 13'.0 E

295* AUSTRALIA - SOUTH AUSTRALIA - Port Adelaide - Light beacons

Department of Planning, Transport and Infrastructure SA Notice 34/2012 (AA651602, AA651603, AA656398, AA656748)

Aus 130 [193/2013]

Amend	light beacon to <i>Fl.R.2s</i>	34° 47'.66 S	138° 30'.80 E
-------	--------------------------------	--------------	---------------

Aus 137 [193/2013]

Amend	light beacon to <i>F.Bu & Fl.R.2s (F day) No44</i>	34° 48'.87 S	138° 30'.88 E
-------	--	--------------	---------------

Delete	structure colour R	34° 47'.67 S	138° 30'.81 E
--------	--------------------	--------------	---------------

296* AUSTRALIA - VICTORIA - Queenscliff - Depths

Redborough Mapping Service (DHDB 2334175)

Aus 143 (plan, Queenscliff) [1195/2012]

Insert	accompanying block	38° 15'.90 S	144° 40'.30 E
--------	------------------------------------	--------------	---------------

297(T)/2013 AUSTRALIA - NEW SOUTH WALES - Botany Bay - Hayes Dock - Light buoy established
 Sydney Ports Corporation Notice 7/2013 (AA657928)

A north cardinal light buoy, Q, exists in position 33° 57'.53 S 151° 12'.05 E.

Chart temporarily affected - Aus 196 - Aus 198 - Aus 199

298(T)/2013 AUSTRALIA - NEW SOUTH WALES - Newcastle - Depth information

Former Notice - 197(T)/2013 is cancelled
 Newcastle Port Corporation (AA658523)

Available depths as at 18 March 2013:

<i>Berth</i>	<i>Metres</i>	<i>Remarks</i>
Western Basin 3	11.6	
Western Basin 4	11.6	
Eastern Basin 1	11.6	
Eastern Basin 2 North of Ch 450	11.6	
Eastern Basin 2 South of Ch 450	11.6	
Channel Berth	9.7	
Dyke 1	12.8	
Dyke 2	12.8	
Dyke 4	16.5	
Dyke 5	15.9	
Dyke 6	5.0	
Mayfield 4 Ch 27 to 266	11.8	
BHP Wharf 6 to Ch 1050	7.3	
Kooragang 2	11.6	
Kooragang 2 North Dolphin Ch 182 to 228	11.6	
Kooragang 2 South Dolphin Ch -92 to 00	11.0	
Kooragang 3	13.2	
Kooragang 4	16.5	
Kooragang 5	16.5	
Kooragang 6	16.3	
Kooragang 7	16.5	
Kooragang 8	16.2	
Kooragang 9	16.0	
Kooragang 10	16.5	
Throsby 1	8.4	
Carrington Wharf	To be sounded as and when required	
Foreshore Park Berth	5.9	
Elgo Wharf	To be sounded as and when required	
<i>Channels</i>		
Entrance Approach	17.7	
Entrance Channel (18.0m)	18.0	
Entrance Channel (17.4m)	17.4	
Entrance Channel (16.8m)	16.8	
Entrance Channel (16.2m)	16.2	
Entrance Channel to Horseshoe	15.2	
* Horseshoe	14.3	
* Steelworks Channel to Swinging Basin	14.6	
Swinging Basin	14.8	
Hunter River South Arm (Kooragang 6 to buoy 16)	15.0	
* Hunter River South Arm (buoy 16 to buoy 18)	14.4	
Basin Cutting	12.6	
Basin Area to Eastern & Western Basin Berths	12.3	
Basin Area to 1 Throsby	9.4	
Stockton Crossing	3.6	
* Indicates revised entry.		

Chart temporarily affected - Aus 207 - Aus 208

299(T)/2013 AUSTRALIA - NEW SOUTH WALES - Clarence River - North Channel - Harbour works; Scientific instrument recovered

Former Notice - 1263(T)/2012 is cancelled

Port of Clarence River (Yamba) Notice 5(T)/2013, 6(T)013 (AA657852, AA657854)

Jack up barge *Sea Lift No 1* and support vessels *Cavanbah* and *Sea Punt 4* are conducting piling operations in the vicinity of 29° 25'.38 S 153° 21'.21 E.

A no wash zone exists around the works.

Vessels will display appropriate lights and shapes and will monitor VHF Ch 10 and Ch 16.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 222

300(T)/2013 AUSTRALIA - NEW SOUTH WALES - Clarence River - Nav aids destroyed or off station; depths

Former Notice - 142(T)/2013 is cancelled

Port of Clarence River Notice 4/2013 (AA657853)

The light beacons, *Iso.R.2s* (29° 25'.72 S 153° 21'.16 E) and *F.Bu* (29° 23'.54 S 153° 20'.16 E) have been destroyed.

Nav aids in the Clarence River may be destroyed or off station and depths may not be consistent with charted information due to recent flooding.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 222

301(T)/2013 AUSTRALIA - QUEENSLAND - Moreton Bay - Brisbane River - Depth information*Former Notice - 258(T)/2013 is cancelled*

Brisbane Port Corporation (AA657570, AA658226, AA661101)

Available depths and under keel clearances (UKC) at 20 March 2013:

<i>Berth</i>	<i>Metres</i>	<i>Remarks</i>
* Fisherman Islands No11	13.5	
* Fisherman Islands No10	13.3	
* Fisherman Islands No9	13.4	
* Fisherman Islands No8	13.2	
Fisherman Islands No7	13.4	
* Fisherman Islands No6	13.9	
* Fisherman Islands No5	13.0	
* Fisherman Islands No4	13.3	
* Fisherman Islands No3	12.9	
Fisherman Islands No2	13.2	
* Fisherman Islands No1	12.9	
* Fisherman Islands Grain and Woodchip	12.4	
* Caltex Fisherman Islands	14.0	
* Fisherman Islands Coal	14.0	
* Fisherman Islands General Purpose	11.1	
* BP Luggage Point	14.3	
* Caltex Products	9.9	
* Cement Australia Co Wharf	8.9	
* BP Products	10.1	
* Shell	10.1	
Pacific Terminals	10.5	
* Incitec North	9.2	
* Incitec South	9.1	
* Pinkenba 1	9.6	
* Pinkenba 2	9.6	
Riverside Marina	-	
Sugar Terminal	9.9	
Cairncross Fitting Out Wharf	8.3	
Cairncross Breasting Wharf	6.1	
Brisbane Naval Wharf	4.3	
* Maritime No1	8.6	
* Hamilton No4	10.1	
Hamilton No1	8.5	
Brisbane Cruise Ship Terminal	8.5	
	<i>Metres</i>	<i>UKC/Remarks</i>
<i>Moreton Bay:</i>		
North West Channel	15.0	2.3 (280m width)
North West Bypass Channel	9.2	1.6
Spitfire Channel	15.0	1.5 (600m width) Shoaling least depth, 14.6m, exists in position 27° 02'.39 S 153° 15'.66 E.
East Knoll Bypass Channel	6.0	1.4
East Channel	15.0	1.5 (300m width from western side)
Main Channel (M8 - M9)	10.0	1.8
Entrance Channel (E5 - EBCN)	14.7	1.5
<i>Brisbane River:</i>		
Outer Bar Cutting	13.9	1.46
Inner Bar Cutting	13.5	1.46
Fisherman Islands Swing Basin	13.3	1.3
Pelican Banks Reach to Hamilton Reach	9.1	0.6 / 0.9 (draft/tide)
Cement Australia Swing Basin	9.1	0.6 / 0.9 (draft/tide)
Pinkenba Swing Basin	9.1	0.6 / 0.9 (draft/tide)
Hamilton Swing Basin	8.8	0.6 / 0.9 (draft/tide)
* Indicates new or revised entry.		

Chart temporarily affected - Aus 235 - Aus 236 - Aus 237 - Aus 238 - Aus 814 - Aus 815

302(T)/2013 AUSTRALIA - QUEENSLAND - Moreton Bay - Garnet Rock - Light beacon destroyed; light buoy established

Former Notice - 148(T)/2013 is cancelled

Maritime Safety Queensland Notice 238(T)/2013 (AA685522), Maritime Safety Queensland Notice 240(T)/2013 (AA658521)

The starboard light beacon, *Fl.G.6s* (27° 14'.50 S 153° 07'.40 E) has been destroyed. A starboard lateral light buoy, *Fl.G.3s*, exists in situ.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 236

303(T)/2013 AUSTRALIA - QUEENSLAND - Mooloolaba - Shoaling; dredging operations

Former Notice - 261(T)/2013 is cancelled

Maritime Safety Queensland Notice 241(T)/2013 (AA660544)

Shoaling with a least depth of *3.0m* exists within the main channel to Mooloolah River. Shoaling with a least depth of *2.2m* exists between 26° 40'.78 S 153° 07'.89 E, and 26° 40'.81 S 153° 07'.82 E.

The dredge *Navua* is conducting dredging operations in the entrance channel. A floating pipeline exists from the dredge to the western breakwater. The dredge will display appropriate lights and shapes and will monitor VHF Ch 12 and Ch 16.

Mariners are advised to keep at least 30m clear from the seaward end of the eastern breakwater due to obstructions and to navigate with caution in the area.

Chart temporarily affected - Aus 235

304(T)/2013 AUSTRALIA - QUEENSLAND - Gneering Shoals - Buoy off station Northwards

Maritime Safety Queensland Notice 230(T)/2013 (AA657910)

The north cardinal light buoy (26° 36'.64 S 153° 10'.11 E) is off station.

Chart temporarily affected - Aus 815

305(T)/2013 AUSTRALIA - QUEENSLAND - Daydream Island - Light unlit

Maritime Safety Queensland Notice 233(T)013 (AA658321)

The rear lead light, .Bu (F Day) (20° 15'.09 S 148° 48'.91 E), is unlit.

Chart temporarily affected - Aus 252 - Aus 253

306(T)/2013 AUSTRALIA - QUEENSLAND - Townsville - Survey operations; diving operations

Date - Until 5 April 2013

Maritime Safety Queensland Notice 234(T)/2013 (AA658516)

HMAS Diamantina is conducting survey operations involving the use of remotely operated vehicle and divers around Magnetic Island, Townsville Port and the approach channels, Sea and Platypus Channels.

Mariners should remain clear of the survey vessel.

The vessel will display appropriate lights and shapes and maintain a listening watch on VHF Ch 12 and 16.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 256 - Aus 257 - Aus 828

307(T)/2013 AUSTRALIA - QUEENSLAND - Fitzroy Island - Light buoy off station
Maritime Safety Queensland Notice 237(T)/2013 (AA658517)

The light buoy, *Fl.G.2-5s*, (16° 55'.83 S 145° 59'.15 E) is off station.

Chart temporarily affected - Aus 830

308(T)/2013 AUSTRALIA - QUEENSLAND - Cairns - Light buoys
Maritime Safety Queensland Notice 235(T)/2013 (AA658519)

Special light buoys, *Fl.Y.3s*, exist in the following positions:

16° 56'.35 S 145° 46'.79 E
16° 56'.33 S 145° 46'.82 E
16° 56'.31 S 145° 46'.79 E.

Chart temporarily affected - Aus 262 - Aus 263 - Aus 830

309(P)/2013 AUSTRALIA - QUEENSLAND - Fahey Reef to Fife Island - Lights to be withdrawn
Date - On or about 6 April 2013
Australian Maritime Safety Authority Preliminary ATH 03/2013 (AA658315)

The Fahey Reef light, *Fl(3)12s 8m 10M*, (14° 03'.78 S 143° 51'.40 E), will be withdrawn.

The Fife Island light, *Fl.2-5s 5m 10M*, (13° 39'.24 S 143° 43'.05 E), will be withdrawn.

Chart which will be affected - Aus 280 - Aus 833 - Aus 834

310(T)/2013 PAPUA NEW GUINEA - Gulf of Papua - Racon repaired
Former Notice - 983(T)/2011 is cancelled
National Maritime Safety Authority PNG (AA659943)

Cancel this notice on receipt.

Chart formerly affected - Aus 378 - Aus 502 - AX 4620F - Aus 4620 (INT 620) - Aus 4622 (INT 622)

311(T)/2013 AUSTRALIA - WESTERN AUSTRALIA - Cape Wessel to James Price Point - Seismic survey
Date - Until 26 April 2013
Seabird Exploration FZ-LLC (AA653564)

SV *Aquila Explorer* is conducting a survey running lines between:

SOL	EOL
17° 31'.62 S 122° 02'.42 E	15° 29'.65 S 118° 13'.32 E
17° 07'.53 S 118° 24'.56 E	10° 36'.28 S 126° 05'.21 E
11° 37'.55 S 122° 32'.90 E	13° 42'.44 S 125° 52'.40 E
15° 39'.16 S 123° 37'.25 E	12° 47'.10 S 119° 30'.19 E
12° 25'.61 S 121° 10'.35 E	14° 34'.40 S 124° 46'.76 E
13° 30'.21 S 126° 11'.84 E	11° 14'.42 S 124° 24'.19 E
13° 48'.59 S 128° 37'.09 E	14° 22'.29 S 129° 03'.74 E
13° 35'.27 S 127° 20'.60 E	12° 05'.11 S 129° 49'.94 E
11° 26'.69 S 129° 54'.88 E	9° 24'.99 S 128° 08'.63 E
10° 50'.30 S 127° 52'.16 E	11° 12'.46 S 128° 24'.16 E
9° 19'.87 S 130° 40'.41 E	11° 21'.94 S 135° 57'.47 E.

Chart temporarily affected - Aus 43 - Aus 306 - Aus 309 - Aus 310 - Aus 311 - Aus 312 - Aus 314 - Aus 315 - Aus 316 - Aus 317 - Aus 318 - Aus 319 - Aus 320 - Aus 321 - Aus 322 - Aus 323 - Aus 324 - Aus 325 - Aus 714 - Aus 716 - Aus 717 - Aus 718 - Aus 719 - Aus 725 - Aus 726 - Aus 727 - Aus 728 - Aus 729 - Aus 732 - Aus 4720 (INT 720) - Aus 4721 (INT 721) - Aus 4722 (INT 722) - AX 00306U - AX 00309T - AX 00309U - AX 00310U - AX 00311U - AX 00312U - AX 00314U - AX 00315U - AX 00317U - AX 00319U - AX 00321U - AX 00322U - AX 04720U - AX 04721U - AX 04722U

312(T)/2013 AUSTRALIA - WESTERN AUSTRALIA - Scott Reef - Seismic survey completed

Former Notice - 65(T)/2013 is cancelled

CGG (AA657963)

Cancel this notice on receipt.

Chart formerly affected - Aus 319 - Aus 320 - Aus 322 - Aus 4721 (INT 721) - Aus 4722 (INT 722) - AX 00319U - AX 00322U - AX 04721U - AX 04722U

313(T)/2013 AUSTRALIA - WESTERN AUSTRALIA - Rankin Bank - Seismic survey southwestwards

Former Notice - 225(T)/2013 is cancelled

Date - Until 16 April 2013

BHP Billiton (AA657643, AA642006, AA642008)

SV *Ramform Explorer*, with a 3500m towed array, and support vessels *Nautika Pride* and *No Limit* are conducting a survey in the area bounded by the following positions:

20° 22'.55 S 114° 52'.40 E
20° 12'.15 S 114° 44'.49 E
19° 46'.15 S 115° 23'.95 E
19° 56'.46 S 115° 31'.59 E
20° 22'.55 S 114° 52'.40 E.

The survey vessel will monitor VHF Ch 16.

Chart temporarily affected - Aus 327 - Aus 328 - Aus 742

314(T)/2013 AUSTRALIA - WESTERN AUSTRALIA - Montebello Islands northwestwards - Seabed infrastructure

Apache Energy Ltd (AA658361)

An exclusion zone exists for the installation of seabed infrastructure within a 1000m radius of position 20° 03'.52 S 115° 11'.52 E.

Chart temporarily affected - Aus 328

315(T)/2013 AUSTRALIA - WESTERN AUSTRALIA - West Reef to Fly Island - Scientific instruments

Former Notice - 273(T)/2013 is cancelled

Date - Until 29 February 2016

Department of Transport WA Notices 45/2013 (AA657609)

Scientific instruments marked by special spar light buoys, *Fl.Y.6s*, exist in the following positions:

21° 19'.59 S 115° 23'.48 E	21° 19'.69 S 115° 09'.41 E
21° 27'.07 S 115° 02'.05 E	21° 28'.48 S 115° 18'.14 E
21° 29'.00 S 115° 01'.54 E	21° 29'.19 S 115° 12'.91 E
21° 29'.94 S 114° 51'.33 E	21° 30'.10 S 114° 55'.46 E
21° 30'.45 S 115° 11'.73 E	21° 31'.22 S 115° 05'.62 E
21° 31'.62 S 115° 08'.13 E	21° 31'.81 S 114° 46'.23 E
21° 32'.05 S 115° 03'.16 E	21° 32'.82 S 115° 04'.61 E
21° 33'.30 S 115° 04'.14 E	21° 34'.15 S 115° 03'.42 E
21° 34'.01 S 115° 00'.98 E	21° 34'.22 S 115° 01'.83 E
21° 34'.78 S 114° 54'.48 E	21° 35'.35 S 114° 56'.40 E
21° 36'.48 S 115° 04'.31 E	21° 36'.52 S 115° 09'.24 E
21° 37'.87 S 114° 41'.40 E	21° 38'.93 S 114° 55'.54 E
21° 43'.09 S 114° 46'.22 E	21° 48'.62 S 114° 34'.28 E
21° 49'.95 S 114° 37'.55 E.	

Chart temporarily affected - Aus 64 - Aus 743 - Aus 744

316(T)/2013 AUSTRALIA - WESTERN AUSTRALIA - Perth - Scientific instruments westwards

Former Notice - 1220(T)/2012 is cancelled

CSIRO (AA661219)

Subsurface scientific instruments, suspended 20m below the surface, exist in positions:

31° 37'.60 S 115° 14'.75 E
31° 38'.80 S 115° 11'.75 E
31° 41'.60 S 115° 07'.00 E
31° 43'.16 S 115° 01'.80 E
31° 46'.23 S 114° 56'.60 E
31° 59'.00 S 115° 14'.00 E
32° 03'.20 S 115° 04'.96 E
32° 00'.00 S 115° 25'.00 E
32° 00'.00 S 115° 24'.16 E.

Chart temporarily affected - Aus 334 - Aus 754 - AX 00334S - AX 00754S - AX A0754S

317(T)/2013 AUSTRALIA - WESTERN AUSTRALIA - Kwinana - Drilling operations completed

Former Notice - 1302(T)/2012 is cancelled

Fremantle Ports (AA661123)

Cancel this notice on receipt.

Chart formerly affected - Aus 114 - Aus 117 - AX 00117T

318(T)/2013 AUSTRALIA - Great Australian Bight - Seismic survey

Fugro Multi Client Services Pty Ltd (AA658218, AA660553)

MV *Fugro Supporter*, will be conducting a survey in the area bounded by the following positions:

33° 16' S 128° 13' E
33° 19' S 131° 35' E
35° 21' S 131° 38' E
35° 16' S 130° 38' E.

Chart temporarily affected - Aus 4709 (INT 709) - Aus 4727 (INT 727)

319(T)/2013 AUSTRALIA - VICTORIA - Port Phillip - Mordialloc - Shoaling

Victorian Notice 36(T)/2013 (AA657634)

Shoaling, with a least depth of *-1m*, exists within the entrance to Mordialloc Creek (38° 00'.69 S 145° 05'.05 E).

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 143 - Aus 155

320(T)/2013 AUSTRALIA - VICTORIA - The Narrows - San Remo - Dredging operations

Victorian Notice 38(T)/2013 (AA661016)

Dredging operations are in progress within the vicinity of San Remo Jetty (38° 31'.21 S 145° 21'.89 E).

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 150

HYDROGRAPHIC REPORTS

<i>Locality</i>	<i>Report</i>	<i>Ship/Authority</i>	<i>Observer</i>
QLD- Sudbury Reef	Shoal	LADS Flight	

NAVIGATION WARNINGS

The following radio messages have been received during the period to 22 March 2013. Signal copies of these messages may be destroyed. It is recommended that the reprint of Navigational Warnings should be kept in a file or a book divided into areas. Cancellation should be made on receipt of signals and reprints.

Rigs on location other than those listed in the latest Section III summary are the subject of Radio Navigational Warnings. Rigs in transit will not be the subject of Warnings.

AUSCOAST WARNING

077 Cancelled
 078 Cancelled
 079 Submersible data loggers deployed in positions 10° 40'.89 S 141° 35'.85 E, 10° 35.73 S 141° 52'.81E and 10° 49.97 S 141° 39'.00 E as at 140408 UTC MAR 13. Equipment is sub-surface and unmarked, and sits 4.5m proud of seabed. 300m clearance requested.
 080 Cancelled
 081 Cancelled
 082 Special purpose vessel *Seven Seas/2AJJ2* conducting underwater operations in an area bounded by 19° 46'.35 S to 20° 47'.99 S and 114° 21'.80 E to 115° 36'.59 E. 2.5M clearance requested.
 083 Cancelled
 084 Drill rig *Atwood Falcon* in position 21° 20'.97 S 114° 04'.40 E. 2.5M clearance requested.
 085 Special purpose vessel *Aquila Explorer* conducting seismic survey in an area bounded by 21° 11'.0 S to 21° 56'.0 S and 113° 01'.0 E to 114° 03.0 E. 10M clearance requested.
 086 Cancelled
 087 Special purpose vessel *Ramform Explorer* conducting seismic survey in an area bounded by 19° 54'.00 S to 21° 15'.00 S and 114° 53'.00 E to 115° 23'.00 E. 5M clearance requested.

NAVAREA X WARNINGS

010 Cancelled
 011 Cancelled
 012 Cancelled

Navigational warnings in force as at 210000UTC MAR 13.**Auscoast**

2012 318

2013 014 019 024 026 028 032 033 035 041 053 056 063 069 070 074 075 0769 082 084 085 086 087

Navarea X

2013 001

Summary of mobile drilling rigs as at 210000UTC MAR 13.

<i>Name</i>	<i>Position</i>
Jack Bates	13° 24'.93 S 123° 18'.21 E
Transocean Legend	13° 44'.71 S 122° 07'.38 E
Nan Hai 6	19° 17'.57 S 116° 45'.82 E
Ensco 109	20° 07'.60 S 116° 26'.14 E
Ensco 104	20° 17'.36 S 116° 16'.51 E
Deepwater Frontier	19° 47'.59 S 114° 38'.93 E
Ocean America	20° 43'.31 S 114° 36'.55 E
Atwood Falcon	21° 20'.97 S 114° 04'.40 E
Atwood Osprey	19° 52'.91 S 114° 04'.05 E
Atwood Eagle	21° 21'.01 S 113° 31'.09 E
Noble Clyde Boudreaux	22° 05'.20 S 113° 10'.85 E

NAVAREA XIV WARNINGS

Nil.

Navarea XIV warnings in force as at 210000UTC MAR 13.

076 095 105