



14 March 2014

Edition 5

Australian Notices to Mariners are the authority for correcting Australian Charts and Publications

AUSTRALIAN NOTICES TO MARINERS

Notices 244 - 309



Published fortnightly by the Australian Hydrographic Service

Commodore B.K. BRACE RAN
Hydrographer of Australia

SECTIONS.

- I. Australian Notices to Mariners, including blocks and notes.
- II. Hydrographic Reports.
- III. Navigational Warnings.

SUPPLEMENTS.

- I. Tracings
- II. Cumulative List of Australian Notices to Mariners.
- III. Cumulative List of Temporary and Preliminary Australian Notices to Mariners.
- IV. Temporary and Preliminary Notices in force.
- V. Amendments to Admiralty List of Lights and Fog Signals (Vol K), Radio Signals (NP 281(2), 282, 283(2), 285, 286(4)) and Sailing Directions (NP 9, 13, 14, 15, 33, 34, 35, 36, 39, 44, 51, 60, 61, 62, 100, 136).

© Commonwealth of Australia 2014

This work is copyright. Apart from any use permitted under the Copyright Act 1968, no part may be reproduced by any process, adapted, communicated or commercially exploited without prior written permission from The Commonwealth represented by the Australian Hydrographic Service.

IMPORTANT NOTICE

This edition of Notices to Mariners includes all significant information affecting AHS products which the AHS has become aware of since the last edition. All reasonable efforts have been made to ensure the accuracy and completeness of the information, including third party information, on which these updates are based. The AHS regards third parties from which it receives information as reliable, however the AHS cannot verify all such information and errors may therefore exist. The AHS does not accept liability for errors in third party information.

GENERAL INSTRUCTIONS

The substance of these notices should be inserted on the charts affected.

Bearings are referred to the true compass and are reckoned clockwise from North; those relating to lights are given as seen by an observer from seaward. Positions quoted in permanent notices relate to the horizontal datum for the chart(s). When preliminary or temporary notices affect multiple charts, positions will be provided in relation to only one horizontal datum and that datum will be specified. When the multiple charts do not have a common horizontal datum, mariners will be required to adjust the position(s) for those charts not on the specified datum. The range quoted for a light is its nominal range. Depths are with reference to the chart datum of each chart. Heights are above mean high water springs or mean higher high water, as appropriate.

The capital letter (P) or (T) after the number of any notice denotes a preliminary or temporary notice respectively, which are contained separately at the end of the permanent notices. A star (*) adjacent to the number of a notice indicates that the notice is based on original information.

REPORTING OF DANGERS

Mariners are particularly requested to notify the AUSTRALIAN HYDROGRAPHIC SERVICE, Locked Bag 8801 Wollongong, NSW 2500 (Fax 02-4223 6599, e-mail Hydro.NTM@defence.gov.au or, alternatively by filling in and submitting the [Hydrographic Notes](#) forms located on the web site – www.hydro.gov.au), immediately on the discovery of new dangers or suspected dangers to navigation. For changes or defects in aids to navigation notify AusSAR (Fax 02-6230 6868 or email rccaus@amsa.gov.au).

AUTHORISED USE

Copies of Australian notices are available free of charge from the Australian Hydrographic Service (AHS) website (www.hydro.gov.au) and through the eNotices (email) service (www.hydro.gov.au/enotices/enotices.htm).

Individual Notices may be copied for the purpose of inserting Notice substance on official charts and publications. Paper copies may be printed by chart agents and distributed to customers on a cost recovery basis. Participating chart agents are listed on the AHS website as providing a 'Paper Notices to Mariners' service (www.hydro.gov.au/prodserv/distributors/distributors.htm). Copies of the notices may not be sold for profit without prior written agreement.

NUMERICAL INDEX OF NOTICES TO MARINERS

Edition No 5

Notices	Aus Chart, INT Chart, ENC Cell, AHP, BA Pubs
244	Product
245	Aus 263, 264
246	Aus 236
247	Aus 506, 623
248	Aus 399, 683, 4622, INT 622
249	Aus 309, 722, AX 00309T, 00309U, 00722T
250	Aus 24, 26, 722, AX 00026T, 00722T
251	Aus 26, 28, 309, 722, AX 00026T, 00309U, 00309T, 00722T
252	Aus 323, 324
253	Aus 112, AX 00112T
254	Aus 59
255	Aus 117, AX 00117T
256	Aus 109, 110, AX 00110S
257	Aus 754, AX 00754S, AXA 0754S
258	Aus 777
259	Aus 121
260	Aus 348
261	Aus 776, AX 00776S
262	Aus 776, AX 00776S
263	Aus 144, 158
264	Aus 155
265	Aus 766, 767
266	Aus 168
267(T)	Aus 207, 208, 809, AX 00809S
268(T)	Aus 399, 4622, INT 622
269(T)	Aus 268
270(T)	Aus 263, 264
271(T)	Aus 244, 245
272(T)	Aus 230
273(P)	Aus 833
274(T)	Aus 256
275(T)	Aus 235, 236, 237, 238, 814, 815
276(T)	Aus 256, 827
277(T)	Aus 260, 367, 822, AX 00260S, 00260T, 00367S, 00822S
278(T)	Aus 257
279(T)	Aus 399, 683, 4622, INT 622
280(T)	Aus 520, 4620, 4621, INT 620, 621, AX 04620U, 04621U
281(T)	Aus 312, 4721, INT 721, AX 00312U, 04721U
282(T)	Aus 62, 66, 742, 743
283(T)	Aus 62, 66
284(T)	Aus 328, 742
285(T)	Aus 64, 327, 328, 742, 743, 744
286(T)	Aus 64, 328, 329, 742, 743, 744, 4723, 4725, INT 723, 725, AX 04723U
287(T)	Aus 320, 322, 4721, 4722, INT 721, 722, AX 00322U, 04721U, 04722U
288(T)	Aus 111, 114, 117, AX 00117T
289(T)	Aus 327, 741
290(T)	Aus 326, 4722, 4723, INT 722, 723, AX 04722U, 04723U
291(T)	Aus 328, 4723, INT 723, AX 04723U
292(T)	Aus 328, 4723, INT 723, AX 04723U
293(T)	Aus 328, 742, 4723, INT 723, AX 04723U
294(T)	Aus 328
295(T)	Aus 327, 328
296(T)	Aus 64, 328, 329, 743, 744, 4723, 4725, INT 723, 725, AX 04723U
297(T)	Aus 328, 329, 744
298(T)	Aus 328, 329, 4723, 4725, INT 723, 725, AX 04723U
299(T)	Aus 328, 329, 744, 745, 4723, 4725, INT 723, 725, AX 04723U
300(T)	Aus 743
301(T)	Aus 314, 319, 4721, 4722, INT 721, 722, AX 00314U, 00319U, 04721U, 04722U
302(T)	Aus 43, 322, 4722, INT 722, AX 00322U, 04722U
303(T)	Aus 322, 4721, 4722, INT 721, 722, AX 00322U, 04721U, 04722U
304(T)	Aus 4070, 4071, INT 70, 71
305(T)	Aus 137
306(T)	Aus 171, 173, 796
307(T)	Aus 173, 795, 796
308(T)	Aus 170, 766, 797

Notices	Aus Chart, INT Chart, ENC Cell, AHP, BA Pubs
309(T)	Aus 171, 796

NUMERICAL INDEX OF CHARTS AFFECTED

Edition No 5

Aus Chart	Notices	Aus Chart	Notices
Aus 24	250	Aus 520	280(T)
Aus 26	250, 251	Aus 623	247
Aus 28	251	Aus 683	248, 279(T)
Aus 43	302(T)	Aus 722	249, 250, 251
Aus 59	254	Aus 741	289(T)
Aus 62	282(T), 283(T)	Aus 742	282(T), 284(T), 285(T), 286(T), 293(T)
Aus 64	285(T), 286(T), 296(T)	Aus 743	282(T), 285(T), 286(T), 296(T), 300(T)
Aus 66	282(T), 283(T)	Aus 744	285(T), 286(T), 296(T), 297(T), 299(T)
Aus 109	256	Aus 745	299(T)
Aus 110	256	Aus 754	253, 257
Aus 111	288(T)	Aus 766	265, 308(T)
Aus 112	253	Aus 767	265
Aus 114	288(T)	Aus 776	261, 262
Aus 117	253, 255, 288(T)	Aus 777	258
Aus 121	259	Aus 795	307(T)
Aus 137	305(T)	Aus 796	306(T), 307(T), 309(T)
Aus 144	263	Aus 797	308(T)
Aus 155	264	Aus 809	267(T)
Aus 158	263	Aus 814	275(T)
Aus 168	266	Aus 815	275(T)
Aus 170	308(T)	Aus 822	277(T)
Aus 171	306(T), 309(T)	Aus 827	276(T)
Aus 173	306(T), 307(T)	Aus 833	273(P)
Aus 207	267(T)	Aus 4070	304(T)
Aus 208	267(T)	Aus 4071	304(T)
Aus 230	272(T)	Aus 4620	280(T)
Aus 235	275(T)	Aus 4621	280(T)
Aus 236	246, 275(T)	Aus 4622	248, 268(T), 279(T)
Aus 237	275(T)	Aus 4721	281(T), 287(T), 301(T), 303(T)
Aus 238	275(T)	Aus 4722	287(T), 290(T), 301(T), 302(T), 303(T)
Aus 244	271(T)	Aus 4723	286(T), 290(T), 291(T), 292(T), 293(T), 296(T), 298(T), 299(T)
Aus 245	271(T)	Aus 4725	286(T), 296(T), 298(T), 299(T)
Aus 256	274(T), 276(T)	AX 00026T	250, 251
Aus 257	278(T)	AX 00110S	256
Aus 260	277(T)	AX 00112T	253
Aus 263	245, 270(T)	AX 00117T	255, 288(T)
Aus 264	245, 270(T)	AX 00260S	277(T)
Aus 268	269(T)	AX 00260T	277(T)
Aus 309	249, 251	AX 00309T	249, 251
Aus 312	281(T)	AX 00309U	249, 251
Aus 314	301(T)	AX 00312U	281(T)
Aus 319	301(T)	AX 00314U	301(T)
Aus 320	287(T)	AX 00319U	301(T)
Aus 322	287(T), 302(T), 303(T)	AX 00322U	287(T), 302(T), 303(T)
Aus 323	252	AX 00367S	277(T)
Aus 324	252	AX 00722T	249, 250, 251
Aus 326	290(T)	AX 00754S	257
Aus 327	285(T), 289(T), 295(T)	AX 00776S	261, 262
Aus 328	284(T), 285(T), 286(T), 291(T), 292(T), 293(T), 294(T), 295(T), 296(T), 297(T), 298(T), 299(T)	AX 00809S	267(T)
Aus 329	286(T), 296(T), 297(T), 298(T), 299(T)	AX 00822S	277(T)
Aus 348	260	AX 04620U	280(T)
Aus 367	277(T)	AX 04621U	280(T)
Aus 399	248, 268(T), 279(T)	AX 04721U	281(T), 287(T), 301(T), 303(T)
Aus 506	247	AX 04722U	287(T), 290(T), 301(T), 302(T), 303(T)

Aus Chart	Notices
AX 04723U	286(T) , 290(T) , 291(T) , 292(T) , 293(T) , 296(T) , 298(T) , 299(T)
AXA 0754S	257

INT Chart	Notices
INT 70	304(T)
INT 71	304(T)
INT 620	280(T)
INT 621	280(T)
INT 622	248 , 268(T) , 279(T)
INT 721	281(T) , 287(T) , 301(T) , 303(T)
INT 722	287(T) , 290(T) , 301(T) , 302(T) , 303(T)
INT 723	286(T) , 290(T) , 291(T) , 292(T) , 293(T) , 296(T) , 298(T) , 299(T)
INT 725	286(T) , 296(T) , 298(T) , 299(T)

244 AUSTRALIA - Product

UKHO (AA726064), Australian Hydrographic Service (AA726430)

New Chart

<i>Chart</i>	<i>Published</i>	<i>Title and description of amendments</i>	<i>Scale</i>	<i>Index Chart</i>	<i>Price</i>
Aus 546	14/3/2014	Papua New Guinea – New Britain - North Coast – Cape Lambert to Bangula Bay 3° 58'·0 S – 5° 29'·6 S 150° 49'·2 E – 151° 42'·6 E <i>Limits amended to provide improved coverage to the north of Cape Lambert.</i>	1:150 000	Aus 5000	\$35.00
Aus 547	14/3/2014	Papua New Guinea – New Britain - North Coast – Bangula Bay to Eleonora Bay 4° 44'·6 S – 5° 38'·0 S 149° 35'·8 E – 151° 07'·0 E <i>Limits amended to provide improved coverage of the approaches to Bialla.</i>	1:150 000	Aus 5000	\$35.00

Admiralty publication

<i>NP No</i>	<i>Title</i>	<i>Date</i>	<i>Remarks</i>
NP44 & e-NP44	Malacca Strait and West Coast of Sumatra Pilot (Eleventh Edition) 2013.	13/03/2014	The tenth edition 2011 is cancelled.

For further details refer to the AHS website at www.hydro.gov.au for new edition and new chart stock arrival information.

When placing orders with a chart agent, mariners should advise whether their order pertains to the current edition or the new edition.

245* AUSTRALIA - QUEENSLAND - Cairns - Trinity Inlet - Dolphin; depths

HMAS Shepparton (AA726205)

Aus 263 [1193/2013]

Insert	dolphin, between	16° 56'.232 S	145° 46'.763 E
		16° 56'.231 S	145° 46'.768 E
		16° 56'.227 S	145° 46'.762 E
		16° 56'.226 S	145° 46'.767 E
		16° 56'.232 S	145° 46'.763 E
	depth, 4 ₃ m	16° 56'.210 S	145° 46'.755 E
Delete	dolphin, centred on	16° 56'.22 S	145° 46'.76 E
	depth, 2 ₆ m	16° 56'.23 S	145° 46'.76 E

Aus 264 [1193/2013]

Insert	dolphin, between	16° 56'.232 S	145° 46'.763 E
		16° 56'.231 S	145° 46'.768 E
		16° 56'.227 S	145° 46'.762 E
		16° 56'.226 S	145° 46'.767 E
		16° 56'.232 S	145° 46'.763 E
	depth, 4 ₃ m	16° 56'.210 S	145° 46'.755 E
Delete	dolphin, centred on	16° 56'.22 S	145° 46'.76 E
	depth, 2 ₆ m	16° 56'.23 S	145° 46'.76 E

246* AUSTRALIA - QUEENSLAND - Moreton Bay - Anchorages

Maritime Safety Queensland (AA724933)

Aus 236 [112/2014]

Insert	0.54M radius swinging circle, centred on	27° 17'.17 S	153° 16'.57 E
	0.54M radius swinging circle, centred on	27° 16'.51 S	153° 17'.79 E

247* PAPUA NEW GUINEA - Aukapule Reef - Light beacon

National Maritime Safety Authority PNG Notice 1/2014 (AA725611)

Aus 506 [129/2013]

Move	light beacon	10° 11'.04 S	148° 17'.72 E
	to	10° 11'.17 S	148° 17'.72 E

Aus 623 [129/2013]

Move	light beacon	10° 11'.04 S	148° 17'.72 E
	to	10° 11'.17 S	148° 17'.72 E

248* PAPUA NEW GUINEA - Bougainville Island - Arawa - Navais

National Maritime Safety Authority PNG Notices 5/2014, 6/2014, 7/2014 (AA726330)

Aus 399 [1201/2013]

Delete	light	6° 13'.8 S	155° 34'.4 E
	aero beacon	5° 26'.7 S	154° 40'.0 E
	aero beacon	6° 18'.2 S	155° 42'.8 E

Aus 683 (plan, Approaches to Kieta Harbour and Anewa Bay) [957/2013]

Substitute	beacon for light beacon	6° 11'.3 S	155° 33'.6 E
------------	-------------------------	------------	--------------

Delete	light	6° 10'.9 S	155° 32'.9 E
	light	6° 13'.8 S	155° 34'.4 E

Aus 683 (plan, Anewa Bay) [957/2013]

Substitute	beacon for light beacon	6° 11'.30 S	155° 33'.56 E
------------	-------------------------	-------------	---------------

Delete	light	6° 10'.90 S	155° 32'.89 E
--------	-------	-------------	---------------

Aus 4622 (INT 622) [745/2013]

Delete	light	6° 13'.8 S	155° 34'.4 E
	aero beacon	5° 26'.7 S	154° 40'.0 E
	aero beacon	6° 18'.2 S	155° 42'.8 E

249* AUSTRALIA - NORTHERN TERRITORY - Bathurst Island - Cape Helvetius to Point Fawcett - Historic wreck

Department of Sustainability, Environment, Water, Population and Communities (AA724664)

Aus 309 [114/2014]

Insert	magenta legend, <i>Historic Wk (see Note)</i>	11° 42'.6 S	130° 03'.0 E
--------	---	-------------	--------------

Aus 722 [1257/2013]

Insert	magenta legend, <i>Historic Wk (see Note)</i>	11° 42'.6 S	130° 03'.5 E
--------	---	-------------	--------------

AX 00309T [114/2014]

Insert	magenta legend, <i>Historic Wk (see Note)</i>	11° 42'.6 S	130° 03'.0 E
--------	---	-------------	--------------

AX 00309U [114/2014]

Insert	magenta legend, <i>Historic Wk (see Note)</i>	11° 42'.6 S	130° 03'.0 E
--------	---	-------------	--------------

AX 00722T [1257/2013]

Insert	magenta legend, <i>Historic Wk (see Note)</i>	11° 42'.6 S	130° 03'.5 E
--------	---	-------------	--------------

250* AUSTRALIA - NORTHERN TERRITORY - Darwin - Wrecks
 Geoscience Australia (DHDB 1969099), iXSurvey Australia Pty Ltd (DHDB1984186)

Aus 24 [41/2014]

Substitute	depth, 11_7m , for depth, 12_1m	12° 29'.82 S	130° 49'.16 E
	depth, 4_2m , for depth, 3_9m	12° 28'.14 S	130° 50'.09 E

Aus 26 [211/2014]

Insert	depth, 11_7m , enclosed by danger circle with legend, <i>Wk</i>	12° 29'.82 S	130° 49'.16 E
Substitute	depth, 4_2m , for depth, 3_9m	12° 28'.1 S	130° 50'.1 E
Delete	wreck	12° 29'.9 S	130° 49'.2 E

Aus 722 [249/2014]

Substitute	depth, 11_7m , for depth, 12_1m	12° 29'.8 S	130° 49'.2 E
------------	-------------------------------------	-------------	--------------

AX 00026T [211/2014]

Insert	depth, 11_7m , enclosed by danger circle with legend, <i>Wk</i>	12° 29'.82 S	130° 49'.16 E
Substitute	depth, 4_2m , for depth, 3_9m	12° 28'.1 S	130° 50'.1 E
Delete	wreck	12° 29'.9 S	130° 49'.2 E

AX 00722T [249/2014]

Substitute	depth, 11_7m , for depth, 12_1m	12° 29'.8 S	130° 49'.2 E
------------	-------------------------------------	-------------	--------------

251* AUSTRALIA - NORTHERN TERRITORY - Darwin - East Arm - Depths; nomenclature
 Inpex Browse Limited (DHDB 2627067)

Aus 26 [250/2014]

Insert	contour, between	12° 29'.58 S	130° 52'.34 E
		12° 29'.59 S	130° 52'.39 E
		12° 29'.63 S	130° 52'.41 E

Delete	depth, 4 ₂ m, and enclosing contour	12° 29'.5 S	130° 52'.4 E
	contour, between	12° 29'.6 S	130° 52'.3 E
		12° 29'.4 S	130° 52'.4 E
		12° 29'.6 S	130° 52'.4 E

Aus 28 [211/2014]

Insert	depth, 6 ₈ m	12° 29'.618 S	130° 52'.376 E
	contour, between	12° 29'.577 S	130° 52'.344 E
		12° 29'.594 S	130° 52'.387 E
		12° 29'.634 S	130° 52'.407 E

Delete	depth, 7 ₁ m	12° 29'.61 S	130° 52'.38 E
	depth, 7 ₅ m	12° 29'.48 S	130° 52'.43 E
	depth, 4 ₂ m, and enclosing contour	12° 29'.46 S	130° 52'.39 E
	legend, Walker Shoal	12° 29'.46 S	130° 52'.30 E
	contour, between	12° 29'.58 S	130° 52'.34 E
		12° 29'.43 S	130° 52'.38 E
		12° 29'.63 S	130° 52'.41 E

Aus 309 [249/2014]

Delete	5m contour, centred on	12° 29'.5 S	130° 52'.3 E
--------	------------------------	-------------	--------------

Aus 722 [250/2014]

Delete	depth, 4 ₂ m, and enclosing contour	12° 29'.5 S	130° 52'.4 E
--------	--	-------------	--------------

AX 00026T [250/2014]

Insert	contour, between	12° 29'.58 S	130° 52'.34 E
		12° 29'.59 S	130° 52'.39 E
		12° 29'.63 S	130° 52'.41 E

Delete	depth, 4 ₂ m, and enclosing contour	12° 29'.5 S	130° 52'.4 E
	contour, between	12° 29'.6 S	130° 52'.3 E
		12° 29'.4 S	130° 52'.4 E
		12° 29'.6 S	130° 52'.4 E

AX 00309T [249/2014]

Delete	5m contour, centred on	12° 29'.5 S	130° 52'.3 E
--------	------------------------	-------------	--------------

AX 00309U [249/2014]

Delete	5m contour, centred on	12° 29'.5 S	130° 52'.3 E
--------	------------------------	-------------	--------------

AX 00722T [250/2014]

Delete	depth, 4 ₂ m, and enclosing contour	12° 29'.5 S	130° 52'.4 E
--------	--	-------------	--------------

252* AUSTRALIA - WESTERN AUSTRALIA - Baskerville Shoal - Legend
 Geoscience Australia (DHDB 2223580)

Aus 323 [1087/2013]

Delete	legend, Rep(1988)	17° 05'.0 S	122° 03'.5 E
--------	-------------------	-------------	--------------

Aus 324 [36/2013]

Delete	legend, Rep(1988)	17° 05'.0 S	122° 06'.5 E
--------	-------------------	-------------	--------------

253* AUSTRALIA - WESTERN AUSTRALIA - Centaur Reef to Fremantle - Light buoys

Former Notice - 524(T)/2010 is cancelled

Department of Fisheries WA (AA725088, AA725160)

Aus 112 [549/2013]

Insert	special spar light buoy, <i>Fl. Y. 5s</i> , without topmark	31° 52'.112 S	115° 42'.814 E
	special spar light buoy, <i>Fl. Y. 5s</i> , without topmark	31° 52'.525 S	115° 43'.456 E
	special spar light buoy, <i>Fl. Y. 5s</i> , without topmark	31° 53'.139 S	115° 43'.780 E
	special spar light buoy, <i>Fl. Y. 5s</i> , without topmark	31° 53'.577 S	115° 44'.251 E
	special spar light buoy, <i>Fl. Y. 5s</i> , without topmark	31° 53'.884 S	115° 44'.899 E
	special spar light buoy, <i>Fl. Y. 5s</i> , without topmark	31° 55'.725 S	115° 44'.851 E
	special spar light buoy, <i>Fl. Y. 5s</i> , without topmark	31° 56'.327 S	115° 44'.842 E
	special spar light buoy, <i>Fl. Y. 5s</i> , without topmark	31° 58'.670 S	115° 44'.788 E
	special spar light buoy, <i>Fl. Y. 5s</i> , without topmark	31° 59'.259 S	115° 44'.645 E
	special spar light buoy, <i>Fl. Y. 5s</i> , without topmark	31° 59'.758 S	115° 44'.587 E
	special spar light buoy, <i>Fl. Y. 5s</i> , without topmark	32° 01'.577 S	115° 44'.619 E
	special spar light buoy, <i>Fl. Y. 5s</i> , without topmark	32° 01'.450 S	115° 34'.287 E
	special spar light buoy, <i>Fl. Y. 5s</i> , without topmark	32° 01'.388 S	115° 28'.592 E
Delete	depth, 9m	31° 56'.33 S	115° 44'.88 E

AX 00112T [NE 1/11/2013]

Insert	special spar light buoy, <i>Fl. Y. 5s</i> , without topmark	31° 52'.112 S	115° 42'.814 E
	special spar light buoy, <i>Fl. Y. 5s</i> , without topmark	31° 52'.525 S	115° 43'.456 E
	special spar light buoy, <i>Fl. Y. 5s</i> , without topmark	31° 53'.139 S	115° 43'.780 E
	special spar light buoy, <i>Fl. Y. 5s</i> , without topmark	31° 53'.577 S	115° 44'.251 E
	special spar light buoy, <i>Fl. Y. 5s</i> , without topmark	31° 53'.884 S	115° 44'.899 E
	special spar light buoy, <i>Fl. Y. 5s</i> , without topmark	31° 55'.725 S	115° 44'.851 E
	special spar light buoy, <i>Fl. Y. 5s</i> , without topmark	31° 56'.327 S	115° 44'.842 E
	special spar light buoy, <i>Fl. Y. 5s</i> , without topmark	31° 58'.670 S	115° 44'.788 E
	special spar light buoy, <i>Fl. Y. 5s</i> , without topmark	31° 59'.259 S	115° 44'.645 E
	special spar light buoy, <i>Fl. Y. 5s</i> , without topmark	31° 59'.758 S	115° 44'.587 E
	special spar light buoy, <i>Fl. Y. 5s</i> , without topmark	32° 01'.577 S	115° 44'.619 E
	special spar light buoy, <i>Fl. Y. 5s</i> , without topmark	32° 01'.450 S	115° 34'.287 E
	special spar light buoy, <i>Fl. Y. 5s</i> , without topmark	32° 01'.388 S	115° 28'.592 E
Delete	depth, 9m	31° 56'.33 S	115° 44'.88 E

254* AUSTRALIA - WESTERN AUSTRALIA - Dampier - Anchorage

UKHO (AA726667)

Aus 59 [157/2014]

Delete	anchorage with legend, <i>IA5 Anchorage</i> , centred on	20° 32'.6 S	116° 43'.9 E
--------	--	-------------	--------------

255* AUSTRALIA - WESTERN AUSTRALIA - Garden Island - Light buoy

Department of Fisheries WA (AA725088, AA725160)

Aus 117 [119/2014]

Insert	special spar light buoy, <i>Fl. Y. 5s</i> , without topmark	32° 08'.647 S	115° 38'.570 E
--------	---	---------------	----------------

AX 00117T [119/2014]

Insert	special spar light buoy, <i>Fl. Y. 5s</i> , without topmark	32° 08'.647 S	115° 38'.570 E
--------	---	---------------	----------------

256* AUSTRALIA - WESTERN AUSTRALIA - King George Sound - Middleton Bay to Frenchman Bay - Light buoys

Department of Fisheries WA (AA725088, AA725160)

Aus 109 [1141/2013]

Insert	special spar light buoy, <i>Fl. Y. 5s</i> , without topmark	35° 01'.286 S	117° 55'.303 E
--------	---	---------------	----------------

Aus 110 [893/2013]

Insert	special spar light buoy, <i>Fl. Y. 5s</i> , without topmark	35° 01'.286 S	117° 55'.303 E
	special spar light buoy, <i>Fl. Y. 5s</i> , without topmark	35° 05'.207 S	117° 56'.755 E

AX 00110S [893/2013]

Insert	special spar light buoy, <i>Fl. Y. 5s</i> , without topmark	35° 01'.286 S	117° 55'.303 E
	special spar light buoy, <i>Fl. Y. 5s</i> , without topmark	35° 05'.207 S	117° 56'.755 E

257* AUSTRALIA - WESTERN AUSTRALIA - Linda Reef to Mullaloo - Light buoys

Department of Fisheries WA (AA725088, AA725160)

Aus 754 [119/2014]

Insert	special spar light buoy, <i>Fl. Y. 5s</i> , without topmark	31° 28'.15 S	115° 26'.16 E
	special spar light buoy, <i>Fl. Y. 5s</i> , without topmark	31° 45'.85 S	115° 43'.29 E

AX 00754S [119/2014]

Insert	special spar light buoy, <i>Fl. Y. 5s</i> , without topmark	31° 28'.15 S	115° 26'.16 E
	special spar light buoy, <i>Fl. Y. 5s</i> , without topmark	31° 45'.85 S	115° 43'.29 E

AXA 0754S [119/2014]

Insert	special spar light buoy, <i>Fl. Y. 5s</i> , without topmark	31° 28'.15 S	115° 26'.16 E
	special spar light buoy, <i>Fl. Y. 5s</i> , without topmark	31° 45'.85 S	115° 43'.29 E

258* AUSTRALIA - SOUTH AUSTRALIA - Cape Hardy - Depths

HydroSurvey Australia (DHDB 2588035)

Aus 777 [808/2013]

Substitute	depth, <i>4₇m</i> , semi enclosed by contour to SE for depth, 6m	34° 11'.0 S	136° 19'.5 E
------------	---	-------------	--------------

259* AUSTRALIA - SOUTH AUSTRALIA - Port Douglas - Light beacon

Department of Planning, Transport and Infrastructure SA Notice 6/2014 (AA724317)

Aus 121 (plan, Coffin Bay) [584/2013]

Amend	light beacon to <i>Fl. R. 2s No8</i>	34° 33'.4 S	135° 20'.5 E
-------	--------------------------------------	-------------	--------------

260* AUSTRALIA - SOUTH AUSTRALIA - Port Macdonnell - Depths

Department of Planning, Transport and Infrastructure SA (DHDB 2621646)

Aus 348 (plan, Port Macdonnell) [253/2013]

Insert	depth, <i>0₁m</i>	38° 03'.472 S	140° 41'.788 E
	depth, <i>0₃m</i>	38° 03'.499 S	140° 41'.848 E
	depth, <i>0₇m</i>	38° 03'.560 S	140° 41'.938 E
	drying patch, centred on	38° 03'.556 S	140° 42'.022 E
Delete	depth, <i>0₅m</i>	38° 03'.45 S	140° 41'.79 E

261* AUSTRALIA - SOUTH AUSTRALIA - Sir Joseph Banks - Depths

Former Notice - 1121(P)/2013 is cancelled

HydroSurvey Australia (DHDB 2616141), A Noble (AA727637), LADS Flight (DHDB 42759)

Aus 776 [160/2014]

Insert	depth, 22 ₃ m, and extend contour S to enclose drying patch, centred on	34° 41'.74 S	136° 21'.98 E
		34° 32'.30 S	136° 16'.00 E
Delete	depth, 4 ₆ m	34° 32'.3 S	136° 15'.8 E

AX 00776S [160/2014]

Insert	depth, 22 ₃ m, and extend contour S to enclose drying patch, centred on	34° 41'.74 S	136° 21'.98 E
		34° 32'.30 S	136° 16'.00 E
Delete	depth, 4 ₆ m	34° 32'.3 S	136° 15'.8 E

262* AUSTRALIA - SOUTH AUSTRALIA - Yorke Peninsula - Point Turton - Light

Department of Planning, Transport and Infrastructure SA (AA725994)

Aus 776 [261/2014]

Insert	light, Fl.G.2s	34° 56'.09 S	137° 21'.20 E
Delete	light	34° 56'.1 S	137° 21'.3 E

AX 00776S [261/2014]

Insert	light, Fl.G.2s	34° 56'.09 S	137° 21'.20 E
Delete	light	34° 56'.1 S	137° 21'.3 E

263* AUSTRALIA - VICTORIA - Port Phillip - Ticonderoga Bay to Rye - Buoys

Victorian Notice 51/2014 (AA725936)

Aus 144 [755/2013]

Insert	special conical buoy, without topmark	38° 18'.425 S	144° 41'.384 E
	special conical buoy, without topmark	38° 18'.492 S	144° 41'.536 E
	special conical buoy, without topmark	38° 18'.601 S	144° 41'.832 E
	special conical buoy, without topmark	38° 18'.701 S	144° 42'.091 E
	special conical buoy, without topmark	38° 18'.780 S	144° 42'.312 E

Aus 158 [44/2014]

Insert	special conical buoy, without topmark	38° 18'.425 S	144° 41'.384 E
	special conical buoy, without topmark	38° 18'.492 S	144° 41'.536 E
	special conical buoy, without topmark	38° 18'.601 S	144° 41'.832 E
	special conical buoy, without topmark	38° 18'.701 S	144° 42'.091 E
	special conical buoy, without topmark	38° 18'.780 S	144° 42'.312 E
	special conical buoy, without topmark	38° 21'.933 S	144° 50'.247 E

264* AUSTRALIA - VICTORIA - Port Phillip - Mordialloc to Brighton - Nav aids

Victorian Notice 52/2014 (AA725929)

Aus 155 [215/2014]

Insert	special beacon, with topmark	37° 59'.873 S	145° 04'.190 E
	special beacon, with topmark	37° 59'.334 S	145° 03'.091 E
	isolated danger light beacon, Fl(2)10s, with topmark	37° 57'.163 S	144° 59'.750 E
Move	beacon to	37° 57'.09 S	145° 00'.01 E
		37° 57'.111 S	144° 59'.965 E
Delete	depth, 0 ₇ m	37° 59'.27 S	145° 03'.12 E
	depth, 0 ₆ m	37° 57'.16 S	144° 59'.75 E
	light buoy	37° 57'.13 S	144° 59'.68 E
	beacon	37° 56'.03 S	144° 59'.50 E

265* AUSTRALIA - TASMANIA - Ironhouse Point - Depths

Geoscience Australia (DHDB 2627102)

Aus 766 [963/2013]

Insert	depth, 12 ₆ m, enclosed by contour	41° 34'.29 S	148° 20'.07 E
--------	---	--------------	---------------

Delete	depth, 16 ₈ m	41° 34'.4 S	148° 20'.0 E
--------	--------------------------	-------------	--------------

Aus 767 [255/2011]

Insert	depth, 12 ₆ m, enclosed by contour	41° 34'.29 S	148° 20'.07 E
--------	---	--------------	---------------

Delete	depth, 16 ₈ m	41° 34'.4 S	148° 20'.0 E
--------	--------------------------	-------------	--------------

266* AUSTRALIA - TASMANIA - River Tamar - Swan Point to Haystack Point - Nav aids*Former Notice - 364(T)/2013 is cancelled*

Marine and Safety Tasmania Notice 39/2014 (AA725289, AA725421)

Aus 168 [965/2013]

Move	light beacon	41° 15'.29 S	146° 59'.04 E
	to	41° 15'.302 S	146° 59'.002 E
	light beacon	41° 20'.64 S	147° 01'.99 E
	to	41° 20'.642 S	147° 01'.966 E

Aus 168 (inset, Tamar River to Launceston) [965/2013]

Move	light beacon	41° 23'.71 S	147° 06'.15 E
	to	41° 23'.687 S	147° 06'.157 E

267(T)/2014 AUSTRALIA - NEW SOUTH WALES - Newcastle - Depth information*Former Notice - 219(T)/2014 is cancelled*

Newcastle Port Corporation (AA726819)

Available depths as at 7 March 2014:

<i>Berth</i>	<i>Metres</i>	<i>Remarks</i>
Eastern Basin 1	11.5	
Eastern Basin 2 North of Ch 450	11.6	
Eastern Basin 2 South of Ch 450	11.5	
Western Basin 3	11.6	
Western Basin 4	11.6	
Channel Berth	9.7	
Dyke 1	12.8	
Dyke 2	12.7	
* Dyke 4	16.2	
Dyke 5	16.0	
Dyke 6	5.0	
Mayfield 4 Ch 27 to 266	12.7	
BHP Wharf 6 to Ch 1050	7.1	
Kooragang 2	11.6	
Kooragang 2 North Dolphin Ch 182 to 243	11.6	
Kooragang 2 South Dolphin Ch -92 to 00	11.3	
Kooragang 3 Ch -40 to 00	11.8	
Kooragang 3 Ch 00 to 220	13.1	
Kooragang 4	16.5	
Kooragang 5	16.5	
Kooragang 6	16.5	
Kooragang 7	16.5	
Kooragang 8	16.3	
Kooragang 9	16.3	
Kooragang 10	16.2	
Throsby 1	8.4	
Carrington Wharf		To be sounded as and when required
Foreshore Park Berth	5.9	
Elgo Wharf		To be sounded as and when required
<i>Channels</i>		
Entrance Approach	17.7	
Entrance Channel (18.0m)	17.8	
Entrance Channel (17.4m)	17.4	
Entrance Channel (16.8m)	16.8	
Entrance Channel (16.2m)	16.2	
Entrance Channel to Horseshoe	15.2	
Horseshoe	15.0	
Steelworks Channel to Swinging Basin	15.0	
Swinging Basin	15.0	
* Hunter River South Arm (Kooragang 6 to buoy 16)	14.9	
Hunter River South Arm (buoy 16 to buoy 20)	14.8	
Basin Cutting	12.6	
Basin Area to Eastern & Western Basin Berths	12.3	
Basin Area to 1 Throsby	9.4	
Stockton Crossing	3.6	
* Indicates new or revised entry.		

Chart temporarily affected - Aus 207 - Aus 208 - Aus 809 - AX 00809S**268(T)/2014 PACIFIC OCEAN - Scientific instruments***Former Notice - 351(T)/2013 is cancelled*

JAMSTEC (AA727730)

Scientific instruments, Triton buoys, exist as follows:

<i>Number</i>	<i>Position</i>
4	0° 01'.00 S 155° 57'.80 E
5	1° 59'.00 S 156° 01'.99 E
6	4° 57'.99 S 156° 01'.00 E
9	0° 01'.49 S 147° 00'.09 E.

Chart temporarily affected - Aus 399 - Aus 4622 (INT 622)

269(T)/2014 AUSTRALIA - QUEENSLAND - Bowen - Wreck*Former Notice* - 221(T)/2014 is cancelled

Maritime Safety Queensland Notice 144(T)/2014 (AA727566)

A stranded wreck marked by a light, *Fl.Y.4s*, exists in position 20° 01'.37 S 148° 15'.58 E.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 268**270(T)/2014 AUSTRALIA - QUEENSLAND - Cairns - Trinity Inlet - Senrab Point - Harbour works***Date* - Until 11 April 2014

Maritime Safety Queensland Notice 137(T)/2014 (AA727538)

Piling operations are in progress in the vicinity of position 16° 56'.39 S 145° 46'.74 E.

The barge *Steel Trader* is on site and will display appropriate lights and shapes. The barge has deployed anchors marked by red light buoys.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 263 - Aus 264**271(T)/2014 AUSTRALIA - QUEENSLAND - Gladstone - Light buoy***Former Notice* - 950(T)/2012 is cancelled

Maritime Safety Queensland Notice 143(T)/2014 (AA727568)

Special light buoy, *Fl.Y.2.5s*, exists in position 23° 49'.57 S 151° 14'.86 E.**Chart temporarily affected - Aus 244 - Aus 245****272(T)/2014 AUSTRALIA - QUEENSLAND - Gold Coast - Nerang River - Harbour works***Former Notice* - 1100(T)/2013 is cancelled

Maritime Safety Queensland Notice 327(T)/2013, 124(T)/2014 (AA668391, AA726476)

Construction works on the Gold Coast bridge are in progress.

The *F.Bu* lights in positions 27° 58'.62 S 153° 25'.27 E and 27° 58'.61 S 153° 25'.28 E are unlit.

Lateral light buoys will be positioned to guide vessels through the construction zone and beneath the relevant bridge navigation span as required. The temporary navigation span clearance is 4.5m HAT.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 230**273(P)/2014 AUSTRALIA - QUEENSLAND - Joan Reef - Light to be altered***Date* - On or about 5 April 2014

Australian Maritime Safety Authority Preliminary ATH 1/2014 (AA726888)

The light K3223.5 (13° 56'.80 S 144° 20'.42 E) will be altered to *Fl(4)WR.12s 10M*.**Chart which will be affected - Aus 833****274(T)/2014 AUSTRALIA - QUEENSLAND - Magnetic Island - Scientific instrument recovered***Former Notice* - 1210(T)/2012 is cancelled

Maritime Safety Queensland (AA727516)

Cancel this notice on receipt.

Chart formerly affected - Aus 256

275(T)/2014 AUSTRALIA - QUEENSLAND - Moreton Bay - Brisbane River - Depth information

Former Notice - 227(T)/2014 is cancelled

Brisbane Port Corporation (AA727257)

Available depths and under keel clearances (UKC) at 10 March 2014:

<i>Berth</i>	<i>Metres</i>	<i>Remarks</i>
Fisherman Islands No12	14.0	
Fisherman Islands No11	14.0	
Fisherman Islands No10	14.1	
Fisherman Islands No9	14.0	
Fisherman Islands No8	14.0	
Fisherman Islands No7	13.9	
Fisherman Islands No6	14.0	
Fisherman Islands No5	13.9	
* Fisherman Islands No4	13.8	
* Fisherman Islands No3	13.8	
Fisherman Islands No2	14.1	
* Fisherman Islands No1	14.0	
* Fisherman Islands Grain and Woodchip	12.8	
* Caltex Fisherman Islands	14.4	
* Fisherman Islands Coal	13.8	
Fisherman Islands General Purpose	11.5	
* BP Luggage Point	14.0	
Caltex Products	10.1	
* Cement Australia Co Wharf	9.5	
BP Products	10.7	
Shell	10.6	
Graincorp Liquid Terminal	10.6	
Incitec North	10.0	
Incitec South	10.4	
* Pinkenba 1	10.1	
* Pinkenba 2	10.4	
Riverside Marina	-	
Sugar Terminal	9.7	
Cairncross Fitting Out Wharf	7.2	
Cairncross Breasting Wharf	4.7	
Brisbane Naval Wharf	4.3	
* Maritime No1	8.9	
Hamilton No4	10.3	
Hamilton No1	8.9	
Brisbane Cruise Ship Terminal	8.9	
	<i>Metres</i>	<i>UKC/Remarks</i>
<i>Moreton Bay:</i>		
* North West Channel	14.8	2.3 (280m width)
North West Bypass Channel	9.2	1.6
Spitfire Channel	15.0	1.5 (600m width)
East Knoll Bypass Channel	6.0	1.4
East Channel	15.0	1.5 (300m width from western side)
Main Channel (M8 - M9)	10.0	1.8
Entrance Channel (E5 - EBCN)	14.7	1.5
<i>Brisbane River:</i>		
* Outer Bar Cutting	13.7	1.46
Inner Bar Cutting	13.6	1.46
Fisherman Islands Swing Basin	13.4	1.3
River	9.1	0.6 / 0.9 (draft/tide)
Cement Australia Swing Basin	9.1	0.6 / 0.9 (draft/tide)
Pinkenba Swing Basin	9.1	0.6 / 0.9 (draft/tide)
Hamilton Swing Basin	8.9	0.6 / 0.9 (draft/tide)
* Indicates new or revised entry.		

Chart temporarily affected - Aus 235 - Aus 236 - Aus 237 - Aus 238 - Aus 814 - Aus 815

276(T)/2014 AUSTRALIA - QUEENSLAND - Rattlesnake Island - Live firing completed*Former Notice* - 230(T)/2014 is cancelled

Maritime Safety Queensland Notice 110(T)/2014 (AA725052)

Cancel this notice on receipt.

Chart formerly affected - Aus 256 - Aus 827**277(T)/2014 AUSTRALIA - QUEENSLAND - Shoalwater Bay - Raynham Island - Live firing***Former Notice* - 175(T)/2014 is cancelled*Date* - Until 30 June 2014

Maritime Safety Queensland Notice 119(T)/2014 (AA725007)

Live firing activities will be conducted in the Shoalwater Bay training area during the period 14 March to 30 June 2014.

Flares will be fired within a 3704m radius of Raynham Island (22° 16'.06 S 150° 32'.43 E).

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 260 - Aus 367 - Aus 822 - AX 00260S - AX 00260T - AX 00367S - AX 00822S**278(T)/2014 AUSTRALIA - QUEENSLAND - Townsville - Ross River - Harbour works***Date* - Until 24 April 2014

Maritime Safety Queensland Notice 118(T)/2014 (AA725017)

Harbour works associated with the removal of mooring piles are in progress in the vicinity of position 19° 16'.45 S 146° 49'.97 E.

The barge *PMG 121* and support vessels *Swordfish*, *Samsson 11*, *Punt 1* and *PMG Tender* are on site. MT *Swordfish* will monitor VHF Ch 16.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 257**279(T)/2014 PAPUA NEW GUINEA - Bougainville Island - Lights unlit***Former Notice* - 1286(T)/2011 is cancelled

National Maritime Safety Authority PNG Notices 22/2011, 46/2011, 52/2011, 5/2014, 6/2014, 7/2014 (AA535709, AA565338, AA569723, AA726330)

The following lights are unlit:

<i>Location</i>	<i>Position</i>
Otua Island (K4886)	6° 27'.50 S 155° 58'.40 E
Takanupei Island (K4884.4)	6° 08'.86 S 155° 34'.31 E
Banaru Reef (K4885.7)	6° 08'.30 S 155° 39'.03 E
Moto Reef (K4885.8)	6° 08'.77 S 155° 39'.52 E
Wogoromodo Reef (K4885.6)	6° 10'.12 S 155° 39'.03 E
Cape Laverdy (K4884)	5° 32'.49 S 155° 03'.88 E.

Chart temporarily affected - Aus 399 - Aus 683 - Aus 4622 (INT 622)**280(T)/2014 PAPUA NEW GUINEA - Daia Point - Light relit***Former Notice* - 69(T)/2014 is cancelled

National Maritime Safety Authority PNG Notice 4/2014 (AA726140)

Cancel this notice on receipt.

Chart formerly affected - Aus 520 - Aus 4620 (INT 620) - Aus 4621 (INT 621) - AX 04620U - AX 04621U

281(T)/2014 AUSTRALIA - TIMOR SEA - Sahul Banks - Drill rig moved*Former Notice* - 179(T)/2014 is cancelled

Australian Maritime Safety Authority Auscoast Warning 57/2014 (AA727251), AGR (Australia) Pty Ltd (AA727169)

Cancel this notice on receipt.

Chart formerly affected - Aus 312 - Aus 4721 (INT 721) - AX 00312U - AX 04721U**282(T)/2014 AUSTRALIA - WESTERN AUSTRALIA - Barrow Island - Scientific instruments***Former Notice* - 424(T)/2013 is cancelled

Chevron Australia Pty Ltd (AA726665)

Cancel this notice on receipt.

Chart formerly affected - Aus 62 - Aus 66 - Aus 742 - Aus 743**283(T)/2014 AUSTRALIA - WESTERN AUSTRALIA - Barrow Island - Scientific instrument***Former Notice* - 422(T)/2013 is cancelled*Date* - Until 31 January 2015

Department of Transport WA Notice 62/2014 (AA726681)

A special light buoy, *Fl(5)Y.20s*, exists in position 20° 49'.47 S 115° 30'.85 E.**Chart temporarily affected - Aus 62 - Aus 66****284(T)/2014 AUSTRALIA - WESTERN AUSTRALIA - Barrow Island - Pipeline***Former Notice* - 182(T)/2014 is cancelled*SPV Solitaire* (AA727019)*Note*: charts will be updated on receipt of survey data.

Cancel this notice on receipt.

Chart formerly affected - Aus 328 - Aus 742**285(T)/2014 AUSTRALIA - WESTERN AUSTRALIA - Barrow Island - Pipeline westwards***SPV Solitaire* (AA727019)SPV *Solitaire* is conducting pipe laying operations in an area bounded by the following positions:

21° 27'.97 S 114° 49'.60 E

21° 28'.00 S 114° 52'.43 E

20° 37'.25 S 114° 52'.98 E

19° 56'.33 S 115° 23'.82 E

19° 55'.22 S 115° 22'.03 E

20° 37'.17 S 114° 43'.32 E.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 64 - Aus 327 - Aus 328 - Aus 742 - Aus 743 - Aus 744**286(T)/2014 AUSTRALIA - WESTERN AUSTRALIA - Barrow Island to Muiron Islands - Seismic survey completed***Former Notice* - 78(T)/2014 is cancelled

CGG (AA723555, AA725418)

Cancel this notice on receipt.

Chart formerly affected - Aus 64 - Aus 328 - Aus 329 - Aus 742 - Aus 743 - Aus 744 - Aus 4723 (INT 723) - Aus 4725 (INT 725) - AX 04723U

287(T)/2014 AUSTRALIA - WESTERN AUSTRALIA - Browse Island - Drill rig southwestwards*Date* - Until 10 May 2014

Australian Maritime Safety Authority Auscoast Warning 57/2014 (AA727251), AGR (Australia) Pty Ltd (AA727169)

Drill rig *Stena Clyde* is conducting drilling operations in position 14° 12'.56 S 123° 06'.53 E.**Chart temporarily affected - Aus 320 - Aus 322 - Aus 4721 (INT 721) - Aus 4722 (INT 722) - AX 00322U - AX 04721U - AX 04722U****288(T)/2014 AUSTRALIA - WESTERN AUSTRALIA - Cockburn Sound - Scientific instruments recovered***Former Notice* - 1160(T)/2012 is cancelled

Fremantle Ports (AA726843)

Cancel this notice on receipt.

Chart formerly affected - Aus 111 - Aus 114 - Aus 117 - AX 00117T**289(T)/2014 AUSTRALIA - WESTERN AUSTRALIA - Glomar Shoal - Drill rig northwards***Date* - Until 20 April 2014MODU *Nan Hai 6* (AA726992)Drill rig *Nan Hai 6* is conducting drilling operations in position 19° 15'.57 S 116° 48'.78 E.**Chart temporarily affected - Aus 327 - Aus 741****290(T)/2014 AUSTRALIA - WESTERN AUSTRALIA - Imperieuse Reef - Seismic survey westwards***Date* - Until 20 May 2014

CGG (AA723555, AA725418)

MV *Geo Caspian*, with a 7000m towed array, and support vessels *Pacific Parrot* and *Browse Invincible* are conducting a survey in the area bounded by the following positions:

17° 48'.9 S 117° 04'.2 E

17° 28'.7 S 117° 30'.3 E

16° 52'.6 S 116° 59'.6 E

17° 12'.3 S 116° 34'.1 E.

Chart temporarily affected - Aus 326 - Aus 4722 (INT 722) - Aus 4723 (INT 723) - AX 04722U - AX 04723U**291(T)/2014 AUSTRALIA - WESTERN AUSTRALIA - Montebello Islands - Drill rig northwestwards***Former Notice* - 1290(T)/2013 is cancelled*Date* - Until 31 March 2014MODU *Deepwater Frontier* (AA727728), Australian Maritime Safety Authority Auscoast Warning 61/2014 (AA727729)Drill rig *Deepwater Frontier* is conducting drilling operations in position 19° 46'.04 S 114° 35'.38 E.**Chart temporarily affected - Aus 328 - Aus 4723 (INT 723) - AX 04723U****292(T)/2014 AUSTRALIA - WESTERN AUSTRALIA - Montebello Islands - Drill rig northwestwards***Date* - Until 30 June 2014MODU *Atwood Eagle* (AA727296), Australian Maritime Safety Authority Auscoast Warning 58/2014 (AA727300)Drill rig *Atwood Eagle* is conducting drilling operations in position 20° 01'.82 S 115° 12'.11 E.**Chart temporarily affected - Aus 328 - Aus 4723 (INT 723) - AX 04723U****293(T)/2014 AUSTRALIA - WESTERN AUSTRALIA - Montebello Islands - Drill rig northwestwards moved***Former Notice* - 142(T)/2014 is cancelledMODU *Atwood Eagle* (AA727143)

Cancel this notice on receipt.

Chart formerly affected - Aus 328 - Aus 742 - Aus 4723 (INT 723) - AX 04723U

294(T)/2014 AUSTRALIA - WESTERN AUSTRALIA - Montebello Islands - Mooring buoys northwestwards withdrawn
Former Notice - 237(T)/2014 is cancelled
 MODU *Atwood Eagle* (AA727296)

Cancel this notice on receipt.

Chart formerly affected - Aus 328

295(T)/2014 AUSTRALIA - WESTERN AUSTRALIA - Montebello Islands - Rock dumping northwards completed
Former Notice - 187(T)/2014 is cancelled
 Chevron Australia Pty Ltd (AA727990)

Cancel this notice on receipt.

Chart formerly affected - Aus 327 - Aus 328

296(T)/2014 AUSTRALIA - WESTERN AUSTRALIA - Muiron Islands - Seismic survey northwards
Former Notice - 188(T)/2014 is cancelled
Date - Until 30 April 2014
 Woodside Energy Ltd (AA726991)

SSV *Polarcus Alima*, with a 7000m towed array, and support vessels *Sealink161* and *Empress* are conducting a survey in the area bounded by the following positions:

21° 34'.5 S 114° 16'.5 E
 21° 34'.5 S 114° 22'.5 E
 21° 29'.5 S 114° 40'.0 E
 21° 24'.5 S 114° 47'.5 E
 21° 19'.0 S 114° 47'.5 E
 21° 03'.0 S 114° 40'.0 E
 20° 43'.0 S 114° 50'.5 E
 20° 40'.0 S 114° 45'.0 E
 20° 51'.5 S 114° 37'.0 E
 20° 51'.5 S 114° 23'.0 E
 21° 06'.5 S 114° 16'.5 E.

Chart temporarily affected - Aus 64 - Aus 328 - Aus 329 - Aus 743 - Aus 744 - Aus 4723 (INT 723) - Aus 4725 (INT 725) - AX 04723U

297(T)/2014 AUSTRALIA - WESTERN AUSTRALIA - North West Cape - Drill rig northwards moved
Former Notice - 1176(T)/2013 is cancelled
 MODU *Nan Hai 6* (AA726890)

Cancel this notice on receipt.

Chart formerly affected - Aus 328 - Aus 329 - Aus 744

298(T)/2014 AUSTRALIA - WESTERN AUSTRALIA - North West Cape - Drill rig northwestwards moved
Former Notice - 190(T)/2014 is cancelled
 MODU *Jack Bates* (AA726893)

Cancel this notice on receipt.

Chart formerly affected - Aus 328 - Aus 329 - Aus 4723 (INT 723) - Aus 4725 (INT 725) - AX 04723U

299(T)/2014 AUSTRALIA - WESTERN AUSTRALIA - North West Cape - Light altered
Former Notice - 1227(T)/2013 is cancelled
Date - Until 7 July 2014
 Australian Maritime Safety Authority Temporary ATH 2/2014 (AA726889)

The light (21° 48'.37 S 114° 09'.61 E) has been temporarily altered to *Fl.10s 129m 21M*

Chart temporarily affected - Aus 328 - Aus 329 - Aus 744 - Aus 745 - Aus 4723 (INT 723) - Aus 4725 (INT 725) - AX 04723U

300(T)/2014 AUSTRALIA - WESTERN AUSTRALIA - Passage Islands - Obstructions*Former Notice* - 472(T)/2012 is cancelled*Date* - Until 31 March 2015

Department of Transport WA Notice 53/2012 (AA597010, AA727668)

Obstructions exist in the following positions:

21° 11'.28 S 115° 47'.70 E

21° 07'.76 S 115° 50'.10 E

21° 06'.01 S 115° 46'.93 E

21° 08'.15 S 115° 43'.83 E.

Chart temporarily affected - Aus 743**301(T)/2014 AUSTRALIA - WESTERN AUSTRALIA - Penguin Shoal - Drill rig northwestwards moved***Former Notice* - 929(T)/2013 is cancelledMODU *ENSCO 109* (AA727860)

Cancel this notice on receipt.

Chart formerly affected - Aus 314 - Aus 319 - Aus 4721 (INT 721) - Aus 4722 (INT 722) - AX 00314U - AX 00319U - AX 04721U - AX 04722U**302(T)/2014 AUSTRALIA - WESTERN AUSTRALIA - Scott Reef - Survey operations***Date* - Until 30 April 2014

Woodside Energy Ltd (AA727186)

MV *Fugro Equinox* is conducting a geophysical survey with an AUV in an area bounded by the following positions:

13° 54'.92 S 121° 55'.08 E

13° 54'.92 S 121° 45'.08 E

14° 29'.92 S 121° 25'.08 E

14° 34'.92 S 121° 25'.08 E

14° 44'.92 S 121° 35'.08 E

14° 44'.92 S 121° 40'.08 E

14° 39'.92 S 121° 45'.08 E

14° 14'.92 S 121° 45'.08 E

14° 14'.92 S 121° 52'.00 E

14° 04'.92 S 122° 05'.08 E

13° 54'.92 S 122° 05'.08 E

13° 54'.92 S 122° 10'.08 E

13° 49'.92 S 122° 10'.08 E

13° 49'.92 S 121° 55'.08 E.

Chart temporarily affected - Aus 43 - Aus 322 - Aus 4722 (INT 722) - AX 00322U - AX 04722U**303(T)/2014 AUSTRALIA - WESTERN AUSTRALIA - Seringapatam Reef - Drill rig eastwards***Date* - Until 4 July 2014MODU *Jack Bates* (AA719796)Drill rig *Jack Bates* is conducting drilling operations in position 13° 41'.53 S 122° 48'.20 E.**Chart temporarily affected - Aus 322 - Aus 4721 (INT 721) - Aus 4722 (INT 722) - AX 00322U - AX 04721U - AX 04722U****304(T)/2014 INDIAN OCEAN - Sumatera - Scientific instruments westwards***Former Notice* - 870(T)/2012 is cancelled

JAMSTEC (AA727730)

Scientific instruments, Triton buoys, exist as follows:

Number *Position*

17 5° 02'.12 S 94° 58'.61 E

18 1° 36'.41 S 90° 04'.85 E

19 8° 03'.97 S 95° 07'.43 E.

Chart temporarily affected - Aus 4070 (INT 70) - Aus 4071 (INT 71)

305(T)/2014 AUSTRALIA - SOUTH AUSTRALIA - Port Adelaide - Depth information*Former Notice* - 1295(T)/2013 is cancelled

Department of Planning, Transport and Infrastructure SA Notice 9/2014 (AA726464)

Available depths as at 3 March 2014:

<i>Berth</i>	<i>Metres</i>
Outer Harbor No1	11.0
Outer Harbor No2	10.5
Outer Harbor No3	10.5
Outer Harbor No4	10.5
Outer Harbor No6	13.8
Outer Harbor No8	15.7
Swinging Basin	13.7
Osborne Wharf No1	8.3
* Inner Harbor No29	9.5
Inner Harbor M	10.7
* Indicates new or revised entry	

Chart temporarily affected - Aus 137**306(T)/2014 AUSTRALIA - TASMANIA - Adventure Bay to Pitt Water - Scientific instruments***Former Notice* - 1291(T)/2011 is cancelled

Marine and Safety Tasmania (AA725256)

Cancel this notice on receipt.

Chart formerly affected - Aus 171 - Aus 173 - Aus 796**307(T)/2014 AUSTRALIA - TASMANIA - Bruny Island - Kinghorne Point - Light restored***Former Notice* - 1073(T)/2013 is cancelled

Marine and Safety Tasmania Notice M44/2014 (AA727617)

Cancel this notice on receipt.

Chart formerly affected - Aus 173 - Aus 795 - Aus 796**308(T)/2014 AUSTRALIA - TASMANIA - Mercury Passage - Light buoy re-established***Former Notice* - 1076(T)/2013 is cancelled

Marine and Safety Tasmania (AA726766)

Cancel this notice on receipt.

Chart formerly affected - Aus 170 - Aus 766 - Aus 797

309(T)/2014 AUSTRALIA - TASMANIA - Pipe Clay Head to Pitt Water - Scientific instruments*Date - Until 15 May 2015*

Marine and Safety Tasmania (AA725256)

Subsurface scientific instruments exist in the following positions:

42° 48'.25 S 147° 29'.91 E
 42° 48'.29 S 147° 31'.42 E
 42° 48'.43 S 147° 30'.02 E
 42° 49'.18 S 147° 34'.71 E
 42° 50'.70 S 147° 33'.57 E
 42° 50'.74 S 147° 35'.11 E
 42° 50'.90 S 147° 36'.91 E
 42° 51'.05 S 147° 32'.08 E
 42° 51'.33 S 147° 35'.89 E
 42° 51'.69 S 147° 34'.85 E
 42° 51'.82 S 147° 30'.92 E
 42° 51'.82 S 147° 33'.36 E
 42° 52'.35 S 147° 32'.10 E
 42° 52'.70 S 147° 36'.29 E
 42° 52'.94 S 147° 34'.16 E
 42° 53'.24 S 147° 31'.16 E
 42° 53'.79 S 147° 32'.67 E
 42° 53'.88 S 147° 37'.33 E
 42° 54'.20 S 147° 35'.44 E
 42° 54'.37 S 147° 30'.53 E
 42° 54'.47 S 147° 40'.80 E
 42° 54'.67 S 147° 33'.87 E
 42° 54'.92 S 147° 40'.78 E
 42° 55'.13 S 147° 31'.80 E
 42° 55'.36 S 147° 40'.76 E
 42° 55'.81 S 147° 40'.74 E
 42° 56'.99 S 147° 39'.68 E
 42° 57'.04 S 147° 38'.01 E
 42° 57'.15 S 147° 39'.22 E
 42° 57'.15 S 147° 37'.41 E
 42° 57'.28 S 147° 36'.79 E
 42° 57'.40 S 147° 36'.20 E
 42° 57'.51 S 147° 35'.59 E
 42° 57'.62 S 147° 34'.99 E
 42° 57'.73 S 147° 34'.44 E
 42° 57'.86 S 147° 33'.85 E
 42° 57'.96 S 147° 33'.30 E.

Chart temporarily affected - Aus 171 - Aus 796

HYDROGRAPHIC REPORTS

<i>Locality</i>	<i>Report</i>	<i>Ship/Authority</i>	<i>Observer</i>
SA- Reevesby Island	Depth		A Noble

NAVIGATION WARNINGS

The following radio messages have been received during the period to 13 March 2014. Signal copies of these messages may be destroyed. It is recommended that the reprint of Navigational Warnings should be kept in a file or a book divided into areas. Cancellation should be made on receipt of signals and reprints.

Rigs on location other than those listed in the latest Section III summary are the subject of Radio Navigational Warnings. Rigs in transit will not be the subject of Warnings.

AUSCOAST WARNING

- 051 Cancelled.
- 052 Cancelled.
- 053 Special purpose vessel *Solitaire* conducting underwater operations in an area bound by 19° 55'.0 S to 21° 29'.0 S 114° 43'.0 E to 115° 24'.0 E. 1M clearance requested.
- 054 2 large yellow buoys *Fl. W* deployed in positions 20° 02'.20 S 115° 12'.53 E and 20° 02'.06 S 115° 12'.83 E.
- 055 Cancelled.
- 056 Cancelled.
- 057 Drill rig *Stena Clyde* in position 14° 12'.50 S 123° 06'.50 E. 2.5M clearance requested.
- 058 Drill rig *Atwood Eagle* in position 20° 01'.82 S 115° 12'.11 E. 2.5M clearance requested.
- 059 Drill rig *Nan Hai 6* in position 19° 15'.57 S 116° 48'.78 E. 2.5M clearance requested.
- 060 Cancelled.
- 061 Drill rig *Deepwater Frontier* in position 19° 46'.04 S 114° 35'.38 E. 2.5M clearance requested.
- 062 Virtual AIS aid to navigation isolated danger mark MMSI No 995036059 at Singleton Patch moved to 14° 09'.63 S 144° 35'.57 E.
- 063 Virtual AIS aid to navigation isolated danger mark MMSI No 995036057 at Reeves Shoal moved to 10° 31'.54 S 142° 26'.67 E.
- 064 Virtual AIS aid to navigation isolated danger mark MMSI No 995036058 at Pearn Rock moved to 11° 25'.55 S 142° 56'.25 E.

NAVAREA X WARNINGS

- 013 Cancelled.
- 014 Cancelled.
- 015 Cancelled.
- 016 Uncharted 7.41m shoal reported in western approaches to Buka Passage position 5° 26'.71 S 154° 38'.19 E.

Navigational warnings in force as at 130001UTC MAR 14.**Auscoast**

2013 099

2014 014 020 041 043 046 049 050 053 054 057 058 059 061 062 063 064

Navarea X

2014 016

Summary of mobile drilling rigs as at 130001UTC MAR 14.

<i>Name</i>	<i>Position</i>
Noble Clyde Boudreaux	13° 49'.00 S 123° 19'.35 E
Stena Clyde	14° 12'.50 S 123° 06'.50 E
Transocean Legend	13° 34'.42 S 122° 20'.41 E
Nan Hai 6	19° 15'.57 S 116° 48'.78 E
Atwood Osprey	19° 54'.35 S 115° 16'.12 E
Atwood Eagle	20° 01'.82 S 115° 12'.11 E
Deepwater Frontier	19° 46'.04 S 114° 35'.38 E
Atwood Falcon	21° 20'.97 S 114° 04'.40 E
Ocean America	19° 54'.33 S 113° 52'.02 E

NAVAREA XIV WARNINGS

Nil.

Navarea XIV warnings in force as at 130001UTC MAR 14.

2013 098

2014 003

There are no Blocks in Edition 5 of 2014

This page is intentionally blank.