



25 April 2014

Edition 8

Australian Notices to Mariners are the authority for correcting Australian Charts and Publications

AUSTRALIAN NOTICES TO MARINERS

Notices 400 - 436



Published fortnightly by the Australian Hydrographic Service

Commodore B.K. BRACE RAN
Hydrographer of Australia

SECTIONS.

- I. Australian Notices to Mariners, including blocks and notes.
- II. Hydrographic Reports.
- III. Navigational Warnings.

SUPPLEMENTS.

- I. Tracings
- II. Cumulative List of Australian Notices to Mariners.
- III. Cumulative List of Temporary and Preliminary Australian Notices to Mariners.
- IV. Temporary and Preliminary Notices in force.
- V. Amendments to Admiralty List of Lights and Fog Signals (Vol K), Radio Signals (NP 281(2), 282, 283(2), 285, 286(4)) and Sailing Directions (NP 9, 13, 14, 15, 33, 34, 35, 36, 39, 44, 51, 60, 61, 62, 100, 136).

© Commonwealth of Australia 2014

This work is copyright. Apart from any use permitted under the Copyright Act 1968, no part may be reproduced by any process, adapted, communicated or commercially exploited without prior written permission from The Commonwealth represented by the Australian Hydrographic Service.

IMPORTANT NOTICE

This edition of Notices to Mariners includes all significant information affecting AHS products which the AHS has become aware of since the last edition. All reasonable efforts have been made to ensure the accuracy and completeness of the information, including third party information, on which these updates are based. The AHS regards third parties from which it receives information as reliable, however the AHS cannot verify all such information and errors may therefore exist. The AHS does not accept liability for errors in third party information.

GENERAL INSTRUCTIONS

The substance of these notices should be inserted on the charts affected.

Bearings are referred to the true compass and are reckoned clockwise from North; those relating to lights are given as seen by an observer from seaward. Positions quoted in permanent notices relate to the horizontal datum for the chart(s). When preliminary or temporary notices affect multiple charts, positions will be provided in relation to only one horizontal datum and that datum will be specified. When the multiple charts do not have a common horizontal datum, mariners will be required to adjust the position(s) for those charts not on the specified datum. The range quoted for a light is its nominal range. Depths are with reference to the chart datum of each chart. Heights are above mean high water springs or mean higher high water, as appropriate.

The capital letter (P) or (T) after the number of any notice denotes a preliminary or temporary notice respectively, which are contained separately at the end of the permanent notices. A star (*) adjacent to the number of a notice indicates that the notice is based on original information.

REPORTING OF DANGERS

Mariners are particularly requested to notify the AUSTRALIAN HYDROGRAPHIC SERVICE, Locked Bag 8801 Wollongong, NSW 2500 (Fax 02-4223 6599, e-mail Hydro.NTM@defence.gov.au or, alternatively by filling in and submitting the [Hydrographic Notes](#) forms located on the web site – www.hydro.gov.au), immediately on the discovery of new dangers or suspected dangers to navigation. For changes or defects in aids to navigation notify AusSAR (Fax 02-6230 6868 or email rccaus@amsa.gov.au).

AUTHORISED USE

Copies of Australian notices are available free of charge from the Australian Hydrographic Service (AHS) website (www.hydro.gov.au) and through the eNotices (email) service (www.hydro.gov.au/enotices/enotices.htm).

Individual Notices may be copied for the purpose of inserting Notice substance on official charts and publications. Paper copies may be printed by chart agents and distributed to customers on a cost recovery basis. Participating chart agents are listed on the AHS website as providing a 'Paper Notices to Mariners' service (www.hydro.gov.au/prodserv/distributors/distributors.htm). Copies of the notices may not be sold for profit without prior written agreement.

NUMERICAL INDEX OF NOTICES TO MARINERS

Edition No 8

Notices	Aus Chart, INT Chart, ENC Cell, AHP, BA Pubs
400	Product
401	Amendment to Australian Notice to Mariners No 2
402	Aus 823, AX 00823S
403	Aus 833
404	Aus 490, 816
405	Aus 755, 756, AX 00755S
406	Aus 328, 329, 744
407	Aus 741
408	Aus 143, 158
409	Aus 171, 173
410(T)	Aus 207, 208, 809, AX 00809S
411(T)	Aus 262, 263, 264, 830, AX 00262T
412(T)	Aus 263, 264
413(T)	Aus 832
414(T)	Aus 270
415(T)	Aus 270
416(T)	Aus 252, 253, 254
417(T)	Aus 235
418(T)	Aus 235, 236, 237, 238
419(T)	Aus 270
420(T)	Aus 270
421(T)	Aus 256, 827
422(T)	Aus 248, 367, 490, 820, AX 00367S, 00820S
423(T)	Aus 262, AX 00262T
424(T)	Aus 26, 309, 722, AX 00026T, 00309T, 00309U, 00722T
425(T)	Aus 24, 26, 309, 722, AX 00026T, 00309U, 00309T, 00722T
426(T)	Aus 319, 320, AX 00319U
427(T)	Aus 755, AX 0755E, 66002
428(T)	Aus 4723, INT 723, AX 04723U
429(T)	Aus 328, 4723, INT 723, AX 04723U
430(T)	Aus 329, 4723, 4725, INT 723, 725, AX 04723U
431(T)	Aus 322, AX 00322U
432(T)	Aus 4727, INT 727
433(T)	Aus 155
434(T)	Aus 357, 4644, INT 644
435(T)	Aus 173, 795, 796
436(T)	Aus 173, 795

NUMERICAL INDEX OF CHARTS AFFECTED

Edition No 8

Aus Chart	Notices
Aus 24	425(T)
Aus 26	424(T), 425(T)
Aus 143	408
Aus 155	433(T)
Aus 158	408
Aus 171	409
Aus 173	409, 435(T), 436(T)
Aus 207	410(T)
Aus 208	410(T)
Aus 235	417(T), 418(T)
Aus 236	418(T)
Aus 237	418(T)
Aus 238	418(T)
Aus 248	422(T)
Aus 252	416(T)
Aus 253	416(T)
Aus 254	416(T)
Aus 256	421(T)
Aus 262	411(T), 423(T)
Aus 263	411(T), 412(T)
Aus 264	411(T), 412(T)
Aus 270	414(T), 415(T), 419(T), 420(T)
Aus 309	424(T), 425(T)
Aus 319	426(T)
Aus 320	426(T)
Aus 322	431(T)
Aus 328	406, 429(T)
Aus 329	406, 430(T)
Aus 357	434(T)
Aus 367	422(T)
Aus 490	404, 422(T)
Aus 722	424(T), 425(T)
Aus 741	407
Aus 744	406
Aus 755	405, 427(T)
Aus 756	405
Aus 795	435(T), 436(T)
Aus 796	435(T)
Aus 809	410(T)
Aus 816	404
Aus 820	422(T)
Aus 823	402
Aus 827	421(T)
Aus 830	411(T)
Aus 832	413(T)
Aus 833	403
Aus 4644	434(T)
Aus 4723	428(T), 429(T), 430(T)
Aus 4725	430(T)
Aus 4727	432(T)
AX 00026T	424(T), 425(T)
AX 00262T	411(T), 423(T)
AX 00309T	424(T), 425(T)
AX 00309U	424(T), 425(T)

Aus Chart	Notices
AX 00319U	426(T)
AX 00322U	431(T)
AX 00367S	422(T)
AX 00722T	424(T), 425(T)
AX 00755S	405
AX 0755E	427(T)
AX 00809S	410(T)
AX 00820S	422(T)
AX 00823S	402
AX 04723U	428(T), 429(T), 430(T)
AX 66002	427(T)

INT Chart	Notices
INT 644	434(T)
INT 723	428(T), 429(T), 430(T)
INT 725	430(T)
INT 727	432(T)

400 AUSTRALIA - Product
Australian Hydrographic Service

New Edition to be published shortly

<i>Chart</i>	<i>Title</i>	<i>Scale</i>	<i>Expected Publication Date</i>
Aus 81	Australia – West Coast - Western Australia – Approaches to Geraldton	1:25 000	9 May 2014

For further details refer to the AHS website at www.hydro.gov.au for new edition and new chart stock arrival information.

When placing orders with a chart agent, mariners should advise whether their order pertains to the current edition or the new edition.

401 AUSTRALIA - Product - Amendment to Australian Notice to Mariners No 2
Australian Hydrographic Service (AA734586)

Page 14

Delete entry for Global Charts & Nav aids (India)

402* AUSTRALIA - QUEENSLAND - Hay Point - Anchorages
UKHO (AA733971)

Aus 823 [1079/2013]

Delete	anchorage centred on	21° 17'.0 S	149° 22'.0 E
	anchorage centred on	21° 17'.1 S	149° 23'.0 E

AX 00823S [1079/2013]

Delete	anchorage centred on	21° 17'.0 S	149° 22'.0 E
	anchorage centred on	21° 17'.1 S	149° 23'.0 E

403* AUSTRALIA - QUEENSLAND - Joan Reef - Light altered
Former Notice - 273(P)/2014 is cancelled
AMSA ATH 6/2014 (AA734277)

Aus 833 [321/2014]

Amend	light to, <i>Fl(4) WR.12s10M</i>	13° 56'.8 S	144° 20'.4 E
-------	----------------------------------	-------------	--------------

404* AUSTRALIA - CORAL SEA - North Gardner Bank - Depths

Geoscience Australia GA4401 (AA734585)

Aus 490 [1040/2013]

Insert	contour between	24° 44'.9 S	153° 34'.4 E
		24° 48'.0 S	153° 37'.8 E
Delete	contour between	24° 44'.9 S	153° 34'.3 E
		24° 45'.3 S	153° 36'.7 E
	contour between	24° 46'.5 S	153° 37'.6 E
		24° 48'.0 S	153° 37'.8 E

Aus 816 [33/2014]

Insert	contour between	24° 47'.70 S	153° 36'.45 E
		24° 46'.32 S	153° 35'.05 E
	contour between	24° 46'.79 S	153° 37'.23 E
		24° 46'.12 S	153° 36'.30 E
Delete	depth, 239m contour between	24° 46'.6 S	153° 36'.6 E
		24° 47'.6 S	153° 36'.5 E
		24° 46'.1 S	153° 37'.3 E
		24° 46'.3 S	153° 35'.1 E
	depth, 2935m, and enclosing contour depth, 454m contour between	24° 50'.9 S	153° 48'.7 E
		24° 54'.5 S	153° 41'.4 E
		24° 53'.8 S	153° 40'.5 E
		24° 54'.2 S	153° 41'.1 E
	contour between	24° 54'.4 S	153° 41'.6 E
		24° 55'.3 S	153° 41'.2 E

405* AUSTRALIA - WESTERN AUSTRALIA - Busselton - Light beacon

Department of Fisheries WA (AA734006, AA725160)

Aus 755 [449/2013]

Insert	special light beacon, <i>Fl. Y.5s</i> , without topmark	33° 38'.31 S	115° 20'.72 E
--------	---	--------------	---------------

Aus 756 [325/2014]

Insert	special light beacon, <i>Fl. Y.5s</i> , without topmark	33° 38'.31 S	115° 20'.72 E
--------	---	--------------	---------------

AX 00755S [449/2013]

Insert	special light beacon, <i>Fl. Y.5s</i> , without topmark	33° 38'.31 S	115° 20'.72 E
--------	---	--------------	---------------

406* AUSTRALIA - WESTERN AUSTRALIA - Muiron Islands - Light buoy westwards

MetOcean Engineers (AA734007)

Aus 328 [43/2014]

Delete	buoy	21° 34'.5 S	113° 58'.5 E
--------	------	-------------	--------------

Aus 329 [118/2014]

Delete	buoy	21° 34'.5 S	113° 58'.5 E
--------	------	-------------	--------------

Aus 744 [121/2014]

Insert	special spherical light buoy, <i>Q(5)Y.20s</i> , without topmark	21° 29'.93 S	114° 02'.34 E
--------	--	--------------	---------------

407* AUSTRALIA - WESTERN AUSTRALIA - Rankin Bank - Light buoy eastwards

MetOcean Engineers (AA734007)

Aus 741 [157/2014]

Move	light buoy to	19° 33'.6 S	116° 29'.6 E
		19° 34'.65 S	116° 28'.90 E

408* AUSTRALIA - VICTORIA - Port Phillip - South Channel - Infrastructure*Former Notice - 796(T)/2007 is cancelled*

Victorian Notices Notice 79/2014 (AA734672)

Aus 143 [216/2014]

Substitute dolphin for beacon

38° 18'.3 S

144° 46'.4 E

Aus 158 [329/2014]

Substitute dolphin for beacon

38° 18'.34 S

144° 46'.43 E

409***AUSTRALIA - TASMANIA - D'Entrecasteaux Channel - Oyster Cove to Shelter Cove - Infrastructure**

Andrew Boon (AA734591), MAST (AA734597)

Aus 171 [332/2014]Delete jetty
jetty

43° 07'.1 S

147° 19'.7 E

43° 06'.9 S

147° 16'.3 E

Aus 173 [330/2014]Delete jetty
jetty

43° 07'.1 S

147° 19'.7 E

43° 06'.9 S

147° 16'.3 E

410(T)/2014 AUSTRALIA - NEW SOUTH WALES - Newcastle - Depth information

Former Notice - 267(T)/2014 is cancelled

Newcastle Port Corporation (AA735867)

Available depths as at 23 April 2014:

<i>Berth</i>	<i>Metres</i>	<i>Remarks</i>
* Eastern Basin 1	11.4	
Eastern Basin 2 North of Ch 450	11.6	
Eastern Basin 2 South of Ch 450	11.5	
Western Basin 3	11.6	
Western Basin 4	11.6	
Channel Berth	9.7	
Dyke 1	12.8	
Dyke 2	12.7	
Dyke 4	16.2	
Dyke 5	16.0	
Dyke 6	5.0	
Mayfield 4 Ch 27 to 266	12.7	
* BHP Wharf 6 to Ch 1050	7.6	
Kooragang 2	11.6	
Kooragang 2 North Dolphin Ch 182 to 243	11.6	
Kooragang 2 South Dolphin Ch -92 to 00	11.3	
Kooragang 3 Ch -40 to 00	11.8	
Kooragang 3 Ch 00 to 220	13.1	
Kooragang 4	16.5	
Kooragang 5	16.5	
Kooragang 6	16.5	
Kooragang 7	16.5	
Kooragang 8	16.3	
Kooragang 9	16.3	
Kooragang 10	16.2	
Throsby 1	8.4	
Carrington Wharf		To be sounded as and when required
Foreshore Park Berth	5.9	
Elgo Wharf		To be sounded as and when required
<i>Channels</i>		
Entrance Approach	17.7	
Entrance Channel (18.0m)	17.8	
Entrance Channel (17.4m)	17.4	
Entrance Channel (16.8m)	16.8	
Entrance Channel (16.2m)	16.2	
Entrance Channel to Horseshoe	15.2	
* Horseshoe	15.1	
* Steelworks Channel to Swinging Basin	15.1	
* Swinging Basin	14.8	
Hunter River South Arm (Kooragang 6 to buoy 16)	14.9	
Hunter River South Arm (buoy 16 to buoy 20)	14.8	
Basin Cutting	12.6	
Basin Area to Eastern & Western Basin Berths	12.3	
Basin Area to 1 Throsby	9.4	
Stockton Crossing	3.6	
* Indicates new or revised entry.		

Chart temporarily affected - Aus 207 - Aus 208 - Aus 809 - AX 00809S

411(T)/2014 AUSTRALIA - QUEENSLAND - Cairns - Depth information*Former Notice - 861(T)/2013 is cancelled*

Maritime Safety Queensland Notice 213(T)/2014 (AA734557)

Available depths as of 13 April 2014:

	<i>Metres</i>	<i>Remarks</i>
* Entrance Channel	8.0	
Crystal Swing Basin at:		
360 metre diameter	6.8	
380 metre diameter	6.4	
Swing Basin at:		
310 metre diameter	8.7	
320 metre diameter	7.8	
Marlin Marina	4.2	
<i>Berths:</i>		
No 1	8.4	
No 2	8.5	
No 3	8.4	
No 4	8.4	
No 5	8.2	
No 6	8.1	between 500 metres and 550 metres
No 6	7.7	between 550 metres and 600 metres
No 7	9.9	
No 8	10.0	
No 10	9.3	
No 12	10.5	
Smiths Creek 1	4.7	
* Indicates revised entry.		

Chart temporarily affected - Aus 262 - Aus 263 - Aus 264 - Aus 830 - AX 00262T**412(T)/2014 AUSTRALIA - QUEENSLAND - Cairns - Senrab Point - Pile driving***Former Notice - 270(T)/2014 is cancelled**Date - Until 30 June 2014*

Maritime Safety Queensland Notice 227(T)/2014 (AA735226)

The barge *Steel Trader* will be conducting pile driving operations in the vicinity of position 16° 56'.44 S 145° 46'.74 E.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 263 - Aus 264**413(T)/2014 AUSTRALIA - QUEENSLAND - Cape Flattery - Decapolis Reef - Light beacon, AIS***Date - Until 3 May 2014*

AMSA (AA735207, AA735209)

Decapolis Reef light beacon (14°51'.11 S 145°16'.40 E) has been destroyed.

A fixed structure offshore virtual AIS exists in situ

A starboard lateral light buoy, *Fl.G.2-5s*, will be established in position 14°50'.97 S 145°16'.54 E**Chart temporarily affected - Aus 832****414(T)/2014 AUSTRALIA - QUEENSLAND - Cooktown - Endeavour River - Light buoys off station**

Maritime Safety Queensland Notice 216(T)/2014 (AA734759)

The following light buoys are off station:

*No1, Fl.G.2-5s (15° 27'. 21 S 145° 15'. 33 E)**No2, Fl.R.2-5s (15° 27'. 22 S 145° 15'. 37 E)***Chart temporarily affected - Aus 270**

415(T)/2014 AUSTRALIA - QUEENSLAND - Cooktown - Endeavour River - Wreck
 Maritime Safety Queensland Notice 225(T)/2014 (AA735181)

A wreck marked by a light, *Fl. Y. 2-5s*, exists in position 15° 27'.84 S 145° 14'.92 E.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 270

416(T)/2014 AUSTRALIA - QUEENSLAND - Fitzalan Passage - Light buoy restored

Former Notice - 169(T)/2014 is cancelled

Maritime Safety Queensland Notice 231/2014 (AA735833)

Cancel this notice on receipt.

Chart formerly affected - Aus 252 - Aus 253 - Aus 254

417(T)/2014 AUSTRALIA - QUEENSLAND - Mooloolaba - Shoaling

Former Notice - 380(T)/2014 is cancelled

Maritime Safety Queensland Notice 1226(T)/2014 (AA735228)

Shoaling with a least depth of 2.2m exists within the main channel to Mooloolah River.

A least depth of 2.1m exists adjacent to the end of the eastern breakwater, in the vicinity of position 26° 40'.76 S 153° 07'.94 E.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 235

418(T)/2014 AUSTRALIA - QUEENSLAND - Moreton Bay - Brisbane River - Depth information*Former Notice - 382(T)/2014 is cancelled*

Brisbane Port Corporation (AA734537)

Available depths and under keel clearances (UKC) at 11 April 2014:

<i>Berth</i>	<i>Metres</i>	<i>Remarks</i>
Fisherman Islands No12	14.0	
* Fisherman Islands No11	14.0	
Fisherman Islands No10	14.1	
Fisherman Islands No9	14.0	
Fisherman Islands No8	13.9	
Fisherman Islands No7	13.8	
Fisherman Islands No6	14.0	
Fisherman Islands No5	14.0	
Fisherman Islands No4	13.8	
Fisherman Islands No3	13.8	
Fisherman Islands No2	14.1	
Fisherman Islands No1	13.7	
Fisherman Islands Grain and Woodchip	12.7	
Caltex Fisherman Islands	14.4	
Fisherman Islands Coal	13.6	
Fisherman Islands General Purpose	11.4	
BP Luggage Point	13.8	
Caltex Products	10.1	
Cement Australia Co Wharf	9.5	
BP Products	10.6	
Shell	10.7	
Graincorp Liquid Terminal	10.6	
Incitec North	9.7	
Incitec South	10.4	
Pinkenba 1	10.3	
Pinkenba 2	10.3	
Riverside Marina	-	
Sugar Terminal	9.7	
Cairncross Fitting Out Wharf	7.1	
Cairncross Breasting Wharf	4.7	
Brisbane Naval Wharf	4.3	
Maritime No1	8.7	
* Hamilton No4	10.0	
* Hamilton No1	8.5	
* Brisbane Cruise Ship Terminal	8.5	
	<i>Metres</i>	<i>UKC/Remarks</i>
<i>Moreton Bay:</i>		
North West Channel	15.0	2.3 (280m width)
North West Bypass Channel	9.2	1.6
Spitfire Channel	15.0	1.5 (600m width)
East Knoll Bypass Channel	6.0	1.4
East Channel	15.0	1.5 (300m width from western side)
Main Channel (M8 - M9)	10.0	1.8
Entrance Channel (E5 - EBCN)	14.7	1.5
<i>Brisbane River:</i>		
Outer Bar Cutting	13.7	1.46
Inner Bar Cutting	13.5	1.46
Fisherman Islands Swing Basin	13.5	1.3
River	9.1	0.6 / 0.9 (draft/tide)
Cement Australia Swing Basin	9.1	0.6 / 0.9 (draft/tide)
Pinkenba Swing Basin	9.0	0.6 / 0.9 (draft/tide)
Hamilton Swing Basin	8.2	0.6 / 0.9 (draft/tide)
* Indicates new or revised entry.		

Chart temporarily affected - Aus 235 - Aus 236 - Aus 237 - Aus 238

419(T)/2014 AUSTRALIA - QUEENSLAND - Port Douglas - Nav aids unreliable

Maritime Safety Queensland Notice 223(T)/2014 (AA735179)

Nav aids in Port Douglas are unreliable; mariners are advised to navigate with caution.

Chart temporarily affected - Aus 270

420(T)/2014 AUSTRALIA - QUEENSLAND - Port Douglas - Dicksons Inlet - Dredging operations

Former Notice - 173(T)/2014 is cancelled

Date - Until 16 May 2014

Maritime Safety Queensland Notice 224(T)/2014 (AA35180)

The dredge *Everglades* is conducting dredging operations in Dickson Inlet (16° 29'.00 S 145° 27'.55 E).

A submerged pipeline is marked by lateral light buoys as follows:

Q.R, 16° 29'. 172 S 145° 27'. 439 E

Q.G, 16° 29'. 157 S 145° 27'. 479 E.

The dredge will monitor VHF Ch 16.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 270

421(T)/2014 AUSTRALIA - QUEENSLAND - Rattlesnake Island - Live firing

Date - Until 9 May 2014

Maritime Safety Queensland Notice 230(T)/2014 (AA735866)

Live firing activities will be conducted within a 5M radius of position 19° 02'.10 S 146° 36'.38 E during the period 28 April to 9 May 2014.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 256 - Aus 827

422(T)/2014 AUSTRALIA - QUEENSLAND - Shoalwater Bay - Live firing

Date - Until 4 May 2014

Maritime Safety Queensland Notice 220(T)/2014 (AA735176)

Live firing activities will be conducted in the Shoalwater Bay training area; a marine danger area extends to all internal waters bounded by the following positions:

22° 35'.87 S 150° 28'.80 E

22° 34'.16 S 150° 30'.72 E

22° 33'.77 S 150° 32'.70 E

22° 33'.23 S 150° 35'.28 E

22° 33'.13 S 150° 42'.40 E

22° 40'.00 S 150° 38'.00 E.

All waters, creeks, beaches and other areas within the declared marine danger area are not available for access.

Mariners are advised to keep clear of this area throughout the above times.

Chart temporarily affected - Aus 248 - Aus 367 - Aus 490 - Aus 820 - AX 00367S - AX 00820S

423(T)/2014 AUSTRALIA - QUEENSLAND - Yorkeys Knob - Light beacon destroyed

Maritime Safety Queensland Notice 222(T)/2014 (AA735178)

The port lateral light beacon (16° 48'.01 S 145° 43'.03 E) has been destroyed.

Chart temporarily affected - Aus 262 - AX 00262T

424(T)/2014 AUSTRALIA - NORTHERN TERRITORY - Darwin - Middle Pass - Shoaling
 Darwin Port Corporation Notice 58/2014 (AA735006)

Shoaling, least depth 4.3m, exists within an area bounded by:

12° 21'.30 S 130° 43'.25 E

12° 22'.15 S 130° 43'.77 E

12° 22'.08 S 130° 43'.91 E

12° 21'.25 S 130° 43'.41 E

Chart temporarily affected - Aus 26 - Aus 309 - Aus 722 - AX 00026T - AX 00309T - AX 00309U - AX 00722T

425(T)/2014 AUSTRALIA - NORTHERN TERRITORY - Darwin - Charles Point Patches to Middle Arm - Dredging; buoys

Date - Until 15 May 2014

Darwin Port Corporation Notice 59/2014 (AA735339)

Dredgers *Simpson* and *Baldur*, with barges *Cornelis Lely* and *Pieter Caland* are conducting dredging operations parallel to the existing submarine gas pipeline between positions 12° 32'.15 S 130° 50'.65 E and 12° 19'.75 S 130° 39'.75 E.

Temporary anchors marked by special cylindrical buoys exist in position 12° 32'.01 S 130° 51'.91 E and 12° 32'.08 S 130° 52'.01 E.

A 250m radius safety zone exists around all vessels.

Chart temporarily affected - Aus 24 - Aus 26 - Aus 309 - Aus 722 - AX 00026T - AX 00309U - AX 00309T - AX 00722T

426(T)/2014 AUSTRALIA - WESTERN AUSTRALIA - Browse Island - Buoys recovered

Former Notice - 64(T)/2013 is cancelled

Delmar Systems Inc (AA645444)

Cancel this notice on receipt.

Chart formerly affected - Aus 319 - Aus 320 - AX 00319U

427(T)/2014 AUSTRALIA - WESTERN AUSTRALIA - Comet Bay - Scientific instrument recovered

Former Notice - 278(T)/2011 is cancelled

CSIRO (AA734880)

Cancel this notice on receipt.

Chart formerly affected - Aus 755 - AX 0755E - AX 66002

428(T)/2014 AUSTRALIA - WESTERN AUSTRALIA - Exmouth Plateau - Scientific instruments

Date - Until 30 June 2015

MetOcean Engineers (AA735327), Woodside Energy Ltd (AA735354)

Scientific instruments marked by special light buoys, Q(5)Y.20s, exist in positions:

19° 50'.41 S 112° 37'.37 E

19° 50'.06 S 112° 39'.51 E.

A subsurface scientific instrument exists 20 meters below the surface in position 19° 50'.07 S 112° 38'.63 E.

Chart temporarily affected - Aus 4723 (INT 723) - AX 04723U

429(T)/2014 AUSTRALIA - WESTERN AUSTRALIA - Montebello Islands - Drill rig northwestwards

Former Notice - 291(T)/2014 is cancelled

Date - Until 11 May 2014

MODU *Deepwater Frontier* (AA734224), AMSA Auscoast 86/2014

MODU *Deepwater Frontier* is conducting drilling operations in position 19° 50'.12 S 114° 34'.10 E.

Chart temporarily affected - Aus 328 - Aus 4723 (INT 723) - AX 04723U

430(T)/2014 AUSTRALIA - WESTERN AUSTRALIA - North West Cape - Drill rig northwestwards*Date - Until 20 June 2014**MODU Deepwater Millennium (AA735326)**MODU Deepwater Millennium is conducting drilling operations in position 21° 25'.86 S 113° 25'.59 E.***Chart temporarily affected - Aus 329 - Aus 4723 (INT 723) - Aus 4725 (INT 725) - AX 04723U****431(T)/2014 AUSTRALIA - WESTERN AUSTRALIA - Seringapatam Reef - Scientific instruments recovered***Former Notice - 1053(T)/2012 is cancelled**Fugro Survey Pty Ltd (AA735409)**Cancel this notice on receipt.***Chart formerly affected - Aus 322 - AX 00322U****432(T)/2014 AUSTRALIA - SOUTH AUSTRALIA - Great Australian Bight - Ceduna Terrace - Scientific instruments recovered***Former Notice - 73(T)/2013 is cancelled**MetOcean Engineers (AA735327)**Cancel this notice on receipt.***Chart formerly affected - Aus 4727 (INT 727)****433(T)/2014 AUSTRALIA - VICTORIA - Port Phillip - St Kilda - Harbour works completed***Former Notice - 879(T)/2013 is cancelled**Victorian Notice 75/2014 (AA734231)**Note: Aus 155 plan has been updated in new edition to be published shortly.**Cancel this notice on receipt.***Chart formerly affected - Aus 155****434(T)/2014 AUSTRALIA - BASS STRAIT - Light unlit***AMSA (AA735003)**The light, Mo(U)15s (38° 11'.23 S 148° 23'.23 E), is unlit.***Chart temporarily affected - Aus 357 - Aus 4644 (INT 644)****435(T)/2014 AUSTRALIA - TASMANIA - Bruny Island - Storm Bay - Scientific instruments recovered***Former Notice - 241(T)/2014 is cancelled**MAST (AA734628)**Cancel this notice on receipt.***Chart formerly affected - Aus 173 - Aus 795 - Aus 796****436(T)/2014 AUSTRALIA - TASMANIA - D'Entrecasteaux Channel - Huon Point - Scientific instruments recovered***Former Notice - 242(T)/2014 is cancelled**MAST (AA734628)**Cancel this notice on receipt.***Chart formerly affected - Aus 173 - Aus 795**

HYDROGRAPHIC REPORTS

<i>Locality</i>	<i>Report</i>	<i>Ship/Authority</i>	<i>Observer</i>
TAS- D'Entrecasteaux Channel	Infrastructure		A Boon

NAVIGATION WARNINGS

The following radio messages have been received during the period to 24 April 2014. Signal copies of these messages may be destroyed. It is recommended that the reprint of Navigational Warnings should be kept in a file or a book divided into areas. Cancellation should be made on receipt of signals and reprints.

Rigs on location other than those listed in the latest Section III summary are the subject of Radio Navigational Warnings. Rigs in transit will not be the subject of Warnings.

AUSCOAST WARNING

085 Cancelled.
 086 Drill rig *Deepwater Frontier* in position 19° 50'.12 S 114° 34'.10 E. 2.5M clearance requested.
 087 Cancelled.
 088 Cancelled.
 089 King Island light K3223.5 in position 13° 56'.80 S 144° 20'.42 E unlit.
 090 Cancelled.
 091 Cancelled.
 092 Cancelled.
 093 Tuna platform light in position 38° 11'.23 S 148° 23'.23 E unlit.
 094 Cancelled.
 095 Subsurface data logger and acoustic current profiler marked by danbuoy in position 13° 46'.57 S 126° 07'.29 E.
 096 Cancelled.
 097 Virtual AIS MMSI 995036081 established at Decapolis Reef in position 14° 51'.11 S 145° 16'.40 E.
 098 Decapolis Reef light K3215 in position 14° 51'.11 S 145° 16'.40 E destroyed.
 099 Special purpose vessel *Polarcus Alima* conducting seismic survey in an area bounded by 20° 39'.5 S to 21° 34'.5 S and 114° 16'.0 E to 114° 50'.2 E. 5M clearance requested.
 100 Cancelled.
 101 Nardana Patches current meter in position 10° 30'.28 S 142° 14'.63 E temporarily discontinued.

NAVAREA X WARNINGS

023 Cancelled.
 024 Cancelled.

Navigational warnings in force as at 240001UTC APR 14.**Auscoast**

2014 020 043 046 050 053 054 057 058 062 063 064 065 069 072 074 076 078 079 082 084 086 089 093 095 097 098 099 101.

Navarea X

2014 016 022

Summary of mobile drilling rigs as at 240001UTC APR 14.

<i>Name</i>	<i>Position</i>
Nan Hai 6	9° 50'.20 S 130° 20'.40 E
Noble Clyde Boudreaux	13° 49'.00 S 123° 19'.35 E
Stena Clyde	14° 12'.50 S 123° 06'.50 E
Jack Bates	13° 41'.54 S 122° 48'.21 E
Transocean Legend	13° 34'.42 S 122° 20'.41 E
Atwood Osprey	19° 54'.35 S 115° 16'.12 E
Atwood Eagle	20° 01'.82 S 115° 12'.11 E
Deepwater Frontier	19° 50'.12 S 114° 34'.10 E
Ocean America	20° 19'.40 S 114° 27'.80 E
Atwood Falcon	21° 20'.97 S 114° 04'.40 E

NAVAREA XIV WARNINGS

Nil issued.

Navarea XIV warnings in force as at 240001UTC APR 14.

2014 003

There are no Blocks in Edition 8 of 2014

This page is intentionally blank.