

18 July 2014

Australian Notices to Mariners are the authority for correcting Australian Charts and Publications

AUSTRALIAN NOTICES TO MARINERS

Notices 670 - 715



Published fortnightly by the Australian Hydrographic Service

Commodore B.K. BRACE RAN Hydrographer of Australia

SECTIONS.

- I. Australian Notices to Mariners, including blocks and notes.
- II. Hydrographic Reports.
- III. Navigational Warnings.

SUPPLEMENTS.

- I. Tracings
- II. Cumulative List of Australian Notices to Mariners.
- III. Cumulative List of Temporary and Preliminary Australian Notices to Mariners.
- **IV.** Temporary and Preliminary Notices in force.
- V. Amendments to Admiralty List of Lights and Fog Signals (Vol K), Radio Signals (NP 281(2), 282, 283(2), 285, 286(4)) and Sailing Directions (NP 9, 13, 14, 15, 33, 34, 35, 36, 39, 44, 51, 60, 61, 62, 100, 136).

© Commonwealth of Australia 2014

This work is copyright. Apart from any use permitted under the Copyright Act 1968, no part may be reproduced by any process, adapted, communicated or commercially exploited without prior written permission from The Commonwealth represented by the Australian Hydrographic Service.

IMPORTANT NOTICE

This edition of Notices to Mariners includes all significant information affecting AHS products which the AHS has become aware of since the last edition. All reasonable efforts have been made to ensure the accuracy and completeness of the information, including third party information, on which these updates are based. The AHS regards third parties from which it receives information as reliable, however the AHS cannot verify all such information and errors may therefore exist. The AHS does not accept liability for errors in third party information.

GENERAL INSTRUCTIONS

The substance of these notices should be inserted on the charts affected.

Bearings are referred to the true compass and are reckoned clockwise from North; those relating to lights are given as seen by an observer from seaward. Positions quoted in permanent notices relate to the horizontal datum for the chart(s). When preliminary or temporary notices affect multiple charts, positions will be provided in relation to only one horizontal datum and that datum will be specified. When the multiple charts do not have a common horizontal datum, mariners will be required to adjust the position(s) for those charts not on the specified datum. The range quoted for a light is its nominal range. Depths are with reference to the chart datum of each chart. Heights are above mean high water springs or mean higher high water, as appropriate.

The capital letter (P) or (T) after the number of any notice denotes a preliminary or temporary notice respectively, which are contained separately at the end of the permanent notices. A star (*) adjacent to the number of a notice indicates that the notice is based on original information.

REPORTING OF DANGERS

Mariners are particularly requested to notify the AUSTRALIAN HYDROGRAPHIC SERVICE, Locked Bag 8801 Wollongong, NSW 2500 (Fax 02-4223 6599, e-mail Hydro.NTM@defence.gov.au or, alternatively by filling in and submitting the Hydrographic Notes forms located on the web site – www.hydro.gov.au), immediately on the discovery of new dangers or suspected dangers to navigation. For changes or defects in aids to navigation notify AusSAR (Fax 02-6230 6868 or email rccaus@amsa.gov.au).

AUTHORISED USE

Copies of Australian notices are available free of charge from the Australian Hydrographic Service (AHS) website (www.hydro.gov.au) and through the eNotices (email) service (www.hydro.gov.au/enotices/enotices.htm).

Individual Notices may be copied for the purpose of inserting Notice substance on official charts and publications. Paper copies may be printed by chart agents and distributed to customers on a cost recovery basis. Participating chart agents are listed on the AHS website as providing a 'Paper Notices to Mariners' service (www.hydro.gov.au/prodserv/distributors/distributors.htm). Copies of the notices may not be sold for profit without prior written agreement.

NUMERICAL INDEX OF NOTICES TO MARINERS

Edition No 14

Notices	Aus Chart, INT Chart, ENC Cell, AHP, BA Pubs
670	Aus 57, 58, 59, 60, 249, 251, 260, 367, 490, 605, 816, 818, 819, 820, 821, 822, 823, 824
671	Amendment to Australian National Tide Tables 2014
672	Aus 204
673	Aus 207, 809, AX 00809S
674	Aus 252, 253
675	Aus 230
676	Aus 257
677	Aus 28
678	Aus 49
679	Aus 319, 320, AX 00319U
680	Aus 74
681	Aus 84, 753
682	Aus 110, AX 00110S
683	Aus 54
684	Aus 50, 324
685	Aus 4070, 4071, INT 70, 71
686	Aus 136, 485, 778
687	Aus 143
688(T)	Aus 207, 208
689(T)	Aus 207, 208, 809, AX 00809S
690(T)	Aus 247, 490, 819, 820, AX 00367S
691(T)	Aus 249, 250, AX 00249S
692(T)	Aus 235, 236, 237, 238, 814, 815
693(T)	Aus 236
694(T)	Aus 270
695(T)	Aus 248, 260, 261, 367, 490, 820, 822, AX 00260T, 00260S, 00261L, 00367S, 00822S
696(T)	Aus 260, 367, 822, AX 00260S, 00260T, 00367S, 00822S
697(T)	Aus 26, 28, AX 00026T
698(T)	Aus 310, AX 00310U
699(T)	Aus 24, 26, 27, 29, 309, 314, 315, 316, 318, 319, 320, 722, 728, 4721, 4722, INT 721, 722, AX 00026T,
	00309U, 00309T, 00314U, 00315U, 00319U, 00722T, 04721U, 04722U
700(T)	Aus 328, 4723, 4725, INT 723, 725, AX 04723U
701(T)	Aus 328, 4723, INT 723, AX 04723U
702(T)	Aus 327, 328, 4723, INT 723, AX 04723U
703(T)	Aus 328
704(T)	Aus 328
705(T)	Aus 57, 327, 741, 742, 4722, 4723, INT 722, 723, AX 04722U, 04723U
706(T)	Aus 327, 741, 4722, 4723, INT 722, 723, AX 04722U, 04723U
707(T)	Aus 327, 741
708(T)	Aus 4722, INT 722, AX 04722U
709(T)	Aus 328
710(T)	Aus 754, AX 00754S, AXA 0754S
711(T)	Aus 329, 4723, 4725, INT 723, 725, AX 04723U
712(T)	Aus 920
713(T)	Aus 4708, 4723, INT 708, 723, AX 04708U, 04723U
714(T)	Aus 143
715(T)	Aus 178, 799

NUMERICAL INDEX OF CHARTS AFFECTED

Edition No 14

Aus Chart	Notices	Aus Chart	Notices
Aus 24	699(T)	Aus 728	699(T)
Aus 26	697(T), 699(T)	Aus 741	705(T), 706(T), 707(T)
Aus 27	699(T)	Aus 742	705(T)
Aus 28	677, 697(T)	Aus 753	681
Aus 29	699(T)	Aus 754	710(T)
Aus 49	678	Aus 778	686
Aus 50	684	Aus 799	715(T)
Aus 54	683	Aus 809	673, 689(T)
Aus 57	670, 705(T)	Aus 814	692(T)
Aus 58	670	Aus 815	692(T)
Aus 59	670	Aus 816	670
Aus 60	670	Aus 818	670
Aus 74	680	Aus 819	670, 690(T)
Aus 84	681	Aus 820	670, 690(T), 695(T)
Aus 110	682	Aus 821	670
Aus 136	686	Aus 822	670, 695(T), 696(T)
Aus 143	687, 714(T)	Aus 823	670
			670
Aus 178	715(T) 672	Aus 824 Aus 920	
Aus 204			712(T)
Aus 207	673, 688(T), 689(T)	Aus 4070	685
Aus 208	688(T), 689(T)	Aus 4071	685 712/T)
Aus 230	675 600 (T)	Aus 4708	713(T)
Aus 235	692(T)	Aus 4721	699(T)
Aus 236	692(T), 693(T)	Aus 4722	699(T), 705(T), 706(T), 708(T)
Aus 237	692(T)	Aus 4723	700(T), 701(T), 702(T), 705(T), 706(T),
			711(T), 713(T)
Aus 238	692(T)	Aus 4725	700(T), 711(T)
Aus 247	690(T)	AX 00026T	697(T), 699(T)
Aus 248	695(T)	AX 00110S	682
Aus 249	670, 691(T)	AX 00249S	691(T)
Aus 250	691(T)	AX 00260S	695(T), 696(T)
Aus 251	670	AX 00260T	695(T), 696(T)
Aus 252	674	AX 00261L	695(T)
Aus 253	674	AX 00309U	699(T)
Aus 257	676	AX 00309T	699(T)
Aus 260	670, 695(T), 696(T)	AX 00310U	698(T)
Aus 261	695(T)	AX 00314U	699(T)
Aus 270	694(T)	AX 00315U	699(T)
Aus 309	699(T)	AX 00319U	679, 699(T)
Aus 310	698(T)	AX 00367S	690(T), 695(T), 696(T)
Aus 314	699(T)	AX 00722T	699(T)
Aus 315	699(T)	AX 00754S	710(T)
Aus 316	699(T)	AX 00809S	673, 689(T)
Aus 318	699(T)	AX 00822S	695(T), 696(T)
Aus 319	679, 699(T)	AX 04708U	713(T)
Aus 320	679, 699(T)	AX 04721U	699(T)
Aus 324	684	AX 047210	699(T), 705(T), 706(T), 708(T)
Aus 327	702(T), 705(T), 706(T), 707(T)	AX 04723U	700(T), 701(T), 702(T), 705(T), 706(T),
100 021		/// 07/200	711(T), 713(T)
Aus 328 Aus 329	700(T), 701(T), 702(T), 703(T), 704(T), 709(T) 711(T)	AXA 0754S	710(T)
Aus 323 Aus 367	670, 695(T), 696(T)		
Aus 307 Aus 485	686		
Aus 485 Aus 490	670, 690(T), 695(T)		
Aus 490 Aus 605		INT Chart	Noticos
	670 600(T)		Notices
Aus 722	699(T)	INT 70	685

INT Chart	Notices
INT 71	685
INT 708	713(T)
INT 721	699(T)
INT 722	699(T), 705(T), 706(T), 708(T)
INT 723	700(T), 701(T), 702(T), 705(T), 706(T),
	711(T), 713(T)
INT 725	700(T), 711(T)

670 AUSTRALIA - Product

Australian Hydrographic Service (AA754585), UKHO (AA753532)

New Edition

New Editio	n				
Chart Aus 249	Published 18/7/2014	<i>Title and description of amendments</i> Australia - East Coast - Queensland - Approaches to Hay Point and Mackay 20° 58' 4 S - 21° 26' 3 S 149° 09' 3 E - 149° 56' 3 E <i>New edition with general updating throughout;</i> <i>including new two way route.</i>	<i>Scale</i> 1:75 000	Index Chart Aus 5000 & Aus 5001	<i>Price</i> \$35.00
Aus 251	18/7/2014	Australia - East Coast - Queensland - Bailey Islet to Repulse Islands 20° 35'·20 S – 21° 03'·10 S 148° 48'·75 E – 149° 39'·50 E New edition with general updating throughout; including new two way route.	1:75 000	Aus 5000 & Aus 5001	\$35.00
Aus 260	18/7/2014	Australia - East Coast - Queensland - Broad Sound Channel and Shoalwater Bay 22° 00'.18 S – 22° 26'.73 S 150° 00'.78 E – 150° 49'.57 E New edition with general updating throughout; including new two way route.	1:75 000	Aus 5000 & Aus 5001	\$35.00
Aus 605	18/7/2014	Australia - Southern Ocean - Heard and McDonald Islands 52° $36' \cdot 08 \text{ S} - 53^{\circ} 29' \cdot 00 \text{ S}$ 72° $06' \cdot 35 \text{ E} - 74^{\circ} 25' \cdot 00 \text{ E}$ Plan:	1:150 000	Aus 5001	\$35.00
		Atlas Cove 52° 57' 48 S – 53° 02' 60 S 73° 18' 00 E – 73° 26' 72 E New edition with general updating throughout; including latest surveys.	1:50 000		
Aus 821	18/7/2014	Australia - East Coast - Queensland - Hydrographers Passage 19° 33'·32 S – 21° 01'·92 S 149° 35'·07 E – 150° 34'·45 E New edition with general updating throughout; including new two way route.	1:150 000	Aus 5000 & Aus 5001	\$35.00
Aus 822	18/7/2014	Australia - East Coast - Queensland - Port Clinton to Percy Isles 21° 37'.00 S – 22° 32'.40 S 149° 25'.00 E – 150° 59'.00 E New edition with general updating throughout; including new two way route.	1:150 000	Aus 5000 & Aus 5001	\$35.00
Aus 823	18/7/2014	Australia - East Coast - Queensland - Percy Isles to Mackay $20^{\circ} 56^{\circ} \cdot 00 \text{ S} - 21^{\circ} 51^{\circ} \cdot 60 \text{ S}$ $149^{\circ} 09^{\circ} \cdot 00 \text{ E} - 150^{\circ} 43^{\circ} \cdot 00 \text{ E}$ New edition with general updating throughout; including new two way route.	1:150 000	Aus 5000 & Aus 5001	\$35.00
Aus 824	18/7/2014	Australia - East Coast - Queensland - Penrith Island to Whitsunday Island 20° 09' 40 S – 21° 05' 30 S 148° 37' 00 E – 150° 10' 90 E New edition with general updating throughout; including new two way route.	1:150 000	Aus 5000 & Aus 5001	\$35.00

New Electronic Navigation Chart (AusENC) Cell Name Released Title

Cell Name	Released	Inte
AU5127P7	July 2014	South Australia - South East Coast - Cape Jaffa Marina

670 AUSTRALIA - Product

New edition to be published shortly

Chart	Title	Scale	Expected Publication Date
Aus 57	Australia - North West Coast - Western Australia - Dampier Archipelago	1:75 000	1 August 2014
Aus 58	Australia - North West Coast - Western Australia - Port of Dampier	1:37 500	1 August 2014
Aus 59	Australia - North West Coast - Western Australia - Port of Dampier (Northern Sheet)	1:10 000	1 August 2014
Aus 60	Australia - North West Coast - Western Australia - Port of Dampier (Southern Sheet) Inset:	1:10 000	1 August 2014
	Kaiser Marina	1:10 000	
Aus 367	Australia - East Coast - Queensland - Swain Reefs to Penrith Island	1:300 000	1 August 2014
Aus 490	Australia - East Coast - Queensland - Sandy Cape to Swain Reefs	1:500 000	1 August 2014
Aus 816	Australia - East Coast - Queensland - North Spit to Breaksea Spit	1:150 000	1 August 2014
Aus 818	Australia - East Coast - Queensland - Sandy Cape to Bustard Head	1:150 000	1 August 2014
Aus 819	Australia - East Coast - Queensland - Bustard Head to North Reef Inset:	1:150 000	1 August 2014
	Fitzroy River	1:150 000	
Aus 820	Australia - East Coast - Queensland - North Reef to Port Clinton	1:150 000	1 August 2014

Chart permanently withdrawn

Chart	On publication of new edition
Aus 249	Aus 249
Aus 251	Aus 251
Aus 260	Aus 260
Aus 605	Aus 605
Aus 821	Aus 821
Aus 822	Aus 822
Aus 823	Aus 823
Aus 824	Aus 824

Admiralty publication

NP No	Title		Date	Remarks
NP39 & e-NP39	South Indian Ocean Edition) 2014.	Pilot (Fourteenth	17/07/2014	The thirteenth edition 2011 is cancelled.

For further details refer to the AHS website at www.hydro.gov.au for new edition and new chart stock arrival information.

When placing orders with a chart agent, mariners should advise whether their order pertains to the current edition or the new edition.

671 AUSTRALIA - Amendment to Australian National Tide Tables 2014 Australian Hydrographic Service (AA753432)

Page xxx <i>Amend</i>	Abbot Point To chart Datum AUS 255 NE 04 Jul 2014 0.0 Abbot Point To chart Datum AUS 826 NE 04 Jul 2014 0.0
Page xxxiv Amend	Melbourne To chart Datum AUS 155 NE 20 Jun 2014 0.0
Page xxxvii <i>Amend</i>	Townsville To chart Datum AUS 256 NE 04 Jul 2014 SUBTRACT 0.1

672* AUSTRALIA - NEW SOUTH WALES - Hawkesbury River - Prickly Point to Calabash Bay - Overhead cables

S Ranft (AA750128)

Δus	204	[672/2013]
Aus	204	10/2/2013

Delete	overhead cable with vertical clearance 18m, between	33° 30'.5 S 33° 30'.9 S	151° 10'.0 E 151° 10'.5 F
	overhead cable with vertical clearance 18m, between	33° 31'.4 S 33° 31'.7 S	151° 09'.3 E 151° 09'.8 E
	overhead cable with vertical clearance 17m, between	33° 35'.2 S 33° 35'.3 S	151° 07'.1 E 151° 07'.2 E

673* AUSTRALIA - NEW SOUTH WALES - Stockton Bight - Depth

Newcastle Port Corporation (DHDB 1337092)

Aus 207 [<i>789/2013</i>] Substitute depth, <i>15₂m</i> , for depth, 15 ₅ m	32° 53'.33 S	151° 49'.82 E
Aus 809 [<i>557/2014</i>] Substitute depth, 15_2m , for depth, 15_5m	32° 53'.3 S	151° 49'.8 E
AX 00809S [<i>557/2014</i>] Substitute depth, 15_2m , for depth, 15_5m	32° 53'.3 S	151° 49'.8 E

674* AUSTRALIA - QUEENSLAND - Daydream Island - Lights; navline Maritime Safety Queensland (AA750067)

Aus 252 [/\	IE 4/7/2014]		
Insert	a dashed line in a direction $062 \cdot 3^{\circ}$ for a distance of 0.54M, thence a continuous line for 1.35M, with legend $242 \cdot 3^{\circ}$, emanating from light	20° 15'.10 S	148° 48'.87 E
Move	light to	20° 15'.09 S 20° 15'.10 S	148° 48'.92 E 148° 48'.87 E
Delete	dashed and continuous line with legend 240.5° , emanating from	20° 15'.1 S	148° 48'.9 E
Aus 253 [3 Insert	8/2014] a dashed line in a direction 062·3° for a distance of 1000m, thence a continuous line for 2500m, with legend 242·3°, emanating from light	20° 15'.100 S	148° 48'.865 E
Move	light to	20° 15'.09 S 20° 15'.100 S	148° 48'.92 E 148° 48'.865 E
Delete	dashed and continuous line with legend $240\cdot5^\circ$, emanating from	20° 15'.09 S	148° 48'.92 E

675* AUSTRALIA - QUEENSLAND - Gold Coast - Nerang River - Naviads; vertical clearance

Former Notice - 272(T)/2014 is cancelled

Maritime Safety Queensland Notices 372/2014, 409/2014 (AA752432, AA754971)

Aus 230 [6		27° 58'.71 S	153° 25'.16 E
Substitute		27° 58'.73 S	153° 25'.21 E
Amend	vertical clearance to 4.3m	27° 58'.65 S	153° 25'.26 E

I

	AUSTRALIA - QUEENSLAND - Townsville - Light beacon; lights tice - 639(T)/2014 is cancelled afety Queensland Notice 387/2014 (AA753392, AA753457)		
Aus 257 [& Insert	563/2014] light, FI(4)Y.12s light, FI(4)Y.12s light, FI(4)Y.12s	19° 14'.500 S 19° 14'.553 S 19° 14'.615 S	146° 49'.735 E 146° 49'.812 E 146° 49'.900 E
Amend	light beacon to <i>Iso.G.5s No1</i> light to <i>Iso.R.5s No2</i>	19° 14'.43 S 19° 14'.46 S	146° 49'.64 E 146° 49'.68 E
Delete	light light light light	19° 14'.51 S 19° 14'.56 S 19° 14'.60 S 19° 14'.64 S	146° 49'.76 E 146° 49'.83 E 146° 49'.88 E 146° 49'.94 E
677 * INPEX Ope	AUSTRALIA - NORTHERN TERRITORY - Darwin - East Arm - Depths erations Australia Pty Ltd (DHDB 2684151)		
Aus 28 [52 Insert	24/2014] accompanying block	12° 30'.3 S	130° 54'.5 E
678 * Departmen	AUSTRALIA - WESTERN AUSTRALIA - Beagle Bay - Marine farm t of Fisheries WA (DHDB 2683982)		
Aus 49 (pl Insert	an, Beagle Bay) [885/2012] dashed line and marine farm symbol with legend, <i>(see Note)</i> , between	16° 52'.97 S 16° 51'.85 S 16° 50'.22 S 16° 50'.92 S 16° 53'.41 S 16° 54'.43 S 16° 52'.97 S	122° 32'.63 E 122° 32'.12 E 122° 31'.33 E 122° 30'.28 E 122° 30'.23 E 122° 30'.91 E 122° 32'.63 E
Delete	marine farm, centred on	16° 53'.0 S	122° 32'.4 E
679* AUSTRALIA - WESTERN AUSTRALIA - Browse Island - Light buoy McDermott Australia Pty Ltd (AA752220)			
Aus 319 [/ Insert	NE 25/1/2013] special spherical light buoy, <i>FI(5)Y.20s</i> , without topmark	13° 54'.65 S	123° 14'.47 E
Aus 320 [6 Insert	338/2013] special spherical light buoy, <i>FI(5)Y.20s</i> , without topmark	13° 54'.65 S	123° 14'.47 E
AX 003191 Insert	J [939/2012] special spherical light buoy, <i>FI(5)Y.20s</i> , without topmark	13° 54'.65 S	123° 14'.47 E
680* AUSTRALIA - WESTERN AUSTRALIA - Cape Bellefin - Marine farm Department of Fisheries WA (DHDB 2683982)			
Aus 74 [10 Delete	029/2012] marine farm, centred on	26° 01'.3 S	113° 16'.8 E

681* AUSTRALIA - WESTERN AUSTRALIA - Essex Rocks - Marine farms e Department of Fisheries WA (DHDB 2683982)	astwards		
Aus 84 (plan, Jurien Bay) [790/2012] Delete marine farm, centred on marine farm, centred on	30° 21'.77 S 30° 21'.50 S	115° 02'.15 E 115° 01'.90 E	
Aus 753 [790/2012] Delete marine farm symbol, centred on	30° 22'.0 S	115° 02'.1 E	
682* AUSTRALIA - WESTERN AUSTRALIA - Oyster Harbour - Marine farm Department of Fisheries WA (DHDB 2683982)			
Aus 110 [256/2014] Insert dashed line and marine farm symbol with legend, <i>(see Note)</i> , between	34° 59'.000 S 34° 59'.173 S 34° 59'.173 S 34° 59'.000 S	117° 57'.412 E 117° 57'.412 E 117° 57'.527 E 117° 57'.527 E	
Aus 110 (inset, Oyster Harbour) [256/2014]Insertdashed line and marine farm symbol with legend, (see Note), between	34° 58'.960 S 34° 59'.173 S 34° 59'.173 S 34° 58'.960 S 34° 58'.960 S	117° 57'.412 E 117° 57'.412 E 117° 57'.527 E 117° 57'.527 E 117° 57'.412 E	
AX 00110S [256/2014] Insert dashed line and marine farm symbol with legend, <i>(see Note)</i> , between	34° 59'.000 S 34° 59'.173 S 34° 59'.173 S 34° 59'.000 S	117° 57'.412 E 117° 57'.412 E 117° 57'.527 E 117° 57'.527 E	
AX 00110S (inset, Oyster Harbour) [256/2014] Insert dashed line and marine farm symbol with legend, (see Note), between	34° 58'.960 S 34° 59'.173 S 34° 59'.173 S 34° 58'.960 S 34° 58'.960 S	117° 57'.412 E 117° 57'.412 E 117° 57'.527 E 117° 57'.527 E 117° 57'.412 E	
683* AUSTRALIA - WESTERN AUSTRALIA - Port Hedland - Light beacons Port Hedland Port Authority (AA751588, AA752164)			
Aus 54 [490/2014] Insert special light beacon, <i>FI.5s</i> special light beacon, <i>FI.5s</i>	20° 18'.742 S 20° 18'.771 S	118° 34'.389 E 118° 34'.372 E	
684* AUSTRALIA - WESTERN AUSTRALIA - Roebuck Bay - Marine farm Department of Fisheries WA (DHDB 2683982)			
Aus 50 [525/2014] Insert dashed line, between	18° 05'.50 S 18° 05'.92 S 18° 05'.92 S 18° 05'.50 S	122° 14'.08 E 122° 14'.08 E 122° 16'.58 E 122° 16'.58 E	
Delete dashed line, between	18° 05'.5 S 18° 05'.5 S	122° 14'.1 E 122° 16'.6 E	
Aus 324 [252/2014] Insert dashed line, between	18° 05'.50 S 18° 05'.92 S 18° 05'.92 S 18° 05'.50 S	122° 14'.08 E 122° 14'.08 E 122° 16'.58 E 122° 16'.58 E	
Delete dashed line, between	18° 05'.5 S 18° 05'.5 S	122° 14'.1 E 122° 16'.6 E	

AUSTRALIA - WESTERN AUSTRALIA - Essex Rocks - Marine farms eastwards

681*

685 INDIAN OCEAN - Hydra Seamount to Adelaide Bank - Depths

BA Notice 27/2791/2014 (AA751208)

Aus 4070) (INT 70) [1089/2013]		
Insert	depth, 521m, enclosed by contour	11° 14'.0 S	52° 36'.0 E
	depth, 780m, enclosed by contour	6° 55'.0 S	58° 41'.0 E
Aus 4071	I (INT 71) [189/2013]		
Insert	depth, 521m, enclosed by contour	11° 14'.0 S	52° 36'.0 E
	depth, 780m, enclosed by contour	6° 55'.0 S	58° 41'.0 E

686* AUSTRALIA - SOUTH AUSTRALIA - Yarraville Shoals - Recommended track; depths Department of Planning, Transport and Infrastructure SA Notice 25/2014 (AA752260)

Aus 136 [5 Insert	571/2014] accompanying note accompanying block	32° 55'.5 S 33° 11'.0 S	137° 43'.0 E 137° 37'.0 E	
Aus 485 [5 Amend	571/2014] legend to 040·3° - 220·3°	33° 11'.7 S	137° 35'.5 E	
Aus 778 [6 Insert	627/2014] accompanying block	33° 12'.0 S	137° 35'.0 E	
Aus 778 (p Insert	blan, Yarraville Shoals) [627/2014] accompanying block	33° 15'.5 S	137° 33'.5 E	
687* AUSTRALIA - VICTORIA - Port Phillip - Anchorages; depths Victorian Notice 19/2014 (AA717682)				
Aus 143 [408/2014]				

Insert	accompanying block	38° 00'.0 S	144° 50'.0 E
--------	--------------------	-------------	--------------

688(T)/2014	AUSTRALIA - NEW SOUTH WALES - Newcastle - Depth information
Newcastle Port	Corporation (AA754328)

Available depths as at 11 July 2014:	•• •	
Berth	Metres	Remarks
Eastern Basin 1	11.4	
Eastern Basin 2 North of Ch 450	11.6	
Eastern Basin 2 South of Ch 450	11.5	
Western Basin 3	11.6	
Western Basin 4	11.6	
Channel Berth	9.7	
Dyke 1	12.8	
Dyke 2	12.8	
Dyke 4	16.2	
Dyke 5	16.0	
Dyke 6	5.3	
Mayfield 4 Ch 27 to 266	12.7	
BHP Wharf 6 to Ch 1050	7.6	
Kooragang 2	11.6	
Kooragang 2 North Dolphin Ch 182 to 243	11.6	
Kooragang 2 South Dolphin Ch -92 to 00	11.5	
Kooragang 3 Ch -40 to 00	12.6	
Kooragang 3 Ch 00 to 220	13.2	
Kooragang 4	16.5	
Kooragang 5	16.5	
Kooragang 6	16.3	
Kooragang 7	16.3	
Kooragang 8	16.2	
Kooragang 9	16.3	
Kooragang 10	15.9	
Throsby 1 Ch 850 to 1030	8.9	
Carrington Wharf		To be sounded as and when required
Foreshore Park Berth	5.9	· ·
Elgo Wharf		To be sounded as and when required
Channels		
Entrance Approach	17.7	
Entrance Channel (18.0m)	17.8	
Entrance Channel (17.4m)	17.4	
Entrance Channel (16.8m)	16.8	
Entrance Channel (16.2m)	16.2	
Entrance Channel to Horseshoe	15.2	
* Horseshoe	15.2	
Steelworks Channel to Swinging Basin	15.1	
Swinging Basin	14.9	
Hunter River South Arm (Kooragang 6 to buoy 16)	15.0	
Hunter River South Arm (buoy 16 to buoy 20)	14.8	
Basin Cutting	12.6	
Basin Area to Eastern & Western Basin Berths	12.3	
Basin Area to 1 Throsby	9.4	
Stockton Crossing	3.6	
* Indicates new or revised entry.	2.2	

Chart temporarily affected - Aus 207 - Aus 208

689(T)/2014 AUSTRALIA - NEW SOUTH WALES - Newcastle - Depth information revoked Former Notice - 630(T)/2014 is cancelled Newcastle Port Corporation (AA754328)

Cancel this notice on receipt.

Chart formerly affected - Aus 207 - Aus 208 - Aus 809 - AX 00809S

690(T)/2014 AUSTRALIA - QUEENSLAND - Great Keppel Island - Wreck

Maritime Safety Queensland Notice 417(T)/2014 (AA755150)

An underwater wreck exists in position 23° 09'.58 S 151° 01'.94 E.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 247 - Aus 490 - Aus 819 - Aus 820 - AX 00367S

691(T)/2014 AUSTRALIA - QUEENSLAND - Hay Point - Depth information

Former Notice - 1014(T)/2013 is cancelled

Maritime Safety Queensland Notices 784(T)/2013, 405(T)/2014 (AA699720, AA754975)

Available depths as at 14 July 2014:

		Metres	Remarks
	Entrance Channel	14.7	Between No 4 beacon and the northern end.
		15.0	Seaward of beacon No 4.
	HPS Berth No 1	16.4	
	HPS Berth No 2	16.8	
*	DBCT Berth No 1	17.8	
*	DBCT Berth No 2	17.7	
*	DBCT Berth No 3	17.5	
*	DBCT Berth No 4	17.4	
	Tug Harbour entrance channel	5.1	Lesser depths exist close to the outer edges of the channel and around tug berths and piers.
*	Indicates revised entry.		-

Lesser depth exist in an area south of Hay Point No 1 berth out to approximately 100m east northeast from the seaward edge of berth No 3 and leading southward to the southwest corner of the channel

Chart temporarily affected - Aus 249 - Aus 250 - AX 00249S

692(T)/2014 AUSTRALIA - QUEENSLAND - Moreton Bay - Brisbane River - Depth information *Former Notice* - 638(T)/2014 is cancelled Brisbane Port Corporation (AA753862)

Available depths and under keel clearances (UKC) at	· · · ·	
Berth	Metres	Remarks
Fisherman Islands No12	14.0	
 * Fisherman Islands No11 	13.9	
Fisherman Islands No10	14.0	
Fisherman Islands No9	14.0	
Fisherman Islands No8	14.1	
Fisherman Islands No7	14.0	
Fisherman Islands No6	13.8	
Fisherman Islands No5	13.6	
Fisherman Islands No4	14.0	
Fisherman Islands No3	13.9	
 * Fisherman Islands No2 	13.9	
Fisherman Islands No1	14.0	
Fisherman Islands Grain and Woodchip	13.0	
* Caltex Fisherman Islands	14.1	
Fisherman Islands Coal	13.5	
Fisherman Islands General Purpose	11.3	
Luggage Point Pump Out Facility	13.9	
* BP Luggage Point	14.4	
Caltex Products	10.1	
Cement Australia Co Wharf	9.7	
* BP Products	10.5	
* Shell	10.6	
Graincorp Liquid Terminal	10.4	
	9.8	
	9.3	
Pinkenba 1	10.4	
Pinkenba 2	10.4	
Riverside Marina	- 0.7	
Sugar Terminal	9.7 7.1	
Cairncross Fitting Out Wharf Cairncross Breasting Wharf	4.4	
Brisbane Naval Wharf	4.4	
Maritime No1	9.0	
Hamilton No4	10.3	
Hamilton No4	8.7	
Brisbane Cruise Ship Terminal	8.7	
Brisbane Gruise Ship Terminar	0.7	
Moreton Bay:	Metres	UKC/Remarks
North West Channel	15.0	2.3 (280m width)
North West Bypass Channel	9.2	1.6
Spitfire Channel	15.0	1.5 (600m width)
East Knoll Bypass Channel	6.0	1.4
East Channel	15.0	1.5 (300m width from western side)
Main Channel (M8 - M9)	10.0	1.8
Entrance Channel (E5 - EBCN)	14.7	1.5
Brisbane River: * Outer Bar Cutting	13.9	1.46
Inner Bar Cutting	13.8	1.46
 * Fisherman Islands Swing Basin 	13.8	1.3
Fisherman Islands Swing Basin (11.5)	13.7	0.6
River	9.1	0.6 / 0.9 (draft/tide)
Cement Australia Swing Basin	9.1	0.6 / 0.9 (draft/tide)
Pinkenba Swing Basin	9.0	0.6 / 0.9 (draft/tide)
* Hamilton Swing Basin	8.6	0.6 / 0.9 (draft/tide)
* Indicates new or revised entry.	0.0	
included new or revised entry.		

Chart temporarily affected - Aus 235 - Aus 236 - Aus 237 - Aus 238 - Aus 814 - Aus 815

693(T)/2014 AUSTRALIA - QUEENSLAND - Moreton Bay - East Knoll - Light buoy off station Maritime Safety Queensland Notice 401(T)/2014 (AA754174)

The port lateral light buoy, Q.R EK2 (27° 08'.5 S 153° 19'.8 E), is off station.

Chart temporarily affected - Aus 236

694(T)/2014 AUSTRALIA - QUEENSLAND - Port Douglas - Obstruction Maritime Safety Queensland Notice 416(T)/2014 (AA755149)

An underwater obstruction, marked by a special light buoy Q.Y, exists in position 16° 28'.61 S 145° 27'.68 E.

Chart temporarily affected - Aus 270

695(T)/2014 AUSTRALIA - QUEENSLAND - Shoalwater Bay - Live firing completed *Former Notice* - 592(T)/2014 is cancelled Maritime Safety Queensland Notice 294(T)/2014 (AA748120)

Cancel this notice on receipt.

Chart formerly affected - Aus 248 - Aus 260 - Aus 261 - Aus 367 - Aus 490 - Aus 820 - Aus 822 - AX 00260T - AX 00260S - AX 00261L - AX 00367S - AX 00822S

696(T)/2014 AUSTRALIA - QUEENSLAND - Shoalwater Bay - Raynham Island - Live firing Date - Until 1 January 2015

Maritime Safety Queensland Notice 396(T)/2014 (AA753948)

Live firing activities will be conducted in the Shoalwater Bay training area during the period 9 July to 31 December 2014.

Flares will be fired within a 5556m radius of Raynham Island (22° 16'.06 S 150° 32'.43 E).

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 260 - Aus 367 - Aus 822 - AX 00260S - AX 00260T - AX 00367S - AX 00822S

697(T)/2014 AUSTRALIA - NORTHERN TERRITORY - Darwin - East Arm - Bladin Point - Harbour works Darwin Port Corporation Notice 98(T)/2014 (AA754265)

Works associated with the construction of the product loading jetty are in progress in an area bounded by the following positions:

12° 30'.51 S 130° 54'.25 E 12° 30'.38 S 130° 55'.11 E 12° 30'.57 S 130° 55'.28 E 12° 30'.90 S 130° 54'.64 E 12° 30'.66 S 130° 55'.26 E.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 26 - Aus 28 - AX 00026T

Former Notice - 645(T)/2014 is cancelled Fugro Survey Pty Ltd (AA751305)

Subsurface scientific instruments exist as follows:

	Position	Remarks
CP1	9° 48'.84 S 130° 18'.24 E	subsurface
CP2	9° 51'.90 S 129° 38'.64 E	subsurface
CP3	10° 07'.56 S 130° 06'.78 E	subsurface
M1	9° 49'.14 S 130° 18'.72 E	special light buoy, FI(5)Y.20s
W1	9° 49'.14 S 130° 17'.76 E	special light buoy, FI(5)Y.20s
J1	9° 56'.34 S 129° 47'.70 E	subsurface
J2	9° 50'.10 S 130° 17'.46 E	subsurface
J3	10° 05'.64 S 130° 05'.76 E.	subsurface

Chart temporarily affected - Aus 310 - AX 00310U

699(T)/2014 AUSTRALIA - NORTHERN TERRITORY - WESTERN AUSTRALIA - Darwin to Browse Island - Pipeline Date - Until 31 July 2015

Darwin Port Corporation Notice 87(T)/2014 (AA755032), Inpex Browse Limited (AA402900 - AA402902)

PLV SEMAC1 and support vessels MT Archon Tide, MT Marty Quest Tide and MT William R Croyle II are conducting pipe laying operations until 30 September between the following positions:

12° 32'.15 S 130° 52'.52 E 12° 31'.99 S 130° 50'.66 E 12° 31'.83 S 130° 50'.19 E 12° 31'.51 S 130° 49'.86 E 12° 28'.02 S 130° 48'.14 E 12° 23'.86 S 130° 44'.83 E 12° 20'.82 S 130° 40'.97 E 12° 18'.44 S 130° 35'.66 E 12° 17'.69 S 130° 32'.97 E 12° 17'.26 S 130° 26'.54 E 12° 18'.46 S 130° 12'.03 E 12° 29'.98 S 129° 29'.92 E.

SEAMAC1 will deploy 12 anchors, marked by special light buoys Q, up to 1800m in length.

PLV Castorone will continue operations from September between the following positions:

12° 29'.98 S 129° 29'.92 E 12° 31'.48 S 128° 06'.11 E 12° 47'.94 S 126° 23'.94 E 12° 45'.62 S 126° 11'.99 E 12° 48'.74 S 126° 00'.04 E 13° 35'.07 S 124° 22'.68 E 13° 45'.24 S 123° 54'.68 E 13° 58'.98 S 123° 41'.67 E 13° 59'.54 S 123° 40'.49 E 13° 59'.33 S 123° 38'.49 E 13° 53'.21 S 123° 21'.21 E 13° 53'.55 S 123° 19'.25 E 13° 55'.96 S 123° 17'.89 E.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 24 - Aus 26 - Aus 27 - Aus 29 - Aus 309 - Aus 314 - Aus 315 - Aus 316 - Aus 318 - Aus 319 - Aus 320 - Aus 722 - Aus 728 - Aus 4721 (INT 721) - Aus 4722 (INT 722) - AX 00026T - AX 00309U - AX 00309T - AX 00314U - AX 00315U - AX 00319U - AX 00722T - AX 04721U - AX 04722U

700(T)/2014 AUSTRALIA - WESTERN AUSTRALIA - Barrow Island - Drill rig northwestwards Date - Until 26 August 2014 MODU Ocean America (AA753423, AA753675), Australian Maritime Safety Authority Auscoast Warning 166/2014

(AA753866) (AA753423, AA753675), Australian Maritime Safety Authority Auscoast Warning 166/2014

Drill rig Ocean America is conducting drilling operations in position 20° 31'.20 S 114° 49'.42 E.

Chart temporarily affected - Aus 328 - Aus 4723 (INT 723) - Aus 4725 (INT 725) - AX 04723U

701(T)/2014 AUSTRALIA - WESTERN AUSTRALIA - Barrow Island - Drill rig northwestwards moved Former Notice - 505(T)/2014 is cancelled MODU Ocean America (AA753423)

Cancel this notice on receipt.

Chart formerly affected - Aus 328 - Aus 4723 (INT 723) - AX 04723U

702(T)/2014 AUSTRALIA - WESTERN AUSTRALIA - Barrow Island - Gas field infrastructure northwards *Former Notice -* 77(T)/2014 is cancelled DOF Management Australia Pty Ltd (AA754343)

Note: NTM 650/2014 refers.

Cancel this notice on receipt.

Chart formerly affected - Aus 327 - Aus 328 - Aus 4723 (INT 723) - AX 04723U

703(T)/2014 AUSTRALIA - WESTERN AUSTRALIA - Barrow Island - Mooring buoys northwestwards *Former Notice* - 649(T)/2014 is cancelled *Date* - Until 25 August 2014 Viking Seatech (AA755086)

4 yellow mooring buoys, Fl.3s, exist within 1NM radius of position 20° 32'.8 S 114° 51'.6 E.

Chart temporarily affected - Aus 328

704(T)/2014 AUSTRALIA - WESTERN AUSTRALIA - Barrow Island - Mooring buoys northwestwards *Date* - Until 25 August 2014 Viking Seatech (AA755086)

4 yellow mooring buoys, Fl.3s, exist within 1NM radius of position 20° 27'.62 S 114° 50'.52 E.

Chart temporarily affected - Aus 328

705(T)/2014 AUSTRALIA - WESTERN AUSTRALIA - Dampier Archipelago - Seismic survey northwestwards completed

Former Notice - 459(T)/2014 is cancelled Apache Energy Ltd (AA753481)

Cancel this notice on receipt.

Chart formerly affected - Aus 57 - Aus 327 - Aus 741 - Aus 742 - Aus 4722 (INT 722) - Aus 4723 (INT 723) - AX 04722U - AX 04723U

706(T)/2014 AUSTRALIA - WESTERN AUSTRALIA - Glomar Shoal - Drill rig northwestwards

Date - Until 5 September 2014 MODU Nan Hai 6 (AA753502, AA753504), Australian Maritime Safety Authority Auscoast Warning 165/2014 (AA753506)

Drill rig Nan Hai 6 is conducting drilling operations in position 19° 15'.5 S 116° 38'.3 E.

Chart temporarily affected - Aus 327 - Aus 741 - Aus 4722 (INT 722) - Aus 4723 (INT 723) - AX 04722U - AX 04723U

707(T)/2014 AUSTRALIA - WESTERN AUSTRALIA - Glomar Shoal - Survey operations northwestwards *Date* - Until 5 August 2014 Woodside Energy Ltd (AA754257)

MV *Mermaid Investigator* is conducting a geophysical survey in an area bounded by the following positions: 19° 24'.75 S 116° 29'.43 E 19° 28'.83 S 116° 36'.53 E 19° 30'.09 S 116° 35'.30 E 19° 26'.46 S 116° 28'.42 E.

Chart temporarily affected - Aus 327 - Aus 741

708(T)/2014 AUSTRALIA - WESTERN AUSTRALIA - Mermaid Reef - Drill rig northwards Date - Until 20 October 2014 MODU Deepwater Millennium (AA755301), Australian Maritime Safety Authority Auscoast Warning 172/2014 (AA755302)

MODU Deepwater Millennium is conducting drilling operations in position 16° 20'.8 S 119° 43'.7 E.

Chart temporarily affected - Aus 4722 (INT 722) - AX 04722U

709(T)/2014 AUSTRALIA - WESTERN AUSTRALIA - Montebello Islands - Mooring buoys northwestwards *Date* - Until 11 August 2014 Viking Seatech (AA755086)

8 yellow mooring buoys, Fl.3s, exist within 1NM radius of position 19° 58'-23 S 115° 12'.77 E.

Chart temporarily affected - Aus 328

710(T)/2014 AUSTRALIA - WESTERN AUSTRALIA - Mullaloo - Light buoy Former Notice - 189(T)/2014 is cancelled Date - Until 31 December 2014 Department of Transport WA Notice 192/2013 (AA720974, AA754152))

An orange spherical light buoy, FI(5)Y.20s, exists in position 31° 47'.13 S 115° 43'.84 E.

Chart temporarily affected - Aus 754 - AX 00754S - AXA 0754S

711(T)/2014 AUSTRALIA - WESTERN AUSTRALIA - North West Cape - Drill rig northwestwards moved Former Notice - 430(T)/2014 is cancelled MODU Deepwater Millennium (AA755301)

Cancel this notice on receipt.

Chart formerly affected - Aus 329 - Aus 4723 (INT 723) - Aus 4725 (INT 725) - AX 04723U

712(T)/2014 INDIAN OCEAN - Christmas Island - Flying Fish Cove - Harbour works *Date* - Until 30 June 2015

Patrick Ports (AA755154)

Harbour works associated with the extension of the wharf are in progress between positions $10^{\circ} 25'.75 \text{ S} 105^{\circ} 40'.17 \text{ E}$ and $10^{\circ} 25'.73 \text{ S} 105^{\circ} 40'.15 \text{ E}$

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 920

713(T)/2014 INDIAN OCEAN - Horizon Ridge - Light buoy off station Former Notice - 656(T)/2014 is cancelled Australian Bureau of Meteorology (AA755097)

The light buoy (13° 59'.0 S 110° 00'.0 E) is drifting and currently in position 13° 11'.34 S 106° 12'.51 E (15 July 2014).

Chart temporarily affected - Aus 4708 (INT 708) - Aus 4723 (INT 723) - AX 04708U - AX 04723U

714(T)/2014 AUSTRALIA - VICTORIA - Port Phillip - Patterson River - Shoaling *Former Notice* - 935(T)/2013 is cancelled Victorian Notice 127(T)/2014 (AA754126)

Shoaling, with least depth 0.5m, exists within the entrance to Patterson River (38° 04'.41 S 145° 07'.17 E).

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 143

715(T)/2014 AUSTRALIA - TASMANIA - Wynyard - Light beacon destroyed Marine and Safety Tasmania Notice M82/2014 (AA753427)

The starboard lateral light beacon, *Fl(2)G.5s* (40° 59'.11 S 145° 44'.51 E), has been destroyed.

Chart temporarily affected - Aus 178 - Aus 799

HYDROGRAPHIC REPORTS

П

Locality	Report	Ship/Authority	Observer
QLD- Bet Reef	ENC error		W Conlin

NAVIGATION WARNINGS

The following radio messages have been received during the period to 17 July 2014. Signal copies of these messages may be destroyed. It is recommended that the reprint of Navigational Warnings should be kept in a file or a book divided into areas. Cancellation should be made on receipt of signals and reprints.

Rigs on location other than those listed in the latest Section III summary are the subject of Radio Navigational Warnings. Rigs in transit will not be the subject of Warnings.

AUSCOAST WARNING

- 161 Cancelled.
- 162 FPSO Armada Claire in position 20° 03'.52 S 115° 11'.52 E. 2.5M clearance requested.
- 163 Cancelled.
- 164 Eight mooring buoys established in the vicinity of 20° 27'.6 S 114° 50'.5 E. 1M clearance requested.
- 165 Drill rig Nan Hai 6 in position 19° 15'.50 S 116° 38'.30 E. 2.5M clearance requested.
- 166 Drill rig Ocean America in position 20° 31'.20 S 114° 49'.41 E. 2.5M clearance requested.
- 167 Cancelled.
- 168 Multiple mooring buoys deployed 20° 32'.8 S 114° 51'.6 E. 1M clearance requested.
- 169 Cancelled.
- 170 Cancelled.
- 171 Cancelled.
- 172 Drill rig Deepwater Millennium in position 16° 20'.8 S 119° 43'.7 E. 2.5M clearance requested.

NAVAREA X WARNINGS

041 Cancelled.

- 042 Cancelled.
- 043 Cancelled.

Navigational warnings in force as at 170001UTC JUL 14.

Auscoast

2014 043 102 132 133 134 136 137 138 140 151 152 154 155 156 160 162 164 165 166 168 172

Navarea X

2014 028 033

Summary of mobile drilling rigs as at 170001UTC JUL 14.

NAVAREA XIV WARNINGS

Nil.

Navarea XIV warnings in force as at 170001UTC JUL 14.

2014 Nil.