

28 June 2019 Edition 13

AUSTRALIAN NOTICES TO MARINERS

Notices 642 - 682

Published fortnightly by the Australian Hydrographic Office



Australian Notices to Mariners are the authority for correcting charts and publications published by the Australian Hydrographic Office covering Australia, Papua New Guinea, Solomon Islands, Australian Antarctic Territory and Timor-Leste.

Commodore F.T. FREEMAN RAN Hydrographer of Australia

SECTIONS.

- I. Australian Notices to Mariners, including blocks and notes.
- II. Hydrographic Reports.
- III. Navigational Warnings.

SUPPLEMENTS.

- I. Tracings
- II. Cumulative List of Australian Notices to Mariners.
- III. Cumulative List of Temporary and Preliminary Australian Notices to Mariners.
- IV. Temporary and Preliminary Notices in force.
- V. Amendments to Admiralty List of Lights and Fog Signals (Vol K),
 Radio Signals (NP 281(2), 282, 283(2), 285, 286(4)) and Sailing
 Directions (NP 9, 13, 14, 15, 33, 34, 35, 36, 39, 44, 51, 60, 61, 62, 100, 136).

© Commonwealth of Australia 2019

This work is copyright. Apart from any use permitted under the Copyright Act 1968, no part may be reproduced by any process, adapted, communicated or commercially exploited without prior written permission from The Commonwealth represented by the Australian Hydrographic Office.

IMPORTANT NOTICE

This edition of Notices to Mariners includes all significant information affecting AHO products which the AHO has become aware of since the last edition. All reasonable efforts have been made to ensure the accuracy and completeness of the information, including third party information, on which these updates are based. The AHO regards third parties from which it receives information as reliable, however the AHO cannot verify all such information and errors may therefore exist. The AHO does not accept liability for errors in third party information.

GENERAL INSTRUCTIONS

The substance of these notices should be inserted on the charts affected.

Bearings are referred to the true compass and are reckoned clockwise from North; those relating to lights are given as seen by an observer from seaward.

Positions quoted in notices relate to WGS84 which is the horizontal datum for all charts produced by the Australian Hydrographic Office.

The range quoted for a light is its nominal range.

Depths are with reference to the chart datum of each chart. Heights are above mean high water springs or mean higher high water, as appropriate.

The capital letter (P) or (T) after the number of any notice denotes a preliminary or temporary notice respectively, which are contained separately at the end of the permanent notices.

REPORTING OF DANGERS

Mariners are particularly requested to notify the AUSTRALIAN HYDROGRAPHIC OFFICE, Locked Bag 8801 Wollongong, NSW 2500 (Fax 02-4223 6599, e-mail datacentre@hydro.gov.au or, alternatively by filling in and submitting the Hydrographic Notes forms located on the web site – www.hydro.gov.au), immediately on the discovery of new dangers or suspected dangers to navigation. For changes or defects in aids to navigation notify AusSAR (Fax 02-6230 6868 or email rccaus@amsa.gov.au).

AUTHORISED USE

Copies of Australian notices are available free of charge from the Australian Hydrographic Office (AHO) website (www.hydro.gov.au) and through the eNotices (email) service (www.hydro.gov.au/enotices/enotices.htm).

Individual Notices may be copied for the purpose of inserting Notice substance on official charts and publications. Paper copies may be printed by chart agents and distributed to customers on a cost recovery basis. Participating chart agents are listed on the AHO website as providing a 'Paper Notices to Mariners' service (www.hydro.gov.au/webapps/jsp/agents/agents-list.jsp). Copies of the notices may not be sold for profit without prior written agreement.

ı

NUMERICAL INDEX OF NOTICES TO MARINERS

Edition No 13

| 642 Aus 50, 112, 249, 267 643 Aus 68, 83, 111, 114, 116, 631, 739, 740, 741 644 Ammendment to Australian National Tide Tables 2019 645 Aus 235, 236, 237, 238, 814, 815 646 Aus 262, 830 647 Aus 662 648 Aus 379, 315 650 Aus 109, 110, 118 651 Aus 40, 732, 733 652 Aus 607 653 Aus 604 654 Aus 799 655(T) Aus 258, 829 656(T) Aus 244, 245 657(T) Aus 241 658(T) Aus 249, 250 659(T) Aus 268, 827 661(T) Aus 268, 827 662(T) Aus 268, 827 662(T) Aus 268, 827 664(T) Aus 266, 827 665(T) Aus 266 667(T) Aus 267 668(T) Aus 268 668(T) Aus 267 667(T) Aus 268 668(T) Aus 612 668(T) Aus 612 668(T) Aus 612 668(T) Aus 615 667(T) Aus 379, 505, 506, 507, 621, 622, 623, 4620, 4621, INT 620, 621 667(T) Aus 328 669(T) Aus 328 670(T) Aus 328 670(T) Aus 357 671(T) Aus 55, 56 675(T) Aus 55, 56 675(T) Aus 55, 56 675(T) Aus 357, 487, 4644, INT 644 676(T) Aus 357 677(T) Aus 349, 787 | Notices | Aus Chart, INT Chart, ENC Cell, AHP, BA Pubs |
|---|----------|---|
| 643 Aus 68, 83, 111, 114, 116, 631, 739, 740, 741 644 Amendment to Australian National Tide Tables 2019 645 Aus 235, 236, 237, 238, 814, 815 646 Aus 262, 830 647 Aus 662 648 Aus 377 649 Aus 309, 315 650 Aus 109, 110, 118 651 Aus 40, 732, 733 652 Aus 607 653 Aus 607 653 Aus 604 654 Aus 799 655(T) Aus 258, 829 656(T) Aus 244, 245 657(T) Aus 249, 250 669(T) Aus 267 661(T) Aus 268, 827 661(T) Aus 268 664(T) Aus 46 665(T) Aus 47 663(T) Aus 267 664(T) Aus 268 666(T) Aus 27 665(T) Aus 287 666(T) Aus 268 669(T) Aus 268 669(T) Aus 379, 505, 506, 507, 621, 622, 623, 4620, 4621, INT 620, 621 666(T) Aus 328 669(T) Aus 328 669(T) Aus 328 669(T) Aus 328 669(T) Aus 328 670(T) Aus 53 674(T) Aus 55, 56 675(T) Aus 55, 56 675(T) Aus 55, 76 675(T) Aus 55, 76 675(T) Aus 357, 487, 4644, INT 644 676(T) Aus 357 677(T) Aus 357 678(T) Aus 357 678(T) Aus 357 | 642 | |
| 645 646 647 648 648 648 648 649 649 649 650 650 649 651 640 651 652 653 654 654 654 654 655 655 655 655 655 656 656 | 643 | Aus 68, 83, 111, 114, 116, 631, 739, 740, 741 |
| 646 Aus 262, 830 647 Aus 662 648 Aus 377 649 Aus 309, 315 650 Aus 109, 110, 118 651 Aus 40, 732, 733 652 Aus 607 653 Aus 604 654 Aus 799 655(T) Aus 258, 829 655(T) Aus 241, 245 657(T) Aus 241 658(T) Aus 256, 827 660(T) Aus 256, 827 661(T) Aus 256, 827 662(T) Aus 267 663(T) Aus 267 664(T) Aus 40 665(T) Aus 328 668(T) Aus 328 669(T) Aus 328 669(T) Aus 328 670(T) Aus 328 677(T) Aus 339 677(T) Aus 357 678(T) Aus 357 678(T) Aus 357 678(T) Aus 357 678(T) Aus 349, 787 | 644 | Amendment to Australian National Tide Tables 2019 |
| 647 Aus 662 648 Aus 377 649 Aus 309, 315 650 Aus 109, 110, 118 651 Aus 40, 732, 733 652 Aus 607 653 Aus 604 654 Aus 258, 829 655(T) Aus 258, 829 656(T) Aus 244, 245 657(T) Aus 241 658(T) Aus 266, 827 661(T) Aus 266, 827 661(T) Aus 266, 827 661(T) Aus 266, 827 661(T) Aus 267 662(T) Aus 274 663(T) Aus 284 665(T) Aus 284 665(T) Aus 266 663(T) Aus 274 663(T) Aus 266 663(T) Aus 267 664(T) Aus 46 665(T) Aus 612 666(T) Aus 612 666(T) Aus 612 666(T) Aus 612 666(T) Aus 613 667(T) Aus 613 668(T) Aus 379, 505, 506, 507, 621, 622, 623, 4620, 4621, INT 620, 621 667(T) Aus 328 670(T) Aus 328 670(T) Aus 328 670(T) Aus 4725, INT 725 671(T) Aus 116 672(T) Aus 53 673(T) Aus 53 673(T) Aus 53 674(T) Aus 547 676(T) Aus 357 677(T) Aus 357 677(T) Aus 357 677(T) Aus 349, 787 678(T) Aus 349, 787 | 645 | Aus 235, 236, 237, 238, 814, 815 |
| 648 Aus 309, 315 650 Aus 109, 110, 118 651 Aus 40, 732, 733 652 Aus 607 653 Aus 604 654 Aus 799 655(T) Aus 288, 829 655(T) Aus 244, 245 657(T) Aus 241 658(T) Aus 245, 250 660(T) Aus 256, 827 660(T) Aus 256, 827 661(T) Aus 260 664(T) Aus 261 665(T) Aus 262 664(T) Aus 379, 505, 506, 507, 621, 622, 623, 4620, 4621, INT 620, 621 667(T) Aus 328 669(T) Aus 328 669(T) Aus 328 673(T) Aus 328 673(T) Aus 328 673(T) Aus 328 673(T) Aus 353 673(T) Aus 53 673(T) Aus 53 673(T) Aus 53 675(T) Aus 53 675(T) Aus 357, 487, 4644, INT 644 676(T) Aus 357 677(T) Aus 349, 787 678(T) Aus 349, 787 678(T) Aus 349, 787 | 646 | Aus 262, 830 |
| 649 Aus 309, 315 650 Aus 109, 110, 118 651 Aus 40, 732, 733 652 Aus 607 653 Aus 604 654 Aus 799 655(T) Aus 288, 829 656(T) Aus 241, 245 656(T) Aus 249, 250 659(T) Aus 258, 827 660(T) Aus 256, 827 661(T) Aus 256, 827 661(T) Aus 256, 827 661(T) Aus 256, 827 662(T) Aus 256, 827 662(T) Aus 256, 827 663(T) Aus 262 664(T) Aus 266 663(T) Aus 379, 505, 506, 507, 621, 622, 623, 4620, 4621, INT 620, 621 666(T) Aus 378 668(T) Aus 378 668(T) Aus 328 669(T) Aus 328 670(T) Aus 379 673(T) Aus 53 673(T) Aus 53 673(T) Aus 53 674(T) Aus 357, 487, 4644, INT 644 676(T) Aus 349, 787 678(T) Aus 349, 787 678(T) Aus 349, 787 | 647 | Aus 662 |
| 650 Aus 109, 110, 118 651 Aus 40, 732, 733 652 Aus 607 653 Aus 604 654 Aus 799 655(T) Aus 258, 829 656(T) Aus 244, 245 657(T) Aus 241 658(T) Aus 258, 827 660(T) Aus 258, 827 660(T) Aus 258, 827 660(T) Aus 258, 827 660(T) Aus 258, 827 661(T) Aus 258, 827 661(T) Aus 258, 827 662(T) Aus 258, 827 662(T) Aus 267 662(T) Aus 267 663(T) Aus 268 664(T) Aus 37 665(T) Aus 37 665(T) Aus 37 667(T) Aus 373 668(T) Aus 328 669(T) Aus 328 670(T) Aus 328 673(T) Aus 53 674(T) Aus 55, 56 675(T) Aus 357, 487, 4644, INT 644 676(T) Aus 349, 787 678(T) Aus 349, 787 | 648 | Aus 377 |
| 651 | 649 | Aus 309, 315 |
| 652 Aus 607 653 Aus 604 654 Aus 799 655(T) Aus 258, 829 656(T) Aus 244, 245 656(T) Aus 244, 245 658(T) Aus 249, 250 659(T) Aus 267 660(T) Aus 266, 827 661(T) Aus 256, 827 661(T) Aus 266 661(T) Aus 267 662(T) Aus 247 663(T) Aus 267 664(T) Aus 44 665(T) Aus 44 665(T) Aus 612 666(T) Aus 379, 505, 506, 507, 621, 622, 623, 4620, 4621, INT 620, 621 667(T) Aus 328 669(T) Aus 328 669(T) Aus 328 669(T) Aus 328 673(T) Aus 116 672(T) Aus 153 673(T) Aus 55, 56 675(T) Aus 55, 56 675(T) Aus 357, 487, 4644, INT 644 676(T) Aus 349, 787 678(T) Aus 349, 787 | 650 | Aus 109, 110, 118 |
| 653 | 651 | Aus 40, 732, 733 |
| 655(T) Aus 258, 829 655(T) Aus 244, 245 656(T) Aus 244, 245 657(T) Aus 241 658(T) Aus 249, 250 659(T) Aus 267 660(T) Aus 256, 827 660(T) Aus 256, 827 661(T) Aus 256, 827 662(T) Aus 247 663(T) Aus 262 664(T) Aus 262 664(T) Aus 612 666(T) Aus 379, 505, 506, 507, 621, 622, 623, 4620, 4621, INT 620, 621 667(T) Aus 73 668(T) Aus 328 669(T) Aus 328 669(T) Aus 328 670(T) Aus 4725, INT 725 671(T) Aus 473 673(T) Aus 53 673(T) Aus 53 674(T) Aus 53 674(T) Aus 357, 487, 4644, INT 644 676(T) Aus 357 677(T) Aus 357, 487, 4644, INT 644 676(T) Aus 349, 787 678(T) Aus 349, 787 | 652 | |
| 655(T) Aus 258, 829 656(T) Aus 244, 245 657(T) Aus 249, 250 658(T) Aus 249, 250 659(T) Aus 267 660(T) Aus 256, 827 661(T) Aus 256, 827 661(T) Aus 247 663(T) Aus 247 663(T) Aus 262 664(T) Aus 4 665(T) Aus 379, 505, 506, 507, 621, 622, 623, 4620, 4621, INT 620, 621 667(T) Aus 73 668(T) Aus 328 669(T) Aus 328 670(T) Aus 328 670(T) Aus 4725, INT 725 671(T) Aus 116 672(T) Aus 53 673(T) Aus 53 673(T) Aus 55, 56 675(T) Aus 357, 487, 4644, INT 644 676(T) Aus 357 677(T) Aus 357 677(T) Aus 357 677(T) Aus 349, 787 678(T) Aus 349, 787 | | Aus 604 |
| 656(T) Aus 244, 245 657(T) Aus 241 658(T) Aus 249, 250 659(T) Aus 256, 827 660(T) Aus 256, 827 661(T) Aus 256, 827 661(T) Aus 262 662(T) Aus 247 663(T) Aus 262 664(T) Aus 262 664(T) Aus 4 665(T) Aus 612 666(T) Aus 379, 505, 506, 507, 621, 622, 623, 4620, 4621, INT 620, 621 666(T) Aus 379, 505, 506, 507, 621, 622, 623, 4620, 4621, INT 620, 621 668(T) Aus 328 669(T) Aus 328 670(T) Aus 4725, INT 725 671(T) Aus 116 672(T) Aus 53 673(T) Aus 53 673(T) Aus 55, 56 675(T) Aus 357, 487, 4644, INT 644 676(T) Aus 349, 787 678(T) Aus 349, 787 | 654 | |
| 657(T) Aus 241 658(T) Aus 249, 250 659(T) Aus 267 660(T) Aus 256, 827 661(T) Aus 256, 827 662(T) Aus 247 663(T) Aus 262 664(T) Aus 262 664(T) Aus 4 665(T) Aus 379, 505, 506, 507, 621, 622, 623, 4620, 4621, INT 620, 621 667(T) Aus 73 668(T) Aus 328 669(T) Aus 328 670(T) Aus 328 670(T) Aus 4725, INT 725 671(T) Aus 116 672(T) Aus 53 673(T) Aus 53 673(T) Aus 53 673(T) Aus 357, 487, 4644, INT 644 676(T) Aus 357 677(T) Aus 357 677(T) Aus 357 677(T) Aus 357 678(T) Aus 349, 787 678(T) Aus 349, 787 | 655(T) | Aus 258, 829 |
| 658(T) Aus 249, 250 659(T) Aus 267 660(T) Aus 256, 827 661(T) Aus 256, 827 662(T) Aus 247 663(T) Aus 262 664(T) Aus 4 665(T) Aus 612 666(T) Aus 379, 505, 506, 507, 621, 622, 623, 4620, 4621, INT 620, 621 667(T) Aus 73 668(T) Aus 328 669(T) Aus 328 669(T) Aus 328 670(T) Aus 4725, INT 725 671(T) Aus 116 672(T) Aus 53 673(T) Aus 53 673(T) Aus 55, 56 675(T) Aus 357, 487, 4644, INT 644 676(T) Aus 357 677(T) Aus 357 677(T) Aus 349, 787 678(T) Aus 141, 349 | | |
| 659(T) Aus 267 660(T) Aus 256, 827 661(T) Aus 256, 827 662(T) Aus 247 663(T) Aus 262 664(T) Aus 4 665(T) Aus 612 666(T) Aus 379, 505, 506, 507, 621, 622, 623, 4620, 4621, INT 620, 621 667(T) Aus 73 668(T) Aus 328 669(T) Aus 328 669(T) Aus 328 670(T) Aus 4725, INT 725 671(T) Aus 116 672(T) Aus 53 673(T) Aus 53 674(T) Aus 55, 56 675(T) Aus 357, 487, 4644, INT 644 676(T) Aus 349, 787 678(T) Aus 349, 787 678(T) Aus 349, 787 | | |
| 660(T) Aus 256, 827 661(T) Aus 256, 827 662(T) Aus 247 663(T) Aus 262 664(T) Aus 612 666(T) Aus 379, 505, 506, 507, 621, 622, 623, 4620, 4621, INT 620, 621 667(T) Aus 73 668(T) Aus 328 669(T) Aus 328 669(T) Aus 328 670(T) Aus 4725, INT 725 671(T) Aus 116 672(T) Aus 53 673(T) Aus 53 673(T) Aus 53 674(T) Aus 55, 56 675(T) Aus 357, 487, 4644, INT 644 676(T) Aus 357 677(T) Aus 357 677(T) Aus 349, 787 678(T) Aus 141, 349 | | |
| 661(T) Aus 256, 827 662(T) Aus 247 663(T) Aus 262 664(T) Aus 4 665(T) Aus 612 666(T) Aus 379, 505, 506, 507, 621, 622, 623, 4620, 4621, INT 620, 621 667(T) Aus 73 668(T) Aus 328 669(T) Aus 328 669(T) Aus 328 670(T) Aus 4725, INT 725 671(T) Aus 116 672(T) Aus 53 673(T) Aus 53 673(T) Aus 55, 56 675(T) Aus 357, 487, 4644, INT 644 676(T) Aus 349, 787 678(T) Aus 349, 787 | | |
| 662(T) Aus 247 663(T) Aus 262 664(T) Aus 4 665(T) Aus 612 666(T) Aus 379, 505, 506, 507, 621, 622, 623, 4620, 4621, INT 620, 621 667(T) Aus 73 668(T) Aus 328 669(T) Aus 328 669(T) Aus 328 670(T) Aus 4725, INT 725 671(T) Aus 116 672(T) Aus 53 673(T) Aus 53 674(T) Aus 55, 56 675(T) Aus 357, 487, 4644, INT 644 676(T) Aus 357 677(T) Aus 349, 787 678(T) Aus 349, 787 | | |
| 663(T) Aus 262 664(T) Aus 4 665(T) Aus 612 666(T) Aus 379, 505, 506, 507, 621, 622, 623, 4620, 4621, INT 620, 621 667(T) Aus 73 668(T) Aus 328 669(T) Aus 328 670(T) Aus 328 670(T) Aus 4725, INT 725 671(T) Aus 116 672(T) Aus 53 673(T) Aus 53 674(T) Aus 55, 56 675(T) Aus 357, 487, 4644, INT 644 676(T) Aus 357 677(T) Aus 349, 787 678(T) Aus 141, 349 | | |
| 664(T) Aus 4 665(T) Aus 612 666(T) Aus 379, 505, 506, 507, 621, 622, 623, 4620, 4621, INT 620, 621 667(T) Aus 73 668(T) Aus 328 669(T) Aus 328 670(T) Aus 4725, INT 725 671(T) Aus 116 672(T) Aus 53 673(T) Aus 53 674(T) Aus 55, 56 675(T) Aus 357, 487, 4644, INT 644 676(T) Aus 357 677(T) Aus 349, 787 678(T) Aus 141, 349 | | |
| 665(T) Aus 612 666(T) Aus 379, 505, 506, 507, 621, 622, 623, 4620, 4621, INT 620, 621 667(T) Aus 73 668(T) Aus 328 669(T) Aus 328 670(T) Aus 4725, INT 725 671(T) Aus 116 672(T) Aus 53 673(T) Aus 53 674(T) Aus 55, 56 675(T) Aus 357, 487, 4644, INT 644 676(T) Aus 357 677(T) Aus 349, 787 678(T) Aus 141, 349 | | |
| 666(T) Aus 379, 505, 506, 507, 621, 622, 623, 4620, 4621, INT 620, 621 667(T) Aus 73 668(T) Aus 328 669(T) Aus 328 670(T) Aus 4725, INT 725 671(T) Aus 116 672(T) Aus 53 673(T) Aus 53 674(T) Aus 55, 56 675(T) Aus 357, 487, 4644, INT 644 676(T) Aus 349, 787 678(T) Aus 141, 349 | | |
| 667(T) Aus 73 668(T) Aus 328 669(T) Aus 328 670(T) Aus 4725, INT 725 671(T) Aus 116 672(T) Aus 53 673(T) Aus 53 674(T) Aus 55, 56 675(T) Aus 357, 487, 4644, INT 644 676(T) Aus 357 677(T) Aus 349, 787 678(T) Aus 141, 349 | | |
| 668(T) Aus 328 669(T) Aus 328 670(T) Aus 4725, INT 725 671(T) Aus 116 672(T) Aus 53 673(T) Aus 53 674(T) Aus 55, 56 675(T) Aus 357, 487, 4644, INT 644 676(T) Aus 357 677(T) Aus 349, 787 678(T) Aus 141, 349 | * * | |
| 669(T) Aus 328 670(T) Aus 4725, INT 725 671(T) Aus 116 672(T) Aus 53 673(T) Aus 53 674(T) Aus 55, 56 675(T) Aus 357, 487, 4644, INT 644 676(T) Aus 357 677(T) Aus 349, 787 678(T) Aus 141, 349 | | |
| 670(T) Aus 4725, INT 725 671(T) Aus 116 672(T) Aus 53 673(T) Aus 53 674(T) Aus 55, 56 675(T) Aus 357, 487, 4644, INT 644 676(T) Aus 357 677(T) Aus 349, 787 678(T) Aus 141, 349 | | |
| 671(T) Aus 116 672(T) Aus 53 673(T) Aus 53 674(T) Aus 55, 56 675(T) Aus 357, 487, 4644, INT 644 676(T) Aus 357 677(T) Aus 349, 787 678(T) Aus 141, 349 | | |
| 672(T) Aus 53 673(T) Aus 53 674(T) Aus 55, 56 675(T) Aus 357, 487, 4644, INT 644 676(T) Aus 357 677(T) Aus 349, 787 678(T) Aus 141, 349 | \ | |
| 673(T) Aus 53 674(T) Aus 55, 56 675(T) Aus 357, 487, 4644, INT 644 676(T) Aus 357 677(T) Aus 349, 787 678(T) Aus 141, 349 | | |
| 674(T) Aus 55, 56 675(T) Aus 357, 487, 4644, INT 644 676(T) Aus 357 677(T) Aus 349, 787 678(T) Aus 141, 349 | | |
| 675(T) Aus 357, 487, 4644, INT 644 676(T) Aus 357 677(T) Aus 349, 787 678(T) Aus 141, 349 | | |
| 676(T) Aus 357 677(T) Aus 349, 787 678(T) Aus 141, 349 | \ | |
| 677(T) Aus 349, 787 678(T) Aus 141, 349 | | |
| 678(T) Aus 141, 349 | | |
| | | |
| n/MCLL LAUS INCLUINT AUT | | |
| | 679(T) | Aus 150, 151, 801 |
| 680(T) Aus 148, 163, 181, 357, 487, 799, 801, 802, 4644, INT 644 | | |
| 681(T) Aus 178, 487, 790, 799, 801, 802, 4644, INT 644 | | |
| 682(T) Aus 170, 766, 797 | 082(1) | AUS 170, 700, 797 |

NUMERICAL INDEX OF CHARTS AFFECTED

Edition No 13

| Aus Chart | Notices |
|-----------|------------------------|
| Aus 4 | 664(T) |
| Aus 40 | 651 |
| Aus 50 | 642 |
| Aus 53 | 672(T), 673(T) |
| Aus 55 | 674(T) |
| Aus 56 | 674(T) |
| Aus 68 | 643 |
| Aus 73 | 667(T) |
| Aus 83 | 643 |
| Aus 109 | 650 |
| Aus 110 | 650 |
| Aus 111 | 643 |
| Aus 112 | 642 |
| Aus 114 | 643 |
| Aus 116 | 643, 671(T) |
| Aus 118 | 650 |
| Aus 141 | 678(T) |
| Aus 148 | 680(T) |
| Aus 150 | 679(T) |
| Aus 151 | 679(T) |
| Aus 163 | 680(T) |
| Aus 170 | 682(T) |
| Aus 178 | 681(T) |
| Aus 181 | 680(T) |
| Aus 235 | 645 |
| Aus 236 | 645 |
| Aus 237 | 645 |
| Aus 238 | 645 |
| Aus 241 | 657(T) |
| Aus 244 | 656(T) |
| Aus 245 | 656(T) |
| Aus 247 | 662(T) |
| Aus 249 | 642, 658(T) |
| Aus 250 | 658(T) |
| Aus 256 | 660(T), 661(T) |
| Aus 258 | 655(T) |
| Aus 262 | 646, 663(T) |
| Aus 267 | 642, 659(T) |
| Aus 309 | 649 |
| Aus 315 | 649 |
| Aus 328 | 668(T), 669(T) |
| Aus 349 | 677(T), 678(T) |
| Aus 357 | 675(T), 676(T), 680(T) |
| Aus 377 | 648 |
| Aus 379 | 666(T) |
| Aus 487 | 675(T), 680(T), 681(T) |
| Aus 505 | 666(T) |
| Aus 506 | 666(T) |
| Aus 507 | 666(T) |
| Aus 604 | 653 |
| Aus 607 | 652 |
| Aus 612 | 665(T) |
| Aus 621 | 666(T) |
| Aus 622 | 666(T) |

| Aus Chart | Notices |
|-----------|------------------------|
| Aus 623 | 666(T) |
| Aus 631 | 643 |
| Aus 662 | 647 |
| Aus 732 | 651 |
| Aus 733 | 651 |
| Aus 739 | 643 |
| Aus 740 | 643 |
| Aus 741 | 643 |
| Aus 766 | 682(T) |
| Aus 787 | 677(T) |
| Aus 790 | 681(T) |
| Aus 797 | 682(T) |
| Aus 799 | 654, 680(T), 681(T) |
| Aus 801 | 679(T), 680(T), 681(T) |
| Aus 802 | 680(T), 681(T) |
| Aus 814 | 645 |
| Aus 815 | 645 |
| Aus 827 | 660(T), 661(T) |
| Aus 829 | 655(T) |
| Aus 830 | 646 |
| Aus 4620 | 666(T) |
| Aus 4621 | 666(T) |
| Aus 4644 | 675(T), 680(T), 681(T) |
| Aus 4725 | 670(T) |

| INT Chart | Notices |
|-----------|------------------------|
| INT 620 | 666(T) |
| INT 621 | 666(T) |
| INT 644 | 675(T), 680(T), 681(T) |
| INT 725 | 670(T) |

AUSTRALIA - Products - New Charts, New Editions, Withdrawn Charts 642

Australian Hydrographic Office

New Charts

Chart Title and Geographical limits Scale Publication Date Remarks

NIL

New Electronic Navigation Chart (Aus ENC)

Cell Name Title Publication Date Remarks

NIL

New Editions and Withdrawn Charts

Scale Publication Date Remarks Chart Title

Aus 50 Australia - North West Coast - Western 1:50 000 28 June 2019 New edition with general

(Edition 2) Australia - Approaches to Broome updating throughout;

including latest bathymetric

Chart Aus 50 Edition 1 dated 15 January 2010 is now superseded and must be withdrawn from use.

Aus 112 Australia - West Coast - Western 1:37 500 28 June 2019 New edition with general

updating throughout; (Edition 6) Australia - Approaches to Fremantle

including latest bathymetric

data.

Chart Aus 112 Edition 5 dated 13 July 2018 is now superseded and must be withdrawn from use.

Australia - East Coast - Queensland -1:75 000 28 June 2019 Aus 249 New edition with general

(Edition 6) Approaches to Hay Point and Mackay updating throughout; including latest bathymetric data and Restricted Area

limits.

Chart Aus 249 Edition 5 dated 18 July 2014 is now superseded and must be withdrawn from use.

New edition with general

Aus 267 Australia - East Coast - Queensland -1:12 500 28 June 2019

(Edition 4) Lucinda

updating throughout; including latest bathymetric Plan: Lucinda Offshore Wharf data.

1:5 000

Chart Aus 267 Edition 3 dated 9 March 2018 is now superseded and must be withdrawn from use

Chart permanently withdrawn

Charts listed above as withdrawn no longer meet chart carriage requirements and should be marked as "superseded" and replaced with the new chart/ new edition listed prior to passage through the area covered by the new chart.

When placing orders with a chart agent between notice of forthcoming edition and its publication, mariners should advise whether their order pertains to the current edition or the new edition.

For further details refer to the AHO website at www.hydro.gov.au for new edition and new chart stock arrival information.

28 June 2019 5

643 AUSTRALIA - Products - New Charts and New Editions to be published shortly

Australian Hydrographic Office

| New Charts to be | published shortly |
|------------------|-------------------|
|------------------|-------------------|

| Chart | Title | Scale | Expected Publication Date | Remarks |
|-------|--|----------|---------------------------|---|
| | South Pacific Ocean - Solomon Islands - Vangunu Island - Mbili Passage to Hele Bar | 1:50 000 | 12 July 2019 | New chart with latest bathymetric survey data. |
| | Papua New Guinea - North East Coast - Approaches to Sewa Bay | 1:15 000 | 12 July 2019 | Adoption of Papua New Guinea chart numbering. Replaces Aus 631. General updating throughout including latest bathymetric data and new submarine cable. |

New Editions to be published shortly

| INCW Editi | ons to be published shortly | | | |
|------------|---|--|---------------------------------|--|
| Chart | Title | Scale | Expected Publication Date | Remarks |
| AUS 116 | Australia - South West Coast - Plans in Western Australia - West and South Coast Plans Flinders Bay Entrance to Mandurah Estuary Hamelin Bay Mary Ann Haven Warnbro Sound Port Geographe Marina Starvation Boat Harbour | 1:50 000 1:15 000 1:25 000 1:20 000 1:37 500 1:12 000 1:15 000 | 12 July 2019 | New edition with general updating throughout; including latest bathymetric data. |
| | | | | |

Charts to be withdrawn

Chart Remarks

Aus 631 On publication of new chart PNG 631

NOTE

Notice to Mariners 574/2019

Plans to withdraw chart Aus 83 without replacement will no longer take place.

Charts to be withdrawn without replacement in June 2019

| Aus 111 Edition 3 | Australia - West Coast - Western Australia - Careening Bay and Approaches Inset: | <i>Scale</i> 1:7 500 | 6 November 2015 |
|----------------------|--|-------------------------|-----------------|
| | Sulphur Bay | 1:7 500 | |
| Aus 114 Edition 4 | Australia - West Coast - Western Australia - Kwinana Inset: | 1:12 500 | 6 November 2015 |
| | Kwinana Grain Jetty | 1:12 500 | |

643 AUSTRALIA - Products - New Charts and New Editions to be published shortly

| Chart | be withdrawn without replacement in July 2019 Title | Scale | Publication Date |
|----------------------|--|-----------|------------------|
| Aus 68 Edition 1 | Australia - North West Coast - Western Australia - Approaches to cape Preston Inset: | 1:50 000 | 8 March 2013 |
| | Cape Preston | 1:10 000 | |
| Aus 739 Edition 3 | Australia - North West Coast - Western Australia - Bedout Islet to Port Hedland | 1:150 000 | 15 January 2010 |
| Aus 740 Edition 3 | Australia - North West Coast - Western Australia - Port Hedland to Port Walcott Inset: | 1:150 000 | 15 January 2010 |
| | Depuch Island Anchorage | 1:20 000 | |
| Aus 741 Edition 3 | Australia - North West Coast - Western Australia - Approaches to Dampier Archipelago | 1:150 000 | 6 November 2015 |

AUSTRALIA - Product - Amendment to Australian National Tide Tables 2019Australian Hydrographic Office

ANTT 2019

Page 362

Amend HAY POINT To Chart Datum AUS 250 NE 14 JUN 2019 0.0

Page 363

Amend MACKAY OUTER HARBOUR To Chart Datum AUS 250 NE 14 JUN 2019 0.0

Page 364

Amend NORFOLK ISLAND To Chart Datum AUS 609 NE 14 JUN 2019 SUBTRACT 0.1

645 AUSTRALIA - QUEENSLAND - Brisbane - VTS

Australian Hydrographic Office

Note: position of existing chart notes may vary on certain charts.

| 4 . 005 15 | 00/0040 | | | | |
|----------------------------|--|--|---|--|--|
| Aus 235 [5 Insert | 28/2019] accompanying note | 27° 03'.8 S | 152° 58'.3 E | | |
| Amend | magenta legend to <i>Brisbane Port/VTS Limit</i> | 26° 43'.9 S 26° 46'.1 S 26° 56'.9 S 26° 58'.4 S | 153° 15'.7 E 153° 10'.0 E 153° 15'.2 E 153° 12'.4 E | | |
| Aus 236 [5 Insert | 81/2019] accompanying note | 27° 24'.0 S | 153° 04'.2 E | | |
| Amend | magenta legend to <i>Brisbane Port/VTS Limit</i> | 27° 02'.9 S 27° 03'.6 S 27° 15'.5 S 27° 21'.3 S | 153° 18'.9 E 153° 15'.3 E 153° 10'.5 E 153° 17'.3 E | | |
| Aus 237 [5 | 79/20191 | | | | |
| Insert | accompanying note | 27° 23'.2 S | 153° 08'.1 E | | |
| Amend | magenta legend to <i>Brisbane Port/VTS Limit</i> | 27° 19'.05 S 27° 21'.54 S 27° 22'.59 S 27° 23'.57 S 27° 24'.40 S | 153° 10'.11 E 153° 09'.88 E 153° 11'.93 E 153° 08'.71 E 153° 10'.94 E | | |
| Aus 238 [9 | | | | | |
| Insert | accompanying note | 27° 25′.60 S | 153° 06'.40 E | | |
| Amend | magenta legend to Brisbane Port/VTS Limit | 27° 26′.57 S | 153° 02'.96 E | | |
| Aus 238 (B Amend | sulimba Reach) [949/2018] magenta legend to <i>Brisbane Port/VTS Limit</i> | 27° 26'.58 S | 153° 02'.98 E | | |
| Aus 814 [5 | 29/2019] | | | | |
| Insert | accompanying note | 28° 01'.5 S | 153° 16'.5 E | | |
| Amend | magenta legend to <i>Brisbane Port/VTS Limit</i> | 26° 59'.2 S 27° 03'.8 S 27° 14'.8 S 27° 21'.2 S | 153° 16'.6 E 153° 15'.5 E 153° 10'.6 E 153° 17'.2 E | | |
| Aus 815 [5 | | | | | |
| Insert | accompanying note | 26° 02'.5 S | 153° 52'.6 E | | |
| Amend | magenta legend to <i>Brisbane Port/VTS Limit</i> magenta legend to <i>Brisbane Port/VTS Limit</i> magenta legend to <i>Brisbane Port/VTS Limit</i> | 26° 43'.6 S 26° 56'.3 S 26° 59'.3 S | 153° 15'.7 E 153° 11'.3 E 153° 16'.7 E | | |
| 646 Australian H | 646 AUSTRALIA - QUEENSLAND - Cairns - Light; tower Australian Hydrographic Office | | | | |
| Aus 262 [5 Amend | 21/2019] light to <i>Aero Al.Fl.WG.7·5s 47m (occas)</i> tower height to <i>(46)</i> | 16° 52'.49 S 16° 52'.49 S | 145° 45'.32 E 145° 45'.32 E | | |
| Aus 830 [5 Amend | 21/2019] light to Aero Al.Fl.WG.7·5s (occas) | 16° 52'.5 S | 145° 45'.3 E | | |
| | | | | | |

647 PAPUA NEW GUINEA - Seeadler Harbour - Depths

HMAS Melville

| Aus 662 [<i>535/2019</i>] | | | | | | |
|-----------------------------|--|--------------|----------------|--|--|--|
| Insert | depth, 18 ₂ m, enclosed by contour | 1° 59'.645 S | 147° 18'.240 E | | | |
| | depth, $18_g m$, enclosed by contour | 2° 00'.016 S | 147° 18'.040 E | | | |
| | depth, 11 ₂ m, enclosed by contour | 2° 00'.281 S | 147° 18'.679 E | | | |
| | depth, 19m, and extend contour W to enclose | 2° 00'.563 S | 147° 19'.868 E | | | |
| | depth, 13 ₈ m, enclosed by contour | 2° 00'.680 S | 147° 21'.012 E | | | |
| | depth, 11 ₆ m, enclosed by contour | 2° 00'.985 S | 147° 20'.895 E | | | |
| Delete | depth, 19m | 2° 00'.60 S | 147° 19'.94 E | | | |
| 648 CSIRO | AUSTRALIA - TORRES STRAIT - Pandora Passage - Depths | | | | | |
| Aus 377 [5 | 82/20191 | | | | | |
| Insert | depth, 74m, enclosed by contour | 9° 43′.00 S | 144° 32'.98 E | | | |
| | depth, 83m, enclosed by contour | 9° 45′.68 S | 144° 34'.08 E | | | |
| 649 | AUSTRALIA - TIMOR SEA - The Boxers - Depths southwestwards | | | | | |
| Australian F | lydrographic Office | | | | | |
| Aus 309 [1 | 07/2019] | | | | | |
| Insert | depth, 51m, extend contour SE to enclose | 11° 52'.69 S | 128° 03'.58 E | | | |
| Delete | depth, 72m | 11° 52'.5 S | 128° 03'.3 E | | | |
| Aus 315 [1 | Aus 315 [13/2019] | | | | | |
| Insert | depth, 51m, extend contour SE to enclose | 11° 52'.69 S | 128° 03'.58 E | | | |
| Delete | depth, 72m | 11° 52'.5 S | 128° 03'.3 E | | | |
| | | | | | | |

650 AUSTRALIA - WESTERN AUSTRALIA - Oyster Harbour to Mistaken Island - Marine farms Department of Transport WA

| Aug 100 [2 | 27/2010] | | |
|----------------------|---|---|--|
| Aus 109 [3 Insert | dashed line, between | 35° 03'.927 S 35° 03'.927 S | 117° 56'.891 E 117° 56'.391 E |
| Move | marine farm symbol to legend, (see Note) to | 35° 03'.894 S 35° 03'.950 S 35° 03'.924 S 35° 03'.962 S | 117° 56'.461 E 117° 56'.504 E 117° 56'.631 E 117° 56'.666 E |
| Delete | dashed line, between | 35° 03'.93 S 35° 03'.85 S 35° 03'.85 S 35° 03'.93 S | 117° 56'.89 E 117° 56'.89 E 117° 56'.39 E 117° 56'.39 E |
| Aus 110 [2 | 67/2019] | | |
| Insert | dashed line, between | 35° 03'.927 S 35° 03'.927 S | 117° 56'.891 E 117° 56'.391 E |
| Move | marine farm symbol to | 35° 03'.901 S 35° 03'.966 S | 117° 56'.640 E 117° 56'.453 E |
| Delete | dashed line, between | 35° 03'.93 S 35° 03'.85 S 35° 03'.85 S 35° 03'.93 S | 117° 56'.89 E 117° 56'.89 E 117° 56'.39 E 117° 56'.39 E |
| Aus 110 (C | Oyster Harbour) [267/2019] | | |
| Insert | dashed line, between | 34° 58'.380 S 34° 58'.417 S 34° 58'.812 S | 117° 56'.993 E 117° 57'.547 E 117° 57'.386 E |
| | dashed line, between | 34° 58'.528 S 34° 58'.847 S 34° 58'.833 S 34° 58'.320 S 34° 57'.992 S 34° 58'.048 S 34° 58'.278 S | 117° 58'.343 E 117° 58'.555 E 117° 58'.731 E 117° 58'.517 E 117° 58'.211 E 117° 58'.034 E 117° 58'.209 E |
| Delete | dashed line, between | 34° 58'.38 S 34° 58'.38 S | 117° 56'.99 E 117° 57'.39 E |
| | dashed line, between | 34° 58'.81 S 34° 58'.53 S 34° 58'.86 S 34° 58'.86 S 34° 58'.03 S 34° 58'.08 S 34° 58'.28 S | 117° 57'.39 E 117° 58'.34 E 117° 58'.49 E 117° 58'.63 E 117° 58'.19 E 117° 58'.02 E 117° 58'.21 E |
| Aus 118 [5 | 91/20191 | | |
| Delete | dashed line, between dashed line with legend, Marine Farms (see Note), between | 35° 03'.9 S 35° 03'.8 S 35° 03'.8 S 35° 03'.9 S 35° 03'.3 S 35° 03'.6 S 35° 03'.6 S | 117° 56'.9 E 117° 56'.9 E 117° 56'.4 E 117° 56'.4 E 117° 56'.4 E 117° 56'.9 E |
| | | 35° 03'.3 S 35° 03'.3 S | 117° 56'.9 E 117° 56'.4 E |

651 AUSTRALIA - WESTERN AUSTRALIA - Yampi Sound - Comber Rock - Navaids

Former Notice - 304(T)/2018 is cancelled Department of Transport WA Notice 65/2019

| Aus 40 [14. Insert | /2019] yellow black yellow pillar light buoy, <i>Q(3)10</i> s, with east cardinal topmark | 16° 06'.419 S | 123° 39′.657 E |
|---|---|---------------|----------------|
| Delete | light beacon | 16° 06'.40 S | 123° 39'.60 E |
| Aus 732 [NE 13/7/2018] Insert yellow black yellow pillar light buoy, Q(3)10s, with east cardinal topmark | | 16° 06'.42 S | 123° 39'.66 E |
| Delete | light beacon | 16° 06'.4 S | 123° 39'.6 E |
| Aus 733 [774/2014] | | | |
| Insert | yellow black yellow pillar light buoy, Q(3)10s, with east cardinal topmark | 16° 06'.42 S | 123° 39′.66 E |
| Delete | light beacon | 16° 06'.4 S | 123° 39'.6 E |
| 652 INDIAN OCEAN - Cocos Islands - West Island - Ujong Tanjong - Navaids; anchorages Viva Energy Australia | | | |
| Aus 607 [3 Insert | 50/2016] accompanying block | 12° 07'.877 S | 096° 50'.324 E |
| Replace | # with depth, 4m, enclosed by danger circle with legend Wk | 12° 05'.98 S | 096° 51'.49 E |
| 653 SOUTHERN OCEAN - Macquarie Island - Depths LADS Flight | | | |
| Aus 604 [NE 13/7/2018] | | | |
| Insert | depth, $25_5 m$, enclosed by contour | 54° 18'.98 S | 159° 00'.43 E |
| | depth, 9 ₅ m, enclosed by contour | 54° 19'.88 S | 158° 59'.85 E |
| | depth, 22 ₅ m, enclosed by contour | 54° 20′.19 S | 158° 58'.93 E |
| | depth, 53m, enclosed by contour | 54° 20'.82 S | 159° 00'.19 E |
| | depth, 5 ₇ m, enclosed by contour | 54° 20'.98 S | 158° 59'.42 E |
| | depth, 23 ₄ m, enclosed by contour | 54° 21'.41 S | 159° 00'.34 E |
| | depth, 16 ₂ m, enclosed by contour | 54° 27'.26 S | 158° 55'.61 E |
| | depth, 11_8^- m, enclosed by contour | 54° 27'.67 S | 158° 57'.28 E |
| Replace | depth, 28_3 m with depth, 2_9 m, enclosed by contour | 54° 19'.4 S | 159° 00'.5 E |
| | depth, 5_1 m with depth, 3_8 m | 54° 20'.0 S | 159° 00'.5 E |
| Delete | contour between | 54° 27'.5 S | 158° 55'.7 E |
| | | 54° 27'.6 S | 158° 55'.9 E |
| | depth, 47m | 54° 19'.1 S | 159° 00'.6 E |
| | depth, 30 ₅ m | 54° 27'.4 S | 158° 55'.3 E |
| | depth, 29m | 54° 27'.8 S | 158° 57'.3 E |
| Aus 604 (Hasselborough and Buckles Bays) [NE 13/7/2018] | | | |
| Insert | depth, 16m, enclosed by contour | 54° 27'.543 S | 158° 55'.553 E |
| | depth, 18 ₇ m, enclosed by contour | 54° 27'.637 S | 158° 55'.682 E |
| | depth, 11 ₈ m, enclosed by contour | 54° 27'.673 S | 158° 57'.278 E |
| Delete | depth, 26 ₅ m | 54° 27'.62 S | 158° 55'.68 E |
| 654 AUSTRALIA - TASMANIA - Port Sorell - Navaids Australian Hydrographic Office | | | |
| Aus 799 [1 Insert | 136/2018] legend, Channel marked by buoys and beacons, centred on | 41° 11'.10 S | 146° 33'.50 E |
| | | | |

28 June 2019 11

655(T)/2019 AUSTRALIA - QUEENSLAND - Cowley Beach to Ellison Reef - Military exercise completed

Former Notice - 546(T)/2019 is cancelled

Department of Defence

Cancel this notice on receipt.

Chart formerly affected - Aus 258 - Aus 829

656(T)/2019 AUSTRALIA - QUEENSLAND - Gladstone - Barney Point - Harbour works

Maritime Safety Queensland Notice 278(T)/2019

Remediation works are in progress at the eastern end of Barney Point wharf (23° 50'.15 S 151° 16'.36 E) and the eastern dolphin (23° 50'.19 S 151° 16'.45 E).

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 244 - Aus 245

657(T)/2019 AUSTRALIA - QUEENSLAND - Great Sandy Strait - Mary River - Scientific instruments

Former Notice - 664(T)/2016 is cancelled

Maritime Safety Queensland Notice 273(T)/2019

Two special light buoys, Fl.Y.3s, exist in position 25° 27'.13 S 152° 54'.24 E and 25° 30'.23 S 152° 47'.16 E.

Chart temporarily affected - Aus 241

658(T)/2019 AUSTRALIA - QUEENSLAND - Hay Point - Exclusion zone

Maritime Safety Queensland Notice 247(T)/2019

An exclusion zone exists in an area bounded by the following positions:

21° 16'.24 S 149° 17'.54 E

21° 15'.69 S 149° 18'.55 E

21° 15′.53 S 149° 18′.46 E

21° 15'.48 S 149° 18'.58 E

21° 15'.68 S 149° 18'.71 E

21° 15'.86 S 149° 18'.75 E 21° 15'.86 S 149° 18'.78 E

21° 15'.90 S 149° 18'.79 E

21° 15'.90 S 149° 18'.79 E 21° 15'.88 S 149° 18'.82 E

21° 15'.91 S 149° 18'.86 E

21° 16'.16 S 149° 19'.02 E

21° 16′.37 S 149° 18′.63 E

21° 16′.17 S 149° 18′.51 E

21° 16'.53 S 149° 17'.84 E.

Chart temporarily affected - Aus 249 - Aus 250

659(T)/2019 AUSTRALIA - QUEENSLAND - Hinchinbrook Channel - Light buoy restored

Former Notice - 495(T)/2018 is cancelled

Maritime Safety Queensland

Cancel this notice on receipt.

Chart formerly affected - Aus 267

660(T)/2019 AUSTRALIA - QUEENSLAND - Rattlesnake Island - Live firing; military exercise completed

Former Notice - 554(T)/2019 is cancelled

Maritime Safety Queensland Notice 179(T)/2019, 244(T)/2019

Cancel this notice on receipt.

Chart formerly affected - Aus 256 - Aus 827

661(T)/2019 AUSTRALIA - QUEENSLAND - Rattlesnake Island - Military exercise; live firing

Maritime Safety Queensland Notice 290(T)/2019, 295(T)/2019, 296(T)/2019, 297(T)/2019, 298(T)/2019

Military exercises including live firing activities will be conducted within a 5M radius of position 19° 02'.27 S 146° 36'.43 E on/between 28 June 2019, 1 July and 3 July 2019, 8 July and 11 July 2019, 18 July and 19 July 2019.

Mariners are advised to navigate with caution and keep well clear of the area.

Chart temporarily affected - Aus 256 - Aus 827

662(T)/2019 AUSTRALIA - QUEENSLAND - Rosslyn Bay - Dredging operations

Maritime Safety Queensland Notice 289(T)/2019

The dredge *Warraber* and support vessels *Darnley* and *Barralodge* are conducting dredging operations in Rosslyn Bay Harbour (23° 09'.52 S 150° 47'.26 E).

A submerged pipeline marked by special light buoys, FI. Y5s, exists between the following positions:

Position Remarks 23° 09'.54 S 150° 47'.37 E breakwater 23° 09'.18 S 150° 47'.75 E 23° 09'.01 S 150° 47'.80 E lit pontoon.

A floating pipeline marked by special light buoys, *Fl.Y5s*, exists in the harbour which is connected to the dredge. Safe passage exists between a starboard lateral buoy (23° 09'.58 S 150° 47'.35 E) and a port lateral buoy (23° 09'.60 S 150° 47'.34 E).

Mariners are advised to navigate with caution in the area and to contact VHF Ch 16 if the dredge or pipeline are impeding their safe passage.

Chart temporarily affected - Aus 247

663(T)/2019 AUSTRALIA - QUEENSLAND - Thomatis Creek - Dredging operations

Maritime Safety Queensland Notice 293(T)/2019

The dredge RN Balder is conducting dredging operations in the entrance to Thomatis Creek (16° 49'.47 S 145° 43'.97 E).

An exclusion zone exists in an area bounded by the following positions:

Position Remarks
16° 47'.56 S 145° 45'.12 E
16° 47'.90 S 145° 45'.46 E
16° 48'.39 S 145° 45'.13 E
16° 48'.05 S 145° 44'.70 E.

A submerged pipeline exists between the dredge and a special light buoy, Fl.Y, in position 16° 48'.20 S 145° 44'.93 E.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 262

664(T)/2019 AUSTRALIA - QUEENSLAND - Weipa - Humbug Point to Hey Point - Harbour works completed

Former Notice - 1257(T)/2016 is cancelled Maritime Safety Queensland Notice 72(T)/2016

Cancel this notice on receipt.

Chart formerly affected - Aus 4

665(T)/2019 AUSTRALIA - CORAL SEA - Saumarez Reefs - Live firing

Maritime Safety Queensland Notice 277(T)/2019

Live firing activities will be conducted within a 5M radius of position 21° 51'.30 S 153° 38'.78 E from 1 July to 10 July 2019 and 26 July to 31 July 2019. An exclusion zone exists in the area during live firing.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 612

666(T)/2019 PAPUA NEW GUINEA - CORAL SEA - Port Moresby to Mellish Reef - Cable laying operations southeastwards

Gulf Agency Company (Australia)

Vessel *Ile De Brehat* is conducting submarine cable laying operations in a south easterly direction between Port Moresby (9° 29'.15 S 147° 08'.80 E) and position 15° 02'.89 S 153° 29'.50 E.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 379 - Aus 505 - Aus 506 - Aus 507 - Aus 621 - Aus 622 - Aus 623 - Aus 4620 (INT 620) - Aus 4621 (INT 621)

667(T)/2019 AUSTRALIA - WESTERN AUSTRALIA - Carnarvon - Dredging operations completed

Former Notice - 696(T)/2018 is cancelled

Department of Transport WA Notice 107/2018

Cancel this notice on receipt.

Chart formerly affected - Aus 73

668(T)/2019 AUSTRALIA - WESTERN AUSTRALIA - Montebello Islands - Mooring buoy northwestwards

Former Notice - 455(T)/2019 is cancelled

Australian Maritime Safety Authority Auscoast Warning 146/2019

Cancel this notice on receipt.

Chart formerly affected - Aus 328

669(T)/2019 AUSTRALIA - WESTERN AUSTRALIA - Montebello Islands - Light buoy recovered northwestwards

Former Notice - 522(T)/2016 is cancelled

Far Sirius

Cancel this notice on receipt.

Chart formerly affected - Aus 328

670(T)/2019 AUSTRALIA - WESTERN AUSTRALIA - Perth - Scientific instrument westwards

Australian Maritime Safety Authority Auscoast Warning 191/2019

A subsurface scientific instrument with a least depth of 30m exists in position 31° 39'.50 S 114° 11'.00 E.

Chart temporarily affected - Aus 4725 (INT 725)

671(T)/2019 AUSTRALIA - WESTERN AUSTRALIA - Port Geographe Marina - Dredging operations completed

Former Notice - 995(T)/2018 is cancelled

Department of Transport WA Notice 144/2018

Cancel this notice on receipt.

Chart formerly affected - Aus 116

672(T)/2019 AUSTRALIA - WESTERN AUSTRALIA - Port Hedland - Harbour works completed

Former Notice - 622(T)/2019 is cancelled

Pilbara Ports Authority

Cancel this notice on receipt.

Chart formerly affected - Aus 53

673(T)/2019 AUSTRALIA - WESTERN AUSTRALIA - Port Hedland - Coxon Shoal - Obstruction removed northwestwards

Former Notice - 504(T)/2019 is cancelled Pilbara Ports Authority Notice PH 10(T)/2019

Cancel this notice on receipt.

Chart formerly affected - Aus 53

674(T)/2019 AUSTRALIA - WESTERN AUSTRALIA - Port Walcott - Survey operations completed

Former Notice - 338(T)/2018 is cancelled Department of Transport WA Notice 62/2018

Cancel this notice on receipt.

Chart formerly affected - Aus 55 - Aus 56

675(T)/2019 AUSTRALIA - VICTORIA - Cape Conran - Drill rig southwestwards

Australian Maritime Safety Authority Auscoast Warning 198/2019

Drill rig Ocean Monarch is conducting drilling operations in position 38° 32'.41 S 148° 33'.28 E.

Chart temporarily affected - Aus 357 - Aus 487 - Aus 4644 (INT 644)

676(T)/2019 AUSTRALIA - VICTORIA - Cape Conran - Obstruction removed southwards

Former Notice - 1159(T)/2018 is cancelled

Cooper Energy

Cancel this notice on receipt.

Chart formerly affected - Aus 357

677(T)/2019 AUSTRALIA - VICTORIA - Port Campbell - Survey operations southwestwards completed

Former Notice - 361(T)/2019 is cancelled

Cooper Energy

Cancel this notice on receipt.

Chart formerly affected - Aus 349 - Aus 787

678(T)/2019 AUSTRALIA - VICTORIA - Port Fairy Bay - Scientific instrument

Former Notice - 844(T)/2018 is cancelled Maritime Safety Victoria Notice 127(T)/2019

A special spherical light buoy, Fl.Y.2·5s exists in position 38° 22'.91 S 142° 17'.23 E.

Chart temporarily affected - Aus 141 - Aus 349

679(T)/2019 AUSTRALIA - VICTORIA - Western Port - East Arm - Drill rig moved

Former Notice - 572(T)/2019 is cancelled Australian Maritime Safety Authority

Cancel this notice on receipt.

Chart formerly affected - Aus 150 - Aus 151 - Aus 801

680(T)/2019 AUSTRALIA - BASS STRAIT - Cape Liptrap to Mersey Bluff - Survey operations

Maritime Safety Victoria Notice 144(T)/2019

Vessel MV Silver Star, with a towed array, is conducting a geophysical survey in an area bounded by the following positions:

38° 48'.0 S 145° 48'.0 E

38° 48'.0 S 146° 48'.0 E

41° 00'.0 S 146° 48'.0 E

41° 00'.0 S 145° 48'.0 E.

Vessel will display appropriate lights and shapes and will monitor VHF Ch 16.

Mariners are advised to navigate with caution in the area. 500m clearance is requested.

Chart temporarily affected - Aus 148 - Aus 163 - Aus 181 - Aus 357 - Aus 487 - Aus 799 - Aus 801 - Aus 802 - Aus 4644 (INT 644)

681(T)/2019 AUSTRALIA - BASS STRAIT - Cape Liptrap to Stanley - Survey operations completed

Former Notice - 306(T)/2019 is cancelled Maritime Safety Victoria Notice 144(T)/2019

Cancel this notice on receipt.

Chart formerly affected - Aus 178 - Aus 487 - Aus 790 - Aus 799 - Aus 801 - Aus 802 - Aus 4644 (INT 644)

682(T)/2019 AUSTRALIA - TASMANIA - Mercury Passage - Obstructions removed

Former Notice - 1103(T)/2014 is cancelled Marine and Safety Tasmania Notice M108/2014

Cancel this notice on receipt.

Chart formerly affected - Aus 170 - Aus 766 - Aus 797

П

HYDROGRAPHIC REPORTS

NIL

NAVIGATION WARNINGS

The Australian Hydrographic Office will no longer compile Section III of the Australian Notices to Mariners. For the most up to date navigation warnings please refer to:

AMSA Navigation Warnings http://amsa.gov.au/search-and-rescue/distress-and-safety-comms/msi/msi-email/index.asp

New Zealand Notices to Mariners (Navarea XIV warnings) http://www.linz.govt.nz/sea/maritime-safety/notices-mariners

28 June 2019 18