

22 February 2019

Edition 4

AUSTRALIAN NOTICES TO MARINERS

Notices 143 - 201

Published fortnightly by the Australian Hydrographic Office



Australian Notices to Mariners are the authority for correcting charts and publications published by the Australian Hydrographic Office covering Australia, Papua New Guinea, Solomon Islands, Australian Antarctic Territory and Timor-Leste.

Commodore F.T. FREEMAN RAN Hydrographer of Australia

SECTIONS.

- I. Australian Notices to Mariners, including blocks and notes.
- II. Hydrographic Reports.
- III. Navigational Warnings.

SUPPLEMENTS.

- I. Tracings
- II. Cumulative List of Australian Notices to Mariners.
- III. Cumulative List of Temporary and Preliminary Australian Notices to Mariners.
- **IV.** Temporary and Preliminary Notices in force.
- V. Amendments to Admiralty List of Lights and Fog Signals (Vol K), Radio Signals (NP 281(2), 282, 283(2), 285, 286(4)) and Sailing Directions (NP 9, 13, 14, 15, 33, 34, 35, 36, 39, 44, 51, 60, 61, 62, 100, 136).

© Commonwealth of Australia 2019

This work is copyright. Apart from any use permitted under the Copyright Act 1968, no part may be reproduced by any process, adapted, communicated or commercially exploited without prior written permission from The Commonwealth represented by the Australian Hydrographic Office.

IMPORTANT NOTICE

This edition of Notices to Mariners includes all significant information affecting AHO products which the AHO has become aware of since the last edition. All reasonable efforts have been made to ensure the accuracy and completeness of the information, including third party information, on which these updates are based. The AHO regards third parties from which it receives information as reliable, however the AHO cannot verify all such information and errors may therefore exist. The AHO does not accept liability for errors in third party information.

GENERAL INSTRUCTIONS

The substance of these notices should be inserted on the charts affected.

Bearings are referred to the true compass and are reckoned clockwise from North; those relating to lights are given as seen by an observer from seaward.

Positions quoted in notices relate to WGS84 which is the horizontal datum for all charts produced by the Australian Hydrographic Office.

The range quoted for a light is its nominal range.

Depths are with reference to the chart datum of each chart. Heights are above mean high water springs or mean higher high water, as appropriate.

The capital letter (P) or (T) after the number of any notice denotes a preliminary or temporary notice respectively, which are contained separately at the end of the permanent notices.

REPORTING OF DANGERS

Mariners are particularly requested to notify the AUSTRALIAN HYDROGRAPHIC OFFICE, Locked Bag 8801 Wollongong, NSW 2500 (Fax 02-4223 6599, e-mail datacentre@hydro.gov.au or, alternatively by filling in and submitting the Hydrographic Notes forms located on the web site – www.hydro.gov.au), immediately on the discovery of new dangers or suspected dangers to navigation. For changes or defects in aids to navigation notify AusSAR (Fax 02-6230 6868 or email rccaus@amsa.gov.au).

AUTHORISED USE

Copies of Australian notices are available free of charge from the Australian Hydrographic Office (AHO) website (www.hydro.gov.au) and through the eNotices (email) service (www.hydro.gov.au/enotices/enotices.htm).

Individual Notices may be copied for the purpose of inserting Notice substance on official charts and publications. Paper copies may be printed by chart agents and distributed to customers on a cost recovery basis. Participating chart agents are listed on the AHO website as providing a 'Paper Notices to Mariners' service (www.hydro.gov.au/webapps/jsp/agents/agents-list.jsp). Copies of the notices may not be sold for profit without prior written agreement.

NUMERICAL INDEX OF NOTICES TO MARINERS

Edition No 4

Notices	Aus Chart, INT Chart, ENC Cell, AHP, BA Pubs
143	Aus 83
144	Aus 270, 280, 281
145	Aus 192
146	Aus 262, 830
147	Aus 262, 830
148	Aus 4620, 4720, INT 620, 720
149	Aus 830
150	Aus 240
151	Aus 240
152	Aus 247, 819
153	Aus 249, 251, 823, 824
154	Aus 252, 253, 254
155	Aus 545, 554, 680
156	Aus 512
157	Aus 20, 720
158	Aus 24, 25, 26
159	Aus 118, 336, 759, 4709, 4726, INT 709, 726
160	Aus 65, 327, 328, 742
161	Aus 329
162	Aus 754
163	Aus 134, 776
164	Aus 599, 600, INT 9037, 9036
165	Aus 798, 800
166	Aus 173, 795
167	Aus 766
168	SLB 102, 301, 302
169(T)	Aus 238
170(T)	Aus 835, 839
171(T)	Aus 262, 263, 830
172(T)	Aus 249, 250
173(T)	Aus 249, 250
174(T)	Aus 250
175(T)	Aus 236
176(T)	Aus 256, 827
177(T)	Aus 294
178(T)	Aus 248, 820
179(T)	Aus 4
180(T)	Aus 388, 4622, INT 622
181(P)	Aus 545, 554, 679, 680
182(P)	Aus 392, 393, 543, 666
183(T)	Aus 379, 512, 647, 4621, INT 621
184(P)	Aus 389, 652
185(T)	Aus 293, 299
186(T) 187(T)	Aus 23, 722
187(T)	Aus 23, 722 Aus 24
188(T) 189(T)	Aus 24 Aus 29, 309, 316, 722, 4721, INT 721
189(T) 100(T)	
190(T) 191(T)	Aus 309, 722
191(T) 192(T)	Aus 335, 755, 756, 4725, 4726, INT 725, 726
	Aus 81, 751 Aus 328, 329, 744
193(T) 194(T)	
194(T) 195(T)	Aus 56
195(T) 196(T)	Aus 327, 328, 4723, INT 723
196(T) 107(T)	Aus 325, 326 Aug 322, 325, 326, 327, 741, 4722, 4723, INIT 722, 723
197(T) 198(T)	Aus 322, 325, 326, 327, 741, 4722, 4723, INT 722, 723 Aus 130, 137, 138, 781
198(T) 199(T)	Aus 150, 157, 156, 761 Aus 143, 155
200(T)	Aus 143, 155 Aus 179, 798, 800
200(T) 201(T)	SLB 102
201(1)	

NUMERICAL INDEX OF CHARTS AFFECTED

Edition No 4

Aus Chart	Notices	Aus Chart	Notices
Aus 4	179(T)	Aus 392	182(P)
Aus 20	157	Aus 393	182(P)
Aus 23	186(T), 187(T)	Aus 512	156, 183(T)
Aus 24	158, 188(T)	Aus 543	182(P)
Aus 25	158	Aus 545	155, 181(P)
Aus 26	158	Aus 554	155, 181(P)
Aus 29	189(T)	Aus 599	164
Aus 56	194(T)	Aus 600	164
Aus 65	160	Aus 647	183(T)
Aus 81	192(T)	Aus 652	184(P)
Aus 83	143	Aus 666	182(P)
Aus 118	159	Aus 679	181(P)
Aus 130	198(T)	Aus 680	155, 181(P)
Aus 134	163	Aus 720	157
Aus 137	198(T)	Aus 722	186(T), 187(T), 189(T), 190(T)
Aus 138	198(T)	Aus 741	197(T)
Aus 143	199(T)	Aus 742	160
Aus 155	199(T)	Aus 744	193(T)
Aus 173	166	Aus 751	192(T)
Aus 179	200(T)	Aus 754	162
Aus 192	145	Aus 755	191(T)
Aus 236	175(T)	Aus 756	191(T)
Aus 238	169(T)	Aus 759	159
Aus 240	150, 151	Aus 766	167
Aus 247	152	Aus 776	163
Aus 248	178(T)	Aus 781	198(T)
Aus 249	153, 172(T), 173(T)	Aus 795	166
Aus 250	172(T), 173(T), 174(T)	Aus 798	165, 200(T)
Aus 251	153	Aus 800	165, 200(T)
Aus 252	154	Aus 819	152
Aus 253	154	Aus 820	178(T)
Aus 254	154	Aus 823	153
Aus 256	176(T)	Aus 824	153
Aus 262	146, 147, 171(T)	Aus 827	176(T)
Aus 263	171(T)	Aus 830	146, 147, 149, 171(T)
Aus 270	144	Aus 835	170(T)
Aus 280	144	Aus 839	170(T)
Aus 281	144	Aus 4620	148
Aus 293	185(T)	Aus 4621	183(T)
Aus 294	177(T)	Aus 4622	180(T)
Aus 299	185(T)	Aus 4709	159
Aus 309	189(T), 190(T)	Aus 4703	148
Aus 316	189(T)	Aus 4721	189(T)
Aus 322	197(T)	Aus 4722	197(T)
Aus 325	196(T), 197(T)	Aus 4723	195(T), 197(T)
Aus 326	196(T), 197(T)	Aus 4725	191(T)
Aus 327	160, 195(T), 197(T)	Aus 4726	159, 191(T)
Aus 328	160, 193(T), 195(T)	SLB 102	168, 201(T)
Aus 329	161, 193(T)	SLB 301	168
Aus 335	191(T)	SLB 302	168
Aus 336	159	010 002	
Aus 379	183(T)		
Aus 388	180(T)		
Aus 389	184(P)		
143 003	וודטי /		

INT Chart	Notices
INT 9037	164
INT 9036	164
INT 620	148
INT 621	183(T)
INT 622	180(T)
INT 709	159
INT 720	148
INT 721	189(T)
INT 722	197(T)
INT 723	195(T), 197(T)
INT 725	191(T)
INT 726	159, 191(T)

 143
 AUSTRALIA - Products - New Charts and New Editions to be published shortly

 Australian Hydrographic Service

	ts to be published shortly <i>Title</i>	Scale	Expected Publication Date	Remarks
New Editio Chart NIL	ons to be published shortly <i>Title</i>	Scale	Expected Publication Date	Remarks
Charts wit Chart Aus 83 Edition 1	hdrawn without replacement in May 2 Title Australia - West Coast - Plans in West (Sheet 5) Recruit Bay Easter Group		<i>Scale</i> 1:25 000 1:25 000	Publication Date 18 May 2012

144	AUSTRALIA - Products - New Charts, New Editions, Withdrawn Charts
Australian H	/drographic Office , UKHO

New Charts Chart Ti NIL	itle and Geographical limits	Scale	Publication Date	Remarks
New Electro Cell Name NIL	onic Navigation Chart (Aus ENC) <i>Title</i>		Publication Date	Remarks
New Editior Chart AUS 280 Edition 5	ns and Withdrawn Charts <i>Title</i> Australia - East Coast - Queensland - Plans in Queensland (sheet 3) Plans: Magpie Reef to Eden Reef Flinders Group	<i>Scale</i> 1:75 000 1:50 000)	Remarks New edition with general updating throughout; including latest bathymetric data. Chart Aus 280 Edition 4 dated 29 August 2014 is now superseded and must be withdrawn from use.
AUS 281 Edition 3	Australia - East Coast - Queensland - First Three Mile Opening to Cape Direction	1:75 000) 22 February 2019	New edition with general updating throughout; including latest bathymetric data. Chart Aus 281 Edition 2 dated 15 August 2014 is now superseded and must be withdrawn from use.
AUS 270 Edition 4	Australia - East Coast - Queensland - Plans in Queensland (sheet 2) Plans: Approaches to Heath Reef Cape Melville to Pipon Islands Cooktown Cape Flattery Wharf Howick Group Port Douglas	1:50 000 1:75 000 1:10 000 1:10 000 1:50 000 1:10 000))))	New edition with general updating throughout; including latest bathymetric data. Produced with blue contours. Chart Aus 270 Edition 3 dated 15 August 2014 is now superseded and must be withdrawn from use.
Admiralty p NP No NP36 & e-NP36	ublication <i>Title</i> Admiralty Sailing Directions. Indones Volume 1 (Tenth Edition) 2019.	ia Pilot	<i>Date</i> 28/2/2019	<i>Remarks</i> The Ninth Edition 2017 of NP36 is cancelled.

Chart permanently withdrawn

Charts listed above as withdrawn no longer meet chart carriage requirements and should be marked as "superseded" and replaced with the new chart/ new edition listed prior to passage through the area covered by the new chart.

When placing orders with a chart agent between notice of forthcoming edition and its publication, mariners should advise whether their order pertains to the current edition or the new edition.

For further details refer to the AHO website at www.hydro.gov.au for new edition and new chart stock arrival information.

145 AUSTRALIA - NEW SOUTH WALES - Twofold Bay - Munganno Point - Depth

Australian Hydrographic Office

Aus 192 (East Boyd Bay Wharves) [510/2018]

Delete depth, 14_7 m, and enclosing contour

146 Maritime Sa	AUSTRALIA - QUEENSLAND - Cairns - Pilot boarding place afety Queensland		
Aus 262 [<i>1</i> Move	113/2018] pilot boarding place with magenta legend, <i>B</i> to	16° 48'.59 S 16° 48'.099 S	145° 50'.59 E 145° 50'.100 E
Aus 830 [<i>1</i> Insert	04/2019] pilot boarding place with magenta legend, <i>D</i>	16° 46'.00 S	145° 50'.00 E
Move	pilot boarding place with magenta legend, <i>B</i> to	16° 48'.59 S 16° 48'.10 S	145° 50'.59 E 145° 50'.10 E
147 Maritime Sa	AUSTRALIA - QUEENSLAND - Cairns - Topmark afety Queensland		
Aus 262 [<i>1</i> Insert	46/2019] port lateral topmark	16° 50'.01 S	145° 49'.90 E
Aus 830 [<i>1</i> Insert	46/2019] port lateral topmark	16° 50'.01 S	145° 49'.90 E
148 Maritime Sa	AUSTRALIA - QUEENSLAND - Cape York - Ship Reporting System afety Queensland		
Aus 4620 (Insert	(INT 620) [906/2018] accompanying block	10° 50' S	142° 00' E
Aus 4720 (Insert	(INT 720) [1017/2018] accompanying block	10° 37' S	142° 30' E
149 Australian F	AUSTRALIA - QUEENSLAND - Fitzroy Island - Obstruction southwards	5	
Aus 830 [<i>1</i> Insert	47/2019] legend, <i>ED,</i> centred on	17° 01'.80 S	145° 59'.05 E
150 Maritime Sa	AUSTRALIA - QUEENSLAND - Great Sandy Strait - Fraser Island - Obs afety Queensland Notice 52/2019	truction	
Aus 240 [<i>1</i> Insert		25° 37'.61 S 25° 37'.55 S 25° 37'.50 S	152° 58'.50 E 152° 58'.46 E 152° 58'.48 E
151 AUSTRALIA - QUEENSLAND - Great Sandy Strait - Stewart Island - Navaids Former Notices - 1035(T)/2017, 831(T)/2018 are cancelled Maritime Safety Queensland Notice 63/2019			
Aus 240 [<i>1</i> Insert	50/2019] starboard lateral spar buoy, without topmark	25° 36'.82 S	152° 57'.57 E
Replace	beacon with starboard lateral conical buoy, without topmark beacon with starboard lateral spar buoy, without topmark beacon with starboard lateral spar buoy, without topmark	25° 37'.76 S 25° 36'.87 S 25° 36'.83 S	152° 58'.36 E 152° 57'.36 E 152° 57'.47 E

152AUSTRALIA - QUEENSLAND - Keppel bay - Cawarral Creek - NavaidsMaritime Safety QueenslandNotice 45/2019

Aus 247 [5	53/2019]				
Insert	special conical light buoy, FI.Y.2.5s, with topmark	23° 20'.26 S	150° 49'.24 E		
	legend, Channel marked by buoys and beacons, centred on	23° 18'.24 S	150° 46'.92 E		
Amend	light to FI.Y.2.5s	23° 19'.5 S	150° 47'.7 E		
Delete	beacon	23° 19'.3 S	150° 47'.5 E		
Aus 819 [1	116/2018				
Insert	special conical light buoy, <i>FI.Y.2.5s,</i> with topmark	23° 20'.26 S	150° 49'.24 E		
Delete	light	23° 19'.6 S	150° 47'.6 E		
153	AUSTRALIA - QUEENSLAND - Mackay - VTS				
	Maritime Safety Authority				
Aus 249 [1	009/2018]				
Insert	magenta legend, REEFVTS (see SRS Note), centred on	21° 03'.35 S	149° 17'.45 E		
	magenta legend, REEFVTS (see SRS Note), centred on	21° 01'.71 S 21° 03'.97 S	149° 36'.22 E 149° 52'.91 E		
	magenta legend, REEFVTS (see SRS Note), centred on magenta legend, REEFVTS (see SRS Note), centred on	21° 03.97 S 21° 16'.83 S	149° 52'.91 E 149° 56'.08 E		
	magenta legend, REEFVTS (see SRS Note), centred on	21° 20'.47 S	149° 41'.70 E		
	magenta legend, REEFVTS (see SRS Note), centred on	21° 21'.01 S	149° 21'.00 E		
Aus 251 [1	121/2018]				
Insert	magenta legend, REEFVTS (see SRS Note), centred on	21° 01'.74 S	149° 35'.97 E		
Aus 823 [9	051/2018]				
Insert	magenta legend, REEFVTS (see SRS Note), centred on	21° 20'.91 S	149° 28'.76 E		
	magenta legend, REEFVTS (see SRS Note), centred on	21° 16'.98 S	149° 56'.14 E		
	magenta legend, REEFVTS (see SRS Note), centred on	21° 01'.60 S	149° 41'.38 E		
Aus 824 [9					
Insert	magenta legend, REEFVTS (see SRS Note), centred on	21° 02'.24 S	149° 26'.45 E		
	magenta legend, REEFVTS (see SRS Note), centred on	21° 01'.61 S	149° 41'.39 E		
154	AUSTRALIA - QUEENSLAND - Whitsunday Island - Reef Point - Topm	nark			
	tice - 1147(T)/2018 is cancelled				
Maritime Sa	Maritime Safety Queensland				

Aus 252 [3/2019] Delete topmark	20° 17'.5 S	148° 54'.7 E
Aus 253 [1009/2018] Delete topmark	20° 17'.46 S	148° 54'.68 E
Aus 254 (Fitzalan Passage) [3/2019] Delete topmark	20° 17'.46 S	148° 54'.68 E

155 _ADS Fligh	PAPUA NEW GUINEA - Cape Wunita to Kabakaul Bay - D	Depths	
Aus 545 [38/2016]		
Insert	depth, \mathcal{B}_4 m, enclosed by contour	4° 20'.58 S	
	depth, $7_{g}m$, semi enclosed by contour to NW	4° 20'.16 S	152° 20'.53 E
Aus 554 [:		4° 20'.58 S	160° 04' 07 F
Insert	depth, \mathcal{B}_4 m, enclosed by contour	4 20.58 S 4° 20'.16 S	152° 24'.37 E 152° 20'.53 E
	depth, $7_{g}m$, semi enclosed by contour to NW	4 20.103	152 20.53 E
Aus 680 [8 Insert	[813/2018] depth, 8₄m, enclosed by contour	4° 20'.58 S	152° 24'.37 E
insen	depth, $7_{g}m$, semi enclosed by contour to NW	4° 20'.16 S	152° 20'.53 E
156 National M	PAPUA NEW GUINEA - Deboyne Lagoon - Beacons with Iaritime Safety Authority PNG	drawn	
Aus 512 [*	1077/2017]		
Delete	beacon	10° 42'.8 S	152° 21'.2 E
	beacon beacon	10° 49'.9 S 10° 45'.3 S	152° 23'.5 E 152° 24'.2 E
	beacon	10 43.33	152 24.2 L
157 JKHO	AUSTRALIA - NORTHERN TERRITORY - Clarence Strait	- Marine farms	
Aus 20 [10			
Insert	accompanying note	12° 05'.65 S	131° 17'.35 E
Aus 720 [3			
Insert	accompanying note	12° 05'.65 S	131° 17'.35 E
158 Departmen	AUSTRALIA - NORTHERN TERRITORY - Darwin - Cullen nt of Infrastructure, Planning and Logistics NT	Bay - Navaids; infrastructure;	depths
Aus 24 [1]	124/2018]		
Insert	accompanying block A	12° 27'.17 S 12° 27'.11 S	130° 49'.00 E
	accompanying block B	12* 27.11 5	130° 51'.07 E
Aus 25 [48		10° 07' 11 0	130° 49'.08 E
Delete	depth, 0 ₉ m	12° 27'.11 S	130 49.00 E
Aus 26 [1:		12° 27'.11 S	120° 40' 09 F
Delete	depth, 0 ₉ m	12 27.11 5	130° 49'.08 E
159 Southern F	AUSTRALIA - WESTERN AUSTRALIA - Albany - Light with Ports Authority - Port of Esperance	thdrawn	
Aus 118 [⁻	1022/2018]		
Delete	light	34° 56'.7 S	117° 48'.3 E
Aus 336 [
Delete	light	34° 56'.7 S	117° 48'.3 E
		34° 56'.7 S	117° 48'.3 E
Aus 759 [1		34 30.7 3	11/ 40.3 🗆
Delete	light		
Delete Aus 4709	(INT 709) [867/2017]	34° 56' 7 9	117°
Delete Aus 4709 Delete	(INT 709) [867/2017] aeronautical radiobeacon	34° 56'.7 S	117° 48'.3 E
Delete Aus 4709 Delete	(INT 709) [867/2017]	34° 56'.7 S 34° 56'.7 S	117° 48'.3 E 117° 48'.3 E

160 AUSTRALIA - WESTERN AUSTRALIA - Lowendal Islands - Marine farm Department of Primary Industries and Regional Development

Aus 65 [71 Delete		20° 37'.1 S	115° 31'.1 E
Delete	marine farm, centred on MF note, centred on	20° 50'.1 S	115° 21'.7 E
Aus 327 [9 Delete	064/2018] marine farm, centred on	20° 37'.1 S	115° 31'.1 E
Aus 328 [1 Delete	11/2019] marine farm, centred on	20° 37'.1 S	115° 31'.1 E
Aus 742 [1 Delete	080/2018] marine farm, centred on	20° 37'.1 S	115° 31'.1 E
161 UKHO	AUSTRALIA - WESTERN AUSTRALIA - Murion Islands - Chart note		
Aus 329 [1 Insert	11/2019] accompanying note	22° 20'.0 S	113° 55'.5 E
162 Australian I	AUSTRALIA - WESTERN AUSTRALIA - Pinaroo Point - Navlines Hydrographic Office		
Aus 754 [1 Move	09/2019] legend, Leading Lights 100° (see Note)	31° 43'.9 S	115° 33'.2 E
	to legend, Leading Lights 042.5° (see Note)	31° 44'.82 S 31° 52'.2 S	115° 38'.92 E 115° 36'.7 E
	to	31° 48'.98 S	115° 40'.21 E
Delete	continuous line between	31° 44'.7 S 31° 43'.9 S	115° 37'.9 E 115° 32'.4 E
	continuous line between	31° 49'.3 S 31° 52'.9 S	115° 39'.9 E 115° 36'.0 E
163 Australian I	AUSTRALIA - SOUTH AUSTRALIA - Port Lincoln - Bass Shoal - Wreck Hydrographic Office		
Aus 134 [1			
Replace	fish haven, with safe clearance depth, <i>10m,</i> enclosed by danger circle with legend <i>Wk</i>	34° 40'.91 S	135° 52'.48 E
Aus 776 [8			
Insert	safe clearance depth, 10m, enclosed by danger circle with legend Wk	34° 40'.91 S	135° 52'.48 E
164 Royal Austr	SOUTHERN OCEAN - Welch Island - Mawson - Rock ralian Navy		
Aus 599 (I Insert	NT 9037) [NC 14/1/2011] rock which does not cover, radius 25m, centred on	67° 32'.123 S	062° 48'.054 E
Aus 600 (I Insert	NT 9036) [9 <i>65/2018</i>] rock which does not cover, enclosed by danger circle rock which does not cover, radius 25m, centred on	67° 34'.120 S 67° 32'.123 S	062° 57'.070 E 062° 48'.054 E

165 AUSTRALIA - TASMANIA - Armstrong Channel - Coastline Land Tasmania			
Aus 798 [6 Insert	6/2019] accompanying block	40° 28'.95 S	148° 07'.38 E
Aus 800 [7 Insert	77/2018] accompanying block	40° 28'.95 S	148° 07'.38 E
166 Marine and	AUSTRALIA - TASMANIA - D'Entrecasteaux Channel - Woodbridge - L Safety Tasmania	ight amended	
Aus 173 [6 Amend	5/2019] light to <i>Fl.Bu.5s</i>	43° 09'.6 S	147° 14'.5 E
Aus 795 [2 Amend	3/2019] light to <i>FI.Bu.5s</i>	43° 09'.6 S	147° 14'.5 E
167 LADS Flight	AUSTRALIA - TASMANIA - Great Oyster Bay - Depths; ZOC diagram		
Aus 766 [7 Insert	24/2018] accompanying block A accompanying block B accompanying ZOC diagram	42° 10'.0 S 42° 20'.0 S 41° 50'.0 S	148° 10'.0 E 148° 10'.0 E 148° 03'.5 E
168 UKHO	SOLOMON ISLANDS - New Georgia Group - Visuvisu Point to Nakaza	Island - Navaids	
SLB 102 (F Insert	Port Noro) [<i>115/2019</i>] light beacon, <i>FI.G.5s 10m 4M</i> , with rectangular daymark light beacon, <i>FI.G.5s 8m 4M</i> , with rectangular daymark dashed line in a direction $009 \cdot 5^{\circ}$ for a distance of 1100m, thence a continuous line for a distance of 4950m, with legend <i>189 \cdot 5^{\circ}</i> , emanating from light beacon	8° 15'.417 S 8° 15'.304 S 8° 15'.417 S	157° 11'.345 E 157° 11'.364 E 157° 11'.345 E
Delete	dashed and continuous line with legend, emanating from light beacon light beacon light beacon	8° 15'.42 S 8° 15'.42 S 8° 15'.31 S	157° 11'.35 E 157° 11'.35 E 157° 11'.37 E
SLB 102 (E Insert	Blackett Strait) [115/2019] light beacon, <i>Fl.G.5s 10m 4M</i> , with rectangular daymark light beacon, <i>Fl.G.5s 8m 4M</i> , with rectangular daymark dashed line in a direction 009 \cdot 5° for a distance of 1100m, thence a continuous line for a distance of 6300m, with legend 189 \cdot 5°, emanating from light beacon	8° 15'.42 S 8° 15'.30 S 8° 15'.42 S	157° 11'.35 E 157° 11'.36 E 157° 11'.35 E
Amend	light to <i>FI(2)10s 10m 10M</i>	8° 08'.3 S	157° 09'.6 E
Delete	dashed and continuous line with legend, emanating from light beacon light beacon light beacon	8° 15'.4 S 8° 15'.4 S 8° 15'.3 S	157° 11'.3 E 157° 11'.4 E 157° 11'.4 E
SLB 301 [<i>1</i> Insert	139/2018] light beacon, <i>Fl.10s 10m 10M</i>	7° 52'.21 S	156° 29'.18 E
Delete	light beacon	7° 52'.6 S	156° 29'.2 E
SLB 302 [9 Amend	69/2018] light range to 5M light to FI(2)10s 10m 10M light to FI(2)10s 10m 10M	8° 20'.2 S 7° 57'.6 S 8° 08'.3 S	157° 13'.8 E 157° 30'.2 E 157° 09'.6 E

169(T)/2019 AUSTRALIA - QUEENSLAND - Brisbane River - Quarries Reach - Wreck Maritime Safety Queensland Notice 74(T)/2019

A wreck marked by a special light buoy, FI.Y.3s, exists in position 27° 26'.77 S 153° 05'.55 E.

Chart temporarily affected - Aus 238

170(T)/2019 AUSTRALIA - QUEENSLAND - Cairncross Islets - Wreck salvaged *Former Notice* - 70(T)/2019 is cancelled Maritime Safety Queensland

Cancel this notice on receipt.

Chart formerly affected - Aus 835 - Aus 839

171(T)/2019 AUSTRALIA - QUEENSLAND - Cairns - Dredging operations completed *Former Notice* - 683(T)/2018 is cancelled Maritime Safety Queensland

Cancel this notice on receipt.

Chart formerly affected - Aus 262 - Aus 263 - Aus 830

172(T)/2019 AUSTRALIA - QUEENSLAND - Freshwater Point to Slade Islet - Scientific Instruments Maritime Safety Queensland Notice 71/2019

 Special light buoys exist as follows:

 Position
 Remarks

 21° 24'.54 S 149° 20'.71 E
 FI.Y.6s

 21° 05'.58 S 149° 14'.45 E
 FI.Y.6s

Chart temporarily affected - Aus 249 - Aus 250

173(T)/2019 AUSTRALIA - QUEENSLAND - Freshwater Point to Slade Islet - Light buoys recovered Former Notice - 972(T)/2018 is cancelled Maritime Safety Queensland

Cancel this notice on receipt.

Chart formerly affected - Aus 249 - Aus 250

174(T)/2019 AUSTRALIA - QUEENSLAND - Hay Point - Scientific instrument recovered *Former Notice* - 401(T)/2016 is cancelled Maritime Safety Queensland

Cancel this notice on receipt.

Chart formerly affected - Aus 250

175(T)/2019 AUSTRALIA - QUEENSLAND - Moreton Bay - Scientific instrument Maritime Safety Queensland Notice 84(T)/2019

A scientific instrument marked by a special light buoy, FI(5)Y.20s exists in position 27° 15'.00 S 153° 12'.00 E.

Chart temporarily affected - Aus 236

176(T)/2019 AUSTRALIA - QUEENSLAND - Rattlesnake Island - Live firing completed *Former Notice* - 977(T)/2018 is cancelled Maritime Safety Queensland Notice 432(T)/2018, 433(T)/2018

Cancel this notice on receipt.

Chart formerly affected - Aus 256 - Aus 827

177(T)/2019 **AUSTRALIA - QUEENSLAND - Red Island Point - Wreck** Former Notice - 164(T)/2018 is cancelled

Maritime Safety Queensland Notice 83(T)/2019

A wreck marked by a special light buoy, FI.Y.4s, exists in position 10° 50'.66 S 142° 22'.03 E.

Chart temporarily affected - Aus 294

178(T)/2019 AUSTRALIA - QUEENSLAND - Shoalwater Bay - Live firing

Maritime Safety Queensland Notice 76(T)/2019

Live firing will be conducted in the Shoalwater Bay training area during the period 23 March to 29 March 2019.

A marine danger area extends to all internal waters bounded by the following positions:

22° 35'.87 S 150° 28'.80 E 22° 33'.77 S 150° 32'.70 E 22° 33'.23 S 150° 35'.28 E 22° 38'.18 S 150° 43'.15 E 22° 40'.00 S 150° 38'.00 E 22° 35'.87 S 150° 28'.80 E.

All waters, creeks, beaches and other areas within the declared marine danger area are not available for access.

There will be a safe anchorage available at Freshwater, Port Clinton, West Water Port Clinton, South Arm Port Clinton, Pearl Bay, Island Head Creek and Supply Bay Townshend Island.

Mariners are advised to keep clear of this area throughout the above times.

Chart temporarily affected - Aus 248 - Aus 820

179(T)/2019 AUSTRALIA - QUEENSLAND - Weipa - South Channel - Light altered

Maritime Safety Queensland Notice 67(T)/2019

The front lead light, F.G.14m (F Day), (12° 40'.01 S 141° 50'.46 E), has been temporarily altered to F.Bu.14m (F Day).

Chart temporarily affected - Aus 4

180(T)/2019 PAPUA NEW GUINEA - Condor Point - Light unlit National Maritime Safety Authority PNG Warning 4/2019

The light, FI(2)8s 15m 10M (4° 07'.08 S 144° 51'.68 E), is unlit.

Chart temporarily affected - Aus 388 - Aus 4622 (INT 622)

181(P)/2019 PAPUA NEW GUINEA - Duke of York Island - Shoaling LADS Flight

Latest survey shows shoaler depths than those charted may exist in an area bounded by the following positions: 4° 07'.43 S 152° 28'.17 E

4° 10'.10 S 152° 30'.20 E 4° 11'.35 S 152° 30'.20 E 4° 13'.66 S 152° 30'.07 E 4° 13'.66 S 152° 28'.38 E 4° 15'.11 S 152° 25'.69 E 4° 13'.13 S 152° 22'.60 E 4° 11'.41 S 152° 23'.70 E 4° 07'.06 S 152° 23'.88 E 4° 06'.29 S 152° 24'.62 E 4° 06'.17 S 152° 25'.41 E.

Mariners are advised to navigate with caution in the area.

Charts will be updated in due course.

Chart which will be affected - Aus 545 - Aus 554 - Aus 679 - Aus 680

182(P)/2019 PAPUA NEW GUINEA - Kavieng to Neitab Island - Shoaling

LADS Flight

Latest survey shows shoaler depths than those charted may exist in an area bounded by the coast and the following positions:

2° 22'.61 S 150° 09'.71 E 2° 21'.43 S 150° 08'.54 E 2° 20'.33 S 150° 09'.36 E 2° 18'.98 S 150° 11'.37 E 2° 18'.08 S 150° 15'.72 E 2° 21'.25 S 150° 23'.71 E 2° 27'.18 S 150° 31'.04 E 2° 34'.90 S 150° 35'.68 E 2° 36'.12 S 150° 42'.35 E 2° 36'.96 S 150° 42'.41 E 2° 36'.40 S 150° 35'.77 E 2° 40'.83 S 150° 31'.32 E.

Shoaler depths may also exist between the Kavieng coast (2° 35'.21 S 150° 47'.31 E) and the islands (Nusa, Nusalik and Nago).

Mariners are advised to navigate with caution in the area.

Charts will be updated in due course.

Chart which will be affected - Aus 392 - Aus 393 - Aus 543 - Aus 666

183(T)/2019 PAPUA NEW GUINEA - Pananiu Island to Boera Head - Lights unlit National Maritime Safety Authority PNG Warning 5/2019, 6/2019

 Position
 Remarks

 10° 47'.21 S 152° 00'.44 E
 Fl.4s 16m 10M

 9° 23'.39 S 147° 00'.85 E
 Fl.2.5s 33m 10M

Chart temporarily affected - Aus 379 - Aus 512 - Aus 647 - Aus 4621 (INT 621)

184(P)/2019 PAPUA NEW GUINEA - Vanimo Harbour - Shoaling LADS Flight

Latest survey shows shoaler depths than those charted may exist in an area bounded by the coast and the following positions:

02° 38'.94 S 141° 13'.68 E 02° 38'.20 S 141° 14'.03 E 02° 39'.50 S 141° 19'.03 E 02° 42'.75 S 141° 24'.56 E 02° 43'.92 S 141° 24'.09 E.

Mariners are advised to navigate with caution in the area.

Charts will be updated in due course.

Chart which will be affected - Aus 389 - Aus 652

185(T)/2019 AUSTRALIA - TORRES STRAIT - Thursday Island - Harbour works completed *Former Notice* - 1035(T)/2018 is cancelled Maritime Safety Queensland

Cancel this notice on receipt.

Chart formerly affected - Aus 293 - Aus 299

186(T)/2019 AUSTRALIA - NORTHERN TERRITORY - Apsley Strait - Light buoy restored Former Notice - 413(T)/2018 is cancelled

Department of Infrastructure, Planning and Logistics NT Coastal Notice 1(T)/2019

Cancel this notice on receipt.

Chart formerly affected - Aus 23 - Aus 722

187(T)/2019 AUSTRALIA - NORTHERN TERRITORY - Aspley Strait - Medina Inlet - Light buoys restored Former Notice - 31(T)/2019 is cancelled

Department of Infrastructure, Planning and Logistics NT Notice 1/2019

Cancel this notice on receipt.

Chart formerly affected - Aus 23 - Aus 722

188(T)/2019 AUSTRALIA - NORTHERN TERRITORY - Darwin - Cullen Bay - Light relit *Former Notice* - 1037(T)/2018 is cancelled Department of Infrastructure, Planning and Logistics NT

Cancel this notice on receipt.

Chart formerly affected - Aus 24

189(T)/2019 AUSTRALIA - NORTHERN TERRITORY - Fish Reef - Light relit Former Notice - 461(T)/2018 is cancelled

Department of Infrastructure, Planning and Logistics NT Notice1/2019

Cancel this notice on receipt.

Chart formerly affected - Aus 29 - Aus 309 - Aus 316 - Aus 722 - Aus 4721 (INT 721)

190(T)/2019 AUSTRALIA - TIMOR SEA - Beagle Gulf - Drill rig

Australian Maritime Safety Authority Auscoast Warning 36/2019

Drill rig Development Driller 1 is moored in position 12° 06'.71 S 130° 19'.71 E.

Chart temporarily affected - Aus 309 - Aus 722

191(T)/2019 AUSTRALIA - WESTERN AUSTRALIA - Cape Naturaliste - Light altered Australian Maritime Safety Authority Auscoast Warning 35/2019

The light, FI(2)10s 123m 26M (33° 32'.24 S 115° 01'.12 E), has been altered to FI.10s 123m 21M.

Chart temporarily affected - Aus 335 - Aus 755 - Aus 756 - Aus 4725 (INT 725) - Aus 4726 (INT 726)

192(T)/2019 AUSTRALIA - WESTERN AUSTRALIA - Geraldton - Light buoy off station

Mid West Ports Notice 5/2019

The safe water light buoy, *Iso.3s* (28° 46'.19 S 114° 31'.72 E), is off station. A virtual safe water mark, *South Fairway Buoy*, exists in situ.

A virtual port lateral mark exists in position (28° 45'.47 S 114° 33'.93 E)

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 81 - Aus 751

193(T)/2019 AUSTRALIA - WESTERN AUSTRALIA - Muiron Islands - Subsea operations; pipeline operations complete

Former Notice - 938(T)/2018 is cancelled Technip FMC

Cancel this notice on receipt.

Chart formerly affected - Aus 328 - Aus 329 - Aus 744

194(T)/2019 AUSTRALIA - WESTERN AUSTRALIA - Port Walcott - Point Samson - Dredging operations completed Former Notice - 749(T)/2018 is cancelled Department of Transport WA

Cancel this notice on receipt.

Chart formerly affected - Aus 56

195(T)/2019 AUSTRALIA - WESTERN AUSTRALIA - Rankin Bank - Seismic survey northwards Petroleum Geo-Services

MV *Ramform Hyperion*, with a 8025m towed array, and support vessels *Thor Modi* and *No Limit* are conducting a seismic survey in an area bounded by the following positions:

18° 22'.12 S 114° 21'.19 E 18° 53'.07 S 114° 21'.19 E 18° 53'.07 S 114° 21'.19 E 18° 53'.07 S 116° 01'.38 E 18° 22'.12 S 116° 01'.38 E.

Mariners are advised to navigate with caution in the area. 5M clearance requested.

Chart temporarily affected - Aus 327 - Aus 328 - Aus 4723 (INT 723)

196(T)/2019 AUSTRALIA - WESTERN AUSTRALIA - Rowley Shoals - Scientific instruments University of Western Australia

Scientific instruments exist as follows:

Position	Remarks
17° 44'.77 S 118° 58'.77 E	19m below surface
17° 57'.84 S 119° 07'.68 E	18m below surface
18° 00'.22 S 119° 09'.37 E	18m below surface
18° 00'.22 S 119° 09'.37 E	120m below surface
18° 00'.22 S 119° 09'.37 E	special spherical light buoy, <i>Fl.4s</i>

Chart temporarily affected - Aus 325 - Aus 326

197(T)/2019 AUSTRALIA - WESTERN AUSTRALIA - Scott Reef to Rankin Bank - Scientific instruments RPS MetOcean

Scientific instruments exist as follows:

Position	Remarks
14° 31'.31 S 121° 33'.95 E	23m below surface
15° 45'.42 S 120° 47'.88 E	343m below surface
17° 08'.44 S 119° 53'.48 E	388m below surface
17° 39'.28 S 119° 11'.53 E	322m below surface
17° 53'.86 S 118° 51'.39 E	18m below surface
18° 16'.03 S 118° 16'.07 E	237m below surface
18° 40'.92 S 117° 36'.69 E	259m below surface
19° 00'.13 S 117° 06'.03 E	264m below surface
19° 13'.48 S 116° 39'.90 E	163m below surface
19° 24'.96 S 116° 15'.57 E	123m below surface
19° 30'.03 S 116° 08'.08 E	120m below surface.

Chart temporarily affected - Aus 322 - Aus 325 - Aus 326 - Aus 327 - Aus 741 - Aus 4722 (INT 722) - Aus 4723 (INT 723)

198(T)/2019 AUSTRALIA - SOUTH AUSTRALIA - Port Adelaide - Dredging operations; navaids Former Notice - 1221(T)/2016 is cancelled

Department of Planning, Transport and Infrastructure SA Notice 3/2019, 8/2019

In preparation for dredging operations, navaids marking the southern edge of the Entrance Channel, including leading light beacons in positions 34° 46'.71 S 138° 21'.59 E and 34° 46'.74 S 138° 21'.81 E, and north of the eastern Outer Harbor swing circle dredged limit are being removed.

Navaids that have been removed may be replaced with Virtual Aids to Navigation or temporary buoys.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 130 - Aus 137 - Aus 138 - Aus 781

199(T)/2019 AUSTRALIA - VICTORIA - Port Phillip - Mordialloc - Light unlit Parks Victoria Notice 21(T)/2019

The light, Fl.R.2s 3M (38° 00'.78 S 147° 04'.98 E), is unlit.

Chart temporarily affected - Aus 143 - Aus 155

200(T)/2019 AUSTRALIA - TASMANIA - Cape Barren Island to Preservation Island - Uncharted rocks and coastline inaccuracies charted

Former Notice - 94(P)/2019 is cancelled Land Tasmania

Cancel this notice on receipt.

Chart formerly affected - Aus 179 - Aus 798 - Aus 800

201(T)/2019 SOLOMON ISLANDS - Port Noro - Light beacon unreliable Former Notice - 142(T)/2019 is cancelled Solomon Islands Maritime Safety Administration Notice 1/2019, UKHO

The light beacon, *FI.G.5s 10m 4M* (8° 15'.42 S 157° 11'.35 E), is unreliable.

Chart temporarily affected - SLB 102

HYDROGRAPHIC REPORTS

II

NIL

NAVIGATION WARNINGS

The Australian Hydrographic Office will no longer compile Section III of the Australian Notices to Mariners. For the most up to date navigation warnings please refer to:

AMSA Navigation Warnings http://amsa.gov.au/search-and-rescue/distress-and-safety-comms/msi/msi-email/index.asp

New Zealand Notices to Mariners (Navarea XIV warnings) http://www.linz.govt.nz/sea/maritime-safety/notices-mariners