



13 June 2025

Edition 12

AUSTRALIAN NOTICES TO MARINERS

Notices 471 - 520

Published fortnightly by the Australian Hydrographic Office



Australian Notices to Mariners are the authority for correcting charts and publications published by the Australian Hydrographic Office covering Australia, Papua New Guinea, Solomon Islands, Australian Antarctic Territory and Timor-Leste.

Commodore R.L. PHILLIPS RAN
Hydrographer of Australia

SECTIONS.

- I. **Australian Notices to Mariners, including blocks and notes.**
- II. **Hydrographic Reports.**

SUPPLEMENTS.

- I. **Tracings**
 - II. **Cumulative List of Australian Notices to Mariners.**
 - III. **Cumulative List of Temporary and Preliminary Australian Notices to Mariners.**
 - IV. **Temporary and Preliminary Notices in force.**
-
-

© Commonwealth of Australia 2025

This work is copyright. Apart from any use permitted under the Copyright Act 1968, no part may be reproduced by any process, adapted, communicated or commercially exploited without prior written permission from The Commonwealth represented by the Australian Hydrographic Office.

IMPORTANT NOTICE

This edition of Notices to Mariners includes all significant information affecting AHO products which the AHO has become aware of since the last edition. All reasonable efforts have been made to ensure the accuracy and completeness of the information, including third party information, on which these updates are based. The AHO regards third parties from which it receives information as reliable, however the AHO cannot verify all such information and errors may therefore exist. The AHO does not accept liability for errors in third party information.

GENERAL INSTRUCTIONS

The substance of these notices should be inserted on the charts affected.

Bearings are referred to the true compass and are reckoned clockwise from North; those relating to lights are given as seen by an observer from seaward.

Positions quoted in notices relate to WGS84 which is the horizontal datum for all charts produced by the Australian Hydrographic Office.

The range quoted for a light is its nominal range.

Depths are with reference to the chart datum of each chart. Heights are above mean high water springs or mean higher high water, as appropriate.

The capital letter (P) or (T) after the number of any notice denotes a preliminary or temporary notice respectively, which are contained separately at the end of the permanent notices.

REPORTING OF DANGERS

Mariners are particularly requested to notify the AUSTRALIAN HYDROGRAPHIC OFFICE, Locked Bag 8801 Wollongong, NSW 2500 (e-mail datacentre@hydro.gov.au or, alternatively by filling in and submitting the [Hydrographic Notes](#) forms located on the web site – www.hydro.gov.au), immediately on the discovery of new dangers or suspected dangers to navigation. For changes or defects in aids to navigation notify AusSAR (Fax 02-6230 6868 or email rccaus@amsa.gov.au).

AUTHORISED USE

Copies of Australian notices are available free of charge from the Australian Hydrographic Office (AHO) website (www.hydro.gov.au) and through the eNotices (email) service (www.hydro.gov.au/enotices/enotices.htm).

Individual Notices may be copied for the purpose of inserting Notice substance on official charts and publications. Paper copies may be printed by chart agents and distributed to customers on a cost recovery basis. Participating chart agents are listed on the AHO website as providing a 'Paper Notices to Mariners' service (www.hydro.gov.au/prodserv/agents-list.htm). Copies of the notices may not be sold for profit without prior written agreement.

NUMERICAL INDEX OF NOTICES TO MARINERS

Edition No 12

Notices	Aus Chart, INT Chart, ENC Cell, AHP, BA Pubs
471	Aus 780, 781
472	Products - New Charts and New Editions to be published shortly
473	Aus 200, 609, 610, 807, 808, 812
474	Aus 245, 819
475	Aus 490
476	PNG 647, 648
477	Aus 719
478	Aus 744
479	Aus 485
480	Aus 487, 767, 798
481(T)	Aus 268
482(T)	Aus 268
483(T)	Aus 268
484(T)	Aus 237
485(T)	Aus 265, 819, 820
486(T)	Aus 259
487(T)	Aus 236
488(T)	Aus 236, 814, 815
489(T)	Aus 252, 253
490(T)	PNG 647, 648
491(T)	Aus 26
492(T)	Aus 310
493(T)	Aus 255, 825, 826, 827
494(T)	Aus 112, 335, 336, 754, 755
495(T)	Aus 4723, INT 723
496(T)	Aus 118
497(T)	Aus 130, 143, 198, 335, 336, 343, 346, 348, 349, 357, 485, 487, 489, 754, 780, 781, 801, 802, 808, 4601, 4602, 4708, 4709, 4710, INT 601, 602, 708, 709, 710
498(T)	Aus 328, 329, 744
499(T)	Aus 64
500(T)	Aus 754
501(T)	Aus 485, 780
502(T)	Aus 776, 777
503(T)	Aus 357
504(T)	Aus 357, 487
505(T)	Aus 357, 487
506(T)	Aus 349
507(T)	Aus 349
508(T)	Aus 349
509(T)	Aus 349
510(T)	Aus 143
511(T)	Aus 143
512(T)	Aus 157
513(T)	Aus 157
514(T)	Aus 157
515(T)	Aus 157
516(T)	Aus 143, 157
517(T)	Aus 349
518(T)	Aus 151
519(T)	Aus 173
520(T)	Aus 164

NUMERICAL INDEX OF CHARTS AFFECTED

Edition No 12

Aus Chart	Notices
Aus 26	491(T)
Aus 64	499(T)
Aus 112	494(T)
Aus 118	496(T)
Aus 130	497(T)
Aus 143	497(T), 510(T), 511(T), 516(T)
Aus 151	518(T)
Aus 157	512(T), 513(T), 514(T), 515(T), 516(T)
Aus 164	520(T)
Aus 173	519(T)
Aus 198	497(T)
Aus 200	473
Aus 236	487(T), 488(T)
Aus 237	484(T)
Aus 245	474
Aus 252	489(T)
Aus 253	489(T)
Aus 255	493(T)
Aus 259	486(T)
Aus 265	485(T)
Aus 268	481(T), 482(T), 483(T)
Aus 310	492(T)
Aus 328	498(T)
Aus 329	498(T)
Aus 335	494(T), 497(T)
Aus 336	494(T), 497(T)
Aus 343	497(T)
Aus 346	497(T)
Aus 348	497(T)
Aus 349	497(T), 506(T), 507(T), 508(T), 509(T), 517(T)
Aus 357	497(T), 503(T), 504(T), 505(T)
Aus 485	479, 497(T), 501(T)
Aus 487	480, 497(T), 504(T), 505(T)
Aus 489	497(T)
Aus 490	475
Aus 609	473
Aus 610	473
Aus 719	477
Aus 744	478, 498(T)
Aus 754	494(T), 497(T), 500(T)
Aus 755	494(T)
Aus 767	480
Aus 776	502(T)
Aus 777	502(T)
Aus 780	471, 497(T), 501(T)
Aus 781	471, 497(T)
Aus 798	480
Aus 801	497(T)
Aus 802	497(T)
Aus 807	473
Aus 808	473, 497(T)
Aus 812	473
Aus 814	488(T)
Aus 815	488(T)

Aus Chart	Notices
Aus 819	474, 485(T)
Aus 820	485(T)
Aus 825	493(T)
Aus 826	493(T)
Aus 827	493(T)
Aus 4601	497(T)
Aus 4602	497(T)
Aus 4708	497(T)
Aus 4709	497(T)
Aus 4710	497(T)
Aus 4723	495(T)
PNG 647	476, 490(T)
PNG 648	476, 490(T)

INT Chart	Notices
INT 601	497(T)
INT 602	497(T)
INT 708	497(T)
INT 709	497(T)
INT 710	497(T)
INT 723	495(T)

471 AUSTRALIA - Products - New Charts, New Editions, Withdrawn Charts

Australian Hydrographic Office

New Charts

<i>Chart</i>	<i>Title and Geographical limits</i>	<i>Scale</i>	<i>Publication Date</i>	<i>Remarks</i>
NIL				

New Electronic Navigation Chart (Aus ENC)

<i>Cell Name</i>	<i>Title</i>	<i>Publication Date</i>	<i>Remarks</i>
AU5EZR01	Australia - Coral Sea - Elizabeth Reef	5/6/2025	AU5618P2 is withdrawn.
AU5MDR01	Australia - Coral Sea - Middleton Reef	5/6/2025	AU5618P1 is withdrawn.
AU5NFNLK	Australia - Coral Sea - Norfolk Island	5/6/2025	AU5609P0 is withdrawn.

New Editions and Withdrawn Charts

<i>Chart</i>	<i>Title</i>	<i>Scale</i>	<i>Publication Date</i>	<i>Remarks</i>
Aus 780 (Edition 4)	Australia - South Coast - South Australia - Althorpe Islands to Backstairs Passage	1:150 000	13/6/2025	New edition with general updating throughout; including latest bathymetric data. Chart Aus 780 Edition 3 dated 10 June 2022 is now superseded and must be withdrawn from use.
Aus 781 (Edition 3)	Australia - South Coast - South Australia - Gulf St Vincent	1:150 000	13/6/2025	New edition with general updating throughout; including latest bathymetric data. Chart Aus 781 Edition 2 dated 10 June 2022 is now superseded and must be withdrawn from use.

Chart permanently withdrawn

Charts listed above as withdrawn no longer meet chart carriage requirements and should be marked as "superseded" and replaced with the new chart/ new edition listed prior to passage through the area covered by the new chart.

When placing orders with a chart agent between notice of forthcoming edition and its publication, mariners should advise whether their order pertains to the current edition or the new edition.

For further details refer to the AHO website at www.hydro.gov.au for new edition and new chart stock arrival information.

472 AUSTRALIA - Products - New Charts and New Editions to be published shortly

Australian Hydrographic Office

New Charts to be published shortly

<i>Chart</i>	<i>Title</i>	<i>Scale</i>	<i>Remarks</i>
NIL			

New Editions to be published shortly

<i>Chart</i>	<i>Title</i>	<i>Scale</i>	<i>Remarks</i>
NIL			

473 AUSTRALIA - NEW SOUTH WALES - Montague Island to Norfolk Island - Scientific instruments

University of New South Wales

Aus 200 [389/2025]

Insert	depth, 15m, enclosed by danger circle with legend, ODAS	33° 53'.630 S	151° 18'.870 E
--------	---	---------------	----------------

Aus 609 (Norfolk and Phillip Islands) [NE 10/11/2023]

Insert	depth, 15m, enclosed by danger circle with legend, ODAS	29° 04'.624 S	167° 53'.617 E
--------	---	---------------	----------------

Aus 610 [771/2024]

Insert	depth, 15m, enclosed by danger circle with legend, ODAS	31° 30'.92 S	158° 58'.37 E
--------	---	--------------	---------------

Aus 807 [387/2025]

Move	depth, 15m, enclosed by danger circle with legend, ODAS	36° 12'.50 S	150° 19'.97 E
	to	36° 12'.35 S	150° 18'.93 E

Aus 808 [283/2025]

Replace	depth, 20m, with depth, 15m	33° 56'.6 S	151° 23'.0 E
---------	-----------------------------	-------------	--------------

Aus 812 [386/2025]

Insert	depth, 15m, enclosed by danger circle with legend, ODAS	30° 18'.64 S	153° 13'.70 E
--------	---	--------------	---------------

Replace	depth, 10m, with depth, 15m	30° 15'.9 S	153° 23'.7 E
	depth, 10m, with depth, 15m	30° 16'.5 S	153° 18'.0 E

474 AUSTRALIA - QUEENSLAND - Gladstone - Facing Island - Depth

XOCEAN

Aus 245 [390/2025]

Replace	depth, 8 ₂ m, with depth, 4 ₆ m, enclosed by contour	23° 46'.37 S	151° 20'.51 E
---------	--	--------------	---------------

Aus 819 [390/2025]

Insert	contour, between	23° 46'.09 S	151° 20'.46 E
		23° 46'.39 S	151° 20'.53 E
		23° 46'.63 S	151° 20'.71 E

Delete	contour, between	23° 46'.1 S	151° 20'.5 E
		23° 46'.6 S	151° 20'.6 E

475 AUSTRALIA - QUEENSLAND - Gladstone - Depth

Maritime Safety Queensland

Aus 490 [549/2023]

Replace	depth, 11 ₄ m, with depth, 10 ₉ m	23° 52'.4 S	151° 29'.3 E
---------	---	-------------	--------------

476 PAPUA NEW GUINEA - Caution Bay - Nav aids

National Maritime Safety Authority PNG

PNG 647 [84/2025]

Replace	light beacon with starboard lateral pillar light buoy, Fl.G.3s 6M G3, with topmark	9° 18'.5 S	146° 57'.2 E
	light beacon with starboard lateral pillar light buoy, Fl.G.3s, with topmark	9° 19'.9 S	146° 58'.7 E

PNG 648 [NC 4/10/2019]

Replace	light beacon with starboard lateral pillar light buoy, Fl.G.3s 6M G9, with topmark	9° 19'.93 S	146° 58'.67 E
---------	--	-------------	---------------

477 AUSTRALIA - NORTHERN TERRITORY - North Goulburn Island - Wreck northeastwards

Australian Border Force

Aus 719 [166/2025]

Insert	safe clearance depth, 25m, enclosed by danger circle with legend, Wk Rep (2025)	11° 23'.02 S	133° 42'.96 E
--------	---	--------------	---------------

478 AUSTRALIA - WESTERN AUSTRALIA - Rivoli Islands - Nomenclature
Precision Hydrographic Services

Aus 744 [436/2025]
Amend name to *Victor Island* 21° 55'.3 S 114° 26'.8 E

479 AUSTRALIA - SOUTH AUSTRALIA - Gulf St Vincent - Depths
Australian Hydrographic Office

Aus 485 [328/2025]
Insert [accompanying block](#) 34° 56'.0 S 137° 55'.0 E

480 AUSTRALIA - TASMANIA - Eddystone Point - Light
Australian Maritime Safety Authority Final ATH 3/2025

Aus 487 [857/2024]
Amend light range to 19M 40° 59'.6 S 148° 20'.9 E

Aus 767 [268/2023]
Amend light range to 19M 40° 59'.6 S 148° 20'.9 E

Aus 798 [NE 19/7/2024]
Amend light range to 19M 40° 59'.6 S 148° 20'.9 E

481(T)/2025 AUSTRALIA - QUEENSLAND - Bowen - Port Denison - Light buoy restored

Former Notice - 365(T)/2025 is cancelled
Maritime Safety Queensland

Cancel this notice on receipt.

Chart formerly affected - Aus 268

482(T)/2025 AUSTRALIA - QUEENSLAND - Bowen - Light buoy unlit

Maritime Safety Queensland Notice 69(T)/2025

The special light buoy, *Fl.Y.2.5s* (20° 01'.65 S 148° 15'.76 E), is unlit.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 268

483(T)/2025 AUSTRALIA - QUEENSLAND - Bowen - Light buoy restored

Former Notice - 212(T)/2025 is cancelled
Maritime Safety Queensland Notice 59(T)/2025

Cancel this notice on receipt.

Chart formerly affected - Aus 268

484(T)/2025 AUSTRALIA - QUEENSLAND - Brisbane River - Hamilton Reach - Wreck

Maritime Safety Queensland Notice 225(T)/2025

A wreck marked by a special light buoy, *Fl.Y.2.5s*, exists in position 27° 26'.89 S 153° 04'.91 E.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 237

485(T)/2025 AUSTRALIA - QUEENSLAND - Cape Capricorn to Yeppoon - Obstructions

Former Notice - 330(T)/2025 is cancelled
Maritime Safety Queensland

Cancel this notice on receipt.

Chart formerly affected - Aus 265 - Aus 819 - Aus 820

486(T)/2025 AUSTRALIA - QUEENSLAND - Hinchinbrook Channel - Oyster Rock to Haycock Island - Light buoys restored

Former Notice - 331(T)/2025 is cancelled
Maritime Safety Queensland Notice 135(T)/2025, 136(T)/2025, 138(T)/2025

Cancel this notice on receipt.

Chart formerly affected - Aus 259

487(T)/2025 AUSTRALIA - QUEENSLAND - Moreton Bay - Redcliffe - Dredging operations completed

Former Notice - 369(T)/2025 is cancelled
Maritime Safety Queensland

Cancel this notice on receipt.

Chart formerly affected - Aus 236

488(T)/2025 AUSTRALIA - QUEENSLAND - Moreton Bay - Spitfire Channel - Obstruction removed; buoy removed
Former Notices - 891(T)/2022, 973(T)/2024 are cancelled
 Maritime Safety Queensland

Cancel this notice on receipt.

Chart formerly affected - Aus 236 - Aus 814 - Aus 815

489(T)/2025 AUSTRALIA - QUEENSLAND - Port of Airlie - Muddy Bay - Wreck salvaged
Former Notice - 32(T)/2025 is cancelled
 Maritime Safety Queensland Notice 2(T)/2025

Cancel this notice on receipt.

Chart formerly affected - Aus 252 - Aus 253

490(T)/2025 PAPUA NEW GUINEA - Caution Bay - Light beacons replaced
Former Notices - 481(T)/2021, 288(T)/2024 are cancelled
 National Maritime Safety Authority PNG

Cancel this notice on receipt.

Chart formerly affected - PNG 647 - PNG 648

491(T)/2025 AUSTRALIA - NORTHERN TERRITORY - Darwin - Harbour works; dredging operations
Former Notice - 447(T)/2025 is cancelled
 Northern Territory Government Notice 57/2025

A closed waters area marked by special buoys for dredging and harbour works has been established in the vicinity of position 12° 29'.50 S 130° 53'.75 E.

Entry into or transit through closed waters is prohibited to all vessels except those authorised.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 26

492(T)/2025 AUSTRALIA - TIMOR SEA - Evans Shoal - Subsea operations eastwards
 Santos

On or about 13 June 2025, vessels will be conducting installation and commissioning operations of the Floating Production, Storage and Offloading (FPSO) vessel in the vicinity of 9° 49'.28 S 130° 16'.15 E.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 310

493(T)/2025 AUSTRALIA - WESTERN AUSTRALIA - Abbot Point - Survey operations; tide gauges northwards
Maritime Safety Queensland Notice 229(T)/2025

An unmanned survey vessel (USV) is conducting survey operations in an area bounded by the following positions:

19° 20'.43 S 147° 56'.38 E
19° 36'.78 S 148° 31'.24 E
19° 44'.96 S 148° 11'.89 E
19° 42'.13 S 147° 59'.05 E
19° 48'.14 S 148° 00'.12 E
19° 38'.93 S 147° 50'.12 E
19° 25'.85 S 147° 51'.32 E.

Tide gauges marked by special light buoys, *Fl. Y. 2s*, exist in the following positions:

19° 52'.9 S 148° 05'.1 E
19° 44'.5 S 148° 18'.8 E
19° 37'.1 S 148° 33'.7 E
19° 32'.3 S 148° 20'.8 E
19° 27'.7 S 148° 09'.5 E
19° 19'.0 S 147° 56'.3 E
19° 28'.9 S 147° 45'.5 E
19° 39'.0 S 147° 47'.2 E
19° 46'.4 S 147° 55'.8 E
19° 34'.2 S 147° 59'.3 E
19° 38'.8 S 148° 09'.7 E.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 255 - Aus 825 - Aus 826 - Aus 827

494(T)/2025 AUSTRALIA - WESTERN AUSTRALIA - Cape Naturaliste - Geotechnical and geophysical operations westwards

EGS Survey Pty Ltd

On or about 20 June 2025, vessel *PMG Emerald* will be conducting hydrographic and geophysical survey operations in an area bounded by the following positions:

31° 48'.40 S 110° 45'.82 E
31° 48'.40 S 115° 49'.53 E
34° 17'.98 S 110° 45'.82 E
34° 17'.98 S 115° 49'.53 E.

Operations will include the use of a towed array to 1500 metres.

The vessel will display appropriate lights and shapes and will monitor VHF Ch 16.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 112 - Aus 335 - Aus 336 - Aus 754 - Aus 755

495(T)/2025 AUSTRALIA - WESTERN AUSTRALIA - Exmouth Plateau - Subsea operations; survey operations
Subsea 7

Vessel *Seven Sisters* is conducting subsea operations and survey operations in an area bounded by the following positions:

19° 57'.84 S 113° 04'.05 E
19° 57'.84 S 113° 16'.79 E
19° 44'.31 S 113° 16'.79 E
19° 44'.31 S 113° 04'.05 E.

Mariners are advised to navigate with caution in the area. 500m clearance requested.

Chart temporarily affected - Aus 4723 (INT 723)

496(T)/2025 AUSTRALIA - WESTERN AUSTRALIA - King George Sound - Seal Island - Wave energy converter

Former Notice - 497(T)/2024 is cancelled

Department of Transport WA Notice 6093/2024

Cancel this notice on receipt.

Chart formerly affected - Aus 118

497(T)/2025 AUSTRALIA - WESTERN AUSTRALIA - NEW SOUTH WALES - Perth to Sydney - Cable laying operations Gulf Agency Company (Australia)

Cable laying operations will be conducted between Perth and Sydney. The operations will begin in June and are estimated to be completed by September 2025.

Note: For e-notice users, please see full edition for map.




Chart temporarily affected - Aus 130 - Aus 143 - Aus 198 - Aus 335 - Aus 336 - Aus 343 - Aus 346 - Aus 348 - Aus 349 - Aus 357 - Aus 485 - Aus 487 - Aus 489 - Aus 754 - Aus 780 - Aus 781 - Aus 801 - Aus 802 - Aus 808 - Aus 4601 (INT 601) - Aus 4602 (INT 602) - Aus 4708 (INT 708) - Aus 4709 (INT 709) - Aus 4710 (INT 710)

498(T)/2025 AUSTRALIA - WESTERN AUSTRALIA - North West Cape - Subsea operations northwards Fugro

On or about 25 June 2025, subsea operations will be conducted in the vicinity of positions 21° 17'.70 S 114° 08'.00 E and 21° 26'.70 S 114° 01'.70 E.

Mariners are advised to navigate with caution in the area. 2.5NM clearance requested.

Chart temporarily affected - Aus 328 - Aus 329 - Aus 744

499(T)/2025 AUSTRALIA - WESTERN AUSTRALIA - Onslow - Beadon Creek - Light buoy restored*Former Notice* - 187(T)/2025 is cancelled

Department of Transport WA Notice 6347/2025

Cancel this notice on receipt.

Chart formerly affected - Aus 64**500(T)/2025 AUSTRALIA - WESTERN AUSTRALIA - South West Break to Staggie Reef - Scientific instruments recovered***Former Notice* - 1039(T)/2022 is cancelled

Department of Transport WA Notice 5456/2025

Cancel this notice on receipt.

Chart formerly affected - Aus 754**501(T)/2025 AUSTRALIA - SOUTH AUSTRALIA - Gulf St Vincent - Carrickalinga - Topmark missing**

Department for Infrastructure and Transport SA Notice 35(T)/2025

The topmark on isolated danger light beacon, *Fl(2) 6s 2M* (35° 25'.23 S 138° 18'.33 E), is missing.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 485 - Aus 780**502(T)/2025 AUSTRALIA - SOUTH AUSTRALIA - Island Point - Light beacons damaged and unlit**

Department for Infrastructure and Transport SA Notice 36(T)/2025

The west cardinal light beacon, *Q(9) 15s* (34° 25'.99 S 137° 24'.80 E), is unlit and the topmark is missing.The light beacon, *Fl.R. 3s* (34° 26'.80 S 137° 23'.87 E), is unlit and the topmark is missing.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 776 - Aus 777**503(T)/2025 AUSTRALIA - VICTORIA - Ninety Mile Beach - Drill rig eastwards**MODU *Valaris 107*Drill rig *Valaris 107* is conducting drilling operations in position 38° 11'.80 S 148° 33'.80 E.**Chart temporarily affected - Aus 357****504(T)/2025 AUSTRALIA - VICTORIA - Ninety Mile Beach - Drill rig moved eastwards***Former Notice* - 421(T)/2025 is cancelledMODU *Valaris 107*

Cancel this notice on receipt.

Chart formerly affected - Aus 357 - Aus 487**505(T)/2025 AUSTRALIA - VICTORIA - Ninety Mile Beach - Scientific instrument southwards**

RPS Group

A special light buoy, *Q(5) Y. 20s*, exists in position 38° 38'.58 S 147° 22'.98 E.**Chart temporarily affected - Aus 357 - Aus 487**

506(T)/2025 AUSTRALIA - VICTORIA - Port Campbell - Scientific instrument removed southwards

Former Notice - 270(T)/2025 is cancelled
Fugro

Cancel this notice on receipt.

Chart formerly affected - Aus 349

507(T)/2025 AUSTRALIA - VICTORIA - Port Campbell - Subsea operations southwards

Delmar Systems

On or about 15 June 2025, pre-lay mooring operations will be conducted in the vicinity of position 39° 06'.68 S 142° 55'.72 E.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 349

508(T)/2025 AUSTRALIA - VICTORIA - Port Campbell - Mooring buoys southwards

Australian Maritime Safety Authority Auscoast Warning 178/2025, Delmar Systems

12 lit yellow mooring buoys, *Fl.3s*, exist within 1M radius of 39° 06'.8 S 142° 55'.7 E. 2.5M clearance requested.

Chart temporarily affected - Aus 349

509(T)/2025 AUSTRALIA - VICTORIA - Port Campbell - Survey operations completed southwestwards

Former Notice - 377(T)/2025 is cancelled
Australian Maritime Safety Authority , Amplitude Energy

Cancel this notice on receipt.

Chart formerly affected - Aus 349

510(T)/2025 AUSTRALIA - VICTORIA - Port Phillip - Swan Island - Light beacon relit

Former Notice - 467(T)/2025 is cancelled
Parks Victoria Notice 268(T)/2025

Cancel this notice on receipt.

Chart formerly affected - Aus 143

511(T)/2025 AUSTRALIA - VICTORIA - Port Phillip - Queenscliff - Light relit

Former Notice - 468(T)/2025 is cancelled
Parks Victoria Notice 259(T)/2025

Cancel this notice on receipt.

Chart formerly affected - Aus 143

512(T)/2025 AUSTRALIA - VICTORIA - Port Phillip - Prince George Bank - Light beacon unlit

Parks Victoria Notice 298(T)/2025

The isolated danger light beacon, *Fl(2)10s* (38° 07'.26 S 144° 43'.44 E), is unlit.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 157

513(T)/2025 AUSTRALIA - VICTORIA - Port Phillip - Prince George Bank - Light beacon unlit
Parks Victoria Notice 301(T)/2025

The south cardinal light beacon, *Q(6)+LFl.15s* (38° 06'.75 S 144° 42'.74 E), is unlit.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 157

514(T)/2025 AUSTRALIA - VICTORIA - Port Phillip - Prince George Bank - Light beacon unlit
Parks Victoria Notice 300(T)/2025

The east cardinal light beacon, *Q(3)10s* (38° 07'.64 S 144° 43'.00 E), is unlit.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 157

515(T)/2025 AUSTRALIA - VICTORIA - Port Phillip - Prince George Bank - Light beacon unlit
Parks Victoria Notice 299(T)/2025

The isolated danger light beacon, *Fl(2)10s* (38° 06'.50 S 144° 43'.60 E), is unlit.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 157

516(T)/2025 AUSTRALIA - VICTORIA - Port Phillip - Portarlington - Light beacon unlit
Parks Victoria Notice 302(T)/2025

The starboard lateral light beacon, *Fl.G.6s* (38° 06'.64 S 144° 39'.45 E), is unlit.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 143 - Aus 157

517(T)/2025 AUSTRALIA - VICTORIA - Warrnambool - Scientific instrument southwards
BMT

A special light buoy, *Fl.Y.4s*, exists in position 38° 29'.27 S 142° 27'.43 E.

Chart temporarily affected - Aus 349

518(T)/2025 AUSTRALIA - VICTORIA - Western Port - North Arm - Scientific instruments
Former Notice - 425(T)/2024 is cancelled
Parks Victoria Notice 287(T)/2025

Special light buoys, *Fl.Y.3s*, exist in the following positions:

38° 15'.95 S 145° 16'.56 E

38° 16'.56 S 145° 20'.53 E

38° 16'.62 S 145° 14'.28 E

38° 21'.34 S 145° 13'.28 E

38° 24'.04 S 145° 15'.78 E.

Chart temporarily affected - Aus 151

519(T)/2025 AUSTRALIA - TASMANIA - D'Entrecasteaux Channel - Middleton - Wreck salvaged
Former Notice - 236(T)/2025 is cancelled
Marine and Safety Tasmania Notice M230(T)/2025

Cancel this notice on receipt.

Chart formerly affected - Aus 173

520(T)/2025 AUSTRALIA - TASMANIA - Devonport - Mersey River - Light beacon destroyed

Marine and Safety Tasmania Notice M228/2025

The port lateral light beacon, *Fl.R.4s* (41° 11'.13 S 146° 21'.97 E), has been destroyed, a special light buoy, *Q.Y*, exist in situ.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 164

II

HYDROGRAPHIC REPORTS

NIL

