



19 September 2025  
Edition 19

---

# AUSTRALIAN NOTICES TO MARINERS

**Notices 806 - 847**

Published fortnightly by the Australian Hydrographic Office



Australian Notices to Mariners are the authority for correcting charts and publications published by the Australian Hydrographic Office covering Australia, Papua New Guinea, Solomon Islands, Australian Antarctic Territory and Timor-Leste.

Commodore R.L. PHILLIPS RAN  
*Hydrographer of Australia*

---

## SECTIONS.

- I. **Australian Notices to Mariners, including blocks and notes.**
- II. **Hydrographic Reports.**

## SUPPLEMENTS.

- I. **Tracings**
  - II. **Cumulative List of Australian Notices to Mariners.**
  - III. **Cumulative List of Temporary and Preliminary Australian Notices to Mariners.**
  - IV. **Temporary and Preliminary Notices in force.**
- 
- 

© Commonwealth of Australia 2025

This work is copyright. Apart from any use permitted under the Copyright Act 1968, no part may be reproduced by any process, adapted, communicated or commercially exploited without prior written permission from The Commonwealth represented by the Australian Hydrographic Office.

## IMPORTANT NOTICE

This edition of Notices to Mariners includes all navigationally significant information affecting AHO products which the AHO has become aware of since the last edition. All reasonable efforts have been made to ensure the accuracy and completeness of the information, including third party information, on which these updates are based. The AHO regards third parties from which it receives information as reliable, however the AHO cannot verify all such information and errors may therefore exist. The AHO does not accept liability for errors in third party information.

---

## GENERAL INSTRUCTIONS

The substance of these notices should be inserted on the charts affected.

Bearings are referred to the true compass and are reckoned clockwise from North; those relating to lights are given as seen by an observer from seaward.

Positions quoted in notices relate to WGS84 which is the horizontal datum for all charts produced by the Australian Hydrographic Office.

The range quoted for a light is its nominal range.

Depths are with reference to the chart datum of each chart. Heights are above mean high water springs or mean higher high water, as appropriate.

The capital letter (P) or (T) after the number of any notice denotes a preliminary or temporary notice respectively, which are contained separately at the end of the permanent notices.

---

## REPORTING OF DANGERS

Mariners are particularly requested to notify the AUSTRALIAN HYDROGRAPHIC OFFICE, Locked Bag 8801 Wollongong, NSW 2500 (e-mail [datacentre@hydro.gov.au](mailto:datacentre@hydro.gov.au) or, alternatively by filling in and submitting the [Hydrographic Notes](#) forms located on the web site – [www.hydro.gov.au](http://www.hydro.gov.au)), immediately on the discovery of new dangers or suspected dangers to navigation. For changes or defects in aids to navigation notify AusSAR (Fax 02-6230 6868 or email [rccaus@amsa.gov.au](mailto:rccaus@amsa.gov.au)).

---

## AUTHORISED USE

Copies of Australian notices are available free of charge from the Australian Hydrographic Office (AHO) website ([www.hydro.gov.au](http://www.hydro.gov.au)) and through the eNotices (email) service ([www.hydro.gov.au/enotices/enotices.htm](http://www.hydro.gov.au/enotices/enotices.htm)).

Individual Notices may be copied for the purpose of inserting Notice substance on official charts and publications. Paper copies may be printed by chart agents and distributed to customers on a cost recovery basis. Participating chart agents are listed on the AHO website as providing a 'Paper Notices to Mariners' service ([www.hydro.gov.au/prodserv/agents-list.htm](http://www.hydro.gov.au/prodserv/agents-list.htm)). Copies of the notices may not be sold for profit without prior written agreement.

## NUMERICAL INDEX OF NOTICES TO MARINERS

### Edition No 19

| Notices | Aus Chart, INT Chart, ENC Cell, AHP, BA Pubs |
|---------|----------------------------------------------|
| 806     | Aus 745                                      |
| 807     | SLB 102, 109                                 |
| 808     | Aus 222                                      |
| 809     | Aus 207                                      |
| 810     | Aus 198                                      |
| 811     | Aus 200, 204                                 |
| 812     | Aus 811                                      |
| 813     | Aus 809, 810                                 |
| 814     | Aus 237                                      |
| 815     | Aus 303                                      |
| 816     | Aus 250                                      |
| 817     | Aus 236, 814                                 |
| 818     | Aus 718                                      |
| 819     | Aus 50, 324                                  |
| 820     | Aus 119                                      |
| 821     | Aus 57, 327                                  |
| 822     | Aus 84                                       |
| 823     | Aus 112                                      |
| 824     | Aus 40, 41                                   |
| 825(T)  | Aus 265, 490, 819                            |
| 826(T)  | Aus 209                                      |
| 827(T)  | Aus 827                                      |
| 828(P)  | Aus 6                                        |
| 829(T)  | Aus 236, 237                                 |
| 830(T)  | Aus 236                                      |
| 831(T)  | Aus 236                                      |
| 832(T)  | Aus 4060, 4604, INT 60, 604, PNG 511         |
| 833(T)  | PNG 391, 662                                 |
| 834(T)  | PNG 680                                      |
| 835(T)  | Aus 327, 742                                 |
| 836(T)  | Aus 65, 327, 328, 742                        |
| 837(T)  | Aus 112, 117                                 |
| 838(T)  | Aus 81                                       |
| 839(T)  | Aus 144                                      |
| 840(T)  | Aus 143, 144                                 |
| 841(T)  | Aus 144                                      |
| 842(T)  | Aus 143, 155                                 |
| 843(T)  | Aus 143, 155                                 |
| 844(T)  | Aus 179                                      |
| 845(T)  | Aus 173                                      |
| 846(T)  | Aus 798                                      |
| 847(T)  | Aus 487, 790                                 |

## NUMERICAL INDEX OF CHARTS AFFECTED

### Edition No 19

| Aus Chart | Notices                                                                                        |
|-----------|------------------------------------------------------------------------------------------------|
| Aus 6     | <a href="#">828(P)</a>                                                                         |
| Aus 40    | <a href="#">824</a>                                                                            |
| Aus 41    | <a href="#">824</a>                                                                            |
| Aus 50    | <a href="#">819</a>                                                                            |
| Aus 57    | <a href="#">821</a>                                                                            |
| Aus 65    | <a href="#">836(T)</a>                                                                         |
| Aus 81    | <a href="#">838(T)</a>                                                                         |
| Aus 84    | <a href="#">822</a>                                                                            |
| Aus 112   | <a href="#">823</a> , <a href="#">837(T)</a>                                                   |
| Aus 117   | <a href="#">837(T)</a>                                                                         |
| Aus 119   | <a href="#">820</a>                                                                            |
| Aus 143   | <a href="#">840(T)</a> , <a href="#">842(T)</a> , <a href="#">843(T)</a>                       |
| Aus 144   | <a href="#">839(T)</a> , <a href="#">840(T)</a> , <a href="#">841(T)</a>                       |
| Aus 155   | <a href="#">842(T)</a> , <a href="#">843(T)</a>                                                |
| Aus 173   | <a href="#">845(T)</a>                                                                         |
| Aus 179   | <a href="#">844(T)</a>                                                                         |
| Aus 198   | <a href="#">810</a>                                                                            |
| Aus 200   | <a href="#">811</a>                                                                            |
| Aus 204   | <a href="#">811</a>                                                                            |
| Aus 207   | <a href="#">809</a>                                                                            |
| Aus 209   | <a href="#">826(T)</a>                                                                         |
| Aus 222   | <a href="#">808</a>                                                                            |
| Aus 236   | <a href="#">817</a> , <a href="#">829(T)</a> , <a href="#">830(T)</a> , <a href="#">831(T)</a> |
| Aus 237   | <a href="#">814</a> , <a href="#">829(T)</a>                                                   |
| Aus 250   | <a href="#">816</a>                                                                            |
| Aus 265   | <a href="#">825(T)</a>                                                                         |
| Aus 303   | <a href="#">815</a>                                                                            |
| Aus 324   | <a href="#">819</a>                                                                            |
| Aus 327   | <a href="#">821</a> , <a href="#">835(T)</a> , <a href="#">836(T)</a>                          |
| Aus 328   | <a href="#">836(T)</a>                                                                         |
| Aus 487   | <a href="#">847(T)</a>                                                                         |
| Aus 490   | <a href="#">825(T)</a>                                                                         |
| Aus 718   | <a href="#">818</a>                                                                            |
| Aus 742   | <a href="#">835(T)</a> , <a href="#">836(T)</a>                                                |
| Aus 745   | <a href="#">806</a>                                                                            |
| Aus 790   | <a href="#">847(T)</a>                                                                         |
| Aus 798   | <a href="#">846(T)</a>                                                                         |
| Aus 809   | <a href="#">813</a>                                                                            |
| Aus 810   | <a href="#">813</a>                                                                            |
| Aus 811   | <a href="#">812</a>                                                                            |
| Aus 814   | <a href="#">817</a>                                                                            |
| Aus 819   | <a href="#">825(T)</a>                                                                         |
| Aus 827   | <a href="#">827(T)</a>                                                                         |
| Aus 4060  | <a href="#">832(T)</a>                                                                         |
| Aus 4604  | <a href="#">832(T)</a>                                                                         |
| PNG 391   | <a href="#">833(T)</a>                                                                         |
| PNG 511   | <a href="#">832(T)</a>                                                                         |
| PNG 662   | <a href="#">833(T)</a>                                                                         |
| PNG 680   | <a href="#">834(T)</a>                                                                         |
| SLB 102   | <a href="#">807</a>                                                                            |
| SLB 109   | <a href="#">807</a>                                                                            |

| INT Chart | Notices                |
|-----------|------------------------|
| INT 60    | <a href="#">832(T)</a> |
| INT 604   | <a href="#">832(T)</a> |

**806 AUSTRALIA - Products - New Charts and New Editions to be published shortly**

Australian Hydrographic Office

**New Charts to be published shortly**

| <i>Chart</i> | <i>Title</i> | <i>Scale</i> | <i>Remarks</i> |
|--------------|--------------|--------------|----------------|
| NIL          |              |              |                |

**New Editions to be published shortly**

| <i>Chart</i> | <i>Title</i>                                                               | <i>Scale</i> | <i>Remarks</i>                                                                   |
|--------------|----------------------------------------------------------------------------|--------------|----------------------------------------------------------------------------------|
| Aus 745      | Australia - West Coast - Western Australia - North West Cape to Point Maud | 1:150 000    | New edition with general updating throughout; including latest bathymetric data. |

**807 AUSTRALIA - Products - New Charts, New Editions, Withdrawn Charts**

Australian Hydrographic Office

**New Charts**

| <i>Chart</i> | <i>Title and Geographical limits</i>                           | <i>Scale</i> | <i>Publication Date</i> | <i>Remarks</i>                                                                  |
|--------------|----------------------------------------------------------------|--------------|-------------------------|---------------------------------------------------------------------------------|
| SLB109       | South Pacific Ocean - Solomon Islands - Plans of Noro to Munda |              | 19/9/2025               | Chart rescheme and general updating throughout; including new bathymetric data. |
|              | Plans:                                                         |              |                         |                                                                                 |
|              | Diamond Narrows to Munda                                       | 1:20 000     |                         |                                                                                 |
|              | 8° 15'.00 S – 8° 22'.00 S                                      |              |                         |                                                                                 |
|              | 157° 11'.00 E – 157° 17'.00 E                                  |              |                         |                                                                                 |
|              | Approaches Noro                                                | 1:12 500     |                         |                                                                                 |
|              | 8° 12'.18 S – 8° 16'.56 S                                      |              |                         |                                                                                 |
|              | 157° 10'.90 E – 157° 12'.54 E                                  |              |                         |                                                                                 |
|              | Noro                                                           | 1:5 000      |                         |                                                                                 |
|              | 8° 13'.6 S – 8° 14'.50 S                                       |              |                         |                                                                                 |
|              | 157° 11'.5 E – 157° 12'.05 E                                   |              |                         |                                                                                 |

**New Electronic Navigation Chart (Aus ENC)**

| <i>Cell Name</i> | <i>Title</i> | <i>Publication Date</i> | <i>Remarks</i> |
|------------------|--------------|-------------------------|----------------|
| NIL              |              |                         |                |

**New Editions and Withdrawn Charts**

| <i>Chart</i>       | <i>Title</i>                                                           | <i>Scale</i> | <i>Publication Date</i> | <i>Remarks</i>                                                                   |
|--------------------|------------------------------------------------------------------------|--------------|-------------------------|----------------------------------------------------------------------------------|
| SLB102             | South Pacific Ocean - Solomon Islands - Plans in the New Georgia Group |              | 19/9/2025               | New edition with general updating throughout; including latest bathymetric data. |
| <b>(Edition 6)</b> | Plans:                                                                 |              |                         |                                                                                  |
|                    | Blackett Strait                                                        | 1:50 000     |                         |                                                                                  |
|                    | Gizo Harbour and Approaches                                            | 1:25 000     |                         |                                                                                  |
|                    | Port Noro                                                              | 1:20 000     |                         |                                                                                  |
|                    | Ringgi Cove                                                            | 1:15 000     |                         |                                                                                  |
|                    | Lever Harbour                                                          | 1:7 500      |                         |                                                                                  |

**Chart SLB102 Edition 5 dated 21 July 2023 is now superseded and must be withdrawn from use.**

**Chart permanently withdrawn**

Charts listed above as withdrawn no longer meet chart carriage requirements and should be marked as "superseded" and replaced with the new chart/ new edition listed prior to passage through the area covered by the new chart.

When placing orders with a chart agent between notice of forthcoming edition and its publication, mariners should advise whether their order pertains to the current edition or the new edition.

For further details refer to the AHO website at [www.hydro.gov.au](http://www.hydro.gov.au) for new edition and new chart stock arrival information.

**808 AUSTRALIA - NEW SOUTH WALES - Clarence River - Yamba - Buoys**

Transport for NSW

**Aus 222 [727/2025]**

|         |                                                |               |                |
|---------|------------------------------------------------|---------------|----------------|
| Insert  | special conical buoy without topmark           | 29° 24'.368 S | 153° 20'.780 E |
| Replace | buoy with special conical buoy without topmark | 29° 24'.18 S  | 153° 20'.73 E  |
| Delete  | buoy                                           | 29° 24'.31 S  | 153° 20'.77 E  |

**809 AUSTRALIA - NEW SOUTH WALES - Newcastle - Hunter River - Light buoy**

Transport for NSW

**Aus 207 (Hexham Reach) [524/2025]**

|       |                                   |              |               |
|-------|-----------------------------------|--------------|---------------|
| Amend | light buoy to <i>Fl.G.3s No14</i> | 32° 50'.27 S | 151° 43'.89 E |
|-------|-----------------------------------|--------------|---------------|

**810 AUSTRALIA - NEW SOUTH WALES - Port Hacking - Lilli Pilli Point - Topmarks**

Transport for NSW

**Aus 198 [428/2025]**

|        |         |              |               |
|--------|---------|--------------|---------------|
| Delete | topmark | 34° 04'.21 S | 151° 06'.34 E |
|        | topmark | 34° 04'.36 S | 151° 06'.94 E |

**811 AUSTRALIA - NEW SOUTH WALES - Port Jackson to Broken Bay - Nav aids, jetty**

Transport for NSW

**Aus 200 [524/2025]**

|       |                         |              |               |
|-------|-------------------------|--------------|---------------|
| Amend | light to <i>Fl.G.5s</i> | 33° 51'.39 S | 151° 07'.33 E |
|-------|-------------------------|--------------|---------------|

|        |                          |              |               |
|--------|--------------------------|--------------|---------------|
| Delete | continuous line, between | 33° 51'.41 S | 151° 07'.26 E |
|        |                          | 33° 51'.39 S | 151° 07'.26 E |

**Aus 204 [429/2025]**

|        |                           |              |               |
|--------|---------------------------|--------------|---------------|
| Insert | starboard lateral topmark | 33° 27'.95 S | 151° 05'.24 E |
|        | starboard lateral topmark | 33° 34'.02 S | 151° 15'.17 E |
| Move   | light buoy                | 33° 31'.40 S | 151° 20'.13 E |
|        | to                        | 33° 31'.43 S | 151° 20'.16 E |

**812 AUSTRALIA - NEW SOUTH WALES - Port Macquarie - Light buoy eastwards**

NSW Department of Primary Industries

**Aus 811 [117/2025]**

|      |            |              |               |
|------|------------|--------------|---------------|
| Move | light buoy | 31° 26'.0 S  | 153° 04'.5 E  |
|      | to         | 31° 24'.57 S | 153° 04'.73 E |

**813 AUSTRALIA - NEW SOUTH WALES - Port Stephens - Port limit**

Port Authority of New South Wales

**Aus 809 [524/2025]**

|        |                                                                                                |              |               |
|--------|------------------------------------------------------------------------------------------------|--------------|---------------|
| Insert | magenta dashed circle with radius 3M with legend, <i>Port Stephens Port Limit</i> , centred on | 32° 41'.78 S | 152° 12'.55 E |
|--------|------------------------------------------------------------------------------------------------|--------------|---------------|

**Aus 810 [691/2024]**

|        |                                                                                                |              |               |
|--------|------------------------------------------------------------------------------------------------|--------------|---------------|
| Insert | magenta dashed circle with radius 3M with legend, <i>Port Stephens Port Limit</i> , centred on | 32° 41'.78 S | 152° 12'.55 E |
|--------|------------------------------------------------------------------------------------------------|--------------|---------------|

**814 AUSTRALIA - QUEENSLAND - Brisbane River - Outer Bar Reach - Light buoy**

Maritime Safety Queensland

**Aus 237 [645/2025]**

|      |            |               |                |
|------|------------|---------------|----------------|
| Move | light buoy | 27° 21'.20 S  | 153° 10'.84 E  |
|      | to         | 27° 21'.177 S | 153° 10'.831 E |

**815 AUSTRALIA - QUEENSLAND - Gin Arm Creek - Nomenclature**

Department of Natural Resources and Mines QLD

**Aus 303 [1042/2023]**

|        |                     |             |              |
|--------|---------------------|-------------|--------------|
| Delete | name, Gin Arm Creek | 17° 32'.5 S | 139° 26'.3 E |
|--------|---------------------|-------------|--------------|

**816 AUSTRALIA - QUEENSLAND - Mackay - Depth**

Maritime Safety Queensland

**Aus 250 (Mackay Harbour) [547/2024]**

|        |                                   |              |               |
|--------|-----------------------------------|--------------|---------------|
| Delete | depth, 10m, and enclosing contour | 21° 06'.32 S | 149° 15'.58 E |
|--------|-----------------------------------|--------------|---------------|

**817 AUSTRALIA - QUEENSLAND - Moreton Bay - Wreck**

Port of Brisbane

**Aus 236 [733/2025]**

|         |                                                                     |             |              |
|---------|---------------------------------------------------------------------|-------------|--------------|
| Replace | wreck depth, 12 <sub>8</sub> m, with wreck depth, 15 <sub>9</sub> m | 27° 13'.5 S | 153° 16'.3 E |
|---------|---------------------------------------------------------------------|-------------|--------------|

**Aus 814 [732/2025]**

|         |                                                                     |             |              |
|---------|---------------------------------------------------------------------|-------------|--------------|
| Replace | wreck depth, 12 <sub>8</sub> m, with wreck depth, 15 <sub>9</sub> m | 27° 13'.5 S | 153° 16'.3 E |
|---------|---------------------------------------------------------------------|-------------|--------------|

**818 AUSTRALIA - NORTHERN TERRITORY - Cuthbert Point - Depth northeastwards**

Cyan Renewables

**Aus 718 [836/2021]**

|        |                                                               |              |               |
|--------|---------------------------------------------------------------|--------------|---------------|
| Insert | depth, 4m, enclosed by contour with legend, <i>Rep</i> (2025) | 11° 36'.61 S | 134° 02'.21 E |
|--------|---------------------------------------------------------------|--------------|---------------|

**819 AUSTRALIA - WESTERN AUSTRALIA - Broome - Depths**

Department of Transport WA

**Aus 50 [651/2025]**

|        |                                                          |              |               |
|--------|----------------------------------------------------------|--------------|---------------|
| Insert | depth, 9 <sub>5</sub> m, enclosed by contour             | 17° 56'.22 S | 122° 02'.36 E |
|        | depth, 7 <sub>7</sub> m                                  | 18° 01'.02 S | 121° 57'.28 E |
|        | depth, 8 <sub>9</sub> m, and extend contour N to enclose | 18° 02'.31 S | 121° 56'.50 E |
|        | depth, 9 <sub>4</sub> m, enclosed by contour             | 18° 02'.50 S | 121° 57'.23 E |
|        | depth, 8 <sub>1</sub> m                                  | 18° 03'.27 S | 121° 57'.29 E |
|        | depth, 9 <sub>7</sub> m, enclosed by contour             | 18° 05'.01 S | 122° 00'.67 E |

|        |                          |             |              |
|--------|--------------------------|-------------|--------------|
| Delete | depth, 10 <sub>1</sub> m | 17° 56'.2 S | 122° 02'.4 E |
|        | depth, 8 <sub>8</sub> m  | 18° 01'.1 S | 121° 57'.2 E |
|        | depth, 8 <sub>8</sub> m  | 18° 03'.3 S | 121° 57'.3 E |

**Aus 324 [593/2025]**

|        |                                              |              |               |
|--------|----------------------------------------------|--------------|---------------|
| Insert | depth, 7 <sub>1</sub> m, enclosed by contour | 18° 07'.49 S | 121° 55'.59 E |
|        | depth, 6 <sub>9</sub> m                      | 18° 08'.79 S | 121° 54'.22 E |

|         |                                                       |             |              |
|---------|-------------------------------------------------------|-------------|--------------|
| Replace | depth, 8 <sub>8</sub> m, with depth, 8 <sub>1</sub> m | 18° 03'.3 S | 121° 57'.3 E |
|         | depth, 8 <sub>7</sub> m, with depth, 7 <sub>8</sub> m | 18° 07'.9 S | 121° 50'.8 E |

|        |                         |             |              |
|--------|-------------------------|-------------|--------------|
| Delete | depth, 8 <sub>9</sub> m | 18° 08'.9 S | 121° 55'.1 E |
|--------|-------------------------|-------------|--------------|

**820 AUSTRALIA - WESTERN AUSTRALIA - Esperance - Chart note; legends**

Australian Hydrographic Office

**Aus 119 [594/2025]**

|        |                                                                              |              |               |
|--------|------------------------------------------------------------------------------|--------------|---------------|
| Insert | <a href="#">accompanying chart note, ELECTRONIC NAVIGATIONAL CHART (ENC)</a> | 33° 49'.16 S | 121° 51'.50 E |
|        | magenta legend, <i>ENC</i> (see Note)                                        | 33° 53'.84 S | 121° 55'.68 E |

**Aus 119 (Esperance) [594/2025]**

|        |                                       |               |                |
|--------|---------------------------------------|---------------|----------------|
| Insert | magenta legend, <i>ENC</i> (see Note) | 33° 51'.869 S | 121° 55'.132 E |
|--------|---------------------------------------|---------------|----------------|

**821 AUSTRALIA - WESTERN AUSTRALIA - Hauy Island - Depths**

Revelare Hydrospatial

**Aus 57 [778/2025]**

|        |                                                                   |              |               |
|--------|-------------------------------------------------------------------|--------------|---------------|
| Insert | depth, <i>2<sub>5</sub>m</i> , and extend 5m contour E to enclose | 20° 25'.40 S | 116° 59'.07 E |
|--------|-------------------------------------------------------------------|--------------|---------------|

**Aus 327 [778/2025]**

|         |                                                                                        |             |              |
|---------|----------------------------------------------------------------------------------------|-------------|--------------|
| Replace | depth, <i>2<sub>1</sub>m</i> , with depth, <i>1<sub>7</sub>m</i> , enclosed by contour | 20° 25'.3 S | 116° 59'.0 E |
|---------|----------------------------------------------------------------------------------------|-------------|--------------|

**822 AUSTRALIA - WESTERN AUSTRALIA - Jurien Bay - Depths**

Department of Transport WA

**Aus 84 (Jurien Bay) [355/2024]**

|        |                                        |              |               |
|--------|----------------------------------------|--------------|---------------|
| Insert | depth, <i>2m</i> , enclosed by contour | 30° 17'.16 S | 115° 02'.32 E |
|--------|----------------------------------------|--------------|---------------|

|         |                                                                  |              |               |
|---------|------------------------------------------------------------------|--------------|---------------|
| Replace | depth, <i>2<sub>9</sub>m</i> , with depth, <i>2<sub>6</sub>m</i> | 30° 17'.35 S | 115° 02'.27 E |
|---------|------------------------------------------------------------------|--------------|---------------|

**823 AUSTRALIA - WESTERN AUSTRALIA - North Beach - Buoys**

Department of Transport WA Notice WA25-399/2/2025

**Aus 112 [655/2025]**

|      |      |               |                |
|------|------|---------------|----------------|
| Move | buoy | 31° 51'.69 S  | 115° 44'.45 E  |
|      | to   | 31° 51'.760 S | 115° 44'.310 E |
|      | buoy | 31° 51'.64 S  | 115° 43'.27 E  |
|      | to   | 31° 52'.000 S | 115° 43'.500 E |

**824 AUSTRALIA - WESTERN AUSTRALIA - Yampi Sound - Cockatoo Island - Depths; nav aids; coastline; ZOC diagram**

Kimberley Ports Authority , Marine and Earth Sciences

**Aus 40 [434/2025]**

|        |                                          |             |              |
|--------|------------------------------------------|-------------|--------------|
| Insert | <a href="#">accompanying block</a>       | 16° 06'.5 S | 123° 36'.0 E |
|        | <a href="#">accompanying ZOC diagram</a> | 16° 10'.8 S | 123° 40'.5 E |

**Aus 41 (Koolan Island) [16/2025]**

|        |                                          |             |              |
|--------|------------------------------------------|-------------|--------------|
| Insert | <a href="#">accompanying ZOC diagram</a> | 16° 07'.9 S | 123° 45'.7 E |
|--------|------------------------------------------|-------------|--------------|

**Aus 41 (Cockatoo Island) [16/2025]**

|        |                                      |             |              |
|--------|--------------------------------------|-------------|--------------|
| Insert | <a href="#">accompanying block A</a> | 16° 06'.2 S | 123° 36'.8 E |
|        | <a href="#">accompanying block B</a> | 16° 06'.5 S | 123° 36'.0 E |

**825(T)/2025 AUSTRALIA - NEW SOUTH WALES - Port Alma - Sea Hill Point - Light unlit**

Former Notice - 785(T)/2025 is cancelled  
Maritime Safety Queensland

Cancel this notice on receipt.

**Chart formerly affected - Aus 265 - Aus 490 - Aus 819**

**826(T)/2025 AUSTRALIA - NEW SOUTH WALES - Port Stephens - Corrie Creek - Light beacon destroyed**

Transport for NSW

The starboard lateral light beacon, *Fl.G.3s* (32° 40'.32 S 152° 08'.89 E), has been destroyed, a starboard lateral light buoy, *Fl.G.3s*, exists in situ.

Mariners are advised to navigate with caution in the area.

**Chart temporarily affected - Aus 209**

**827(T)/2025 AUSTRALIA - QUEENSLAND - Cape Bowling Green - Light buoy off station**

Australian Superyachts

The west cardinal light buoy, *Q(9)15s* (19° 17'.86 S 147° 22'.65 E), is off station.

Mariners are advised to navigate with caution in the area.

**Chart temporarily affected - Aus 827**

**828(P)/2025 AUSTRALIA - QUEENSLAND - Karumba - Light buoys repositioned**

Maritime Safety Queensland Notice 421(T)/2025

The light buoys have been repositioned as follows:

| <i>Current position</i>    | <i>New position</i>        | <i>Remarks</i>      |
|----------------------------|----------------------------|---------------------|
| 17° 26'.58 S 140° 44'.87 E | 17° 26'.63 S 140° 44'.96 E | <i>Fl.R.4s EB2</i>  |
| 17° 26'.63 S 140° 44'.95 E | 17° 26'.65 S 140° 45'.07 E | <i>Fl.R.4s EB4</i>  |
| 17° 26'.66 S 140° 44'.84 E | 17° 26'.71 S 140° 44'.93 E | <i>Fl.G.4s EB3</i>  |
| 17° 26'.71 S 140° 44'.94 E | 17° 26'.72 S 140° 45'.07 E | <i>Fl.G.4s EB5.</i> |

Charts will be updated in due course.

**Chart which will be affected - Aus 6**

**829(T)/2025 AUSTRALIA - QUEENSLAND - Moreton Bay - Scientific instruments**

Maritime Safety Queensland Notice 416(T)/2025

Special light buoys, *Fl.Y.2s*, exist in positions 27° 19'.95 S 153° 09'.96 E and 27° 07'.31 S 153° 21'.89 E.

Special unlit buoys exist in positions 27° 20'.41 S 153° 14'.11 E and 27° 22'.07 S 153° 12'.04 E.

Mariners are advised to navigate with caution in the area.

**Chart temporarily affected - Aus 236 - Aus 237**

**830(T)/2025 AUSTRALIA - QUEENSLAND - Moreton Bay - Spitfire Channel - Light beacon unlit**

Maritime Safety Queensland Notice 162(T)/2023, 164(T)/2023

The light beacon, *Fl.Y.1-5s S1* (27° 02'.88 S 153° 15'.99 E), is unlit; a special light buoy, *Fl.Y.1-5s*, exists in situ.

**Chart temporarily affected - Aus 236**

**831(T)/2025 AUSTRALIA - QUEENSLAND - Moreton Bay - Spitfire Channel - Light beacon unreliable***Former Notice* - 893(T)/2022 is cancelled

Maritime Safety Queensland Notice 162(T)/2023, 164(T)/2023

Cancel this notice on receipt.

**Chart formerly affected - Aus 236****832(T)/2025 PAPUA NEW GUINEA - Loa Islet - Light unlit**

National Maritime Safety Authority PNG Coastal Navigation Warning 19/2025

The light, *Fl. 8s 43m 10M* (11° 26'.96 S 154° 23'.90 E), is unlit.**Chart temporarily affected - Aus 4060 (INT 60) - Aus 4604 (INT 604) - PNG 511****833(T)/2025 PAPUA NEW GUINEA - Los Negros Island - Nahuchie Point - Light relit***Former Notice* - 787(T)/2025 is cancelled

National Maritime Safety Authority PNG Coastal Navigation Warning 20/2025

Cancel this notice on receipt.

**Chart formerly affected - PNG 391 - PNG 662****834(T)/2025 PAPUA NEW GUINEA - Rabaul - Light relit***Former Notice* - 975(T)/2023 is cancelled

National Maritime Safety Authority PNG Coastal Navigation Warning 18/2025

Cancel this notice on receipt.

**Chart formerly affected - PNG 680****835(T)/2025 AUSTRALIA - WESTERN AUSTRALIA - Dampier Archipelago - Drill rig northwestwards***Former Notice* - 758(T)/2025 is cancelledMODU *Ocean Apex*

Cancel this notice on receipt.

**Chart formerly affected - Aus 327 - Aus 742****836(T)/2025 AUSTRALIA - WESTERN AUSTRALIA - Double Island - Light unlit**

Chevron Australia Notice 7/2025

The light, *Fl. 6s 17m 5M* (20° 44'.14 S 115° 29'.72 E), is unlit.**Chart temporarily affected - Aus 65 - Aus 327 - Aus 328 - Aus 742****837(T)/2025 AUSTRALIA - WESTERN AUSTRALIA - Fremantle - Scientific instrument recovered***Former Notice* - 259(T)/2024 is cancelled

Department of Transport WA

Cancel this notice on receipt.

**Chart formerly affected - Aus 112 - Aus 117**

**838(T)/2025 AUSTRALIA - WESTERN AUSTRALIA - Geraldton - Batavia Coast Boat Harbour - Harbour works complete**

*Former Notice* - 877(T)/2024 is cancelled  
Department of Transport WA Notice 6221/2024

Cancel this notice on receipt.

**Chart formerly affected - Aus 81**

**839(T)/2025 AUSTRALIA - VICTORIA - Port Phillip - Point Nepean - Light buoy restored**

*Former Notice* - 723(T)/2025 is cancelled  
Parks Victoria Notice 458/2025

Cancel this notice on receipt.

**Chart formerly affected - Aus 144**

**840(T)/2025 AUSTRALIA - VICTORIA - Port Phillip - Observatory Point to Point Franklin - Light buoys restored**

*Former Notice* - 470(T)/2025 is cancelled  
Parks Victoria Notice 454/2025, 457/2025

Cancel this notice on receipt.

**Chart formerly affected - Aus 143 - Aus 144**

**841(T)/2025 AUSTRALIA - VICTORIA - Port Phillip - Weeroona Bay - Light buoy restored**

*Former Notice* - 577(T)/2025 is cancelled  
Parks Victoria Notice 455/2025

Cancel this notice on receipt.

**Chart formerly affected - Aus 144**

**842(T)/2025 AUSTRALIA - VICTORIA - Port Phillip - Sandringham - Light beacon relit**

*Former Notice* - 763(T)/2024 is cancelled  
Parks Victoria Notice 121(T)/2019, 285(T)/2019, 368(T)/2024

Cancel this notice on receipt.

**Chart formerly affected - Aus 143 - Aus 155**

**843(T)/2025 AUSTRALIA - VICTORIA - Port Phillip - Altona - Light relit**

*Former Notice* - 802(T)/2025 is cancelled  
Parks Victoria Notice 459/2025

Cancel this notice on receipt.

**Chart formerly affected - Aus 143 - Aus 155**

**844(T)/2025 AUSTRALIA - TASMANIA - Flinders Island - Lady Barron - Light relit**

*Former Notice* - 274(T)/2025 is cancelled  
Marine and Safety Tasmania Notice M299/2025

Cancel this notice on receipt.

**Chart formerly affected - Aus 179**

**845(T)/2025 AUSTRALIA - TASMANIA - Huon River - Brooks Bay - Wreck salvaged**

*Former Notice* - 426(T)/2024 is cancelled

Marine and Safety Tasmania Notice M297/2025

Cancel this notice on receipt.

**Chart formerly affected - Aus 173**

**846(T)/2025 AUSTRALIA - TASMANIA - Ringarooma Bay - Scientific instrument recovered**

*Former Notice* - 839(T)/2023 is cancelled

Marine and Safety Tasmania Notice M305(T)/2025

Cancel this notice on receipt.

**Chart formerly affected - Aus 798**

**847(T)/2025 AUSTRALIA - TASMANIA - Robbins Island to Rocky Cape - Scientific instruments recovered northwards**

*Former Notice* - 686(T)/2025 is cancelled

Maritime and Safety Tasmania Notice M293(T)/2025

Cancel this notice on receipt.

**Chart formerly affected - Aus 487 - Aus 790**

II

**HYDROGRAPHIC REPORTS**

NIL


*To accompany Australian Notice to Mariners 820/2025*

**ELECTRONIC NAVIGATIONAL CHART (ENC)**

Larger scale ENC content exists in this area.  
When using electronic navigation systems,  
certain vessels (e.g. restricted by depth or  
size) may benefit from the additional level of  
detail shown in the largest scale ENC  
product available.

*Note for chart Aus 119*

To accompany Australian Notice to Mariners 824/2025




Block for chart Aus 40

© Commonwealth of Australia 2025

(103.2 x 64.9mm)

*To accompany Australian Notice to Mariners 824/2025*




Block for chart Aus 40

© Commonwealth of Australia 2025

(144.7 x 160.7mm)

To accompany Australian Notice to Mariners 824/2025




*Block for chart Aus 41*

(67.1 x 52.8mm)

© Commonwealth of Australia 2025

To accompany Australian Notice to Mariners 824/2025



Block A for chart Aus 41

© Commonwealth of Australia 2025

(166.4 x 146.5mm)

To accompany Australian Notice to Mariners 824/2025

