



AUSTRALIAN NOTICES TO MARINERS

Notices 1012 - 1058



*The Hydrographer and Staff of the Australian Hydrographic Office
wish all users of Australian Navigational Products a Merry Christmas,
a Happy New Year and safe, successful voyages in 2026.*



Published fortnightly by the Australian Hydrographic Office



Australian Notices to Mariners are the authority for correcting charts and publications published by the Australian Hydrographic Office covering Australia, Papua New Guinea, Solomon Islands, Australian Antarctic Territory and Timor-Leste.

Commodore R.L. PHILLIPS RAN
Hydrographer of Australia

SECTIONS.

- I. **Australian Notices to Mariners, including blocks and notes.**
- II. **Hydrographic Reports.**

SUPPLEMENTS.

- I. **Tracings**
- II. **Cumulative List of Australian Notices to Mariners.**
- III. **Cumulative List of Temporary and Preliminary Australian Notices to Mariners.**
- IV. **Temporary and Preliminary Notices in force.**

© Commonwealth of Australia 2025

This work is copyright. Apart from any use permitted under the Copyright Act 1968, no part may be reproduced by any process, adapted, communicated or commercially exploited without prior written permission from The Commonwealth represented by the Australian Hydrographic Office.

IMPORTANT NOTICE

This edition of Notices to Mariners includes all navigationally significant information affecting AHO products which the AHO has become aware of since the last edition. All reasonable efforts have been made to ensure the accuracy and completeness of the information, including third party information, on which these updates are based. The AHO regards third parties from which it receives information as reliable, however the AHO cannot verify all such information and errors may therefore exist. The AHO does not accept liability for errors in third party information.

GENERAL INSTRUCTIONS

The substance of these notices should be inserted on the charts affected.

Bearings are referred to the true compass and are reckoned clockwise from North; those relating to lights are given as seen by an observer from seaward.

Positions quoted in notices relate to WGS84 which is the horizontal datum for all charts produced by the Australian Hydrographic Office.

The range quoted for a light is its nominal range.

Depths are with reference to the chart datum of each chart. Heights are above mean high water springs or mean higher high water, as appropriate.

The capital letter (P) or (T) after the number of any notice denotes a preliminary or temporary notice respectively, which are contained separately at the end of the permanent notices.

REPORTING OF DANGERS

Mariners are particularly requested to notify the AUSTRALIAN HYDROGRAPHIC OFFICE, Locked Bag 8801 Wollongong, NSW 2500 (e-mail datacentre@hydro.gov.au or, alternatively by filling in and submitting the [Hydrographic Notes](#) forms located on the web site – www.hydro.gov.au), immediately on the discovery of new dangers or suspected dangers to navigation. For changes or defects in aids to navigation notify AusSAR (Fax 02-6230 6868 or email rccaus@amsa.gov.au).

AUTHORISED USE

Copies of Australian notices are available free of charge from the Australian Hydrographic Office (AHO) website (www.hydro.gov.au) and through the eNotices (email) service (www.hydro.gov.au/enotices/enotices.htm).

Individual Notices may be copied for the purpose of inserting Notice substance on official charts and publications. Paper copies may be printed by chart agents and distributed to customers on a cost recovery basis. Participating chart agents are listed on the AHO website as providing a 'Paper Notices to Mariners' service (www.hydro.gov.au/prodserv/agents-list.htm). Copies of the notices may not be sold for profit without prior written agreement.

NUMERICAL INDEX OF NOTICES TO MARINERS

Edition No 24

Notices	Aus Chart, INT Chart, ENC Cell, AHP, BA Pubs
1012	Aus 800, 4603, 4708, 4722, 4723, INT 603, 708, 722, 723
1013	Aus 50, 55, 73, 74
1014	Aus 4602, INT 602
1015	Aus 245, 248
1016	Aus 837, 840
1017	Aus 377
1018	Aus 293, 299
1019	Aus 25, 26
1020	Aus 15, 715
1021	Aus 310
1022	Aus 762, 763
1023	Aus 117
1024	Aus 319
1025	Aus 112
1026	Aus 357, 487, 802
1027	Aus 766, 797
1028	Aus 171, 173
1029(T)	Aus 195, 198, 489, 808
1030(T)	Aus 808
1031(P)	Aus 826
1032(T)	Aus 245
1033(T)	Aus 817
1034(T)	Aus 615, 828, 829, 4602, 4603, 4604, INT 602, 603, 604
1035(T)	Aus 309
1036(T)	Aus 309, 314, 315, 316, 319
1037(T)	Aus 312
1038(P)	Aus 763
1039(T)	Aus 309, 311
1040(T)	Aus 50
1041(T)	Aus 57, 60
1042(T)	Aus 4723, INT 723
1043(T)	Aus 40, 732, 733
1044(T)	Aus 328, 329
1045(T)	Aus 332
1046(T)	Aus 332, 752
1047(T)	Aus 754
1048(P)	Aus 112, 117
1049(T)	Aus 120, 341, 342, 4709, INT 709
1050(T)	Aus 485, 777, 778, 4060, 4709, INT 60, 709
1051(T)	Aus 130
1052(T)	Aus 357
1053(T)	Aus 349
1054(T)	Aus 349
1055(T)	Aus 349
1056(T)	Aus 143, 155, 157
1057(T)	Aus 357, 487, 802
1058(T)	Aus 766, 797

NUMERICAL INDEX OF CHARTS AFFECTED

Edition No 24

Aus Chart	Notices
Aus 15	1020
Aus 25	1019
Aus 26	1019
Aus 40	1043(T)
Aus 50	1013, 1040(T)
Aus 55	1013
Aus 57	1041(T)
Aus 60	1041(T)
Aus 73	1013
Aus 74	1013
Aus 112	1025, 1048(P)
Aus 117	1023, 1048(P)
Aus 120	1049(T)
Aus 130	1051(T)
Aus 143	1056(T)
Aus 155	1056(T)
Aus 157	1056(T)
Aus 171	1028
Aus 173	1028
Aus 195	1029(T)
Aus 198	1029(T)
Aus 245	1015, 1032(T)
Aus 248	1015
Aus 293	1018
Aus 299	1018
Aus 309	1035(T), 1036(T), 1039(T)
Aus 310	1021
Aus 311	1039(T)
Aus 312	1037(T)
Aus 314	1036(T)
Aus 315	1036(T)
Aus 316	1036(T)
Aus 319	1024, 1036(T)
Aus 328	1044(T)
Aus 329	1044(T)
Aus 332	1045(T), 1046(T)
Aus 341	1049(T)
Aus 342	1049(T)
Aus 349	1053(T), 1054(T), 1055(T)
Aus 357	1026, 1052(T), 1057(T)
Aus 377	1017
Aus 485	1050(T)
Aus 487	1026, 1057(T)
Aus 489	1029(T)
Aus 615	1034(T)
Aus 715	1020
Aus 732	1043(T)
Aus 733	1043(T)
Aus 752	1046(T)
Aus 754	1047(T)
Aus 762	1022
Aus 763	1022, 1038(P)
Aus 766	1027, 1058(T)
Aus 777	1050(T)

Aus Chart	Notices
Aus 778	1050(T)
Aus 797	1027, 1058(T)
Aus 800	1012
Aus 802	1026, 1057(T)
Aus 808	1029(T), 1030(T)
Aus 817	1033(T)
Aus 826	1031(P)
Aus 828	1034(T)
Aus 829	1034(T)
Aus 837	1016
Aus 840	1016
Aus 4060	1050(T)
Aus 4602	1014, 1034(T)
Aus 4603	1012, 1034(T)
Aus 4604	1034(T)
Aus 4708	1012
Aus 4709	1049(T), 1050(T)
Aus 4722	1012
Aus 4723	1012, 1042(T)

INT Chart	Notices
INT 60	1050(T)
INT 602	1014, 1034(T)
INT 603	1012, 1034(T)
INT 604	1034(T)
INT 708	1012
INT 709	1049(T), 1050(T)
INT 722	1012
INT 723	1012, 1042(T)

1012 AUSTRALIA - Products - New Charts, New Editions, Withdrawn Charts

Australian Hydrographic Office , UKHO

New Charts

Chart	Title and Geographical limits	Scale	Publication Date	Remarks
NIL				

New Electronic Navigation Chart (Aus ENC)

Cell Name	Title	Publication Date	Remarks
NIL			

New Editions and Withdrawn Charts

Chart	Title	Scale	Publication Date	Remarks
Aus 800 (Edition 6)	Australia - Tasmania - Furneaux Group	1:150 000	28/11/2025	New edition with general updating throughout; including latest bathymetric data. Chart Aus 800 Edition 5 dated 19 July 2024 is now superseded and must be withdrawn from use.
Aus 4603 (INT 603) (Edition 9)	Indian Ocean - Australia - North Coast and Adjacent Waters	1:3 500 000	28/11/2025	New edition with general updating throughout; including latest boundaries, notes and magnetic variations. Chart Aus 4603 Edition 8 dated 30 August 2024 is now superseded and must be withdrawn from use.
Aus 4708 (INT 708) (Edition 11)	Indian Ocean - Australia - West Coast	1:3 500 000	28/11/2025	New edition with general updating throughout; including latest boundaries, notes and magnetic variations. Chart Aus 4708 Edition 10 dated 30 August 2024 is now superseded and must be withdrawn from use.
Aus 4722 (INT 722) (Edition 5)	Australia - North West Coast - Adele Island to Dampier including Adjacent Waters	1:1 500 000	28/11/2025	New edition with general updating throughout; including latest boundaries, notes and magnetic variations. Chart Aus 4722 Edition 4 dated 5 July 2024 is now superseded and must be withdrawn from use.

1012 AUSTRALIA - Products - New Charts, New Editions, Withdrawn Charts**New Editions and Withdrawn Charts** *(continued)*

<i>Chart</i>	<i>Title</i>	<i>Scale</i>	<i>Publication Date</i>	<i>Remarks</i>
Aus 4723 (INT 723) (Edition 5)	Australia - North West Coast - Java to North West Cape	1:1 500 000	28/11/2025	New edition with general updating throughout; including latest boundaries, notes and magnetic variations. Chart Aus 4723 Edition 4 dated 5 July 2024 is now superseded and must be withdrawn from use.

Admiralty publication

<i>NP No</i>	<i>Title</i>	<i>Date</i>	<i>Remarks</i>
NP283(2)	ADMIRALTY List of Radio Signals. Maritime Safety Information Services The Americas, Far East and Oceania Volume 3(2) 6th Edition (2025).	4/12/2025	The 5th Edition (2024) is cancelled.

Chart permanently withdrawn

Charts listed above as withdrawn no longer meet chart carriage requirements and should be marked as "superseded" and replaced with the new chart/ new edition listed prior to passage through the area covered by the new chart.

When placing orders with a chart agent between notice of forthcoming edition and its publication, mariners should advise whether their order pertains to the current edition or the new edition.

For further details refer to the AHO website at www.hydro.gov.au for new edition and new chart stock arrival information.

1013 AUSTRALIA - Products - New Charts and New Editions to be published shortly

Australian Hydrographic Office

New Charts to be published shortly

<i>Chart</i>	<i>Title</i>	<i>Scale</i>	<i>Remarks</i>
NIL			

New Editions to be published shortly

<i>Chart</i>	<i>Title</i>	<i>Scale</i>	<i>Remarks</i>
Aus 50	Australia - North West Coast - Western Australia - Approaches to Broome	1:50 000	New edition with general updating throughout; including latest bathymetric data.
Aus 55	Australia - North West Coast - Western Australia - Approaches to Port Walcott	1:50 000	New edition with general updating throughout; including latest bathymetric data.
Aus 73	Australia - North West Coast - Plans in Western Australia (Sheet 4) Plans: Cape Cuvier Carnarvon	1:10 000 1:12 500	New edition with general updating throughout; including latest bathymetric data.
Aus 74	Australia - West Coast - Western Australia - Approaches to Useless Loop Plan: Slope Island	1:50 000 1:7 500	New edition with general updating throughout; including latest bathymetric data.

1014 AUSTRALIA - QUEENSLAND - Capricorn Channel - Scientific instrument
UKHO

Aus 4602 (INT 602) [774/2025]

Insert depth, 10m, enclosed by danger circle with legend, ODAS 22° 24'.5 S 151° 59'.6 E

1015 AUSTRALIA - QUEENSLAND - Facing Island to Quoin Island - Depths
Australian Hydrographic Office

Aus 245 [528/2025]

Insert	contour, between	23° 45'.968 S	151° 20'.456 E
		23° 46'.226 S	151° 20'.629 E
		23° 46'.345 S	151° 20'.558 E
		23° 46'.597 S	151° 20'.608 E
		23° 46'.632 S	151° 20'.644 E
	depth, 4 ₆ m, and extend contour NE to enclose	23° 45'.305 S	151° 20'.522 E
	depth, 4 ₃ m	23° 46'.219 S	151° 20'.594 E
	depth, 3 ₉ m	23° 46'.304 S	151° 20'.497 E
Replace	depth, 7 ₆ m, with depth, 4 ₄ m, and extend contour E to enclose	23° 45'.61 S	151° 20'.59 E
Delete	contour, between	23° 45'.97 S	151° 20'.46 E
		23° 46'.50 S	151° 20'.38 E
		23° 46'.63 S	151° 20'.64 E
	depth, 6 ₁ m	23° 45'.37 S	151° 20'.49 E
	depth, 7 ₆ m	23° 46'.21 S	151° 20'.63 E
	depth, 4 ₆ m, and enclosing contour	23° 46'.37 S	151° 20'.51 E

Aus 248 [430/2025]

Insert depth, 4₂m, enclosed by contour 22° 34'.087 S 150° 47'.865 E

1016 AUSTRALIA - QUEENSLAND - Great Barrier Reef - Murray Islands - Depths northwards
Australian Hydrographic Office

Aus 837 [128/2025]

Insert	accompanying block B	10° 08'.0 S	144° 01'.0 E
	accompanying block A	9° 54'.0 S	144° 01'.0 E

Aus 840 [861/2025]

Insert	accompanying ZOC diagram	9° 05'.0 S	144° 19'.0 E
	accompanying block A	9° 36'.0 S	144° 08'.0 E
	accompanying block B	9° 51'.0 S	144° 08'.0 E

1017 AUSTRALIA - TORRES STRAIT - East Cay - Depth
UKHO

Aus 377 [588/2025]

Insert depth, 10₃m, enclosed by contour 9° 30'.25 S 144° 18'.05 E

1018 AUSTRALIA - TORRES STRAIT - Thursday Island - Wrecks
Australian Hydrographic Office

Aus 293 [648/2025]

Insert depth, 2m, enclosed by danger circle with magenta legend, *Historic Wk* (see Note) 10° 35'.320 S 142° 12'.951 E

Delete wreck 10° 35'.33 S 142° 12'.92 E

Aus 299 [648/2025]

Delete wreck 10° 35'.33 S 142° 12'.92 E

1019 AUSTRALIA - NORTHERN TERRITORY - Darwin - East Arm Wharf - Light

Darwin Port

Aus 25 [397/2025]Insert [accompanying block](#)

12° 28'.0 S 130° 50'.4 E

Aus 26 [287/2025]Insert [accompanying block](#)

12° 28'.8 S 130° 51'.0 E

1020 AUSTRALIA - NORTHERN TERRITORY - Gove Harbour - Foul ground

Australian Border Force

Aus 15 (Gove Harbour) [129/2025]

Insert #, centred on

12° 13'.729 S 136° 41'.344 E

Aus 715 [901/2025]

Insert #, centred on

12° 13'.73 S 136° 41'.34 E

1021 AUSTRALIA - TIMOR SEA - Evans Shoal - Pipeline; wells; buoy eastwards*Former Notice - 158(T)/2024 is cancelled*

Santos

*Note: position of existing chart notes may vary on certain charts.***Aus 310 [972/2025]**Insert [accompanying chart note, CAUTIONARY AREA AND PETROLEUM SAFETY ZONE](#)
[accompanying block](#)

9° 15'.0 S 130° 47'.4 E

9° 52'.0 S 130° 20'.0 E

1022 AUSTRALIA - WESTERN AUSTRALIA - Archipelago of the Recherche - Depths

Australian Hydrographic Office

Aus 762 [594/2025]Replace depth, 3₅m, with depth, 4₁ m

34° 02'.2 S 122° 13'.6 E

Aus 763 [400/2025]

Insert	depth, 8 _m , enclosed by contour with legend, <i>R</i>	33° 55'.92 S	122° 40'.36 E
	depth, 10 ₄ m, enclosed by contour with legend, <i>R</i>	33° 57'.22 S	122° 46'.96 E
	depth, 12 ₇ m, enclosed by contour with legend, <i>R</i>	33° 59'.83 S	122° 29'.25 E
	depth, 16 ₇ m, enclosed by contour with legend, <i>R</i>	34° 01'.31 S	123° 23'.78 E
	depth, 4 ₁ m, enclosed by contour	34° 02'.20 S	122° 13'.65 E
	depth, 15 ₅ m, enclosed by contour with legend, <i>R</i>	34° 04'.22 S	122° 10'.46 E
	depth, 18 ₂ m, enclosed by contour with legend, <i>R</i>	34° 06'.19 S	122° 30'.98 E
	depth, 11 ₇ m, enclosed by contour with legend, <i>R</i>	34° 09'.03 S	122° 20'.34 E
	depth, 10 ₆ m, enclosed by contour	34° 11'.27 S	122° 19'.82 E
	depth, 15 ₇ m, enclosed by contour with legend, <i>R</i>	34° 16'.41 S	122° 14'.36 E
	depth, 10 ₃ m, enclosed by contour with legend, <i>R</i>	34° 19'.54 S	122° 11'.90 E

Replace	depth, 16 ₄ m, with depth, 6 ₁ m	34° 01'.9 S	122° 14'.7 E
	depth, 22 ₄ m, with depth, 11 ₄ m	34° 23'.7 S	123° 32'.1 E

Move	underwater rock with legend, <i>Pollock Reef (breaks)</i>	34° 33'.42 S	123° 33'.65 E
	to	34° 33'.54 S	123° 33'.75 E

Delete	depth, 35m	34° 04'.3 S	122° 10'.3 E
	depth, 48m, and enclosing contour	34° 06'.3 S	122° 30'.7 E
	depth, 9 ₁ m, and enclosing contour with legend, Rep (1972)	34° 09'.4 S	122° 20'.1 E

1023 AUSTRALIA - WESTERN AUSTRALIA - Cockburn Sound - Stirling Channel - Depth

Engineered Water Systems, Department of Transport WA

Aus 117 [14/2025]Replace depth, 2₅m, with depth, 1₄ m

32° 12'.36 S 115° 44'.86 E

1024 AUSTRALIA - WESTERN AUSTRALIA - Gooree Shoal - Light Buoy
RPS MetOcean

Aus 319 [NE 14/11/2025]

Insert	special spherical light buoy, Q(5)Y.20s, without topmark	12° 55'.74 S	124° 26'.99 E
Delete	light buoy	12° 55'.8 S	124° 26'.2 E

1025 AUSTRALIA - WESTERN AUSTRALIA - Rottnest Island - Depths
Department of Transport WA

Aus 112 [979/2025]

Insert	drying height, Q_7m , and extend contour E to enclose	31° 59'.666 S	115° 32'.518 E
Replace	depth, 1_9m , and enclosing contour with depth, 2_7m	31° 59'.93 S	115° 33'.13 E
Delete	depth, 1_9m , and enclosing contour	31° 59'.90 S	115° 33'.03 E

1026 AUSTRALIA - BASS STRAIT - Hogan Group - Furneaux Group - Depths
Australian Hydrographic Office

Aus 357 [740/2025]

Insert	depth, $53m$, enclosed by danger circle with magenta legend, <i>Historic Wk</i> (see Note) legend, <i>R</i>	39° 11'.36 S	146° 52'.87 E
		39° 16'.23 S	147° 00'.22 E
Replace	depth, 5_9m , with depth, $6m$	39° 15'.7 S	147° 00'.2 E

Aus 487 [696/2025]

Insert	depth, $53m$, enclosed by danger circle with magenta legend, <i>Historic Wk</i> (see Note) legend, <i>R</i> accompanying block	39° 11'.36 S	146° 52'.87 E
		39° 16'.68 S	147° 00'.26 E
		39° 50'.0 S	147° 48'.0 E
Replace	depth, 5_9m , with depth, $6m$	39° 15'.7 S	147° 00'.2 E
Delete	depth, $59m$	39° 10'.4 S	146° 54'.5 E

Aus 802 [294/2025]

Insert	accompanying ZOC diagram	39° 24'.5 S	146° 21'.5 E
Replace	wreck depth, $52m$, with wreck depth, $53m$ depth, 7_4m , with depth, $6m$	39° 11'.4 S	146° 52'.9 E
		39° 15'.7 S	147° 00'.2 E

1027 AUSTRALIA - TASMANIA - Mercury Passage - Entry prohibited limit
Marine and Safety Tasmania

Aus 766 [985/2025]

Delete	entry prohibited limit, centred on	42° 36'.0 S	147° 59'.1 E
--------	------------------------------------	-------------	--------------

Aus 797 [985/2025]

Delete	entry prohibited limit, centred on	42° 36'.0 S	147° 59'.1 E
--------	------------------------------------	-------------	--------------

1028 AUSTRALIA - TASMANIA - Quarantine Bay - Buoy
Marine and Safety Tasmania

Aus 171 [405/2025]

Delete	out of position buoy	43° 07'.7 S	147° 20'.0 E
--------	----------------------	-------------	--------------

Aus 173 [405/2025]

Delete	buoy	43° 07'.7 S	147° 20'.0 E
--------	------	-------------	--------------

1029(T)/2025 AUSTRALIA - NEW SOUTH WALES - Botany Bay to Port Kembla - Survey operations complete

Former Notice - 963(T)/2024 is cancelled
 Ocean Infinity Pty Ltd

Cancel this notice on receipt.

Chart formerly affected - Aus 195 - Aus 198 - Aus 489 - Aus 808

1030(T)/2025 AUSTRALIA - NEW SOUTH WALES - Maroubra Bay - Scientific instrument

Department of Climate Change, Energy, the Environment and Water

A special light buoy, *Fl.Y.2.5s*, exists in position 33° 56'.28 S 151° 15'.83 E.

Chart temporarily affected - Aus 808

1031(P)/2025 AUSTRALIA - QUEENSLAND - Cape Upstart - Wreck northeastwards

XOCEAN

Latest survey indicates a wreck, least depth 29.7m, exists in position 19° 35'.47 S 147° 53'.72 E.

Charts will be updated in due course.

Chart which will be affected - Aus 826

1032(T)/2025 AUSTRALIA - QUEENSLAND - Gladstone - North Channel - Scientific instrument

Maritime Safety Queensland Notice 519(T)/2025

A special light buoy, *Fl.Y.5s*, exists in position 23° 46'.97 S 151° 18'.38 E.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 245

1033(T)/2025 AUSTRALIA - QUEENSLAND - Hervey Bay - Artificial reef

Maritime Safety Queensland NTM 521/2025(T), 520/2025(T)

Vessels are conducting works to establish an artificial reef in the vicinity of positions 25° 00'.59 S 152° 33'.87 E and 25° 14'.10 S 152° 49'.86 E.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 817

1034(T)/2025 AUSTRALIA - CORAL SEA - Bandjin Reefs to Malay Reef - Survey operations completed

Former Notice - 876(T)/2025 is cancelled
 EGS Survey Pty Ltd

Cancel this notice on receipt.

Chart formerly affected - Aus 615 - Aus 828 - Aus 829 - Aus 4602 (INT 602) - Aus 4603 (INT 603) - Aus 4604 (INT 604)

1035(T)/2025 AUSTRALIA - NORTHERN TERRITORY - Beagle Bay - Drill rig

Former Notice - 995(T)/2025 is cancelled
 MODU *Valaris MS-1*

Cancel this notice on receipt.

Chart formerly affected - Aus 309

1036(T)/2025 AUSTRALIA - NORTHERN TERRITORY - WESTERN AUSTRALIA - Darwin to Eugene McDermont Shoal - Geotechnical and geophysical operations westwards

INPEX

On or about 3 December 2025, vessel *Offshore Surveyor* will be conducting geotechnical and geophysical survey operations in an area bounded by the following positions:

12° 30'.09 S 129° 29'.87 E
 12° 53'.92 S 129° 46'.87 E
 12° 53'.75 S 124° 49'.68 E
 12° 44'.45 S 124° 37'.02 E.

The vessel will display appropriate lights and shapes and will monitor VHF Ch 16.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 309 - Aus 314 - Aus 315 - Aus 316 - Aus 319

1037(T)/2025 AUSTRALIA - TIMOR SEA - Sahul Banks - Subsea operations
 Department of Industry, Science and Resources

On or about 18 December 2025, works associated with the decommissioned FPSO *Northern Endeavour* (10° 36'.89 S 125° 59'.13 E) involving removal of buoyancy modules will take place.

Mariners should navigate with caution in the area.

Chart temporarily affected - Aus 312

1038(P)/2025 AUSTRALIA - WESTERN AUSTRALIA - Archipelago of the Recherche - Shoaling
 Australian Hydrographic Office

Latest surveys indicate shoaler depths than those charted may exist throughout this chart.

Mariners are advised to navigate with caution in the area.

ENC products have been updated, paper charts will be updated in due course.

Chart which will be affected - Aus 763

1039(T)/2025 AUSTRALIA - WESTERN AUSTRALIA - Bathurst Island - Survey operations completed westwards
Former Notice - 415(T)/2024 is cancelled
 Guardian Geomatics

Cancel this notice on receipt.

Chart formerly affected - Aus 309 - Aus 311

1040(T)/2025 AUSTRALIA - WESTERN AUSTRALIA - Broome - Obstruction westwards
 Reach Subsea

An obstruction with depth 12m exists in position 17° 53'.28 S 122° 04'.11 E.

Chart temporarily affected - Aus 50

1041(T)/2025 AUSTRALIA - WESTERN AUSTRALIA - Dampier - Hampton Harbour - Wreck

Former Notice - 1000(T)/2025 is cancelled

Pilbara Ports Authority Notice D25(T)/2025

A stranded wreck marked by an isolated danger light buoy, *Fl(2)*, exists in position 20° 39'.95 S 116° 41'.58 E.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 57 - Aus 60

1042(T)/2025 AUSTRALIA - WESTERN AUSTRALIA - Exmouth Plateau - Survey operations

Woodside Energy Ltd

On or about 30 November 2025, an unmanned survey vessel (USV) will be conducting gravimetry survey operations in an area bounded by the following positions:

20° 00'.0 S 113° 04'.0 E

20° 00'.0 S 113° 19'.2 E

19° 44'.8 S 113° 19'.1 E

19° 44'.8 S 113° 24'.1 E

19° 39'.8 S 113° 24'.1 E

19° 39'.8 S 113° 04'.0 E.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 4723 (INT 723)

1043(T)/2025 AUSTRALIA - WESTERN AUSTRALIA - Kingfisher Islands - Survey operations*Former Notice* - 921(T)/2025 is cancelled

Reach Subsea

Vessel *Warrego* and unmanned survey vessel (USV) *Orca 1* are conducting survey operations in an area bounded by the following positions:

15° 55'.1 S 124° 00'.6 E
 15° 57'.2 S 124° 19'.9 E
 16° 03'.6 S 124° 26'.1 E
 16° 09'.5 S 124° 20'.4 E
 16° 14'.1 S 124° 03'.4 E
 16° 15'.2 S 123° 53'.4 E
 16° 22'.5 S 123° 59'.3 E
 16° 16'.7 S 123° 49'.7 E
 16° 11'.4 S 123° 50'.2 E
 16° 09'.8 S 123° 47'.9 E.

Tide gauges marked by special light buoys, *Fl. Y. 5s*, exist in the following positions:

16° 21.4' S	123° 57.4' E
16° 19.1' S	123° 55.0' E
16° 15.9' S	123° 50.9' E
16° 10.9' S	123° 52.3' E
16° 09.4' S	123° 47.8' E
16° 02.9' S	123° 48.0' E
16° 04.8' S	123° 56.9' E
16° 09.2' S	124° 02.9' E
16° 01.5' S	124° 01.8' E
15° 55.7' S	123° 59.2' E
16° 02.4' S	124° 09.4' E
16° 02.1' S	124° 17.5' E
15° 57.2' S	124° 19.9' E
16° 03.6' S	124° 26.1' E
16° 07.3' S	124° 20.4' E
16° 09.5' S	124° 20.4' E
16° 11.3' S	124° 12.9' E
16° 13.1' S	124° 07.5' E
16° 12.3' S	123° 59.6' E
16° 05.9' S	123° 54.1' E
16° 12.3' S	124° 04.0' E
16° 02.3' S	124° 04.0' E.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 40 - Aus 732 - Aus 733

1044(T)/2025 AUSTRALIA - WESTERN AUSTRALIA - Muiron Islands - Subsea operations northwestwards*Former Notice* - 995(T)/2024 is cancelled

Woodside Energy Ltd

Vessel *MMA Pinnacle* is conducting subsea structure recovery operations in the Stybarrow Field (21° 27'.0 S 113° 49'.5 E).

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 328 - Aus 329

1045(T)/2025 AUSTRALIA - WESTERN AUSTRALIA - Pelsaert Group - Gun Island - Fish aggregating device westwards

Department of Primary Industries and Regional Development

A special light buoy, *Fl. Y. 5s FAD*, exists in position 28° 52'.74 S 113° 42'.37 E.

Chart temporarily affected - Aus 332

1046(T)/2025 AUSTRALIA - WESTERN AUSTRALIA - Pelsaert Group - Gun Island - Fish aggregating devices restored westwards

Former Notice - 144(T)/2025 is cancelled

Department of Primary Industries and Regional Development

Cancel this notice on receipt.

Chart formerly affected - Aus 332 - Aus 752

1047(T)/2025 AUSTRALIA - WESTERN AUSTRALIA - Rottnest Island - Light buoy off station; AIS inoperative westwards

Former Notice - 564(T)/2025 is cancelled

Curtin University

The special light buoy, *Fl. Y. 5s* (31° 58'.81 S 115° 13'.70 E), is off station and in position 31° 57'.14 S 115° 14'.66 E. The AIS is inoperative.

Chart temporarily affected - Aus 754

1048(P)/2025 AUSTRALIA - WESTERN AUSTRALIA - Success Bank - Shoaling

Department of Transport WA

Latest survey indicates shoaler depths than those charted may exist in an area bounded by the following positions:

32° 06'.75 S 115° 38'.75 E

32° 06'.75 S 115° 41'.44 E

32° 03'.77 S 115° 41'.44 E

32° 03'.77 S 115° 38'.75 E.

Mariners are advised to navigate with caution in the area.

Charts will be updated in due course.

Chart which will be affected - Aus 112 - Aus 117

1049(T)/2025 AUSTRALIA - SOUTH AUSTRALIA - Nuyts Archipelago - Satellite re-entry southwards

Former Notice - 1004(T)/2025 is cancelled

Southern Launch

Cancel this notice on receipt.

Chart formerly affected - Aus 120 - Aus 341 - Aus 342 - Aus 4709 (INT 709)

1050(T)/2025 AUSTRALIA - SOUTH AUSTRALIA - Point Riley to Shoalwater Point - Survey operations completed

Former Notice - 61(T)/2025 is cancelled

Fugro

Cancel this notice on receipt.

Chart formerly affected - Aus 485 - Aus 777 - Aus 778 - Aus 4060 (INT 60) - Aus 4709 (INT 709)

1051(T)/2025 AUSTRALIA - SOUTH AUSTRALIA - Port Adelaide - Outer Harbor - Harbour works

Department for Infrastructure and Transport SA Notice 71(T)/2025

Works associated with the remediation of a section of damaged breakwater are in progress in the vicinity of position 34° 45'.92 S 138° 29'.04 E.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 130

1052(T)/2025 AUSTRALIA - VICTORIA - Ninety Mile Beach - Drill rig eastwards

Former Notice - 924(T)/2025 is cancelled
 MODU *Valaris 107*

Drill rig *Valaris 107* is conducting drilling operations in position 38° 13'.97 S 148° 13'.63 E.

Chart temporarily affected - Aus 357

1053(T)/2025 AUSTRALIA - VICTORIA - Port Campbell - Subsea operations southwestwards

Amplitude Energy

On or about 1 December 2025, vessels *Seal Emerald*, *Seal Aquamarine* and *Andreas Viking* will be conducting anchor pre-lay activities in the vicinity of position 38° 47'.63 S 142° 37'.77 E.

Mariners are advised to navigate with caution in the area. 1.9M clearance requested.

Chart temporarily affected - Aus 349

1054(T)/2025 AUSTRALIA - VICTORIA - Port Campbell - Subsea operations southwestwards

Amplitude Energy

A vessel and an ROV will be conducting subsea operations between the following positions:

38° 38'.08 S 142° 41'.12 E
 38° 42'.85 S 142° 36'.93 E
 38° 47'.25 S 142° 42'.00 E
 38° 47'.71 S 142° 46'.24 E
 38° 40'.38 S 142° 57'.65 E.

Mariners are advised to navigate with caution in the area. 500m clearance requested.

Chart temporarily affected - Aus 349

1055(T)/2025 AUSTRALIA - VICTORIA - Port Campbell - Mooring buoy southwards

Delmar Systems

A lit yellow mooring buoy, *Fl.3s*, exists in position 39° 05'.71 S 142° 55'.22 E. 2.5M clearance requested.

Chart temporarily affected - Aus 349

1056(T)/2025 AUSTRALIA - VICTORIA - Port Phillip - Kirk Point - Geotechnical operations eastwards

Ports Victoria Notice 580(T)/2025

Jack up barge *Sealift 3* and support vessels are conducting geotechnical operations in an area bounded by the following positions:

38° 02'.05 S 144° 47'.91 E
 38° 02'.82 S 144° 47'.91 E
 38° 02'.76 S 144° 36'.71 E
 38° 03'.05 S 144° 34'.70 E
 38° 02'.31 S 144° 33'.52 E
 38° 02'.11 S 144° 33'.76 E
 38° 02'.60 S 144° 34'.70 E
 38° 02'.34 S 144° 36'.43 E
 38° 02'.23 S 144° 40'.27 E.

Vessels will display appropriate lights and shapes and will monitor VHF Ch 12.

Mariners are advised to navigate with caution in the area and are requested to maintain a minimum passing distance of 500m.

Chart temporarily affected - Aus 143 - Aus 155 - Aus 157

1057(T)/2025 AUSTRALIA - BASS STRAIT - Kent Group - Survey operations

Ocean Infinity

On or about 5 December 2025, vessel *Ocean Dynasty* will be conducting survey operations in an area bounded by the following positions:

39° 36'.00 S 147° 02'.23 E
 39° 47'.98 S 147° 01'.99 E
 39° 30'.09 S 147° 28'.00 E
 39° 22'.09 S 147° 28'.00 E
 39° 15'.72 S 147° 19'.34 E
 39° 23'.03 S 147° 06'.25 E
 39° 23'.07 S 146° 49'.84 E
 39° 36'.00 S 146° 36'.48 E.

Two subsurface scientific moorings exist on the seabed in the following positions:

39° 15'.2 S 147° 19'.4 E
 39° 23'.1 S 147° 29'.9 E
 39° 31'.5 S 147° 27'.5 E
 39° 35'.5 S 147° 14'.9 E
 39° 39'.6 S 147° 14'.9 E
 39° 48'.7 S 147° 02'.3 E
 39° 36'.4 S 146° 59'.3 E
 39° 36'.5 S 146° 48'.3 E
 39° 36'.7 S 146° 35'.4 E
 39° 26'.2 S 146° 45'.0 E
 39° 22'.0 S 146° 56'.3 E
 39° 22'.5 S 147° 13'.2 E
 39° 30'.1 S 146° 58'.0 E
 39° 27'.1 S 147° 19'.6 E.

A special light buoy, *Fl.Y.3-2s*, may be deployed in the vicinity of the above positions.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 357 - Aus 487 - Aus 802

1058(T)/2025 AUSTRALIA - TASMANIA - Mercury Passage - Scientific instrument

Former Notice - 111(T)/2025 is cancelled

Marine and Safety Tasmania Notice M360(T)/2025

A special light buoy, *Fl.Y.3s*, exists in position 42° 31'.83 S 148° 01'.69 E.

Chart temporarily affected - Aus 766 - Aus 797

II

HYDROGRAPHIC REPORTS

NIL


To accompany Australian Notice to Mariners 1021/2025

CAUTIONARY AREA AND PETROLEUM
SAFETY ZONE

Mariners are advised to exercise caution and allow an adequate safe distance when navigating in close proximity to offshore oil and gas structures. Within the Cautionary Area a Petroleum Safety Zone extends for a radius of 500 metres around offshore structures into which entry is prohibited to all unauthorised vessels. For details see Mariners Handbook for Australian Waters AHP 20.

Note for chart Aus 310

To accompany Australian Notice to Mariners 1016/2025




Block A for chart Aus 837

© Commonwealth of Australia 2025

(179.5 x 139.2mm)

To accompany Australian Notice to Mariners 1016/2025




Block B for chart Aus 837

© Commonwealth of Australia 2025

(179.5 x 182.9mm)

To accompany Australian Notice to Mariners 1016/2025




Block A for chart Aus 840

© Commonwealth of Australia 2025

(185.0 x 158.1mm)

To accompany Australian Notice to Mariners 1016/2025




Block for chart Aus 840

© Commonwealth of Australia 2025

(111.7 x 65.3mm)

To accompany Australian Notice to Mariners 1016/2025




Block B for chart Aus 840

© Commonwealth of Australia 2025

(183.3
120.5 x 188.1 mm)

To accompany Australian Notice to Mariners 1019/2025




Block for chart Aus 25

© Commonwealth of Australia 2025

(250.7 x 113.2mm)

To accompany Australian Notice to Mariners 1019/2025




Block for chart Aus 26

© Commonwealth of Australia 2025

(260.1 × 167.7mm)

To accompany Australian Notice to Mariners 1021/2025




Block for chart Aus 310

© Commonwealth of Australia 2025

(128.4 x 97.5mm)

To accompany Australian Notice to Mariners 1026/2025




Block for chart Aus 487

(87.3 x 112.4mm)

© Commonwealth of Australia 2025

To accompany Australian Notice to Mariners 1026/2025



Block for chart Aus 802

(103.6 x 65.4mm)

© Commonwealth of Australia 2025