



AUSTRALIAN NOTICES TO MARINERS

Notices 769 - 805

Published fortnightly by the Australian Hydrographic Office



Australian Notices to Mariners are the authority for correcting charts and publications published by the Australian Hydrographic Office covering Australia, Papua New Guinea, Solomon Islands, Australian Antarctic Territory and Timor-Leste.

Commodore R.L. PHILLIPS RAN
Hydrographer of Australia

SECTIONS.

- I. **Australian Notices to Mariners, including blocks and notes.**
- II. **Hydrographic Reports.**

SUPPLEMENTS.

- I. **Tracings**
 - II. **Cumulative List of Australian Notices to Mariners.**
 - III. **Cumulative List of Temporary and Preliminary Australian Notices to Mariners.**
 - IV. **Temporary and Preliminary Notices in force.**
-
-

© Commonwealth of Australia 2025

This work is copyright. Apart from any use permitted under the Copyright Act 1968, no part may be reproduced by any process, adapted, communicated or commercially exploited without prior written permission from The Commonwealth represented by the Australian Hydrographic Office.

IMPORTANT NOTICE

This edition of Notices to Mariners includes all significant information affecting AHO products which the AHO has become aware of since the last edition. All reasonable efforts have been made to ensure the accuracy and completeness of the information, including third party information, on which these updates are based. The AHO regards third parties from which it receives information as reliable, however the AHO cannot verify all such information and errors may therefore exist. The AHO does not accept liability for errors in third party information.

GENERAL INSTRUCTIONS

The substance of these notices should be inserted on the charts affected.

Bearings are referred to the true compass and are reckoned clockwise from North; those relating to lights are given as seen by an observer from seaward.

Positions quoted in notices relate to WGS84 which is the horizontal datum for all charts produced by the Australian Hydrographic Office.

The range quoted for a light is its nominal range.

Depths are with reference to the chart datum of each chart. Heights are above mean high water springs or mean higher high water, as appropriate.

The capital letter (P) or (T) after the number of any notice denotes a preliminary or temporary notice respectively, which are contained separately at the end of the permanent notices.

REPORTING OF DANGERS

Mariners are particularly requested to notify the AUSTRALIAN HYDROGRAPHIC OFFICE, Locked Bag 8801 Wollongong, NSW 2500 (e-mail datacentre@hydro.gov.au or, alternatively by filling in and submitting the [Hydrographic Notes](#) forms located on the web site – www.hydro.gov.au), immediately on the discovery of new dangers or suspected dangers to navigation. For changes or defects in aids to navigation notify AusSAR (Fax 02-6230 6868 or email rccaus@amsa.gov.au).

AUTHORISED USE

Copies of Australian notices are available free of charge from the Australian Hydrographic Office (AHO) website (www.hydro.gov.au) and through the eNotices (email) service (www.hydro.gov.au/enotices/enotices.htm).

Individual Notices may be copied for the purpose of inserting Notice substance on official charts and publications. Paper copies may be printed by chart agents and distributed to customers on a cost recovery basis. Participating chart agents are listed on the AHO website as providing a 'Paper Notices to Mariners' service (www.hydro.gov.au/prodserv/agents-list.htm). Copies of the notices may not be sold for profit without prior written agreement.

NUMERICAL INDEX OF NOTICES TO MARINERS

Edition No 18

Notices	Aus Chart, INT Chart, ENC Cell, AHP, BA Pubs
769	Aus 155, 157
770	SLB 102
771	Australia's Transition to S-100 Universal Hydrographic Data Model
772	Aus 834, 836
773	Aus 817
774	Aus 4060, 4602, 4604, INT 60, 602, 604
775	Aus 719
776	Aus 310, 311, 313, 4603, 4722, INT 603, 722
777	Aus 331
778	Aus 57, 327, 4722, 4723, INT 722, 723
779	Aus 83
780	Aus 118, 336, 337
781	Aus 335, 755
782	Aus 55, 326
783	Aus 485, 781
784	SLB 101, 201
785(T)	Aus 265, 490, 819
786(T)	Aus 256
787(T)	PNG 391, 662
788(T)	Aus 14
789(T)	Aus 119
790(P)	Aus 119
791(T)	Aus 328
792(T)	Aus 57, 327, 742
793(T)	Aus 55, 57, 326, 327
794(T)	Aus 327, 328, 742, 4722, 4723, INT 722, 723
795(T)	Aus 81
796(T)	Aus 319, 320
797(T)	Aus 65, 742
798(T)	Aus 328, 329, 744, 4723, INT 723
799(T)	Aus 322, 400, 608, 4060, 4070, 4071, 4603, 4708, 4722, 4723, INT 60, 70, 71, 603, 708, 722, 723
800(T)	Aus 130, 780, 781
801(T)	Aus 781
802(T)	Aus 143, 155
803(T)	Aus 151
804(T)	Aus 766, 797
805(T)	SLB 102, 301, 302

NUMERICAL INDEX OF CHARTS AFFECTED

Edition No 18

Aus Chart	Notices
Aus 14	788(T)
Aus 55	782, 793(T)
Aus 57	778, 792(T), 793(T)
Aus 65	797(T)
Aus 81	795(T)
Aus 83	779
Aus 118	780
Aus 119	789(T), 790(P)
Aus 130	800(T)
Aus 143	802(T)
Aus 151	803(T)
Aus 155	769, 802(T)
Aus 157	769
Aus 256	786(T)
Aus 265	785(T)
Aus 310	776
Aus 311	776
Aus 313	776
Aus 319	796(T)
Aus 320	796(T)
Aus 322	799(T)
Aus 326	782, 793(T)
Aus 327	778, 792(T), 793(T), 794(T)
Aus 328	791(T), 794(T), 798(T)
Aus 329	798(T)
Aus 331	777
Aus 335	781
Aus 336	780
Aus 337	780
Aus 400	799(T)
Aus 485	783
Aus 490	785(T)
Aus 608	799(T)
Aus 719	775
Aus 742	792(T), 794(T), 797(T)
Aus 744	798(T)
Aus 755	781
Aus 766	804(T)
Aus 780	800(T)
Aus 781	783, 800(T), 801(T)
Aus 797	804(T)
Aus 817	773
Aus 819	785(T)
Aus 834	772
Aus 836	772
Aus 4060	774, 799(T)
Aus 4070	799(T)
Aus 4071	799(T)
Aus 4602	774
Aus 4603	776, 799(T)
Aus 4604	774
Aus 4708	799(T)
Aus 4722	776, 778, 794(T), 799(T)
Aus 4723	778, 794(T), 798(T), 799(T)

Aus Chart	Notices
PNG 391	787(T)
PNG 662	787(T)
SLB 101	784
SLB 102	770, 805(T)
SLB 201	784
SLB 301	805(T)
SLB 302	805(T)

INT Chart	Notices
INT 60	774, 799(T)
INT 70	799(T)
INT 71	799(T)
INT 602	774
INT 603	776, 799(T)
INT 604	774
INT 708	799(T)
INT 722	776, 778, 794(T), 799(T)
INT 723	778, 794(T), 798(T), 799(T)

769 AUSTRALIA - Products - New Charts, New Editions, Withdrawn Charts

Australian Hydrographic Office , UKHO

New Charts

Chart	Title and Geographical limits	Scale	Publication Date	Remarks
NIL				

New Electronic Navigation Chart (Aus ENC)

Cell Name	Title	Publication Date	Remarks
AU5CCK01	Indian Ocean - Cocos (Keeling) Islands - South Keeling Island	4/9/2025	AU5607P1 is withdrawn.
AU5CCK02	Indian Ocean - Cocos (Keeling) Islands - North Keeling Island	4/9/2025	AU5607P2 is withdrawn.

New Editions and Withdrawn Charts

Chart	Title	Scale	Publication Date	Remarks
Aus 155 (Edition 3)	Australia - South Coast - Victoria - Approaches to Port of Melbourne	1:37 500	5/9/2025	New edition with general updating throughout; including latest bathymetric data. Chart Aus 155 Edition 2 dated 20 June 2014 is now superseded and must be withdrawn from use.
Aus 157 (Edition 2)	Australia - South Coast - Victoria - Port of Geelong and Approaches	1:37 500	5/9/2025	New edition with general updating throughout; including latest bathymetric data. Chart Aus 157 Edition 1 dated 27 March 2009 is now superseded and must be withdrawn from use.

Admiralty publication

NP No	Title	Date	Remarks
NP286(4)	ADMIRALTY List of Radio Signals. Pilot Services, Vessel Traffic Services and Port Operations Indian sub-continent, South East Asia and Australasia Volume 6(4) 6th Edition (2025).	4/9/2025	The 5th Edition (2024) of NP286(4) is cancelled.

Chart permanently withdrawn

Charts listed above as withdrawn no longer meet chart carriage requirements and should be marked as "superseded" and replaced with the new chart/ new edition listed prior to passage through the area covered by the new chart.

When placing orders with a chart agent between notice of forthcoming edition and its publication, mariners should advise whether their order pertains to the current edition or the new edition.

For further details refer to the AHO website at www.hydro.gov.au for new edition and new chart stock arrival information.

770 AUSTRALIA - Products - New Charts and New Editions to be published shortly

Australian Hydrographic Office

New Charts to be published shortly

<i>Chart</i>	<i>Title</i>	<i>Scale</i>	<i>Remarks</i>
SLB109	South Pacific Ocean - Solomon Islands - Plans in the New Georgia Group (Sheet 2) Plans: Munda Harbour Approaches to Port Noro Port of Noro	 1:20 000 1:12 500 1:5 000	Chart rescheme and general updating throughout; including new bathymetric data.

New Editions to be published shortly

<i>Chart</i>	<i>Title</i>	<i>Scale</i>	<i>Remarks</i>
SLB102	South Pacific Ocean - Solomon Islands - Plans in the New Georgia Group Plans: Blackett Strait Gizo Harbour and Approaches Port Noro Ringgi Cove Lever Harbour	 1:50 000 1:25 000 1:20 000 1:15 000 1:7 500	New edition with general updating throughout; including latest bathymetric data.

771 AUSTRALIA - Australia's Transition to S-100 Universal Hydrographic Data Model

Australian Hydrographic Office

The International Hydrographic Organization's (IHO) **S-100 Universal Hydrographic Data Model** is a new, modern standard for maritime products and services, set to be adopted in 2026. This framework is based on modern ISO geospatial standards and will eventually replace the older S-57 standard.

S-101 will be the new product specification for Electronic Navigational Charts (ENCs). From 2029, it will operate alongside S-57 products on "Dual Fuel" ECDIS (Electronic Chart Display and Information Systems) during a transition period.

Beyond S-101, the S-100 framework allows for additional, interoperable product layers that can enhance ENCs. Notable examples include:

- S-102:** Bathymetric Surface
- S-104:** Water Levels
- S-111:** Surface Currents

The Australian Hydrographic Office (AHO) will commence a phased release of S-100-based products in accordance to the following plan:

Sample Area Release (Late 2025)

The AHO has identified Port Botany (New South Wales) for the release of sample S-100 based products in Q4 2025. This trial area will include all the product layers mentioned above, providing stakeholders with an opportunity to familiarize themselves with the new products, ahead of the operational release in March 2026.

Operational Rollout (Starting March 2026)

The initial rollout will focus on 22 priority areas—19 in Australia and one each in Antarctica, Papua New Guinea, and the Solomon Islands. This phase will comprise 87 products, including S-101 (transit and port cells), S-102, S-104, and S-111 datasets.

S-100 coverage will continue to expand in the coming years. By 2032, Australia's S-101 ENC coverage is expected to fully replicate its current S-57 portfolio. The IMO (International Maritime Organization) is expected to officially sunset the S-57 standard once there is comprehensive, worldwide S-101 coverage.

For more information, please refer to <https://www.hydro.gov.au/prodserv/S-100.htm>.

772 AUSTRALIA - QUEENSLAND - Great Barrier Reef - Quoin Island Entrance - Depth

Geoscience Australia

Aus 834 [123/2025]Replace depth, 110m, with depth, 26₆m

12° 24'.9 S

143° 51'.0 E

Aus 836 [128/2025]Replace depth, 110m, with depth, 26₆m

12° 24'.9 S

143° 51'.0 E

773 AUSTRALIA - QUEENSLAND - Great Sandy Strait - Big Woody Island - Nav aids

Maritime Safety Queensland Notice 403/2025

Aus 817 [730/2025]Replace light beacon with port lateral cylindrical light buoy, *Q.R.*, with topmark

25° 16'.0 S

152° 55'.7 E

774 AUSTRALIA - CORAL SEA - Frederick Reefs - Depth northwards

Australian Hydrographic Office

Aus 4060 (INT 60) [525/2025]Replace depth, 1622m, with depth, 543m, with legend, *Rep (2025)*

19° 44'.0 S

154° 34'.0 E

Aus 4602 (INT 602) [735/2025]Replace depth, 1622m, with depth, 543m, with legend, *Rep (2025)*

19° 44'.0 S

154° 34'.0 E

Aus 4604 (INT 604) [735/2025]Replace depth, 1622m, with depth, 543m, with legend, *Rep (2025)*

19° 44'.0 S

154° 34'.0 E

775 AUSTRALIA - NORTHERN TERRITORY - Goulburn Islands - South Goulburn Island - Rock

Riverside Guardian

Aus 719 [477/2025]Insert rock awash enclosed by danger circle with legend, *Rep (2025)*

11° 35'.08 S

133° 28'.15 E

776 INDONESIA - Pulau Alor to Yamdena - Submarine cable
UKHO

Aus 310 [650/2025]

Insert submarine cable, between

8° 22'.61 S	128° 55'.00 E
8° 22'.27 S	128° 56'.20 E
8° 22'.05 S	128° 58'.59 E
8° 22'.71 S	129° 03'.66 E
8° 21'.46 S	129° 08'.33 E
8° 19'.83 S	129° 20'.20 E
8° 18'.08 S	129° 29'.53 E
8° 18'.00 S	129° 36'.62 E
8° 16'.48 S	129° 50'.03 E
8° 15'.11 S	129° 54'.32 E
8° 14'.76 S	129° 59'.30 E
8° 13'.13 S	130° 04'.42 E
8° 13'.12 S	130° 06'.12 E
8° 11'.21 S	130° 11'.81 E
8° 09'.98 S	130° 18'.45 E
8° 09'.49 S	130° 19'.88 E
8° 08'.82 S	130° 26'.38 E
8° 07'.43 S	130° 30'.35 E
8° 07'.12 S	130° 32'.32 E
8° 07'.10 S	130° 34'.20 E
8° 06'.50 S	130° 36'.86 E

Aus 311 [NE 25/7/2025]

Insert submarine cable, between

submarine cable, between

8° 19'.00 S	127° 30'.45 E
8° 19'.83 S	127° 32'.51 E
8° 20'.66 S	127° 37'.07 E
8° 19'.61 S	127° 45'.12 E
8° 19'.00 S	127° 46'.18 E
8° 19'.00 S	127° 54'.19 E
8° 20'.18 S	127° 56'.23 E
8° 21'.12 S	127° 58'.64 E
8° 24'.06 S	128° 21'.73 E
8° 25'.07 S	128° 26'.01 E
8° 25'.29 S	128° 30'.12 E
8° 24'.50 S	128° 35'.25 E
8° 24'.15 S	128° 45'.13 E
8° 23'.53 S	128° 52'.58 E
8° 22'.37 S	128° 55'.64 E
8° 22'.05 S	128° 58'.59 E
8° 22'.71 S	129° 03'.66 E
8° 21'.46 S	129° 08'.33 E
8° 21'.32 S	129° 09'.52 E

Aus 313 [NE 22/11/2024]

Insert submarine cable, between

submarine cable, between

8° 12'.51 S	127° 51'.21 E
8° 14'.74 S	127° 51'.54 E
8° 16'.22 S	127° 51'.91 E
8° 17'.35 S	127° 52'.72 E
8° 19'.00 S	127° 54'.19 E
8° 20'.18 S	127° 56'.23 E
8° 20'.76 S	127° 57'.71 E
8° 12'.51 S	127° 51'.21 E
8° 13'.88 S	127° 49'.88 E
8° 17'.95 S	127° 47'.62 E
8° 19'.60 S	127° 45'.22 E
8° 20'.66 S	127° 37'.07 E
8° 19'.78 S	127° 32'.36 E
8° 15'.00 S	127° 21'.10 E
8° 12'.74 S	127° 17'.25 E
8° 11'.48 S	127° 13'.77 E
8° 11'.19 S	127° 07'.94 E
8° 07'.36 S	126° 57'.62 E
8° 06'.45 S	126° 51'.36 E
8° 07'.83 S	126° 33'.25 E
8° 06'.83 S	126° 28'.98 E
8° 04'.69 S	126° 26'.20 E

776

INDONESIA - Pulau Alor to Yamdena - Submarine cable

submarine cable, between

8° 03'.63 S	126° 25'.32 E
8° 02'.02 S	126° 24'.70 E
8° 02'.02 S	126° 21'.05 E
8° 03'.49 S	126° 20'.21 E
8° 08'.24 S	126° 14'.70 E
8° 09'.25 S	126° 12'.71 E
8° 09'.89 S	126° 10'.72 E
8° 10'.82 S	125° 51'.18 E
8° 09'.89 S	125° 46'.80 E
8° 07'.40 S	125° 43'.85 E
8° 04'.59 S	125° 41'.66 E
8° 03'.53 S	125° 39'.66 E
8° 02'.02 S	125° 38'.02 E

Aus 4603 (INT 603) [592/2025]

Insert submarine cable, between

submarine cable, between

submarine cable, between

submarine cable, between

7° 56'.1 S	126° 23'.1 E
8° 07'.2 S	126° 28'.0 E
8° 07'.1 S	126° 56'.5 E
8° 12'.4 S	127° 15'.5 E
8° 20'.4 S	127° 35'.5 E
8° 18'.4 S	127° 47'.1 E
8° 12'.5 S	127° 51'.2 E
8° 00'.8 S	131° 18'.7 E
8° 08'.3 S	131° 28'.9 E
7° 48'.7 S	131° 56'.4 E
6° 50'.3 S	132° 42'.1 E
6° 32'.5 S	132° 58'.1 E
6° 24'.6 S	132° 59'.5 E
6° 15'.6 S	132° 55'.0 E
8° 12'.5 S	127° 51'.2 E
8° 19'.4 S	127° 54'.7 E
8° 25'.3 S	128° 29'.8 E
8° 16'.4 S	129° 50'.3 E
8° 02'.6 S	130° 52'.0 E
8° 05'.6 S	131° 16'.9 E
8° 00'.8 S	131° 18'.7 E
8° 11'.7 S	124° 36'.7 E
7° 58'.7 S	124° 50'.4 E
7° 48'.1 S	125° 16'.7 E
7° 50'.5 S	125° 27'.3 E
8° 10'.2 S	125° 47'.8 E
8° 09'.9 S	126° 10'.7 E
8° 03'.9 S	126° 19'.7 E
7° 56'.1 S	126° 23'.1 E

Aus 4722 (INT 722) [168/2025]

Insert submarine cable, between

8° 10'.2 S	124° 38'.4 E
7° 58'.7 S	124° 50'.4 E
7° 48'.1 S	125° 16'.7 E
7° 50'.5 S	125° 27'.3 E
8° 10'.2 S	125° 47'.8 E
8° 10'.1 S	125° 50'.6 E

777

AUSTRALIA - WESTERN AUSTRALIA - Carnarvon - Artificial reef southwestwards*Former Notice - 713(T)/2025 is cancelled*

Department of Transport WA Notice 6526/2025

Aus 331 [399/2025]

Insert fish haven with minimum depth, 6m, centred on

24° 55'.76 S	113° 34'.50 E
--------------	---------------

778 AUSTRALIA - WESTERN AUSTRALIA - Dampier Archipelago - Madeleine Shoals - DepthsMV *Outer Limit***Aus 57 [652/2025]**

Insert	depth, 12 ₄ m, enclosed by contour	20° 19'.43 S	116° 50'.38 E
--------	---	--------------	---------------

Replace	depth, 18 ₈ m, with depth, 12 ₆ m	20° 18'.6 S	116° 50'.8 E
---------	---	-------------	--------------

Delete	depth, 20 ₂ m	20° 18'.5 S	116° 50'.9 E
--------	--------------------------	-------------	--------------

Aus 327 [435/2025]

Insert	depth, 12 ₆ m, and extend contour W to enclose	20° 18'.52 S	116° 50'.85 E
--------	---	--------------	---------------

Replace	depth, 14 ₂ m, with depth, 12 ₄ m	20° 19'.3 S	116° 50'.6 E
---------	---	-------------	--------------

Delete	depth, 15 ₂ m	20° 18'.4 S	116° 51'.3 E
--------	--------------------------	-------------	--------------

Aus 4722 (INT 722) [776/2025]

Replace	depth, 14 ₂ m, with depth, 12 ₄ m	20° 19'.3 S	116° 50'.6 E
---------	---	-------------	--------------

Aus 4723 (INT 723) [435/2025]

Replace	depth, 14 ₂ m, with depth, 12 ₄ m	20° 19'.3 S	116° 50'.6 E
---------	---	-------------	--------------

779 AUSTRALIA - WESTERN AUSTRALIA - Houtman Abrolhos - Easter Group - Wooded Island - Light beacon

Department of Transport and Major Infrastructure WA

Aus 83 (Easter Group) [227/2023]

Replace	beacon with starboard lateral light beacon, <i>Fl.G.3s</i> , with topmark	28° 45'.13 S	113° 47'.94 E
---------	---	--------------	---------------

780 AUSTRALIA - WESTERN AUSTRALIA - King George Sound - Depths

Department of Transport WA

Aus 118 [693/2025]

Insert	depth, 3 ₉ m, enclosed by danger circle with legend, <i>R</i>	35° 00'.10 S	118° 04'.02 E
--------	--	--------------	---------------

Replace	depth, 3 ₅ m, and enclosing contour with depth, 5 ₇ m, and extend 10m contour NE to enclose	35° 02'.8 S	117° 59'.8 E
---------	---	-------------	--------------

Delete	depth, 14 ₉ m, and enclosing contour	35° 01'.7 S	117° 57'.3 E
	depth, 36m, and enclosing contour with legend, <i>PA</i>	35° 02'.2 S	118° 10'.9 E

Aus 336 [245/2025]

Replace	depth, 3 ₅ m, and enclosing contour with depth, 5 ₇ m, and extend 10m contour W to enclose	35° 02'.8 S	117° 59'.8 E
---------	--	-------------	--------------

Aus 337 [695/2025]

Replace	depth, 3 ₅ m, and enclosing contour with depth, 5 ₇ m, and extend 10m contour W to enclose	35° 02'.8 S	117° 59'.8 E
---------	--	-------------	--------------

781 AUSTRALIA - WESTERN AUSTRALIA - Naturaliste Reefs - Historic wreck

Western Australian Museum

Aus 335 [90/2025]

Insert	depth, 40m, enclosed by danger circle with magenta legend, <i>Historic Wk</i> (see Note)	33° 12'.75 S	115° 01'.62 E
--------	---	--------------	---------------

	accompanying chart note, HISTORIC WRECK	34° 18'.10 S	115° 45'.30 E
--	---	--------------	---------------

Aus 755 [NE 18/4/2025]

Insert	depth, 40m, enclosed by danger circle with magenta legend, <i>Historic Wk</i> (see Note)	33° 12'.75 S	115° 01'.62 E
--------	---	--------------	---------------

782 AUSTRALIA - WESTERN AUSTRALIA - Port Walcott - Depths northwestwards

Australian Hydrographic Office

Aus 55 [653/2025]

Insert	depth, 12_5m	20° 25'.93 S	117° 24'.78 E
	depth, 8_1m , enclosed by contour	20° 28'.09 S	117° 26'.85 E
	depth, 11_9m	20° 29'.72 S	117° 25'.93 E
	depth, 14_6m , enclosed by contour	20° 30'.67 S	117° 24'.14 E
	depth, 14_3m , enclosed by contour	20° 31'.07 S	117° 22'.24 E

Replace	depth, 12m, with depth, 9_7m , enclosed by contour	20° 29'.1 S	117° 26'.6 E
---------	--	-------------	--------------

Delete	depth, 13_6m	20° 25'.8 S	117° 24'.9 E
	depth, 10_7m	20° 28'.0 S	117° 26'.9 E
	depth, 13_9m	20° 29'.8 S	117° 26'.0 E
	depth, 15_3m	20° 30'.8 S	117° 24'.1 E
	depth, 15_8m	20° 31'.0 S	117° 22'.1 E

Aus 326 [205/2025]

Insert	depth, 11_9m	20° 29'.72 S	117° 25'.93 E
--------	----------------	--------------	---------------

Replace	depth, 13_6m , with depth, 12_5m	20° 25'.9 S	117° 24'.9 E
	depth, 10_7m , with depth, 8_1m , enclosed by contour	20° 28'.1 S	117° 26'.9 E
	depth, 15_8m , with depth, 14_3m , enclosed by contour	20° 31'.1 S	117° 22'.2 E

783 AUSTRALIA - SOUTH AUSTRALIA - Port Vincent - Middle Spit - Light beacon*Former Notice - 630(T)/2025 is cancelled*

Department for Infrastructure and Transport SA

Aus 485 [479/2025]

Delete	light beacon	34° 45'.3 S	137° 54'.2 E
--------	--------------	-------------	--------------

Aus 781 [NE 13/6/2025]

Amend	light beacon to <i>Fl.2s</i>	34° 45'.3 S	137° 54'.2 E
-------	------------------------------	-------------	--------------

784 SOLOMON ISLANDS - Lungga Point - Depths

Australian Hydrographic Office

SLB 101 (Lungga Roads) [741/2025]

Replace	depth, 8_1m , with depth, 7_5m	09° 24'.94 S	160° 00'.69 E
---------	------------------------------------	--------------	---------------

SLB 201 [364/2025]

Replace	depth, 5_2m , with depth, 4_2m , and extend contour N to enclose	09° 24'.7 S	160° 03'.1 E
---------	--	-------------	--------------

785(T)/2025 AUSTRALIA - NEW SOUTH WALES - Port Alma - Sea Hill Point - Light unlit
Maritime Safety Queensland 406/2025(T)

The light, *Fl(2)6s 33m 7M* (23° 29'.45 S 150° 58'.82 E), is unlit.

Chart temporarily affected - Aus 265 - Aus 490 - Aus 819

786(T)/2025 AUSTRALIA - QUEENSLAND - Townsville - Obstructions
Maritime Safety Queensland Notice 395(T)/2025

Obstructions marked by special buoys exist in the following positions:

19° 14'.67 S 146° 49'.82 E
19° 14'.67 S 146° 49'.85 E
19° 14'.67 S 146° 49'.93 E.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 256

787(T)/2025 PAPUA NEW GUINEA - Los Negros Island - Nahuchie Point - Light unlit
National Maritime Safety Authority PNG Coastal Navigation Warning 17/2025

The light, *Fl.2-5s 7m 10M* (2° 02'.34 S 147° 24'.21 E), is unlit.

Chart temporarily affected - PNG 391 - PNG 662

788(T)/2025 AUSTRALIA - NORTHERN TERRITORY - Groote Eylandt - Milner Bay - Harbour works; exclusion zone
Former Notice - 565(T)/2024 is cancelled
Northern Territory Government Notice 13/2024, South32

Works are in progress to repair the main wharf. An exclusion zone exists in an area bounded by the following:

<i>Position</i>	<i>Remarks</i>
13° 51'.56 S 136° 25'.03 E	
13° 51'.67 S 136° 25'.03 E	
13° 51'.73 S 136° 25'.06 E	marked by special light buoy, <i>Fl.Y.2s</i>
13° 51'.80 S 136° 24'.96 E	marked by special light buoy, <i>Fl.Y.2s</i>
13° 51'.57 S 136° 24'.82 E	marked by special light buoy, <i>Fl.Y.2s</i>
13° 51'.51 S 136° 24'.92 E	marked by special light buoy, <i>Fl.Y.2s</i> .

Only vessels involved in construction activities, vessels under the control of Milner Port, the Director of Marine Safety and the NT Police are permitted to enter the area.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 14

789(T)/2025 AUSTRALIA - WESTERN AUSTRALIA - Bandy Creek Boat Harbour - Light beacon destroyed
Former Notice - 670(T)/2025 is cancelled
Department of Transport WA

The light beacon, *Fl.G.5s No1* (33° 50'.01 S 121° 55'.95 E), has been destroyed; a starboard lateral light buoy, *Fl.G.5s*, exists in situ.

Chart temporarily affected - Aus 119

790(P)/2025 AUSTRALIA - WESTERN AUSTRALIA - Bandy Creek Boat Harbour - Shoaling
Department of Transport WA

Latest survey indicates shoaler depths than those charted may exist in the vicinity of position 33° 55'.09 S 121° 55'.95 E.

Mariners are advised to navigate with caution in the area.

Charts will be updated in due course.

Chart which will be affected - Aus 119

791(T)/2025 AUSTRALIA - WESTERN AUSTRALIA - Barrow Island - Subsea operations; survey operations northwestwards
DOF Management

Vessel *Skandi Hercules* is conducting works to install subsea mooring lines and ROV survey operations in an area within a 5M radius of position 19° 52'.73 S 114° 36'.48 E.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 328

792(T)/2025 AUSTRALIA - WESTERN AUSTRALIA - Dampier Archipelago - Subsea operations northwards
Santos

Subsea operations associated with the cessation of production activities are in progress between positions 20° 01'.45 S 116° 18'.58 E and 20° 24'.64 S 116° 20'.14 E.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 57 - Aus 327 - Aus 742

793(T)/2025 AUSTRALIA - WESTERN AUSTRALIA - Delambre Island - Survey operations eastwards
Former Notice - 714(T)/2025 is cancelled
Discovery Marine

Survey vessel *Outer Limit* is conducting survey operations in an area bounded by the following positions:

20° 17'.32 S 116° 50'.01 E
20° 14'.66 S 117° 14'.66 E
20° 14'.66 S 117° 33'.80 E
20° 25'.55 S 117° 29'.95 E
20° 25'.56 S 116° 58'.24 E
20° 21'.73 S 116° 50'.00 E.

Tide gauges marked by special light buoys, *Fl. Y. 2s*, exist in the following positions:

20° 17'.22 S 116° 49'.74 E
20° 17'.21 S 117° 03'.74 E
20° 17'.10 S 117° 13'.04 E
20° 14'.50 S 117° 22'.65 E
20° 14'.58 S 117° 33'.95 E
20° 22'.68 S 117° 31'.05 E
20° 23'.70 S 117° 22'.88 E
20° 23'.81 S 117° 12'.89 E
20° 25'.35 S 117° 04'.30 E
20° 24'.49 S 116° 58'.05 E
20° 20'.92 S 116° 50'.42 E
20° 08'.00 S 116° 54'.30 E
20° 07'.90 S 117° 03'.70 E
20° 07'.90 S 117° 14'.70 E
20° 07'.80 S 117° 27'.20 E
20° 07'.80 S 117° 36'.70 E.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 55 - Aus 57 - Aus 326 - Aus 327

794(T)/2025 AUSTRALIA - WESTERN AUSTRALIA - Exmouth Plateau to Dampier - Pipe laying operations completed
Former Notice - 27(T)/2024 is cancelled
 Subsea 7

Cancel this notice on receipt.

Chart formerly affected - Aus 327 - Aus 328 - Aus 742 - Aus 4722 (INT 722) - Aus 4723 (INT 723)

795(T)/2025 AUSTRALIA - WESTERN AUSTRALIA - Geraldton - Fishing Boat Harbour - Dredging operations; survey operations
 Mid West Ports Notice 13/2025

The dredge *Kingston* and support vessels are conducting dredging and survey operations in the entrance to Fishing Boat Harbour (28° 46'.27 S 114° 35'.58 E).

A floating and submerged pipeline exists from the dredge and is marked by special light buoys, *Fl.Y.3s*.

Vessels will display appropriate lights and shapes and will monitor VHF Ch 12 and Ch 16.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 81

796(T)/2025 AUSTRALIA - WESTERN AUSTRALIA - Heywood Shoal - Survey operations; subsea operations
 Allseas Marine Contractors Australia

On or about 8 September 2025, vessel *Fortitude* will be conducting survey and subsea operations between the following positions:

13° 46'.86 S 123° 18'.98 E

13° 13'.18 S 123° 56'.52 E

12° 57'.87 S 124° 26'.55 E.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 319 - Aus 320

797(T)/2025 AUSTRALIA - WESTERN AUSTRALIA - Lowendal Islands - Varanus Island - Light beacons unlit
 Pilbara Ports Authority Notice D3(T)/2025

The port lateral light beacon, *Fl.R.5s* (20° 37'.93 S 115° 36'.20 E), and the special light beacon, *Q.Y* (20° 38'.03 S 115° 36'.57 E), are unlit.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 65 - Aus 742

798(T)/2025 AUSTRALIA - WESTERN AUSTRALIA - North West Cape - FPSO off station northwards
Former Notice - 763(T)/2025 is cancelled
 Santos

The lit FPSO *Ningaloo Vision Mo(U)15s* (21° 24'.19 S 114° 05'.27 E) is off station; a direct turret mooring, with least depth 35m, exists in situ marked by a special light buoy, *Fl.Y.4s*.

Chart temporarily affected - Aus 328 - Aus 329 - Aus 744 - Aus 4723 (INT 723)

799(T)/2025 INDIAN OCEAN - Seringapatam Reef to Christmas Island - Survey operations
Gulf Agency Company (Australia)

Vessel *Ocean Titan* is conducting survey operations between the following positions:

8° 43'.84 S 104° 59'.69 E
13° 52'.75 S 105° 07'.68 E;
and
13° 26'.87 S 121° 53'.69 E
13° 59'.58 S 119° 59'.46 E
12° 50'.71 S 113° 32'.45 E
13° 12'.76 S 110° 18'.59 E
9° 52'.41 S 105° 36'.84 E
9° 34'.61 S 102° 17'.17 E.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 322 - Aus 400 - Aus 608 - Aus 4060 (INT 60) - Aus 4070 (INT 70) - Aus 4071 (INT 71) - Aus 4603 (INT 603) - Aus 4708 (INT 708) - Aus 4722 (INT 722) - Aus 4723 (INT 723)

800(T)/2025 AUSTRALIA - SOUTH AUSTRALIA - Gulf St Vincent - Investigator Straight to Adelaide - Scientific instruments recovered

Former Notice - 803(T)/2021 is cancelled
Department for Infrastructure and Transport SA

Cancel this notice on receipt.

Chart formerly affected - Aus 130 - Aus 780 - Aus 781

801(T)/2025 AUSTRALIA - SOUTH AUSTRALIA - Gulf St Vincent - Brighton - Scientific instruments
Department for Infrastructure and Transport SA Notice 54(T)/2025

Special light buoys, *Fl.Y.2-5s*, exist in positions 35° 01'.39 S 138° 27'.00 E and 35° 01'.45 S 138° 27'.24 E.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 781

802(T)/2025 AUSTRALIA - VICTORIA - Port Phillip - Altona - Light unlit
Parks Victoria Notice 407(T)/2025

The light, *Fl.G.5s 6m 5M* (37° 52'.43 S 144° 49'.81 E), is unlit.

Chart temporarily affected - Aus 143 - Aus 155

803(T)/2025 AUSTRALIA - VICTORIA - Western Port - Hanns Inlet - Light beacons relit
Former Notice - 665(T)/2021 is cancelled
HMAS Cerberus

Cancel this notice on receipt.

Chart formerly affected - Aus 151

804(T)/2025 AUSTRALIA - TASMANIA - Maria Island - Scientific instrument recovered
Former Notice - 198(T)/2025 is cancelled
Maritime and Safety Tasmania

Cancel this notice on receipt.

Chart formerly affected - Aus 766 - Aus 797

805(T)/2025 SOLOMON ISLANDS - Nusatupe Island - Light beacon unlit; topmarks destroyed

Former Notice - 515(T)/2023 is cancelled

Solomon Islands Maritime Authority Notice 7/2023, 19/2025

The light beacon, *Fl(3)R.10s 11m 5M* (8° 05'.55 S 156° 51'.82 E), is unlit and the topmark has been destroyed.

The topmark on light beacon, *Fl(2)G.10s 9m 3M* (8° 05'.81 S 156° 51'.66 E), has been destroyed.

Chart temporarily affected - SLB 102 - SLB 301 - SLB 302

II

HYDROGRAPHIC REPORTS

NIL