



19 September 2025
Edition 19

AUSTRALIAN NOTICES TO MARINERS

Notices 806 - 847

Published fortnightly by the Australian Hydrographic Office



Australian Notices to Mariners are the authority for correcting charts and publications published by the Australian Hydrographic Office covering Australia, Papua New Guinea, Solomon Islands, Australian Antarctic Territory and Timor-Leste.

Commodore R.L. PHILLIPS RAN
Hydrographer of Australia

SECTIONS.

- I. **Australian Notices to Mariners, including blocks and notes.**
- II. **Hydrographic Reports.**

SUPPLEMENTS.

- I. **Tracings**
 - II. **Cumulative List of Australian Notices to Mariners.**
 - III. **Cumulative List of Temporary and Preliminary Australian Notices to Mariners.**
 - IV. **Temporary and Preliminary Notices in force.**
-
-

© Commonwealth of Australia 2025

This work is copyright. Apart from any use permitted under the Copyright Act 1968, no part may be reproduced by any process, adapted, communicated or commercially exploited without prior written permission from The Commonwealth represented by the Australian Hydrographic Office.

IMPORTANT NOTICE

This edition of Notices to Mariners includes all navigationally significant information affecting AHO products which the AHO has become aware of since the last edition. All reasonable efforts have been made to ensure the accuracy and completeness of the information, including third party information, on which these updates are based. The AHO regards third parties from which it receives information as reliable, however the AHO cannot verify all such information and errors may therefore exist. The AHO does not accept liability for errors in third party information.

GENERAL INSTRUCTIONS

The substance of these notices should be inserted on the charts affected.

Bearings are referred to the true compass and are reckoned clockwise from North; those relating to lights are given as seen by an observer from seaward.

Positions quoted in notices relate to WGS84 which is the horizontal datum for all charts produced by the Australian Hydrographic Office.

The range quoted for a light is its nominal range.

Depths are with reference to the chart datum of each chart. Heights are above mean high water springs or mean higher high water, as appropriate.

The capital letter (P) or (T) after the number of any notice denotes a preliminary or temporary notice respectively, which are contained separately at the end of the permanent notices.

REPORTING OF DANGERS

Mariners are particularly requested to notify the AUSTRALIAN HYDROGRAPHIC OFFICE, Locked Bag 8801 Wollongong, NSW 2500 (e-mail datacentre@hydro.gov.au or, alternatively by filling in and submitting the [Hydrographic Notes](#) forms located on the web site – www.hydro.gov.au), immediately on the discovery of new dangers or suspected dangers to navigation. For changes or defects in aids to navigation notify AusSAR (Fax 02-6230 6868 or email rccaus@amsa.gov.au).

AUTHORISED USE

Copies of Australian notices are available free of charge from the Australian Hydrographic Office (AHO) website (www.hydro.gov.au) and through the eNotices (email) service (www.hydro.gov.au/enotices/enotices.htm).

Individual Notices may be copied for the purpose of inserting Notice substance on official charts and publications. Paper copies may be printed by chart agents and distributed to customers on a cost recovery basis. Participating chart agents are listed on the AHO website as providing a 'Paper Notices to Mariners' service (www.hydro.gov.au/prodserv/agents-list.htm). Copies of the notices may not be sold for profit without prior written agreement.

NUMERICAL INDEX OF NOTICES TO MARINERS

Edition No 19

Notices	Aus Chart, INT Chart, ENC Cell, AHP, BA Pubs
806	Aus 745
807	SLB 102, 109
808	Aus 222
809	Aus 207
810	Aus 198
811	Aus 200, 204
812	Aus 811
813	Aus 809, 810
814	Aus 237
815	Aus 303
816	Aus 250
817	Aus 236, 814
818	Aus 718
819	Aus 50, 324
820	Aus 119
821	Aus 57, 327
822	Aus 84
823	Aus 112
824	Aus 40, 41
825(T)	Aus 265, 490, 819
826(T)	Aus 209
827(T)	Aus 827
828(P)	Aus 6
829(T)	Aus 236, 237
830(T)	Aus 236
831(T)	Aus 236
832(T)	Aus 4060, 4604, INT 60, 604, PNG 511
833(T)	PNG 391, 662
834(T)	PNG 680
835(T)	Aus 327, 742
836(T)	Aus 65, 327, 328, 742
837(T)	Aus 112, 117
838(T)	Aus 81
839(T)	Aus 144
840(T)	Aus 143, 144
841(T)	Aus 144
842(T)	Aus 143, 155
843(T)	Aus 143, 155
844(T)	Aus 179
845(T)	Aus 173
846(T)	Aus 798
847(T)	Aus 487, 790

NUMERICAL INDEX OF CHARTS AFFECTED

Edition No 19

Aus Chart	Notices
Aus 6	828(P)
Aus 40	824
Aus 41	824
Aus 50	819
Aus 57	821
Aus 65	836(T)
Aus 81	838(T)
Aus 84	822
Aus 112	823 , 837(T)
Aus 117	837(T)
Aus 119	820
Aus 143	840(T) , 842(T) , 843(T)
Aus 144	839(T) , 840(T) , 841(T)
Aus 155	842(T) , 843(T)
Aus 173	845(T)
Aus 179	844(T)
Aus 198	810
Aus 200	811
Aus 204	811
Aus 207	809
Aus 209	826(T)
Aus 222	808
Aus 236	817 , 829(T) , 830(T) , 831(T)
Aus 237	814 , 829(T)
Aus 250	816
Aus 265	825(T)
Aus 303	815
Aus 324	819
Aus 327	821 , 835(T) , 836(T)
Aus 328	836(T)
Aus 487	847(T)
Aus 490	825(T)
Aus 718	818
Aus 742	835(T) , 836(T)
Aus 745	806
Aus 790	847(T)
Aus 798	846(T)
Aus 809	813
Aus 810	813
Aus 811	812
Aus 814	817
Aus 819	825(T)
Aus 827	827(T)
Aus 4060	832(T)
Aus 4604	832(T)
PNG 391	833(T)
PNG 511	832(T)
PNG 662	833(T)
PNG 680	834(T)
SLB 102	807
SLB 109	807

INT Chart	Notices
INT 60	832(T)
INT 604	832(T)

806 AUSTRALIA - Products - New Charts and New Editions to be published shortly

Australian Hydrographic Office

New Charts to be published shortly

<i>Chart</i>	<i>Title</i>	<i>Scale</i>	<i>Remarks</i>
NIL			

New Editions to be published shortly

<i>Chart</i>	<i>Title</i>	<i>Scale</i>	<i>Remarks</i>
Aus 745	Australia - West Coast - Western Australia - North West Cape to Point Maud	1:150 000	New edition with general updating throughout; including latest bathymetric data.

807 AUSTRALIA - Products - New Charts, New Editions, Withdrawn Charts

Australian Hydrographic Office

New Charts

<i>Chart</i>	<i>Title and Geographical limits</i>	<i>Scale</i>	<i>Publication Date</i>	<i>Remarks</i>
SLB109	South Pacific Ocean - Solomon Islands - Plans of Noro to Munda		19/9/2025	Chart rescheme and general updating throughout; including new bathymetric data.
	Plans:			
	Diamond Narrows to Munda	1:20 000		
	8° 15'.00 S – 8° 22'.00 S			
	157° 11'.00 E – 157° 17'.00 E			
	Approaches Noro	1:12 500		
	8° 12'.18 S – 8° 16'.56 S			
	157° 10'.90 E – 157° 12'.54 E			
	Noro	1:5 000		
	8° 13'.6 S – 8° 14'.50 S			
	157° 11'.5 E – 157° 12'.05 E			

New Electronic Navigation Chart (Aus ENC)

<i>Cell Name</i>	<i>Title</i>	<i>Publication Date</i>	<i>Remarks</i>
NIL			

New Editions and Withdrawn Charts

<i>Chart</i>	<i>Title</i>	<i>Scale</i>	<i>Publication Date</i>	<i>Remarks</i>
SLB102	South Pacific Ocean - Solomon Islands - Plans in the New Georgia Group		19/9/2025	New edition with general updating throughout; including latest bathymetric data.
(Edition 6)	Plans:			
	Blackett Strait	1:50 000		
	Gizo Harbour and Approaches	1:25 000		
	Port Noro	1:20 000		
	Ringgi Cove	1:15 000		
	Lever Harbour	1:7 500		
				Chart SLB102 Edition 5 dated 21 July 2023 is now superseded and must be withdrawn from use.

Chart permanently withdrawn

Charts listed above as withdrawn no longer meet chart carriage requirements and should be marked as "superseded" and replaced with the new chart/ new edition listed prior to passage through the area covered by the new chart.

When placing orders with a chart agent between notice of forthcoming edition and its publication, mariners should advise whether their order pertains to the current edition or the new edition.

For further details refer to the AHO website at www.hydro.gov.au for new edition and new chart stock arrival information.

808 AUSTRALIA - NEW SOUTH WALES - Clarence River - Yamba - Buoys

Transport for NSW

Aus 222 [727/2025]

Insert	special conical buoy without topmark	29° 24'.368 S	153° 20'.780 E
Replace	buoy with special conical buoy without topmark	29° 24'.18 S	153° 20'.73 E
Delete	buoy	29° 24'.31 S	153° 20'.77 E

809 AUSTRALIA - NEW SOUTH WALES - Newcastle - Hunter River - Light buoy

Transport for NSW

Aus 207 (Hexham Reach) [524/2025]

Amend	light buoy to <i>Fl.G.3s No14</i>	32° 50'.27 S	151° 43'.89 E
-------	-----------------------------------	--------------	---------------

810 AUSTRALIA - NEW SOUTH WALES - Port Hacking - Lilli Pilli Point - Topmarks

Transport for NSW

Aus 198 [428/2025]

Delete	topmark	34° 04'.21 S	151° 06'.34 E
	topmark	34° 04'.36 S	151° 06'.94 E

811 AUSTRALIA - NEW SOUTH WALES - Port Jackson to Broken Bay - Nav aids, jetty

Transport for NSW

Aus 200 [524/2025]

Amend	light to <i>Fl.G.5s</i>	33° 51'.39 S	151° 07'.33 E
Delete	continuous line, between	33° 51'.41 S	151° 07'.26 E
		33° 51'.39 S	151° 07'.26 E

Aus 204 [429/2025]

Insert	starboard lateral topmark	33° 27'.95 S	151° 05'.24 E
	starboard lateral topmark	33° 34'.02 S	151° 15'.17 E
Move	light buoy	33° 31'.40 S	151° 20'.13 E
	to	33° 31'.43 S	151° 20'.16 E

812 AUSTRALIA - NEW SOUTH WALES - Port Macquarie - Light buoy eastwards

NSW Department of Primary Industries

Aus 811 [117/2025]

Move	light buoy	31° 26'.0 S	153° 04'.5 E
	to	31° 24'.57 S	153° 04'.73 E

813 AUSTRALIA - NEW SOUTH WALES - Port Stephens - Port limit

Port Authority of New South Wales

Aus 809 [524/2025]

Insert	magenta dashed circle with radius 3M with legend, <i>Port Stephens Port Limit</i> , centred on	32° 41'.78 S	152° 12'.55 E
--------	--	--------------	---------------

Aus 810 [691/2024]

Insert	magenta dashed circle with radius 3M with legend, <i>Port Stephens Port Limit</i> , centred on	32° 41'.78 S	152° 12'.55 E
--------	--	--------------	---------------

814 AUSTRALIA - QUEENSLAND - Brisbane River - Outer Bar Reach - Light buoy

Maritime Safety Queensland

Aus 237 [645/2025]

Move	light buoy	27° 21'.20 S	153° 10'.84 E
	to	27° 21'.177 S	153° 10'.831 E

815 AUSTRALIA - QUEENSLAND - Gin Arm Creek - Nomenclature

Department of Natural Resources and Mines QLD

Aus 303 [1042/2023]

Delete	name, Gin Arm Creek	17° 32'.5 S	139° 26'.3 E
--------	---------------------	-------------	--------------

816 AUSTRALIA - QUEENSLAND - Mackay - Depth

Maritime Safety Queensland

Aus 250 (Mackay Harbour) [547/2024]

Delete	depth, 10m, and enclosing contour	21° 06'.32 S	149° 15'.58 E
--------	-----------------------------------	--------------	---------------

817 AUSTRALIA - QUEENSLAND - Moreton Bay - Wreck

Port of Brisbane

Aus 236 [733/2025]

Replace	wreck depth, 12 ₈ m, with wreck depth, 15 ₉ m	27° 13'.5 S	153° 16'.3 E
---------	---	-------------	--------------

Aus 814 [732/2025]

Replace	wreck depth, 12 ₈ m, with wreck depth, 15 ₉ m	27° 13'.5 S	153° 16'.3 E
---------	---	-------------	--------------

818 AUSTRALIA - NORTHERN TERRITORY - Cuthbert Point - Depth northeastwards

Cyan Renewables

Aus 718 [836/2021]

Insert	depth, 4m, enclosed by contour with legend, <i>Rep (2025)</i>	11° 36'.61 S	134° 02'.21 E
--------	---	--------------	---------------

819 AUSTRALIA - WESTERN AUSTRALIA - Broome - Depths

Department of Transport WA

Aus 50 [651/2025]

Insert	depth, 9 ₅ m, enclosed by contour	17° 56'.22 S	122° 02'.36 E
	depth, 7 ₇ m	18° 01'.02 S	121° 57'.28 E
	depth, 8 ₉ m, and extend contour N to enclose	18° 02'.31 S	121° 56'.50 E
	depth, 9 ₄ m, enclosed by contour	18° 02'.50 S	121° 57'.23 E
	depth, 8 ₁ m	18° 03'.27 S	121° 57'.29 E
	depth, 9 ₇ m, enclosed by contour	18° 05'.01 S	122° 00'.67 E

Delete	depth, 10 ₁ m	17° 56'.2 S	122° 02'.4 E
	depth, 8 ₈ m	18° 01'.1 S	121° 57'.2 E
	depth, 8 ₈ m	18° 03'.3 S	121° 57'.3 E

Aus 324 [593/2025]

Insert	depth, 7 ₁ m, enclosed by contour	18° 07'.49 S	121° 55'.59 E
	depth, 6 ₉ m	18° 08'.79 S	121° 54'.22 E

Replace	depth, 8 ₈ m, with depth, 8 ₁ m	18° 03'.3 S	121° 57'.3 E
	depth, 8 ₇ m, with depth, 7 ₈ m	18° 07'.9 S	121° 50'.8 E

Delete	depth, 8 ₉ m	18° 08'.9 S	121° 55'.1 E
--------	-------------------------	-------------	--------------

820 AUSTRALIA - WESTERN AUSTRALIA - Esperance - Chart note; legends

Australian Hydrographic Office

Aus 119 [594/2025]

Insert	accompanying chart note, ELECTRONIC NAVIGATIONAL CHART (ENC)	33° 49'.16 S	121° 51'.50 E
	magenta legend, <i>ENC</i> (see Note)	33° 53'.84 S	121° 55'.68 E

Aus 119 (Esperance) [594/2025]

Insert	magenta legend, <i>ENC</i> (see Note)	33° 51'.869 S	121° 55'.132 E
--------	---------------------------------------	---------------	----------------

821 AUSTRALIA - WESTERN AUSTRALIA - Hauy Island - Depths

Revelare Hydrospatial

Aus 57 [778/2025]

Insert	depth, 2 ₅ m, and extend 5m contour E to enclose	20° 25'.40 S	116° 59'.07 E
--------	---	--------------	---------------

Aus 327 [778/2025]

Replace	depth, 2 ₁ m, with depth, 1 ₇ m, enclosed by contour	20° 25'.3 S	116° 59'.0 E
---------	--	-------------	--------------

822 AUSTRALIA - WESTERN AUSTRALIA - Jurien Bay - Depths

Department of Transport WA

Aus 84 (Jurien Bay) [355/2024]

Insert	depth, 2m, enclosed by contour	30° 17'.16 S	115° 02'.32 E
--------	--------------------------------	--------------	---------------

Replace	depth, 2 ₉ m, with depth, 2 ₆ m	30° 17'.35 S	115° 02'.27 E
---------	---	--------------	---------------

823 AUSTRALIA - WESTERN AUSTRALIA - North Beach - Buoys

Department of Transport WA Notice WA25-399/2/2025

Aus 112 [655/2025]

Move	buoy	31° 51'.69 S	115° 44'.45 E
	to	31° 51'.760 S	115° 44'.310 E
	buoy	31° 51'.64 S	115° 43'.27 E
	to	31° 52'.000 S	115° 43'.500 E

824 AUSTRALIA - WESTERN AUSTRALIA - Yampi Sound - Cockatoo Island - Depths; nav aids; coastline; ZOC diagram

Kimberley Ports Authority , Marine and Earth Sciences

Aus 40 [434/2025]

Insert	accompanying block	16° 06'.5 S	123° 36'.0 E
	accompanying ZOC diagram	16° 10'.8 S	123° 40'.5 E

Aus 41 (Koolan Island) [16/2025]

Insert	accompanying ZOC diagram	16° 07'.9 S	123° 45'.7 E
--------	--	-------------	--------------

Aus 41 (Cockatoo Island) [16/2025]

Insert	accompanying block A	16° 06'.2 S	123° 36'.8 E
	accompanying block B	16° 06'.5 S	123° 36'.0 E

825(T)/2025 AUSTRALIA - NEW SOUTH WALES - Port Alma - Sea Hill Point - Light unlit

Former Notice - 785(T)/2025 is cancelled
Maritime Safety Queensland

Cancel this notice on receipt.

Chart formerly affected - Aus 265 - Aus 490 - Aus 819

826(T)/2025 AUSTRALIA - NEW SOUTH WALES - Port Stephens - Corrie Creek - Light beacon destroyed

Transport for NSW

The starboard lateral light beacon, *Fl.G.3s* (32° 40'.32 S 152° 08'.89 E), has been destroyed, a starboard lateral light buoy, *Fl.G.3s*, exists in situ.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 209

827(T)/2025 AUSTRALIA - QUEENSLAND - Cape Bowling Green - Light buoy off station

Australian Superyachts

The west cardinal light buoy, *Q(9)15s* (19° 17'.86 S 147° 22'.65 E), is off station.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 827

828(P)/2025 AUSTRALIA - QUEENSLAND - Karumba - Light buoys repositioned

Maritime Safety Queensland Notice 421(T)/2025

The light buoys have been repositioned as follows:

<i>Current position</i>	<i>New position</i>	<i>Remarks</i>
17° 26'.58 S 140° 44'.87 E	17° 26'.63 S 140° 44'.96 E	<i>Fl.R.4s EB2</i>
17° 26'.63 S 140° 44'.95 E	17° 26'.65 S 140° 45'.07 E	<i>Fl.R.4s EB4</i>
17° 26'.66 S 140° 44'.84 E	17° 26'.71 S 140° 44'.93 E	<i>Fl.G.4s EB3</i>
17° 26'.71 S 140° 44'.94 E	17° 26'.72 S 140° 45'.07 E	<i>Fl.G.4s EB5.</i>

Charts will be updated in due course.

Chart which will be affected - Aus 6

829(T)/2025 AUSTRALIA - QUEENSLAND - Moreton Bay - Scientific instruments

Maritime Safety Queensland Notice 416(T)/2025

Special light buoys, *Fl.Y.2s*, exist in positions 27° 19'.95 S 153° 09'.96 E and 27° 07'.31 S 153° 21'.89 E.

Special unlit buoys exist in positions 27° 20'.41 S 153° 14'.11 E and 27° 22'.07 S 153° 12'.04 E.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 236 - Aus 237

830(T)/2025 AUSTRALIA - QUEENSLAND - Moreton Bay - Spitfire Channel - Light beacon unlit

Maritime Safety Queensland Notice 162(T)/2023, 164(T)/2023

The light beacon, *Fl.Y.1-5s S1* (27° 02'.88 S 153° 15'.99 E), is unlit; a special light buoy, *Fl.Y.1-5s*, exists in situ.

Chart temporarily affected - Aus 236

831(T)/2025 AUSTRALIA - QUEENSLAND - Moreton Bay - Spitfire Channel - Light beacon unreliable*Former Notice* - 893(T)/2022 is cancelled

Maritime Safety Queensland Notice 162(T)/2023, 164(T)/2023

Cancel this notice on receipt.

Chart formerly affected - Aus 236**832(T)/2025 PAPUA NEW GUINEA - Loa Islet - Light unlit**

National Maritime Safety Authority PNG Coastal Navigation Warning 19/2025

The light, *Fl. 8s 43m 10M* (11° 26'.96 S 154° 23'.90 E), is unlit.**Chart temporarily affected - Aus 4060 (INT 60) - Aus 4604 (INT 604) - PNG 511****833(T)/2025 PAPUA NEW GUINEA - Los Negros Island - Nahuchie Point - Light relit***Former Notice* - 787(T)/2025 is cancelled

National Maritime Safety Authority PNG Coastal Navigation Warning 20/2025

Cancel this notice on receipt.

Chart formerly affected - PNG 391 - PNG 662**834(T)/2025 PAPUA NEW GUINEA - Rabaul - Light relit***Former Notice* - 975(T)/2023 is cancelled

National Maritime Safety Authority PNG Coastal Navigation Warning 18/2025

Cancel this notice on receipt.

Chart formerly affected - PNG 680**835(T)/2025 AUSTRALIA - WESTERN AUSTRALIA - Dampier Archipelago - Drill rig northwestwards***Former Notice* - 758(T)/2025 is cancelledMODU *Ocean Apex*

Cancel this notice on receipt.

Chart formerly affected - Aus 327 - Aus 742**836(T)/2025 AUSTRALIA - WESTERN AUSTRALIA - Double Island - Light unlit**

Chevron Australia Notice 7/2025

The light, *Fl. 6s 17m 5M* (20° 44'.14 S 115° 29'.72 E), is unlit.**Chart temporarily affected - Aus 65 - Aus 327 - Aus 328 - Aus 742****837(T)/2025 AUSTRALIA - WESTERN AUSTRALIA - Fremantle - Scientific instrument recovered***Former Notice* - 259(T)/2024 is cancelled

Department of Transport WA

Cancel this notice on receipt.

Chart formerly affected - Aus 112 - Aus 117

838(T)/2025 AUSTRALIA - WESTERN AUSTRALIA - Geraldton - Batavia Coast Boat Harbour - Harbour works complete

Former Notice - 877(T)/2024 is cancelled
Department of Transport WA Notice 6221/2024

Cancel this notice on receipt.

Chart formerly affected - Aus 81

839(T)/2025 AUSTRALIA - VICTORIA - Port Phillip - Point Nepean - Light buoy restored

Former Notice - 723(T)/2025 is cancelled
Parks Victoria Notice 458/2025

Cancel this notice on receipt.

Chart formerly affected - Aus 144

840(T)/2025 AUSTRALIA - VICTORIA - Port Phillip - Observatory Point to Point Franklin - Light buoys restored

Former Notice - 470(T)/2025 is cancelled
Parks Victoria Notice 454/2025, 457/2025

Cancel this notice on receipt.

Chart formerly affected - Aus 143 - Aus 144

841(T)/2025 AUSTRALIA - VICTORIA - Port Phillip - Weeroona Bay - Light buoy restored

Former Notice - 577(T)/2025 is cancelled
Parks Victoria Notice 455/2025

Cancel this notice on receipt.

Chart formerly affected - Aus 144

842(T)/2025 AUSTRALIA - VICTORIA - Port Phillip - Sandringham - Light beacon relit

Former Notice - 763(T)/2024 is cancelled
Parks Victoria Notice 121(T)/2019, 285(T)/2019, 368(T)/2024

Cancel this notice on receipt.

Chart formerly affected - Aus 143 - Aus 155

843(T)/2025 AUSTRALIA - VICTORIA - Port Phillip - Altona - Light relit

Former Notice - 802(T)/2025 is cancelled
Parks Victoria Notice 459/2025

Cancel this notice on receipt.

Chart formerly affected - Aus 143 - Aus 155

844(T)/2025 AUSTRALIA - TASMANIA - Flinders Island - Lady Barron - Light relit

Former Notice - 274(T)/2025 is cancelled
Marine and Safety Tasmania Notice M299/2025

Cancel this notice on receipt.

Chart formerly affected - Aus 179

845(T)/2025 AUSTRALIA - TASMANIA - Huon River - Brooks Bay - Wreck salvaged

Former Notice - 426(T)/2024 is cancelled

Marine and Safety Tasmania Notice M297/2025

Cancel this notice on receipt.

Chart formerly affected - Aus 173

846(T)/2025 AUSTRALIA - TASMANIA - Ringarooma Bay - Scientific instrument recovered

Former Notice - 839(T)/2023 is cancelled

Marine and Safety Tasmania Notice M305(T)/2025

Cancel this notice on receipt.

Chart formerly affected - Aus 798

847(T)/2025 AUSTRALIA - TASMANIA - Robbins Island to Rocky Cape - Scientific instruments recovered northwards

Former Notice - 686(T)/2025 is cancelled

Maritime and Safety Tasmania Notice M293(T)/2025

Cancel this notice on receipt.

Chart formerly affected - Aus 487 - Aus 790

II

HYDROGRAPHIC REPORTS

NIL