



# AUSTRALIAN NOTICES TO MARINERS

## Notices 624 - 659

Published fortnightly by the Australian Hydrographic Office

Australian Notices to Mariners are the authority for correcting charts and publications published by the Australian Hydrographic Office covering Australia, Papua New Guinea, Solomon Islands, Australian Antarctic Territory and Timor-Leste.

Commodore D.G. MULLINS, RAN  
*Hydrographer of Australia*

---

### SECTIONS.

- I. **Australian Notices to Mariners, including blocks and notes.**
- II. **Hydrographic Reports.**

### SUPPLEMENTS.

- I. **Tracings**
- II. **Cumulative List of Australian Notices to Mariners.**
- III. **Cumulative List of Temporary and Preliminary Australian Notices to Mariners.**
- IV. **Temporary and Preliminary Notices in force.**

Supplements can be obtained from <https://www.hydro.gov.au/notices-to-mariners>

---

© Commonwealth of Australia 2026

This work is copyright. Apart from any use permitted under the Copyright Act 1968, no part may be reproduced by any process, adapted, communicated or commercially exploited without prior written permission from The Commonwealth represented by the Australian Hydrographic Office.

## IMPORTANT NOTICE

This edition of Notices to Mariners includes all navigationally significant information affecting AHO products which the AHO has become aware of since the last edition. All reasonable efforts have been made to ensure the accuracy and completeness of the information, including third party information, on which these updates are based. The AHO regards third parties from which it receives information as reliable, however the AHO cannot verify all such information and errors may therefore exist. The AHO does not accept liability for errors in third party information.

---

## GENERAL INSTRUCTIONS

The substance of these notices should be inserted on the charts affected.

Bearings are referred to the true compass and are reckoned clockwise from North; those relating to lights are given as seen by an observer from seaward.

Positions quoted in notices relate to WGS84 which is the horizontal datum for all charts produced by the Australian Hydrographic Office.

The range quoted for a light is its nominal range.

Depths are with reference to the chart datum of each chart. Heights are above mean high water springs or mean higher high water, as appropriate.

The capital letter (P) or (T) after the number of any notice denotes a preliminary or temporary notice respectively, which are contained separately at the end of the permanent notices.

---

## REPORTING OF DANGERS

Mariners are particularly requested to notify the AUSTRALIAN HYDROGRAPHIC OFFICE, Locked Bag 8801 Wollongong, NSW 2500 (e-mail [datacentre@hydro.gov.au](mailto:datacentre@hydro.gov.au) or, alternatively by filling in and submitting the **Hydrographic Notes** forms located on the web site – [www.hydro.gov.au](http://www.hydro.gov.au)), immediately on the discovery of new dangers or suspected dangers to navigation. For dangers requiring more urgent communication to other mariners than via the fortnightly Notices to Mariners publication, notify the nearest coastal radio station, relevant port authority, or even AMSA's JRCC (Fax 02-6230 6868 or email [rccaus@amsa.gov.au](mailto:rccaus@amsa.gov.au)).

---

## AUTHORISED USE

Copies of Australian notices are available free of charge from the Australian Hydrographic Office (AHO) website ([www.hydro.gov.au](http://www.hydro.gov.au)) and through the eNotices (email) service (<https://www.hydro.gov.au/charts/paper-charts/enotices>).

Individual Notices may be copied for the purpose of inserting Notice substance on official charts and publications. Paper copies may be printed by chart agents and distributed to customers on a cost recovery basis. Participating chart agents are listed on the AHO website as providing a 'Paper Notices to Mariners' service (<https://www.hydro.gov.au/charts/distribution-agents>). Copies of the notices may not be sold for profit without prior written agreement.

## NUMERICAL INDEX OF NOTICES TO MARINERS

### Edition No 15

| Notices | Aus Chart, INT Chart, ENC Cell, AHP, BA Pubs                   |
|---------|----------------------------------------------------------------|
| 624     | Aus 265, 819, 820                                              |
| 625     | Products - New Charts and New Editions to be published shortly |
| 626     | Aus 258                                                        |
| 627     | Aus 367, 822                                                   |
| 628     | Aus 252, 253, 824                                              |
| 629     | Aus 294                                                        |
| 630     | Aus 309, 310, 311, 4603, INT 603                               |
| 631     | Aus 314, 319, 4603, 4722, INT 603, 722                         |
| 632     | Aus 4603, 4708, 4722, INT 603, 708, 722                        |
| 633     | Aus 337                                                        |
| 634     | Aus 326                                                        |
| 635     | Aus 326, 327, 4603, 4708, 4722, 4723, INT 603, 708, 722, 723   |
| 636     | Aus 179                                                        |
| 637(T)  | Aus 200                                                        |
| 638(T)  | Aus 262                                                        |
| 639(P)  | Aus 236, 814                                                   |
| 640(T)  | Aus 236, 814, 815                                              |
| 641(T)  | Aus 252, 253                                                   |
| 642(T)  | Aus 25, 309, 314, 315, 316, 319, 322, 4603, 4722, INT 603, 722 |
| 643(T)  | Aus 309, 315, 316, 318                                         |
| 644(T)  | Aus 40, 41, 323, 732, 733                                      |
| 645(T)  | Aus 326, 327                                                   |
| 646(T)  | Aus 328                                                        |
| 647(T)  | Aus 328                                                        |
| 648(T)  | Aus 328, 329, 744                                              |
| 649(T)  | Aus 64, 743                                                    |
| 650(T)  | Aus 315, 316, 318                                              |
| 651(T)  | Aus 780                                                        |
| 652(T)  | Aus 780                                                        |
| 653(T)  | Aus 357, 487                                                   |
| 654(T)  | Aus 155, 157                                                   |
| 655(T)  | Aus 143, 144, 155, 157                                         |
| 656(T)  | Aus 157                                                        |
| 657(T)  | Aus 487                                                        |
| 658(T)  | Aus 171, 795, 796, 797                                         |
| 659(T)  | SLB 103, 201, 304                                              |

## NUMERICAL INDEX OF CHARTS AFFECTED

### Edition No 15

| Aus Chart | Notices                    |
|-----------|----------------------------|
| Aus 25    | 642(T)                     |
| Aus 40    | 644(T)                     |
| Aus 41    | 644(T)                     |
| Aus 64    | 649(T)                     |
| Aus 143   | 655(T)                     |
| Aus 144   | 655(T)                     |
| Aus 155   | 654(T), 655(T)             |
| Aus 157   | 654(T), 655(T), 656(T)     |
| Aus 171   | 658(T)                     |
| Aus 179   | 636                        |
| Aus 200   | 637(T)                     |
| Aus 236   | 639(P), 640(T)             |
| Aus 252   | 628, 641(T)                |
| Aus 253   | 628, 641(T)                |
| Aus 258   | 626                        |
| Aus 262   | 638(T)                     |
| Aus 265   | 624                        |
| Aus 294   | 629                        |
| Aus 309   | 630, 642(T), 643(T)        |
| Aus 310   | 630                        |
| Aus 311   | 630                        |
| Aus 314   | 631, 642(T)                |
| Aus 315   | 642(T), 643(T), 650(T)     |
| Aus 316   | 642(T), 643(T), 650(T)     |
| Aus 318   | 643(T), 650(T)             |
| Aus 319   | 631, 642(T)                |
| Aus 322   | 642(T)                     |
| Aus 323   | 644(T)                     |
| Aus 326   | 634, 635, 645(T)           |
| Aus 327   | 635, 645(T)                |
| Aus 328   | 646(T), 647(T), 648(T)     |
| Aus 329   | 648(T)                     |
| Aus 337   | 633                        |
| Aus 357   | 653(T)                     |
| Aus 367   | 627                        |
| Aus 487   | 653(T), 657(T)             |
| Aus 732   | 644(T)                     |
| Aus 733   | 644(T)                     |
| Aus 743   | 649(T)                     |
| Aus 744   | 648(T)                     |
| Aus 780   | 651(T), 652(T)             |
| Aus 795   | 658(T)                     |
| Aus 796   | 658(T)                     |
| Aus 797   | 658(T)                     |
| Aus 814   | 639(P), 640(T)             |
| Aus 815   | 640(T)                     |
| Aus 819   | 624                        |
| Aus 820   | 624                        |
| Aus 822   | 627                        |
| Aus 824   | 628                        |
| Aus 4603  | 630, 631, 632, 635, 642(T) |
| Aus 4708  | 632, 635                   |
| Aus 4722  | 631, 632, 635, 642(T)      |
| Aus 4723  | 635                        |

| Aus Chart | Notices |
|-----------|---------|
| SLB 103   | 659(T)  |
| SLB 201   | 659(T)  |
| SLB 304   | 659(T)  |

| INT Chart | Notices                    |
|-----------|----------------------------|
| INT 603   | 630, 631, 632, 635, 642(T) |
| INT 708   | 632, 635                   |
| INT 722   | 631, 632, 635, 642(T)      |
| INT 723   | 635                        |

**624 AUSTRALIA - Products - New Charts, New Editions, Withdrawn Charts**

Australian Hydrographic Office , UKHO

**New Charts**

| <i>Chart</i> | <i>Title and Geographical limits</i> | <i>Scale</i> | <i>Publication Date</i> | <i>Remarks</i> |
|--------------|--------------------------------------|--------------|-------------------------|----------------|
| NIL          |                                      |              |                         |                |

**New Editions and Withdrawn Charts**

| <i>Chart</i>           | <i>Title</i>                                                                           | <i>Scale</i>             | <i>Publication Date</i> | <i>Remarks</i>                                                                                                                                                                                                      |
|------------------------|----------------------------------------------------------------------------------------|--------------------------|-------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Aus 265<br>(Edition 5) | Australia - East Coast - Queensland -<br>Approaches to Port Alma<br>Plan:<br>Port Alma | 1:25 000<br><br>1:10 000 | 24/7/2026               | New edition with<br>general updating<br>throughout; including<br>new bathymetric data.<br><b>Chart Aus 265 Edition<br/>4 dated 2 May 2025 is<br/>now superseded and<br/>must be withdrawn<br/>from use.</b>         |
| Aus 819<br>(Edition 6) | Australia - East Coast - Queensland -<br>Bustard Head to North Reef                    | 1:150 000                | 24/7/2026               | New edition with<br>general updating<br>throughout; including<br>new bathymetric data.<br><b>Chart Aus 819 Edition<br/>5 dated 20 August<br/>2021 is now<br/>superseded and must<br/>be withdrawn from<br/>use.</b> |
| Aus 820<br>(Edition 5) | Australia - East Coast - Queensland -<br>North Reef to Port Clinton                    | 1:150 000                | 24/7/2026               | New edition with<br>general updating<br>throughout; including<br>new bathymetric data.<br><b>Chart Aus 820 Edition<br/>4 dated 20 August<br/>2021 is now<br/>superseded and must<br/>be withdrawn from<br/>use.</b> |

**New Electronic Navigation Chart (Aus ENC)**

| <i>Cell Name</i> | <i>Title</i> | <i>Publication Date</i> | <i>Remarks</i> |
|------------------|--------------|-------------------------|----------------|
| NIL              |              |                         |                |

**New S100 Products**

| <i>Cell Name</i> | <i>Title</i> | <i>Publication Date</i> | <i>Remarks</i> |
|------------------|--------------|-------------------------|----------------|
| NIL              |              |                         |                |

**Admiralty publication**

| <i>NP No</i> | <i>Title</i>                                                                                              | <i>Date</i> | <i>Remarks</i> |
|--------------|-----------------------------------------------------------------------------------------------------------|-------------|----------------|
| NP204        | ADMIRALTY Tide Tables<br>South Pacific Ocean<br>(Including Tidal Stream Tables)<br>Volume 4, 2027 Edition | 30/7/2026   | New Edition.   |

**Chart permanently withdrawn**

Charts listed above as withdrawn no longer meet chart carriage requirements and should be marked as "superseded" and replaced with the new chart/ new edition listed prior to passage through the area covered by the new chart.

When placing orders with a chart agent between notice of forthcoming edition and its publication, mariners should advise whether their order pertains to the current edition or the new edition.

For further details refer to the AHO website at [www.hydro.gov.au](http://www.hydro.gov.au) for new edition and new chart stock arrival information.

**625 AUSTRALIA - Products - New Charts and New Editions to be published shortly**  
Australian Hydrographic Office

**New Charts to be published shortly**

| Chart | Title | Scale | Remarks |
|-------|-------|-------|---------|
| NIL   |       |       |         |

**New Editions to be published shortly**

| Chart | Title | Scale | Remarks |
|-------|-------|-------|---------|
| NIL   |       |       |         |

**626 AUSTRALIA - QUEENSLAND - Gladys Inlet - Estuary and River Entrance**  
Maritime Safety Queensland Notice 379(T)/2026

*Note:* position of existing chart notes may vary on certain charts.

**Aus 258 (Gladys Inlet to King Reefs) [319/2025]**

|        |                                                                      |              |               |
|--------|----------------------------------------------------------------------|--------------|---------------|
| Insert | legend, <i>Estuary and River Entrances</i> (see Note), centred on    | 17° 30'.31 S | 146° 05'.77 E |
|        | <a href="#">accompanying chart note, ESTUARY AND RIVER ENTRANCES</a> | 17° 37'.32 S | 146° 04'.00 E |

**627 AUSTRALIA - QUEENSLAND - Port Clinton - Depths**  
UKHO

**Aus 367 [544/2026]**

|        |                                                          |              |               |
|--------|----------------------------------------------------------|--------------|---------------|
| Insert | depth, 2 <sub>4</sub> m, and extend contour E to enclose | 22° 30'.29 S | 150° 46'.22 E |
|--------|----------------------------------------------------------|--------------|---------------|

|        |           |             |              |
|--------|-----------|-------------|--------------|
| Delete | depth, 3m | 22° 30'.3 S | 150° 46'.1 E |
|--------|-----------|-------------|--------------|

**Aus 822 [544/2026]**

|        |                                                          |              |               |
|--------|----------------------------------------------------------|--------------|---------------|
| Insert | depth, 2 <sub>4</sub> m, and extend contour E to enclose | 22° 30'.29 S | 150° 46'.22 E |
|--------|----------------------------------------------------------|--------------|---------------|

|        |           |             |              |
|--------|-----------|-------------|--------------|
| Delete | depth, 3m | 22° 30'.3 S | 150° 46'.1 E |
|--------|-----------|-------------|--------------|

**628 AUSTRALIA - QUEENSLAND - Port Molle - Depths**  
Maritime Safety Queensland

**Aus 252 [531/2025]**

|        |                                    |             |              |
|--------|------------------------------------|-------------|--------------|
| Insert | <a href="#">accompanying block</a> | 20° 19'.0 S | 148° 49'.5 E |
|--------|------------------------------------|-------------|--------------|

**Aus 253 [242/2025]**

|        |                                          |             |              |
|--------|------------------------------------------|-------------|--------------|
| Insert | <a href="#">accompanying block</a>       | 20° 18'.5 S | 148° 50'.1 E |
|        | <a href="#">accompanying ZOC diagram</a> | 20° 24'.1 S | 148° 42'.0 E |

**Aus 824 [462/2026]**

|        |                                    |             |              |
|--------|------------------------------------|-------------|--------------|
| Insert | <a href="#">accompanying block</a> | 20° 17'.5 S | 148° 47'.5 E |
|--------|------------------------------------|-------------|--------------|

**629 AUSTRALIA - QUEENSLAND - Red Island - Depths**  
Maritime Safety Queensland

**Aus 294 [44/2026]**

|        |                                          |             |              |
|--------|------------------------------------------|-------------|--------------|
| Insert | <a href="#">accompanying block B</a>     | 10° 50'.0 S | 142° 21'.5 E |
|        | <a href="#">accompanying ZOC diagram</a> | 10° 59'.0 S | 142° 12'.0 E |

**Aus 294 (Approaches to Red Island Point) [44/2026]**

|        |                                      |             |              |
|--------|--------------------------------------|-------------|--------------|
| Insert | <a href="#">accompanying block A</a> | 10° 50'.0 S | 142° 21'.5 E |
|--------|--------------------------------------|-------------|--------------|

**630 AUSTRALIA - TIMOR SEA - Margaret Harries Banks - Depths**

Australian Hydrographic Office

**Aus 309 [418/2026]**

|         |                             |             |              |
|---------|-----------------------------|-------------|--------------|
| Replace | depth, 45m, with depth, 32m | 10° 44'.6 S | 128° 21'.9 E |
|---------|-----------------------------|-------------|--------------|

**Aus 310 [466/2026]**

|        |                                               |              |               |
|--------|-----------------------------------------------|--------------|---------------|
| Insert | depth, 29 <sub>6</sub> m, enclosed by contour | 10° 27'.94 S | 128° 55'.37 E |
|--------|-----------------------------------------------|--------------|---------------|

**Aus 311 [418/2026]**

|        |                                               |              |               |
|--------|-----------------------------------------------|--------------|---------------|
| Insert | depth, 29 <sub>6</sub> m, enclosed by contour | 10° 27'.94 S | 128° 55'.28 E |
|        | depth, 27 <sub>6</sub> m, enclosed by contour | 11° 03'.61 S | 127° 48'.19 E |

|         |                                                         |             |              |
|---------|---------------------------------------------------------|-------------|--------------|
| Replace | depth, 18 <sub>3</sub> m, with depth, 15 <sub>8</sub> m | 10° 31'.8 S | 128° 39'.9 E |
|         | depth, 45m, with depth, 32m                             | 10° 44'.6 S | 128° 21'.9 E |

**Aus 4603 (INT 603) [550/2026]**

|        |                                               |             |              |
|--------|-----------------------------------------------|-------------|--------------|
| Insert | depth, 15 <sub>8</sub> m                      | 10° 32'.1 S | 128° 40'.0 E |
|        | depth, 27 <sub>6</sub> m, enclosed by contour | 11° 03'.6 S | 127° 48'.2 E |

|        |                          |             |              |
|--------|--------------------------|-------------|--------------|
| Delete | depth, 17 <sub>1</sub> m | 10° 18'.0 S | 128° 45'.1 E |
|--------|--------------------------|-------------|--------------|

**631 AUSTRALIA - TIMOR SEA - Depth**

Australian Hydrographic Office

**Aus 314 [NE 14/11/2025]**

|        |                                               |              |               |
|--------|-----------------------------------------------|--------------|---------------|
| Insert | depth, 19 <sub>1</sub> m, enclosed by contour | 12° 43'.92 S | 125° 15'.91 E |
|--------|-----------------------------------------------|--------------|---------------|

|        |            |             |              |
|--------|------------|-------------|--------------|
| Delete | depth, 69m | 12° 43'.8 S | 125° 15'.6 E |
|--------|------------|-------------|--------------|

**Aus 319 [550/2026]**

|        |                                               |              |               |
|--------|-----------------------------------------------|--------------|---------------|
| Insert | depth, 19 <sub>1</sub> m, enclosed by contour | 12° 43'.92 S | 125° 15'.91 E |
|--------|-----------------------------------------------|--------------|---------------|

|        |            |             |              |
|--------|------------|-------------|--------------|
| Delete | depth, 69m | 12° 43'.8 S | 125° 15'.6 E |
|--------|------------|-------------|--------------|

**Aus 4603 (INT 603) [630/2026]**

|        |                                               |             |              |
|--------|-----------------------------------------------|-------------|--------------|
| Insert | depth, 19 <sub>1</sub> m, enclosed by contour | 12° 43'.9 S | 125° 15'.9 E |
|--------|-----------------------------------------------|-------------|--------------|

**Aus 4722 (INT 722) [469/2026]**

|        |                                               |             |              |
|--------|-----------------------------------------------|-------------|--------------|
| Insert | depth, 19 <sub>1</sub> m, enclosed by contour | 12° 43'.9 S | 125° 15'.9 E |
|--------|-----------------------------------------------|-------------|--------------|

**632 INDONESIA - Flores Sea to Java Sea - Depths; wreck**

UKHO Notice 29/3290/2026; 29/3329/2026

**Aus 4603 (INT 603) [631/2026]**

|        |                                  |            |              |
|--------|----------------------------------|------------|--------------|
| Insert | depth, 479m, enclosed by contour | 6° 53'.1 S | 122° 21'.3 E |
|--------|----------------------------------|------------|--------------|

|         |                               |            |              |
|---------|-------------------------------|------------|--------------|
| Replace | depth, 301m, with depth, 171m | 7° 51'.6 S | 123° 38'.2 E |
|---------|-------------------------------|------------|--------------|

|        |              |            |              |
|--------|--------------|------------|--------------|
| Delete | depth, 1345m | 6° 49'.0 S | 122° 20'.0 E |
|--------|--------------|------------|--------------|

**Aus 4708 (INT 708) [276/2026]**

|        |                                 |            |              |
|--------|---------------------------------|------------|--------------|
| Insert | out of position dangerous wreck | 5° 30'.7 S | 113° 58'.3 E |
|--------|---------------------------------|------------|--------------|

**Aus 4722 (INT 722) [631/2026]**

|        |                                  |            |              |
|--------|----------------------------------|------------|--------------|
| Insert | depth, 479m, enclosed by contour | 6° 53'.1 S | 122° 21'.3 E |
|--------|----------------------------------|------------|--------------|

|         |                               |            |              |
|---------|-------------------------------|------------|--------------|
| Replace | depth, 301m, with depth, 171m | 7° 51'.6 S | 123° 38'.2 E |
|---------|-------------------------------|------------|--------------|

**633 AUSTRALIA - WESTERN AUSTRALIA - Mary Ann Haven - Depth, rock**  
Australian Hydrographic Office

**Aus 337 [1069/2025]**

|         |                                                                         |              |               |
|---------|-------------------------------------------------------------------------|--------------|---------------|
| Insert  | depth, $1_5m$ , with legend, <i>R</i> , and extend contour W to enclose | 33° 56'.85 S | 120° 03'.52 E |
| Replace | depth, $19_1m$ , with depth, $16_6m$                                    | 33° 59'.5 S  | 120° 05'.9 E  |

**634 AUSTRALIA - WESTERN AUSTRALIA - Port Walcott - Depths**  
Australian Hydrographic Office

**Aus 326 [587/2026]**

|        |                |              |               |
|--------|----------------|--------------|---------------|
| Insert | depth, $18m$   | 20° 24'.16 S | 117° 18'.06 E |
|        | depth, $16_9m$ | 20° 24'.99 S | 117° 15'.75 E |
| Delete | depth, $19_7m$ | 20° 24'.3 S  | 117° 18'.8 E  |
|        | depth, $17_4m$ | 20° 25'.0 S  | 117° 14'.9 E  |

**635 AUSTRALIA - WESTERN AUSTRALIA - Turtle Islands to Glomar Shoal - Depths**  
UKHO

**Aus 326 [634/2026]**

|         |                                    |              |               |
|---------|------------------------------------|--------------|---------------|
| Insert  | depth, $5_2m$                      | 19° 55'.25 S | 118° 44'.31 E |
| Replace | depth, $3_7m$ , with depth, $3_4m$ | 20° 16'.6 S  | 118° 05'.6 E  |
|         | depth, $5_9m$ , with depth, $5_6m$ | 20° 16'.8 S  | 118° 05'.2 E  |

**Aus 327 [587/2026]**

|        |                |              |               |
|--------|----------------|--------------|---------------|
| Insert | depth, $21_7m$ | 19° 31'.43 S | 116° 47'.55 E |
| Delete | depth, $22m$   | 19° 31'.4 S  | 116° 47'.9 E  |

**Aus 4603 (INT 603) [632/2026]**

|         |                                      |             |              |
|---------|--------------------------------------|-------------|--------------|
| Replace | depth, $22_3m$ , with depth, $21_7m$ | 19° 31'.4 S | 116° 47'.5 E |
|---------|--------------------------------------|-------------|--------------|

**Aus 4708 (INT 708) [632/2026]**

|         |                                      |             |              |
|---------|--------------------------------------|-------------|--------------|
| Replace | depth, $22_3m$ , with depth, $21_7m$ | 19° 31'.4 S | 116° 47'.5 E |
|---------|--------------------------------------|-------------|--------------|

**Aus 4722 (INT 722) [632/2026]**

|         |                                      |             |              |
|---------|--------------------------------------|-------------|--------------|
| Replace | depth, $22_3m$ , with depth, $21_7m$ | 19° 31'.4 S | 116° 47'.5 E |
|---------|--------------------------------------|-------------|--------------|

**Aus 4723 (INT 723) [470/2026]**

|         |                                    |             |              |
|---------|------------------------------------|-------------|--------------|
| Replace | depth, $22m$ , with depth, $21_7m$ | 19° 31'.4 S | 116° 47'.5 E |
|---------|------------------------------------|-------------|--------------|

**636 AUSTRALIA - TASMANIA - King Island - Grassy Harbour - Lights**  
TasPorts

**Aus 179 (Approaches to Grassy Harbour) [283/2026]**

|        |                                    |             |              |
|--------|------------------------------------|-------------|--------------|
| Insert | <a href="#">accompanying block</a> | 40° 04'.4 S | 144° 03'.8 E |
|--------|------------------------------------|-------------|--------------|



**637(T)/2026 AUSTRALIA - NEW SOUTH WALES - Port Jackson - Sydney Cove - Harbour works**

Port Authority of New South Wales Notice 19/2026

A crane barge is conducting scour protection works in an area 30m out from the wharf face (33° 51'.49 S 151° 12'.62 E).

Special buoys will mark the edge of the works area.

Mariners are advised to navigate with caution in the area.

**Chart temporarily affected - Aus 200**

**638(T)/2026 AUSTRALIA - QUEENSLAND - Cairns - Scientific instrument**

Maritime Safety Queensland Notice 365(T)/2026

A special light buoy, *Fl. Y. 2.5s*, exists in position 16° 53'.48 S 145° 47'.69 E.

Mariners are advised to navigate with caution in the area.

**Chart temporarily affected - Aus 262**

**639(P)/2026 AUSTRALIA - QUEENSLAND - Moreton Bay - Yule Bank - Shoaling**

Port of Brisbane

Latest survey indicates shoaler depths than those charted may exist in the vicinity of position 27° 06'.53 S 153° 20'.39 E.

Mariners are advised to navigate with caution in the area.

Charts will be updated in due course.

**Chart which will be affected - Aus 236 - Aus 814**

**640(T)/2026 AUSTRALIA - QUEENSLAND - Moreton Bay - Spitfire Channel - Light beacon unlit***Former Notice - 830(T)/2025 is cancelled*

Maritime Safety Queensland Notice 386(T)/2026

The light beacon, *Fl. Y. 1.5s S1* (27° 02'.88 S 153° 15'.99 E), is unlit.

**Chart temporarily affected - Aus 236 - Aus 814 - Aus 815**

**641(T)/2026 AUSTRALIA - QUEENSLAND - Port of Airlie - Muddy Bay - Wrecks**

Maritime Safety Queensland Notice 380(T)/2026, 388(T)/2026

Stranded wrecks marked by a special light buoy, *Fl. Y. 3s*, exist in positions 20° 16'.06 S 148° 43'.87 E and 20° 16'.02 S 148° 43'.83 E.

Mariners are advised to navigate with caution in the area.

**Chart temporarily affected - Aus 252 - Aus 253**

**642(T)/2026 AUSTRALIA - NORTHERN TERRITORY - WESTERN AUSTRALIA - Darwin to Seringapatam Reef -****Survey operations completed***Former Notice - 335(T)/2026 is cancelled*

EGS Survey Pty Ltd

Cancel this notice on receipt.

**Chart formerly affected - Aus 25 - Aus 309 - Aus 314 - Aus 315 - Aus 316 - Aus 319 - Aus 322 - Aus 4603 (INT 603) - Aus 4722 (INT 722)**

**643(T)/2026 AUSTRALIA - TIMOR SEA - Flat Top Bank - USV operations completed westwards***Former Notice - 480(T)/2026 is cancelled*

Department of Defence , Australian Maritime Safety Authority

Cancel this notice on receipt.

**Chart formerly affected - Aus 309 - Aus 315 - Aus 316 - Aus 318****644(T)/2026 AUSTRALIA - WESTERN AUSTRALIA - Cockatoo Island - Restricted area**

Kimberley Ports Authority

A section of the old Terminal Jetty has collapsed in the vicinity of position 16° 06'.15 S 123° 36'.84 E.

A 25m radius restricted area exists around the jetty between positions 16° 06'.17 S 123° 36'.87 E and 16° 06'.15 S 123° 36'.83 E.

Mariners are advised to navigate with caution in the area.

**Chart temporarily affected - Aus 40 - Aus 41 - Aus 323 - Aus 732 - Aus 733****645(T)/2026 AUSTRALIA - WESTERN AUSTRALIA - Delambre Island - Survey operations northwards**

Discovery Marine

Survey vessel *Outer Limit* is conducting survey operations in an area bounded by the following positions:

20° 07'.90 S 116° 54'.34 E

20° 17'.20 S 116° 49'.80 E

20° 17'.28 S 117° 13'.20 E

20° 14'.62 S 117° 14'.71 E

20° 14'.67 S 117° 33'.81 E

20° 07'.80 S 117° 36'.70 E.

Tide gauges, which may be periodically marked by special light buoys, *Fl.Y.3s*, exist in the following positions:

20° 11'.21 S 117° 35'.29 E

20° 12'.60 S 116° 53'.22 E.

Mariners are advised to navigate with caution in the area.

**Chart temporarily affected - Aus 326 - Aus 327****646(T)/2026 AUSTRALIA - WESTERN AUSTRALIA - Montebello Islands - Subsea operations northwestwards***Former Notice - 602(T)/2026 is cancelled*

DOF Management

Cancel this notice on receipt.

**Chart formerly affected - Aus 328****647(T)/2026 AUSTRALIA - WESTERN AUSTRALIA - Montebello Islands - Well plug and abandonment works completed northwestwards***Former Notice - 389(T)/2026 is cancelled*MODU *Transocean Endurance*

Cancel this notice on receipt.

**Chart formerly affected - Aus 328****648(T)/2026 AUSTRALIA - WESTERN AUSTRALIA - Muiron Islands - Fish aggregating devices restored westwards***Former Notice - 490(T)/2026 is cancelled*

Department of Transport WA Notice 6865/2026

Cancel this notice on receipt.

**Chart formerly affected - Aus 328 - Aus 329 - Aus 744**

**649(T)/2026 AUSTRALIA - WESTERN AUSTRALIA - Onslow - Gorgon Patch - Light buoys unlit**  
 Department of Transport WA Notice 6919/2026

The starboard lateral light buoy, *Fl.G.3s* (21° 32'.68 S 115° 03'.77 E), is unlit.

The port lateral light buoy, *Fl.R.3s* (21° 32'.65 S 115° 03'.85 E), is unlit.

Mariners are advised to navigate with caution in the area.

**Chart temporarily affected - Aus 64 - Aus 743**

**650(T)/2026 AUSTRALIA - WESTERN AUSTRALIA - Penguin Shoal - Survey operations eastwards**  
 Santos

On or about 1 August 2026, vessel *SW Bly*, with a 8100m towed array, and support vessels will begin conducting survey operations in an area bounded by the following positions:

13° 38'.88 S 128° 35'.39 E

13° 18'.37 S 128° 53'.76 E

12° 38'.27 S 128° 06'.05 E

12° 38'.09 S 127° 44'.04 E

12° 47'.76 S 127° 35'.15 E.

Mariners are advised to navigate with caution in the area. 3M clearance requested around the vessel and towed array.

**Chart temporarily affected - Aus 315 - Aus 316 - Aus 318**

**651(T)/2026 AUSTRALIA - SOUTH AUSTRALIA - Kangaroo Island - Kingscote - Light beacon relit**

*Former Notice - 604(T)/2026 is cancelled*

Department for Infrastructure and Transport SA Notice 50(T)/2026

Cancel this notice on receipt.

**Chart formerly affected - Aus 780**

**652(T)/2026 AUSTRALIA - SOUTH AUSTRALIA - Kangaroo Island - Emu Bay - Light unlit**

Department for Infrastructure and Transport SA Notice 51(T)/2026

The light, *Fl.WR.4s 5M* (35° 35'.46 S 137° 30'.41 E), is unlit.

**Chart temporarily affected - Aus 780**

**653(T)/2026 AUSTRALIA - VICTORIA - Ninety Mile Beach - Scientific instruments southwards**

RPS Group

Subsurface scientific instruments, 55m below the surface, exist in the following positions:

38° 48'.01 S 147° 41'.57 E

38° 52'.01 S 148° 09'.55 E

38° 58'.69 S 147° 43'.78 E

38° 59'.47 S 147° 56'.97 E.

**Chart temporarily affected - Aus 357 - Aus 487**

**654(T)/2026 AUSTRALIA - VICTORIA - Port Phillip - Scientific instruments recovered**

*Former Notice - 453(T)/2026 is cancelled*

Ports Victoria Notice 348(T)/2026

Cancel this notice on receipt.

**Chart formerly affected - Aus 155 - Aus 157**

**655(T)/2026 AUSTRALIA - VICTORIA - Port Phillip - Scientific instruments***Former Notice* - 574(T)/2025 is cancelled

Parks Victoria Notice 333(T)/2025, 343/2026

Special light buoys, *Fl. Y. 2-5s*, exist in the following positions:

37° 58'.72 S 144° 59'.73 E

38° 08'.16 S 144° 45'.18 E

38° 09'.73 S 145° 03'.26 E

38° 18'.09 S 144° 52'.36 E

38° 18'.95 S 144° 42'.74 E.

Mariners are advised to navigate with caution in the area.

**Chart temporarily affected - Aus 143 - Aus 144 - Aus 155 - Aus 157****656(T)/2026 AUSTRALIA - VICTORIA - Port Phillip - Geelong - Refinery Pier - Lights unlit**

Ports Victoria Notice 146(T)/2025, 333(T)/2026

The lights, *2F.R* (38° 05'.44 S 144° 23'.24 E) and *F.R* (38° 05'.38 S 144° 23'.39 E), are unlit.A temporary light, *Fl. Y. 2s*, exists in position 38° 05'.44 S 144° 23'.25 E.

Mariners are advised to navigate with caution in the area.

**Chart temporarily affected - Aus 157****657(T)/2026 AUSTRALIA - BASS STRAIT - Light buoys recovered***Former Notice* - 538(T)/2026 is cancelled

Australian Maritime Safety Authority

Cancel this notice on receipt.

**Chart formerly affected - Aus 487****658(T)/2026 AUSTRALIA - TASMANIA - River Derwent to Tasman Sea - Survey operations completed***Former Notice* - 578(T)/2026 is cancelled

MMA Offshore

Cancel this notice on receipt.

**Chart formerly affected - Aus 171 - Aus 795 - Aus 796 - Aus 797****659(T)/2026 SOLOMON ISLANDS - Tulaghi Island - Wreck**

UKHO

A dangerous wreck exists in position 9° 05'.73 S 160° 08'.83 E.

Mariners are advised to navigate with caution in the area.

**Chart temporarily affected - SLB 103 - SLB 201 - SLB 304**

II

**HYDROGRAPHIC REPORTS**

NIL


*To accompany Australian Notice to Mariners 626/2026*

#### ESTUARY AND RIVER ENTRANCES

The crossing of coastal bars and entry to rivers and estuaries is potentially dangerous. Bars and entrances are dynamic in nature, hence the depth and preferred approach may vary. Leading beacons and other navigational aids may not always indicate the best approach. If mariners are unsure of the condition at a particular bar or entrance, local information should be sought prior to crossing.


*Note for chart Aus 258*

To accompany Australian Notice to Mariners 628/2026




Block for chart Aus 252 (44.6 x 61.0mm)  
© Commonwealth of Australia 2026

*To accompany Australian Notice to Mariners 628/2026*






To accompany Australian Notice to Mariners 628/2026



To accompany Australian Notice to Mariners 628/2026




Block for chart Aus 824

(67.2 x 66.9mm)

© Commonwealth of Australia 2026

To accompany Australian Notice to Mariners 629/2026





Block B for chart Aus 294

(81.9 x 46.7mm)

© Commonwealth of Australia 2026

To accompany Australian Notice to Mariners 629/2026






Block A for chart Aus 294

© Commonwealth of Australia 2026

(234.3 x 156.6mm)  
(177.3 x 156.6mm)

To accompany Australian Notice to Mariners 636/2026



Block for chart Aus 179

© Commonwealth of Australia 2026

(94.7 x 79.5mm)  
(76.8 x 79.5mm)