



AUSTRALIAN NOTICES TO MARINERS

Notices 660 - 705

Published fortnightly by the Australian Hydrographic Office

Australian Notices to Mariners are the authority for correcting charts and publications published by the Australian Hydrographic Office covering Australia, Papua New Guinea, Solomon Islands, Australian Antarctic Territory and Timor-Leste.

Commodore D.G. MULLINS, RAN
Hydrographer of Australia

SECTIONS.

- I. Australian Notices to Mariners, including blocks and notes.
- II. Hydrographic Reports.

SUPPLEMENTS.

- I. Tracings
- II. Cumulative List of Australian Notices to Mariners.
- III. Cumulative List of Temporary and Preliminary Australian Notices to Mariners.
- IV. Temporary and Preliminary Notices in force.

Supplements can be obtained from <https://www.hydro.gov.au/notices-to-mariners>

© Commonwealth of Australia 2026

This work is copyright. Apart from any use permitted under the Copyright Act 1968, no part may be reproduced by any process, adapted, communicated or commercially exploited without prior written permission from The Commonwealth represented by the Australian Hydrographic Office.

IMPORTANT NOTICE

This edition of Notices to Mariners includes all navigationally significant information affecting AHO products which the AHO has become aware of since the last edition. All reasonable efforts have been made to ensure the accuracy and completeness of the information, including third party information, on which these updates are based. The AHO regards third parties from which it receives information as reliable, however the AHO cannot verify all such information and errors may therefore exist. The AHO does not accept liability for errors in third party information.

GENERAL INSTRUCTIONS

The substance of these notices should be inserted on the charts affected.

Bearings are referred to the true compass and are reckoned clockwise from North; those relating to lights are given as seen by an observer from seaward.

Positions quoted in notices relate to WGS84 which is the horizontal datum for all charts produced by the Australian Hydrographic Office.

The range quoted for a light is its nominal range.

Depths are with reference to the chart datum of each chart. Heights are above mean high water springs or mean higher high water, as appropriate.

The capital letter (P) or (T) after the number of any notice denotes a preliminary or temporary notice respectively, which are contained separately at the end of the permanent notices.

REPORTING OF DANGERS

Mariners are particularly requested to notify the AUSTRALIAN HYDROGRAPHIC OFFICE, Locked Bag 8801 Wollongong, NSW 2500 (e-mail datacentre@hydro.gov.au or, alternatively by filling in and submitting the **Hydrographic Notes** forms located on the web site – www.hydro.gov.au), immediately on the discovery of new dangers or suspected dangers to navigation. For dangers requiring more urgent communication to other mariners than via the fortnightly Notices to Mariners publication, notify the nearest coastal radio station, relevant port authority, or even AMSA's JRCC (Fax 02-6230 6868 or email rccaus@amsa.gov.au).

AUTHORISED USE

Copies of Australian notices are available free of charge from the Australian Hydrographic Office (AHO) website (www.hydro.gov.au) and through the eNotices (email) service (<https://www.hydro.gov.au/charts/paper-charts/enotices>).

Individual Notices may be copied for the purpose of inserting Notice substance on official charts and publications. Paper copies may be printed by chart agents and distributed to customers on a cost recovery basis. Participating chart agents are listed on the AHO website as providing a 'Paper Notices to Mariners' service (<https://www.hydro.gov.au/charts/distribution-agents>). Copies of the notices may not be sold for profit without prior written agreement.

NUMERICAL INDEX OF NOTICES TO MARINERS

Edition No 16

Notices	Aus Chart, INT Chart, ENC Cell, AHP, BA Pubs
660	Products - New Charts, New Editions, Withdrawn Charts
661	Aus 112, 116, 117, 347, 348, 754
662	Aus 222, 812, 813
663	Aus 807
664	Aus 207
665	Aus 827
666	Aus 815, 816, 817
667	Aus 832
668	Aus 236
669	Aus 301, 700, 839
670	Aus 301
671	Aus 833
672	Aus 718, 719
673	Aus 717, 4603, INT 603
674	Aus 4603, INT 603
675	Aus 763
676	Aus 60
677	Aus 328
678	Aus 754
679	Aus 181
680	Aus 143, 144
681	Aus 171, 173, 796
682	SLB 201
683(T)	Aus 4, 301
684(T)	Aus 814
685(T)	Aus 817
686(T)	Aus 254
687(T)	Aus 256, 827
688(T)	Aus 826
689(T)	PNG 506, 507
690(T)	Aus 309, 316
691(T)	Aus 26
692(T)	Aus 17, 718, 719
693(T)	Aus 65, 327, 328, 742
694(T)	Aus 84
695(T)	Aus 335, 336
696(T)	Aus 65, 327, 742
697(T)	Aus 328
698(T)	Aus 64, 743
699(T)	Aus 116
700(T)	Aus 776
701(T)	Aus 357
702(T)	Aus 181, 357
703(T)	Aus 143, 155
704(T)	Aus 155
705(T)	Aus 487, 790

NUMERICAL INDEX OF CHARTS AFFECTED

Edition No 16

Aus Chart	Notices
Aus 4	683(T)
Aus 17	692(T)
Aus 26	691(T)
Aus 60	676
Aus 64	698(T)
Aus 65	693(T), 696(T)
Aus 84	694(T)
Aus 112	661
Aus 116	661, 699(T)
Aus 117	661
Aus 143	680, 703(T)
Aus 144	680
Aus 155	703(T), 704(T)
Aus 171	681
Aus 173	681
Aus 181	679, 702(T)
Aus 207	664
Aus 222	662
Aus 236	668
Aus 254	686(T)
Aus 256	687(T)
Aus 301	669, 670, 683(T)
Aus 309	690(T)
Aus 316	690(T)
Aus 327	693(T), 696(T)
Aus 328	677, 693(T), 697(T)
Aus 335	695(T)
Aus 336	695(T)
Aus 347	661
Aus 348	661
Aus 357	701(T), 702(T)
Aus 487	705(T)
Aus 700	669
Aus 717	673
Aus 718	672, 692(T)
Aus 719	672, 692(T)
Aus 742	693(T), 696(T)
Aus 743	698(T)
Aus 754	661, 678
Aus 763	675
Aus 776	700(T)
Aus 790	705(T)
Aus 796	681
Aus 807	663
Aus 812	662
Aus 813	662
Aus 814	684(T)
Aus 815	666
Aus 816	666
Aus 817	666, 685(T)
Aus 826	688(T)
Aus 827	665, 687(T)
Aus 832	667
Aus 833	671

Aus Chart	Notices
Aus 839	669
Aus 4603	673, 674
PNG 506	689(T)
PNG 507	689(T)
SLB 201	682

INT Chart	Notices
INT 603	673, 674

660 AUSTRALIA - Products - New Charts, New Editions, Withdrawn Charts

Australian Hydrographic Office , UKHO

New Charts

<i>Chart</i>	<i>Title and Geographical limits</i>	<i>Scale</i>	<i>Publication Date</i>	<i>Remarks</i>
NIL				

New Editions and Withdrawn Charts

<i>Chart</i>	<i>Title</i>	<i>Scale</i>	<i>Publication Date</i>	<i>Remarks</i>
NIL				

New Electronic Navigation Chart (Aus ENC)

<i>Cell Name</i>	<i>Title</i>	<i>Publication Date</i>	<i>Remarks</i>
NIL			

New S100 Products

<i>Cell Name</i>	<i>Title</i>	<i>Publication Date</i>	<i>Remarks</i>
NIL			

Admiralty publication

<i>NP No</i>	<i>Title</i>	<i>Date</i>	<i>Remarks</i>
NP285	ADMIRALTY List of Radio Signals Global Maritime Distress and Safety System (GMDSS) NP285 Volume 5 7th Edition 2026	6/8/2026	The 6th Edition (2025) is cancelled.

Chart permanently withdrawn

Charts listed above as withdrawn no longer meet chart carriage requirements and should be marked as "superseded" and replaced with the new chart/ new edition listed prior to passage through the area covered by the new chart.

When placing orders with a chart agent between notice of forthcoming edition and its publication, mariners should advise whether their order pertains to the current edition or the new edition.

For further details refer to the AHO website at www.hydro.gov.au for new edition and new chart stock arrival information.

661 AUSTRALIA - Products - New Charts and New Editions to be published shortly

Australian Hydrographic Office

New Charts to be published shortly

<i>Chart</i>	<i>Title</i>	<i>Scale</i>	<i>Remarks</i>
NIL			

New Editions to be published shortly

<i>Chart</i>	<i>Title</i>	<i>Scale</i>	<i>Remarks</i>
Aus 112	Australia - West Coast - Western Australia - Approaches to Fremantle	1:37 500	New edition with general updating throughout; including new bathymetric data.
Aus 116	Australia - South West Coast -Plans in Western Australia - West and South Coast Plans: Port Geographe Marina Entrance to Mandurah Estuary Starvation Boat Harbour Mary Ann Haven Hamelin Bay Warnbro Sound Flinders Bay	1:12 500 1:15 000 1:15 000 1:20 000 1:25 000 1:37 500 1:50 000	New edition with general updating throughout; including new bathymetric data and ESSA limits.
Aus 117	Australia - West Coast - Western Australia - Gage Roads and Cockburn Sound	1:25 000	New edition with general updating throughout; including new bathymetric data.
Aus 347	Australia - South Coast - South Australia - Backstairs Passage to Cape Martin	1:300 000	New edition with general updating throughout; including new bathymetric data.
Aus 348	Australia - South Coast - South Australia - Victoria - Cape Martin to Cape Nelson	1:300 000	New edition with general updating throughout; including new bathymetric data.
Aus 754	Australia - West Coast - Western Australia - Lancelin to Cape Peron	1:150 000	New edition with general updating throughout; including new bathymetric data.

662 AUSTRALIA - NEW SOUTH WALES - Clarence River - Yamba - Depths

Former Notice - 592(P)/2026 is cancelled

Port Authority of New South Wales

Aus 222 [541/2026]

Insert	accompanying block	29° 25'.6 S	153° 22'.1 E
--------	------------------------------------	-------------	--------------

Aus 812 [581/2026]

Insert	accompanying block	29° 28'.0 S	153° 18'.0 E
--------	------------------------------------	-------------	--------------

Aus 813 [270/2026]

Insert	accompanying block	29° 28'.0 S	153° 18'.0 E
--------	------------------------------------	-------------	--------------

663 AUSTRALIA - NEW SOUTH WALES - Montague Island - Scientific instrument

University of New South Wales

Aus 807 [356/2026]

Delete	depth, 15m, and enclosing danger circle with legend, ODAS	36° 11'.5 S	150° 14'.0 E
--------	---	-------------	--------------

664 AUSTRALIA - NEW SOUTH WALES - Newcastle - Light

Port of Newcastle

Aus 207 [460/2026]

Insert	light, WRG	32° 55'.403 S	151° 45'.757 E
--------	------------	---------------	----------------

Delete	dashed line, between light	32° 55'.40 S	151° 45'.68 E
		32° 55'.40 S	151° 45'.76 E
		32° 55'.40 S	151° 45'.68 E

665 AUSTRALIA - QUEENSLAND - Bowling Green Bay - Nomenclature

Australian Hydrographic Office

Aus 827 [504/2026]

Delete	name, Connors Island	19° 25'.2 S	147° 08'.8 E
--------	----------------------	-------------	--------------

666 AUSTRALIA - QUEENSLAND - Hook Point - Depths

Maritime Safety Queensland

Aus 815 [583/2026]

Insert	accompanying block	25° 47'.0 S	153° 06'.0 E
--------	------------------------------------	-------------	--------------

Aus 816 [1065/2025]

Insert	accompanying block	25° 45'.5 S	153° 06'.0 E
--------	------------------------------------	-------------	--------------

Aus 817 [505/2026]

Insert	accompanying block	25° 47'.0 S	153° 04'.0 E
--------	------------------------------------	-------------	--------------

667 AUSTRALIA - QUEENSLAND - Howick Group - Turtle Group - Depths

Australian Hydrographic Office

Aus 832 [542/2026]

Insert	accompanying block A	14° 29'.65 S	144° 51'.80 E
	accompanying block B	14° 39'.00 S	145° 07'.10 E

668 AUSTRALIA - QUEENSLAND - Moreton Bay - Rous Channel - Light buoy

Maritime Safety Queensland Notice 420/2026

Aus 236 [464/2026]

Move	light buoy to	27° 23'.0 S	153° 26'.1 E
		27° 23'.10 S	153° 26'.07 E

669 AUSTRALIA - QUEENSLAND - Red Island - Depths

Maritime Safety Queensland

Aus 301 [587/2025]

Insert	depth, 2 ₂ m, and extend contour S to enclose	10° 49'.38 S	142° 20'.71 E
--------	--	--------------	---------------

Delete	depth, 2 ₇ m	10° 49'.3 S	142° 20'.8 E
--------	-------------------------	-------------	--------------

Aus 700 [649/2025]

Insert	depth, 2 ₂ m, and extend contour S to enclose	10° 49'.38 S	142° 20'.71 E
--------	--	--------------	---------------

Delete	depth, 2 ₇ m	10° 49'.3 S	142° 20'.8 E
--------	-------------------------	-------------	--------------

Aus 839 [44/2026]

Insert	depth, 2 ₂ m, and extend contour S to enclose	10° 49'.38 S	142° 20'.71 E
--------	--	--------------	---------------

Delete	depth, 2 ₇ m	10° 49'.3 S	142° 20'.8 E
--------	-------------------------	-------------	--------------

670 AUSTRALIA - QUEENSLAND - Skardon River - Depths; pilotage
Maritime Safety Queensland

Aus 301 [669/2026]

Insert [accompanying block A](#) 11° 52'.1 S 141° 56'.2 E

Aus 301 (Skardon River) [669/2026]

Insert [accompanying block B](#) 11° 46'.7 S 141° 58'.8 E

671 AUSTRALIA - QUEENSLAND - Wharton Reef - Depth
Australian Hydrographic Office

Aus 833 [728/2025]

Insert depth, 20m, enclosed by contour 14° 05'.77 S 144° 02'.44 E

672 AUSTRALIA - NORTHERN TERRITORY - Goulburn Islands - Depths; wrecks
Former Notice - 948(T)/2025 is cancelled
Australian Hydrographic Office

Aus 718 [862/2025]

Insert depth, 6₄m, and extend contour W to enclose 11° 17'.62 S 133° 47'.98 E
[accompanying block](#) 11° 33'.32 S 134° 02'.37 E

Delete depth, 9₆m 11° 17'.6 S 133° 48'.2 E

Aus 719 [775/2025]

Insert depth, 6₄m, and extend contour W to enclose 11° 17'.62 S 133° 47'.98 E
depth, 20₆m, enclosed by danger circle with legend, Wk 11° 33'.01 S 133° 40'.30 E
[accompanying block](#) 11° 33'.55 S 133° 28'.90 E

Delete depth, 9₆m 11° 17'.6 S 133° 48'.2 E
safe clearance depth, 14m, and enclosing danger circle with legend, Wk 11° 31'.9 S 133° 41'.5 E
PA

673 AUSTRALIA - NORTHERN TERRITORY - North Crocodile Reef - Depth northwards
Australian Hydrographic Office

Aus 717 [900/2025]

Delete depth, 26m, and enclosing contour 11° 18'.0 S 135° 13'.0 E

Aus 4603 (INT 603) [635/2026]

Insert contour, between 11° 31'.8 S 134° 58'.3 E
11° 29'.1 S 135° 15'.1 E
11° 31'.5 S 135° 21'.9 E

Delete contour, between 11° 31'.8 S 134° 58'.3 E
11° 31'.5 S 135° 21'.9 E
depth, 26m 11° 18'.0 S 135° 13'.0 E

674 AUSTRALIA - TIMOR SEA - The Boxers to Ashmore Reef - Chart limits
Australian Hydrographic Office

Aus 4603 (INT 603) [673/2026]

Insert magenta limits with legend, Aus 315, in NE corner between 13° 09'.0 S 125° 41'.0 E
13° 09'.0 S 128° 48'.5 E
11° 12'.5 S 128° 48'.5 E
11° 12'.5 S 125° 41'.0 E
13° 09'.0 S 125° 41'.0 E
magenta limits with legend, Aus 314, in NE corner between 12° 55'.5 S 122° 42'.0 E
12° 55'.5 S 126° 05'.0 E
10° 58'.5 S 126° 05'.0 E
10° 58'.5 S 122° 42'.0 E
12° 55'.5 S 122° 42'.0 E

675 AUSTRALIA - WESTERN AUSTRALIA - Archipelago of the Recherche - Ward Bank - Depth

Revelare Hydrospace

Aus 763 [NE 26/6/2026]

Insert depth, 41m, enclosed by contour

34° 02'.24 S

122° 59'.09 E

676 AUSTRALIA - WESTERN AUSTRALIA - Dampier - Depths

Sinclair Knight Merz

Aus 60 [510/2026]Insert [accompanying block](#)

20° 36'.8 S

116° 41'.0 E

677 AUSTRALIA - WESTERN AUSTRALIA - Montebello Islands - Wells northwestwards

Woodside Energy Ltd

Aus 328 [507/2026]Delete depth, 166m, and enclosing danger circle with legend, Well
depth, 146m, and enclosing danger circle with legend, Well
depth, 166m, and enclosing danger circle with legend, Well

20° 00'.3 S

115° 11'.1 E

20° 03'.0 S

115° 10'.4 E

20° 06'.4 S

115° 05'.1 E

678 AUSTRALIA - WESTERN AUSTRALIA - Rottnest Island - Scientific instrument westwards

CSIRO

Aus 754 [421/2026]

Insert special conical light buoy, Fl. Y. 5s, with topmark

31° 59'.50 S

115° 23'.15 E

679 AUSTRALIA - VICTORIA - Corner Inlet - Stockyard Channel - Nav aids

Gippsland Ports Notice 4/2026

Aus 181 [98/2026]Delete beacon
buoy
buoy
buoy
beacon
beacon
beacon
beacon
beacon
beacon

38° 41'.7 S

146° 14'.0 E

38° 41'.9 S

146° 14'.0 E

38° 42'.0 S

146° 14'.0 E

38° 42'.1 S

146° 13'.9 E

38° 42'.3 S

146° 13'.9 E

38° 42'.5 S

146° 14'.0 E

38° 42'.6 S

146° 13'.9 E

38° 42'.7 S

146° 14'.0 E

38° 42'.8 S

146° 14'.0 E

38° 42'.8 S

146° 14'.2 E

680 AUSTRALIA - VICTORIA - Point Nepean - Wreck southwards

Port of Melbourne

Aus 143 [426/2026]

Delete depth, 17m, and enclosing danger circle with legend, Wk

38° 19'.9 S

144° 38'.8 E

Aus 144 [143/2026]

Delete depth, 17m, and enclosing danger circle with legend, Wk

38° 19'.86 S

144° 38'.81 E

681 AUSTRALIA - TASMANIA - River Derwent - Blackmans Bay to Halfmoon Bay - Anchoring prohibited limit

Marine and Safety Tasmania

Aus 171 [1028/2025]Insert [accompanying block](#)

43° 00'.5 S

147° 22'.1 E

Aus 173 [1028/2025]Insert [accompanying block](#)

43° 00'.7 S

147° 22'.2 E

Aus 796 [241/2026]Insert [accompanying block](#)

43° 00'.2 S

147° 22'.2 E

682 **SOLOMON ISLANDS - Florida Islands - Tulaghi Harbour - Depths**
Australian Hydrographic Office

SLB 201 [242/2026]

Insert [accompanying block](#)

9° 07'.15 S 160° 09'.67 E

683(T)/2026 AUSTRALIA - QUEENSLAND - Amrun Wharf - Dredging operations; exclusion zone; anchorage; pilot boarding place

Former Notice - 555(T)/2026 is cancelled

Maritime Safety Queensland Notice 279(T)/2026, 280(T)/2026

Dredges *Juan Sebastian de Elcano* and *J.F.J. De Nul*, and support vessels, are conducting dredging operations in an area bounded by the following positions:

12° 54'.59 S 141° 28'.21 E
 12° 54'.93 S 141° 28'.21 E
 12° 55'.43 S 141° 28'.55 E
 12° 55'.63 S 141° 36'.76 E
 12° 55'.34 S 141° 36'.92 E
 12° 54'.13 S 141° 34'.77 E
 12° 54'.14 S 141° 28'.51 E.

An exclusion zone exists around the dredging operations. Pilot vessels, Amrun tugs and piloted bulk carriers are exempt from the exclusion restrictions.

The pilot boarding place (12° 48'.90 S 141° 34'.80 E) has been temporarily relocated to position 12° 57'.15 S 141° 31'.53 E.

A temporary Southern Holding anchorage exists in position 12° 58'.41 S 141° 27'.27 E.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 4 - Aus 301

684(T)/2026 AUSTRALIA - QUEENSLAND - Gold Coast - Main Beach - Light buoy restored eastwards

Former Notice - 255(T)/2025 is cancelled

Maritime Safety Queensland Notice 403/2026

Cancel this notice on receipt.

Chart formerly affected - Aus 814

685(T)/2026 AUSTRALIA - QUEENSLAND - Great Sandy Strait - Dayman Point - Light beacon unlit

Maritime Safety Queensland Notice 429(T)/2026

The light beacon, *Fl.G.4s* (25° 16'.58 S 152° 54'.49 E), is unlit.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 817

686(T)/2026 AUSTRALIA - QUEENSLAND - Hook Island - Ian Point - Buoy damaged

Maritime Safety Queensland Notice 378(T)/2026

The special buoy (20° 06'.22 S 148° 54'.13 E) is damaged and partially submerged.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 254

687(T)/2026 AUSTRALIA - QUEENSLAND - Magnetic Island - West Point - Scientific instrument

Maritime Safety Queensland Notice 399(T)/2026

A special light beacon that has a tide gauge, *Fl.Y.2-5s*, exists in position 19° 07'.88 S 146° 46'.68 E.

Chart temporarily affected - Aus 256 - Aus 827

688(T)/2026 AUSTRALIA - QUEENSLAND - Upstart Bay - Light buoys restored

Former Notice - 875(T)/2025 is cancelled
Maritime Safety Queensland

Cancel this notice on receipt.

Chart formerly affected - Aus 826

689(T)/2026 PAPUA NEW GUINEA - Table Bay - Drilling operations southwards completed

Former Notice - 559(T)/2026 is cancelled
National Maritime Safety Authority PNG Coastal Navigation Warning 5/2026

Cancel this notice on receipt.

Chart formerly affected - PNG 506 - PNG 507

690(T)/2026 AUSTRALIA - NORTHERN TERRITORY - Beagle Gulf - USV operations completed

Former Notice - 373(T)/2026 is cancelled
Northern Territory Government

Cancel this notice on receipt.

Chart formerly affected - Aus 309 - Aus 316

691(T)/2026 AUSTRALIA - NORTHERN TERRITORY - Darwin - Bladin Point - Light beacons unlit

Northern Territory Government Notice 65(T)/2026, 66(T)/2026

The light, *Fl. Y. 2s* (12° 30'.47 S 130° 55'.37 E), on the rear leading light beacon is unlit.

The light beacon, *Fl. G. 3s* (12° 30'.30 S 130° 54'.85 E), is unlit.

Chart temporarily affected - Aus 26

692(T)/2026 AUSTRALIA - NORTHERN TERRITORY - Skirmish Point to Turner Point - Survey operations; tide gauges northwards

Cyan Renewables

On or about 10 August 2026, vessel *Adrianus*, with a towed array, will begin conducting survey operations in an area bounded by the following positions:

11° 39'.0 S 133° 32'.0 E
12° 01'.0 S 134° 19'.0 E
11° 41'.0 S 134° 20'.0 E
11° 32'.0 S 133° 34'.0 E.

Tide gauges marked by special light buoys exist in the following positions:

11° 35'.3 S 133° 35'.8 E
11° 41'.5 S 134° 18'.2 E
11° 50'.7 S 134° 04'.9 E.

Mariners are advised to navigate with caution in the area. 0.5M clearance requested.

Chart temporarily affected - Aus 17 - Aus 718 - Aus 719

693(T)/2026 AUSTRALIA - WESTERN AUSTRALIA - Barrow Island - Survey operations northwards
Santos

On or about 15 August 2026, survey vessel *Lightning* and an AUV will begin conducting survey operations along the pipeline between the following positions:

20° 32'.77 S 115° 16'.98 E
20° 39'.45 S 115° 31'.88 E;
and
20° 40'.45 S 115° 18'.68 E
20° 40'.29 S 115° 19'.53 E;
and
20° 39'.05 S 115° 27'.45 E
20° 39'.64 S 115° 30'.75 E.

A 500m safety exclusion zone exists around the vessels.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 65 - Aus 327 - Aus 328 - Aus 742

694(T)/2026 AUSTRALIA - WESTERN AUSTRALIA - Bowen - Port Denison - Light unlit
Department of Transport WA Notice 6946/2026

The light, *Fl.R.3s* (29° 16'.35 S 114° 54'.91 E), is unlit.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 84

695(T)/2026 AUSTRALIA - WESTERN AUSTRALIA - Cape Leeuwin - Scientific instrument southwards
Department of Transport WA Notice 6935/2026

A special light buoy, *Fl.Y.2·5s*, exists in position 34° 32'.97 S 115° 09'.84 E.

Chart temporarily affected - Aus 335 - Aus 336

696(T)/2026 AUSTRALIA - WESTERN AUSTRALIA - Lowendal Islands - Varanus Island - Subsea operations northeastwards completed

Former Notice - 488(T)/2026 is cancelled
Santos

Cancel this notice on receipt.

Chart formerly affected - Aus 65 - Aus 327 - Aus 742

697(T)/2026 AUSTRALIA - WESTERN AUSTRALIA - Montebello Islands - Pre-lay anchors northwestwards
Woodside Energy Ltd

Pre-lay anchors exist in the vicinity of position 20° 03'.27 S 115° 10'.42 E.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 328

698(T)/2026 AUSTRALIA - WESTERN AUSTRALIA - Onslow - Beadon Bay - Light buoys restored
Former Notice - 392(T)/2026 is cancelled
Department of Transport and Major Infrastructure WA Notice 6801/2026

Cancel this notice on receipt.

Chart formerly affected - Aus 64 - Aus 743

699(T)/2026 AUSTRALIA - WESTERN AUSTRALIA - Port Geographe - Dredging operations

Department of Transport WA Notice 6952/2026

The dredge *Kingston* is conducting dredging operations in the entrance channel to the marina (33° 37'.74 S 115° 23'.38 E).

A floating and submerged pipeline marked by special light buoys exists from the dredge.

If mariners are unsure of where to safely pass the dredge contact can be made on VHF Ch 16 or Marine 27 MHz Ch 88.

The dredge will display appropriate lights and shapes.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 116

700(T)/2026 AUSTRALIA - SOUTH AUSTRALIA - Louth Bay - Berlin Rock - Scientific instruments

Department for Infrastructure and Transport SA Notice 54(T)/2026

Special light buoys, *Fl.Y.2-5s*, exist in positions 34° 34'.60 S 136° 02'.67 E and 34° 34'.57 S 136° 06'.33 E.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 776

701(T)/2026 AUSTRALIA - VICTORIA - Ninety Mile Beach - Scientific instruments southwards

Former Notice - 632(T)/2025 is cancelled

GHD

Subsurface scientific instruments, 2m above seabed, exist in the following positions:

38° 31'.61 S 147° 08'.96 E

38° 28'.08 S 147° 13'.55 E

38° 37'.24 S 147° 14'.53 E.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 357

702(T)/2026 AUSTRALIA - VICTORIA - Ninety Mile Beach - Scientific instruments

Safe Transport Victoria Notice 373(T)/2026

Subsurface scientific instruments, 4m above seabed, exist in positions 38° 37'.53 S 146° 56'.68 E and 38° 13'.91 S 147° 25'.80 E.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 181 - Aus 357

703(T)/2026 AUSTRALIA - VICTORIA - Port Phillip - Sandringham - Light beacon relit

Former Notice - 536(T)/2026 is cancelled

Parks Victoria Notice 367/2026

Cancel this notice on receipt.

Chart formerly affected - Aus 143 - Aus 155

704(T)/2026 AUSTRALIA - VICTORIA - Port Phillip - Mordialloc - Buoy off station

Parks Victoria Notice 365(T)/2026

The special buoy (38° 00'.09 S 145° 04'.41 E) is off station.

Chart temporarily affected - Aus 155

705(T)/2026 AUSTRALIA - TASMANIA - Robbins Island to Rocky Cape - Scientific instruments northeastwards
Maritime and Safety Tasmania Notice M277(T)/2026

Special light buoys, *Fl. Y. 3s*, exist in the following positions:

40° 38'.28 S 145° 35'.51 E

40° 38'.45 S 145° 35'.19 E

40° 33'.39 S 145° 33'.94 E

40° 33'.39 S 145° 34'.01 E

40° 33'.39 S 145° 06'.31 E

40° 33'.39 S 145° 05'.88 E.


Chart temporarily affected - Aus 487 - Aus 790

II

HYDROGRAPHIC REPORTS

NIL

To accompany Australian Notice to Mariners 662/2026



Block for chart Aus 222

© Commonwealth of Australia 2026

(256.5 × 145.1 mm)

To accompany Australian Notice to Mariners 662/2026



Block for chart Aus 812 © Commonwealth of Australia 2026

(107.2 x 80.2mm)


To accompany Australian Notice to Mariners 662/2026



Block for chart Aus 813 © Commonwealth of Australia 2026


(107.2 x 80.2mm)

To accompany Australian Notice to Mariners 666/2026




Block for chart Aus 815 (54.7 x 58.7mm)
© Commonwealth of Australia 2026

To accompany Australian Notice to Mariners 666/2026



Block for chart Aus 816 (56.9 x 18.6mm)
© Commonwealth of Australia 2026

To accompany Australian Notice to Mariners 666/2026




Block for chart Aus 817


(98.1 x 58.7mm)

© Commonwealth of Australia 2026

To accompany Australian Notice to Mariners 667/2026



To accompany Australian Notice to Mariners 667/2026




Block B for chart Aus 832

© Commonwealth of Australia 2026

(165.8 x 170.8mm)

To accompany Australian Notice to Mariners 670/2026




Block for A chart Aus 301

(102.7 x 116.0mm)

© Commonwealth of Australia 2026

To accompany Australian Notice to Mariners 670/2026




Block B for chart Aus 301

© Commonwealth of Australia 2026

(126.1 x 125.3mm)

To accompany Australian Notice to Mariners 672/2026




Block for chart Aus 718

(74.6 x 94.5mm)

© Commonwealth of Australia 2026

To accompany Australian Notice to Mariners 672/2026




Block for chart Aus 719

© Commonwealth of Australia 2026

(172.5 x 89.3mm)

To accompany Australian Notice to Mariners 676/2026




Block for chart Aus 60

© Commonwealth of Australia 2026

(135.9 x 79.6mm)

To accompany Australian Notice to Mariners 681/2026




Block for chart Aus 171

© Commonwealth of Australia 2026

(150.9 x 55.7mm)

To accompany Australian Notice to Mariners 681/2026




Block for chart Aus 173

© Commonwealth of Australia 2026


(101.5 x 33.9mm)

To accompany Australian Notice to Mariners 681/2026



Block for chart Aus 796 (61.4 x 30.4mm)
© Commonwealth of Australia 2026

To accompany Australian Notice to Mariners 682/2026



Block for chart SLB 201 © Commonwealth of Australia 2026

(110.3 x 118.5mm)