



AUSTRALIAN NOTICES TO MARINERS

Notices 706 - 751

Published fortnightly by the Australian Hydrographic Office

Australian Notices to Mariners are the authority for correcting charts and publications published by the Australian Hydrographic Office covering Australia, Papua New Guinea, Solomon Islands, Australian Antarctic Territory and Timor-Leste.

Commodore D.G. MULLINS, RAN
Hydrographer of Australia

SECTIONS.

- I. **Australian Notices to Mariners, including blocks and notes.**
- II. **Hydrographic Reports.**

SUPPLEMENTS.

- I. **Tracings**
- II. **Cumulative List of Australian Notices to Mariners.**
- III. **Cumulative List of Temporary and Preliminary Australian Notices to Mariners.**
- IV. **Temporary and Preliminary Notices in force.**

Supplements can be obtained from <https://www.hydro.gov.au/notices-to-mariners>

© Commonwealth of Australia 2026

This work is copyright. Apart from any use permitted under the Copyright Act 1968, no part may be reproduced by any process, adapted, communicated or commercially exploited without prior written permission from The Commonwealth represented by the Australian Hydrographic Office.

IMPORTANT NOTICE

This edition of Notices to Mariners includes all navigationally significant information affecting AHO products which the AHO has become aware of since the last edition. All reasonable efforts have been made to ensure the accuracy and completeness of the information, including third party information, on which these updates are based. The AHO regards third parties from which it receives information as reliable, however the AHO cannot verify all such information and errors may therefore exist. The AHO does not accept liability for errors in third party information.

GENERAL INSTRUCTIONS

The substance of these notices should be inserted on the charts affected.

Bearings are referred to the true compass and are reckoned clockwise from North; those relating to lights are given as seen by an observer from seaward.

Positions quoted in notices relate to WGS84 which is the horizontal datum for all charts produced by the Australian Hydrographic Office.

The range quoted for a light is its nominal range.

Depths are with reference to the chart datum of each chart. Heights are above mean high water springs or mean higher high water, as appropriate.

The capital letter (P) or (T) after the number of any notice denotes a preliminary or temporary notice respectively, which are contained separately at the end of the permanent notices.

REPORTING OF DANGERS

Mariners are particularly requested to notify the AUSTRALIAN HYDROGRAPHIC OFFICE, Locked Bag 8801 Wollongong, NSW 2500 (e-mail datacentre@hydro.gov.au or, alternatively by filling in and submitting the **Hydrographic Notes** forms located on the web site – www.hydro.gov.au), immediately on the discovery of new dangers or suspected dangers to navigation. For dangers requiring more urgent communication to other mariners than via the fortnightly Notices to Mariners publication, notify the nearest coastal radio station, relevant port authority, or even AMSA's JRCC (Fax 02-6230 6868 or email rccaus@amsa.gov.au).

AUTHORISED USE

Copies of Australian notices are available free of charge from the Australian Hydrographic Office (AHO) website (www.hydro.gov.au) and through the eNotices (email) service (<https://www.hydro.gov.au/charts/paper-charts/enotices>).

Individual Notices may be copied for the purpose of inserting Notice substance on official charts and publications. Paper copies may be printed by chart agents and distributed to customers on a cost recovery basis. Participating chart agents are listed on the AHO website as providing a 'Paper Notices to Mariners' service (<https://www.hydro.gov.au/charts/distribution-agents>). Copies of the notices may not be sold for profit without prior written agreement.

NUMERICAL INDEX OF NOTICES TO MARINERS

Edition No 17

Notices	Aus Chart, INT Chart, ENC Cell, AHP, BA Pubs
706	Aus 112, 116, 117, 347, 348, 754
707	Aus 236, 343
708	Aus 832, 833
709	Aus 251, 824
710	Aus 6
711	Aus 832
712	Aus 4722, INT 722
713	Aus 65, 327, 328, 742
714	Aus 4722, 4723, INT 722, 723
715	Aus 115, 755
716	Aus 59
717	Aus 57
718	Aus 117
719	Aus 84, 753
720	Aus 744, 745
721	Aus 130, 781
722(T)	Aus 195, 808
723(T)	Aus 4, 301
724(T)	Aus 242, 817, 818
725(T)	Aus 262
726(T)	Aus 817
727(T)	Aus 256, 827
728(T)	Aus 4060, 4602, 4604, INT 60, 602, 604
729(T)	Aus 4603, 4604, 4622, INT 603, 604, 622, PNG 391, 392
730(T)	PNG 386, 387, 673
731(T)	Aus 4622, INT 622, PNG 386, 523, 653
732(T)	Aus 700, 839, 842
733(T)	Aus 310
734(T)	Aus 328
735(T)	Aus 65, 327, 328, 742
736(T)	Aus 65, 327, 328, 742
737(P)	Aus 73
738(T)	Aus 73
739(T)	Aus 327, 328, 742, 4722, 4723, INT 722, 723
740(T)	Aus 744
741(T)	Aus 319
742(T)	Aus 752, 4708, INT 708
743(P)	Aus 116, 755
744(T)	Aus 754
745(T)	Aus 920
746(T)	Aus 780
747(T)	Aus 357
748(T)	Aus 349
749(T)	Aus 155
750(T)	Aus 487
751(T)	Aus 171, 173, 796

NUMERICAL INDEX OF CHARTS AFFECTED

Edition No 17

Aus Chart	Notices
Aus 4	723(T)
Aus 6	710
Aus 57	717
Aus 59	716
Aus 65	713, 735(T), 736(T)
Aus 73	737(P), 738(T)
Aus 84	719
Aus 112	706
Aus 115	715
Aus 116	706, 743(P)
Aus 117	706, 718
Aus 130	721
Aus 155	749(T)
Aus 171	751(T)
Aus 173	751(T)
Aus 195	722(T)
Aus 236	707
Aus 242	724(T)
Aus 251	709
Aus 256	727(T)
Aus 262	725(T)
Aus 301	723(T)
Aus 310	733(T)
Aus 319	741(T)
Aus 327	713, 735(T), 736(T), 739(T)
Aus 328	713, 734(T), 735(T), 736(T), 739(T)
Aus 343	707
Aus 347	706
Aus 348	706
Aus 349	748(T)
Aus 357	747(T)
Aus 487	750(T)
Aus 700	732(T)
Aus 742	713, 735(T), 736(T), 739(T)
Aus 744	720, 740(T)
Aus 745	720
Aus 752	742(T)
Aus 753	719
Aus 754	706, 744(T)
Aus 755	715, 743(P)
Aus 780	746(T)
Aus 781	721
Aus 796	751(T)
Aus 808	722(T)
Aus 817	724(T), 726(T)
Aus 818	724(T)
Aus 824	709
Aus 827	727(T)
Aus 832	708, 711
Aus 833	708
Aus 839	732(T)
Aus 842	732(T)
Aus 920	745(T)
Aus 4060	728(T)

Aus Chart	Notices
Aus 4602	728(T)
Aus 4603	729(T)
Aus 4604	728(T), 729(T)
Aus 4622	729(T), 731(T)
Aus 4708	742(T)
Aus 4722	712, 714, 739(T)
Aus 4723	714, 739(T)
PNG 386	730(T), 731(T)
PNG 387	730(T)
PNG 391	729(T)
PNG 392	729(T)
PNG 523	731(T)
PNG 653	731(T)
PNG 673	730(T)

INT Chart	Notices
INT 60	728(T)
INT 602	728(T)
INT 603	729(T)
INT 604	728(T), 729(T)
INT 622	729(T), 731(T)
INT 708	742(T)
INT 722	712, 714, 739(T)
INT 723	714, 739(T)

706 AUSTRALIA - Products - New Charts, New Editions, Withdrawn Charts
 Australian Hydrographic Office

New Charts

<i>Chart</i>	<i>Title and Geographical limits</i>	<i>Scale</i>	<i>Publication Date</i>	<i>Remarks</i>
NIL				

New Editions and Withdrawn Charts

<i>Chart</i>	<i>Title</i>	<i>Scale</i>	<i>Publication Date</i>	<i>Remarks</i>
Aus 112 (Edition 8)	Australia - West Coast - Western Australia - Approaches to Fremantle	1:37 500	21/8/2026	New edition with general updating throughout; including new bathymetric data. Chart Aus 112 Edition 7 dated 1 March 2024 is now superseded and must be withdrawn from use.
Aus 116 (Edition 9)	Australia - South West Coast - Plans in Western Australia - West and South Coast Plans: Port Geographe Marina Entrance to Mandurah Estuary Starvation Boat Harbour Mary Ann Haven Hamelin Bay Warnbro Sound Flinders Bay	1:12 500 1:15 000 1:15 000 1:20 000 1:25 000 1:37 500 1:50 000	21/8/2026	New edition with general updating throughout; including new bathymetric data and ESSA limits. Chart Aus 116 Edition 7 dated 1 March 2024 is now superseded and must be withdrawn from use.
Aus 117 (Edition 10)	Australia - West Coast - Western Australia - Gage Roads and Cockburn Sound	1:25 000	21/8/2026	New edition with general updating throughout; including new bathymetric data. Chart Aus 117 Edition 9 dated 6 December 2024 is now superseded and must be withdrawn from use.
Aus 347 (Edition 4)	Australia - South Coast - South Australia - Backstairs Passage to Cape Martin	1:300 000	21/8/2026	New edition with general updating throughout; including new bathymetric data. Chart Aus 347 Edition 3 dated 1 April 2022 is now superseded and must be withdrawn from use.
Aus 348 (Edition 2)	Australia - South Coast - South Australia - Victoria - Cape Martin to Cape Nelson	1:300 000	21/8/2026	New edition with general updating throughout; including new bathymetric data. Chart Aus 348 Edition 1 dated 9 November 2001 is now superseded and must be withdrawn from use.

706

AUSTRALIA - Products - New Charts, New Editions, Withdrawn Charts**New Editions and Withdrawn Charts (continued)**

<i>Chart</i>	<i>Title</i>	<i>Scale</i>	<i>Publication Date</i>	<i>Remarks</i>
Aus 754 (Edition 7)	Australia - West Coast - Western Australia - Lancelin to Cape Peron	1:150 000	21/8/2026	New edition with general updating throughout; including new bathymetric data. Chart Aus 754 Edition 6 dated 20 January 2023 is now superseded and must be withdrawn from use.

New Electronic Navigation Chart (Aus ENC)

<i>Cell Name</i>	<i>Title</i>	<i>Publication Date</i>	<i>Remarks</i>
NIL			

New S100 Products

<i>Cell Name</i>	<i>Title</i>	<i>Publication Date</i>	<i>Remarks</i>
NIL			

Chart permanently withdrawn

Charts listed above as withdrawn no longer meet chart carriage requirements and should be marked as "superseded" and replaced with the new chart/ new edition listed prior to passage through the area covered by the new chart.

When placing orders with a chart agent between notice of forthcoming edition and its publication, mariners should advise whether their order pertains to the current edition or the new edition.

For further details refer to the AHO website at www.hydro.gov.au for new edition and new chart stock arrival information.

707

AUSTRALIA - Products - New Charts and New Editions to be published shortly

Australian Hydrographic Office

New Charts to be published shortly

<i>Chart</i>	<i>Title</i>	<i>Scale</i>	<i>Remarks</i>
NIL			

New Editions to be published shortly

<i>Chart</i>	<i>Title</i>	<i>Scale</i>	<i>Remarks</i>
Aus 236	Australia - East Coast - Queensland - Moreton Bay	1:80 000	New edition with general updating throughout; including new bathymetric data.
Aus 343	Australia - South Coast - South Australia - Whidbey Isles to Cape Du Couedic	1:300 000	New edition with general updating throughout; including new bathymetric data.

708

AUSTRALIA - QUEENSLAND - Baron Reef - Depth

Australian Hydrographic Office

Aus 832 [667/2026]

Insert	depth, 9 ₉ m, enclosed by contour	14° 27'.17 S	144° 43'.09 E
--------	--	--------------	---------------

Aus 833 [671/2026]

Insert	depth, 9 ₉ m, enclosed by contour	14° 27'.17 S	144° 43'.09 E
--------	--	--------------	---------------

709 AUSTRALIA - QUEENSLAND - Carlisle Island - Depth

Australian Hydrographic Office

Aus 251 [462/2026]

Insert	depth, 18m, enclosed by contour	20° 43'.14 S	149° 17'.31 E
--------	---------------------------------	--------------	---------------

Aus 824 [628/2026]

Insert	depth, 18m, enclosed by contour	20° 43'.14 S	149° 17'.31 E
--------	---------------------------------	--------------	---------------

710 AUSTRALIA - QUEENSLAND - Karumba - Elbow Bank - Light buoys*Former Notice - 828(P)/2025 is cancelled*

Maritime Safety Queensland

Aus 6 [230/2026]

Insert	accompanying block	17° 27'.3 S	140° 45'.5 E
--------	------------------------------------	-------------	--------------

711 AUSTRALIA - QUEENSLAND - Nymph Island - Depths

Australian Hydrographic Office

Aus 832 [708/2026]

Insert	depth, 12 ₂ m, enclosed by contour	14° 34'.76 S	145° 14'.13 E
--------	---	--------------	---------------

Replace	depth, 13 ₁ m, with depth, 12 ₄ m	14° 34'.5 S	145° 15'.2 E
	depth, 13 ₅ m, with depth, 13 ₃ m	14° 36'.5 S	145° 14'.4 E

Delete	depth, 12 ₂ m, enclosed by contour	14° 34'.5 S	145° 14'.4 E
--------	---	-------------	--------------

712 INDONESIA - Flores - Teluk Maumere - Light

UKHO Notice 35/4027/2026

Aus 4722 (INT 722) [635/2026]

Amend	light to <i>Fl.25M</i>	8° 37'.2 S	122° 13'.0 E
-------	------------------------	------------	--------------

713 AUSTRALIA - WESTERN AUSTRALIA - Barrow Island - Cape Dupuy - Depth

UKHO

Aus 65 [551/2026]

Insert	depth, 14m, enclosed by contour	20° 41'.16 S	115° 24'.27 E
--------	---------------------------------	--------------	---------------

Aus 327 [635/2026]

Insert	depth, 14m, and extend contour W to enclose	20° 41'.16 S	115° 24'.27 E
--------	---	--------------	---------------

Aus 328 [677/2026]

Insert	depth, 14m, and extend contour W to enclose	20° 41'.16 S	115° 24'.27 E
--------	---	--------------	---------------

Aus 742 [507/2026]

Insert	depth, 14m, and extend contour W to enclose	20° 41'.16 S	115° 24'.27 E
--------	---	--------------	---------------

714 AUSTRALIA - WESTERN AUSTRALIA - Bedout Island to Dampier - Depths

Australian Hydrographic Office

Aus 4722 (INT 722) [712/2026]

Insert	accompanying block	20° 13'.0 S	118° 25'.0 E
--------	------------------------------------	-------------	--------------

Aus 4723 (INT 723) [635/2026]

Insert	accompanying block	20° 20'.0 S	116° 50'.0 E
--------	------------------------------------	-------------	--------------

715 AUSTRALIA - WESTERN AUSTRALIA - Bunbury - Jetty

WA Department of Transport

Aus 115 [509/2026]

Delete T shaped jetty, centred on 33° 18'.6 S 115° 38'.5 E

Aus 755 [585/2026]

Delete T shaped jetty, centred on 33° 18'.6 S 115° 38'.5 E

716 AUSTRALIA - WESTERN AUSTRALIA - Dampier - King Bay - Light beacons

Auriga Marine

Aus 59 [510/2026]Amend light beacon to *Q & F.Bu* 20° 37'.95 S 116° 45'.34 E
light beacon to *Iso. 4s & F.Bu* 20° 37'.95 S 116° 45'.41 E**717 AUSTRALIA - WESTERN AUSTRALIA - Dampier - Goodwyn Island - Depths**

UKHO

Aus 57 [549/2026]Replace depth, 4₂m, with depth, 3₈m 20° 31'.6 S 116° 30'.6 E**718 AUSTRALIA - WESTERN AUSTRALIA - Garden Island - Minstrel Channel - Chart note**

Department of Transport WA

Note: position of existing chart notes may vary on certain charts.**Aus 117 [586/2026]**Replace [chart note, MINSTREL CHANNEL, with accompanying chart note, MINSTREL CHANNEL](#) 32° 12'.1 S 115° 37'.5 E**719 AUSTRALIA - WESTERN AUSTRALIA - Jurien Bay - Depth**

Department of Transport and Major Infrastructure WA

Aus 84 (Jurien Bay) [239/2026]Insert depth, 2₈m, enclosed by contour 30° 17'.167 S 115° 02'.025 E**Aus 753 [14/2026]**Insert depth, 2₈m, enclosed by contour 30° 17'.17 S 115° 02'.03 E**720 AUSTRALIA - WESTERN AUSTRALIA - Point Murat - Depths**

Australian Hydrographic Office

Aus 744 [423/2026]Insert [accompanying block](#) 21° 48'.0 S 114° 13'.5 E**Aus 745 [NE 3/10/2025]**Insert [accompanying block](#) 21° 48'.0 S 114° 11'.5 E**721 AUSTRALIA - SOUTH AUSTRALIA - Gulf St Vincent - Port Adelaide - Nav aids**

Department for Infrastructure and Transport SA Notice 55(T)/2026

Aus 130 [48/2026]Replace beacon with light beacon, *Fl.G. 4s*, with starboard lateral topmark 34° 44'.85 S 138° 26'.67 E**Aus 781 [278/2026]**Replace beacon with light beacon, *Fl.G. 4s*, with starboard lateral topmark 34° 44'.9 S 138° 26'.7 E

722(T)/2026 AUSTRALIA - NEW SOUTH WALES - Port Kembla - Obstruction
Port Authority of New South Wales

Anchorage PKA7 (34° 24'.81 S 151° 01'.22 E) is unavailable for anchoring due to a lost anchor and cable.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 195 - Aus 808

723(T)/2026 AUSTRALIA - QUEENSLAND - Amrun Wharf - Dredging operations completed; exclusion zone removed; anchorage removed; pilot boarding place restored

Former Notice - 683(T)/2026 is cancelled
Maritime Safety Queensland

Cancel this notice on receipt.

Chart formerly affected - Aus 4 - Aus 301

724(T)/2026 AUSTRALIA - QUEENSLAND - Bundaberg - Burnett River - Dredging operations completed

Former Notice - 288(T)/2026 is cancelled
Maritime Safety Queensland

Cancel this notice on receipt.

Chart formerly affected - Aus 242 - Aus 817 - Aus 818

725(T)/2026 AUSTRALIA - QUEENSLAND - Cairns - Trinity Inlet - Naval Wharf - Obstructions; light buoys
Maritime Safety Queensland Notice 445(T)/2026

Dredging anchors marked by special light buoys, *Fl.Y.2s*, exist in positions 16° 56'.13 S 145° 46'.75 E and 16° 56'.12 S 145° 46'.75 E.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 262

726(T)/2026 AUSTRALIA - QUEENSLAND - Great Sandy Strait - Dayman Point - Light beacon relit

Former Notice - 685(T)/2026 is cancelled
Maritime Safety Queensland

Cancel this notice on receipt.

Chart formerly affected - Aus 817

727(T)/2026 AUSTRALIA - QUEENSLAND - Townsville - Dredging operations

Maritime Safety Queensland Notice 442(T)/2026

The dredge *Brisbane* is conducting dredging operations in the Sea Channel, Platypus Channel and the swing basins.

The dredge will display appropriate lights and shapes and monitor VHF Ch 16.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 256 - Aus 827

728(T)/2026 AUSTRALIA - CORAL SEA - Mellish Reef - Subsea operations westwards completed

Former Notice - 479(T)/2026 is cancelled
Gulf Agency Company (Australia)

Cancel this notice on receipt.

Chart formerly affected - Aus 4060 (INT 60) - Aus 4602 (INT 602) - Aus 4604 (INT 604)

729(T)/2026 PAPUA NEW GUINEA - Admiralty Islands - Nauna Island - Light unlit
National Maritime Safety Authority PNG Coastal Navigation Warning 6/2026

The light, *Fl.5s 54m 14M* (2° 13'.19 S 148° 11'.78 E), is unlit.

Chart temporarily affected - Aus 4603 (INT 603) - Aus 4604 (INT 604) - Aus 4622 (INT 622) - PNG 391 - PNG 392

730(T)/2026 PAPUA NEW GUINEA - Nessup Island - Light beacon unlit
National Maritime Safety Authority PNG

The light beacon, *Fl.8s 7m 10M* (5° 54'.95 S 148° 07'.82 E), is unlit.

Chart temporarily affected - PNG 386 - PNG 387 - PNG 673

731(T)/2026 PAPUA NEW GUINEA - Nussing Island - Light unlit
National Maritime Safety Authority PNG Coastal Navigation Warning 8/2026

The light, *Fl.6s 20m 10M* (6° 39'.37 S 147° 51'.79 E), is unlit.

Chart temporarily affected - Aus 4622 (INT 622) - PNG 386 - PNG 523 - PNG 653

732(T)/2026 AUSTRALIA - TORRES STRAIT - Richardson Reef - Cook Reef - Scientific instruments recovered
Former Notice - 604(T)/2024 is cancelled
Maritime Safety Queensland , CSIRO

Cancel this notice on receipt.

Chart formerly affected - Aus 700 - Aus 839 - Aus 842

733(T)/2026 AUSTRALIA - TIMOR SEA - Evans Shoal - Subsea operations eastwards completed
Former Notice - 561(T)/2026 is cancelled
Santos

Cancel this notice on receipt.

Chart formerly affected - Aus 310

734(T)/2026 AUSTRALIA - WESTERN AUSTRALIA - Barrow Island - Subsea operations completed northwestwards
Former Notice - 378(T)/2026 is cancelled
DOF Management

Cancel this notice on receipt.

Chart formerly affected - Aus 328

735(T)/2026 AUSTRALIA - WESTERN AUSTRALIA - Barrow Island - Cable laying operations northwestwards
Nexans

Vessel *Nexans Aurora* is conducting cable laying operations between positions 19° 52'.73 S 114° 36'.48 E and 20° 41'.50 S 115° 24'.97 E.

Mariners are advised to navigate with caution in the area. 1M clearance requested.

Chart temporarily affected - Aus 65 - Aus 327 - Aus 328 - Aus 742

736(T)/2026 AUSTRALIA - WESTERN AUSTRALIA - Barrow Island - Subsea operations; survey operations completed

Former Notice - 436(T)/2026 is cancelled
Cyan Renewables

Cancel this notice on receipt.

Chart formerly affected - Aus 65 - Aus 327 - Aus 328 - Aus 742

737(P)/2026 AUSTRALIA - WESTERN AUSTRALIA - Carnarvon - Shoaling

Former Notice - 256(P)/2026 is cancelled
Department of Transport and Major Infrastructure WA

Latest survey indicates potential channel realignment and shoaler depths than those charted may exist in the vicinity of position 24° 54'.44 S 113° 38'.67 E. Shoaling is also extending northwards into the main channel in the vicinity of position 24° 54'.35 S 113° 37'.98 E.

Mariners are advised to navigate with caution in the area.

Charts will be updated in due course.

Chart which will be affected - Aus 73

738(T)/2026 AUSTRALIA - WESTERN AUSTRALIA - Carnarvon - Gascoyne River - Shoaling

Former Notice - 304(P)/2025 is cancelled
Department of Transport WA

Cancel this notice on receipt.

Chart formerly affected - Aus 73

739(T)/2026 AUSTRALIA - WESTERN AUSTRALIA - Dampier Archipelago - Wellhead removal works; survey operations northwestwards

Woodside Energy Ltd

On or about 27 August 2026, vessel *Skandi Hercules* will begin conducting wellhead removal works in the vicinity of the following positions:

19° 27'.30 S 116° 29'.46 E
19° 37'.79 S 116° 23'.81 E
19° 35'.06 S 116° 06'.78 E
19° 40'.62 S 115° 53'.83 E
19° 41'.56 S 115° 53'.82 E
19° 41'.55 S 115° 50'.98 E
19° 46'.06 S 115° 53'.21 E
19° 47'.20 S 115° 46'.86 E
19° 50'.92 S 115° 47'.27 E
20° 04'.97 S 115° 10'.57 E
20° 09'.12 S 115° 03'.97 E.

Survey operations will be conducted in the vicinity of positions 19° 39'.08 S 115° 55'.80 E and 19° 44'.74 S 115° 44'.20 E.

Mariners are advised to navigate with caution in the area. 500m clearance requested.

Chart temporarily affected - Aus 327 - Aus 328 - Aus 742 - Aus 4722 (INT 722) - Aus 4723 (INT 723)

740(T)/2026 AUSTRALIA - WESTERN AUSTRALIA - Exmouth Gulf - Scientific instrument

Former Notice - 525(T)/2026 is cancelled
Department of Transport WA Notice 6879(T)/2026

A special pillar light buoy, *Fl.Y.2-5s*, exists in position 22° 10'.01 S 114° 20'.24 E.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 744

741(T)/2026 AUSTRALIA - WESTERN AUSTRALIA - Goeree Shoal - ROV operations southeastwards
Cyan Renewables

Vessel *MMA Pinnacle* is conducting ROV operations in the vicinity of position 12° 57'.0 S 124° 26'.0 E.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 319

742(T)/2026 AUSTRALIA - WESTERN AUSTRALIA - Leander Reef - Platform unlit
Australian Maritime Safety Authority Auscoast Warning 253/2026

The *Cliff* platform, *Mo(U)15s* (29° 26'.99 S 114° 52'.18 E), is unlit.

Chart temporarily affected - Aus 752 - Aus 4708 (INT 708)

743(P)/2026 AUSTRALIA - WESTERN AUSTRALIA - Mandurah - Shoaling southeastwards
Department of Transport and Major Infrastructure WA

Latest survey indicates shoaler depths than those charted may exist in the vicinity of position 32° 31'.37 S 115° 42'.66 E and in an area bounded by the following positions:

32° 21'.08 S 115° 42'.65 E
32° 30'.94 S 115° 42'.47 E
32° 31'.09 S 115° 43'.20 E
32° 31'.16 S 115° 43'.20 E
32° 31'.12 S 115° 42'.68 E.

Mariners are advised to navigate with caution in the area.

Charts will be updated in due course.

Chart which will be affected - Aus 116 - Aus 755

744(T)/2026 AUSTRALIA - WESTERN AUSTRALIA - Rottnest Island - Subsea operations northwestwards
Gulf Agency Company (Australia)

On or about 2 September 2026, vessel *Lodbrog* will begin conducting submarine cable repair works in the vicinity of positions 31° 48'.83 S 115° 16'.98 E and 31° 49'.49 S 115° 19'.27 E.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 754

745(T)/2026 INDIAN OCEAN - Christmas Island - Rocky Point - Survey operations
Macquarie Geotechnical

On or about 14 September 2026, vessel *Nemo* will begin conducting geophysical survey operations in the vicinity of position 10° 24'.99 S 105° 40'.24 E.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 920

746(T)/2026 AUSTRALIA - SOUTH AUSTRALIA - Kangaroo Island - Emu Bay - Light relit
Former Notice - 652(T)/2026 is cancelled
Department for Infrastructure and Transport SA Notice 51(T)/2026

Cancel this notice on receipt.

Chart formerly affected - Aus 780

747(T)/2026 AUSTRALIA - VICTORIA - Ninety Mile Beach - Drill rig eastwards moved

Former Notice - 34(T)/2026 is cancelled
 MODU *Valaris 107*

Cancel this notice on receipt.

Chart formerly affected - Aus 357

748(T)/2026 AUSTRALIA - VICTORIA - Port Campbell - Drill rig southwestwards

MODU *Transocean Equinox*, Amplitude Energy

Drill rig *Transocean Equinox* is conducting drilling operations in position 38° 46'.25 S 142° 48'.80 E. 2.5M clearance requested.

Chart temporarily affected - Aus 349

749(T)/2026 AUSTRALIA - VICTORIA - Port Phillip - St Kilda - Light buoy restored

Former Notice - 305(T)/2026 is cancelled
 Parks Victoria Notice 366(T)/2026

Cancel this notice on receipt.

Chart formerly affected - Aus 155

750(T)/2026 AUSTRALIA - TASMANIA - King Island - Drill rig eastwards moved

Former Notice - 620(T)/2026 is cancelled
 MODU *Transocean Equinox*, Amplitude Energy

Cancel this notice on receipt.

Chart formerly affected - Aus 487

751(T)/2026 AUSTRALIA - TASMANIA - River Derwent - Sullivans Cove to Cape de la Sortie - Survey operations

Marine and Safety Tasmania Notice M283/2026

Survey vessels and AUVs are conducting survey operations in River Derwent between positions 42° 52'.96 S 147° 20'.58 E and 43° 03'.63 S 147° 23'.42 E.

AUVs may be required to surface with limited notice.

Survey vessels will display appropriate lights and shapes and will monitor VHF Ch 16 and Ch 69.

Mariners are advised to navigate with caution in the area and keep well clear of survey vessels and associated equipment.

Chart temporarily affected - Aus 171 - Aus 173 - Aus 796

II

HYDROGRAPHIC REPORTS

NIL


To accompany Australian Notice to Mariners 718/2026

MINSTREL CHANNEL

The channel is subject to erosion and siltation caused by storm and other factors; the depth available changes. The channel is subject to heavy swell in bad weather.

Note for chart Aus 117

To accompany Australian Notice to Mariners 710/2026




Block for chart Aus 6

© Commonwealth of Australia 2026

(108.1 x 124.4mm)

To accompany Australian Notice to Mariners 714/2026




Block for chart Aus 4722

© Commonwealth of Australia 2026

(128.8 x 102.5mm)
(243.9

To accompany Australian Notice to Mariners 714/2026




Block for chart Aus 4723

© Commonwealth of Australia 2026

(105.9 x 30.8mm)
(87.8mm)

To accompany Australian Notice to Mariners 720/2026




Block for chart Aus 744

(80.9 x 70.8mm)

© Commonwealth of Australia 2026

To accompany Australian Notice to Mariners 720/2026



Block for chart Aus 745 (40.4 x 71.8mm)
© Commonwealth of Australia 2026