



Australian Notices to Mariners are the authority for correcting Australian Charts

AUSTRALIAN NOTICES TO MARINERS

© Commonwealth of Australia 2001 - Copyright restrictions apply to Notices to Mariners



Notices 258-280

Published fortnightly by the Australian Hydrographic Service

B. J. KAHER,
Hydrographer of Australia

- SECTIONS.**
- I. **Australian Notices to Mariners, including blocks and notes.**
 - III. **Navigational Warnings.**
 - IV. **Hydrographic Reports.**

New Zealand Notices to Mariners

The substance of these notices should be inserted on the charts affected.

Notices to Mariners information relating to British Admiralty Publications unavailable on this web site at this stage but still available in printed form:-

- Section II. Corrections to Admiralty List of Lights, Vol K.**
- Section V. Amendments to Admiralty List of Radio Signals.**
- Section VI. Corrections to Sailing Directions.**

Bearings are referred to the true compass and are reckoned clockwise from 000° (North) to 359°: those relating to lights are given as seen by an observer from seaward. The range quoted for a light is its nominal range. Fog signals are sounded only during thick or foggy weather, unless otherwise stated Depths are with reference to the chart datum of each chart. Heights are above mean high water springs or mean higher high water, as appropriate.

The capital letter (P) or (T) after the number of any notice denotes a preliminary or temporary notice respectively, which are contained separately at the end of the permanent notices. A star () adjacent to the number of a notice indicates that the notice is based on original information.*

Mariners are particularly requested to notify the AUSTRALIAN HYDROGRAPHIC SERVICE, Locked Bag 8801 South Coast Mail Centre, NSW 2521 (Fax 02-4221 8599), e-mail hni.hydro@navy.gov.au or, alternatively by filling in and submitting the **Hydrographic Notes forms, immediately on the discovery of new dangers or suspected dangers to navigation. For changes or defects in aids to navigation notify AusSAR (Fax 02-6230 6868 or email rccaus@amsa.gov.au).**

Copies of these notices can be obtained from the AUSTRALIAN HYDROGRAPHIC OFFICE, 8 Station Street, Wollongong, and Agents for the sale of charts and hydrographic publications.

The Commonwealth of Australia is the owner of, or is otherwise responsible for, the copyright in this work. It is protected under the Copyright Act 1968 and international convention. Except as expressly authorised below, the work may not be copied, reproduced, adapted, changed or commercially exploited, in whole or in part, or the format in which it is stored altered, without the prior written permission of the Australian Hydrographic Office.

The Notices may be copied for the purpose of inserting their substance on official charts and other publications. However, any copies of the notices may not be sold for profit.

© Commonwealth of Australia 2001

NUMERICAL INDEX OF CHARTS AFFECTED

Edition No 10

11 May 2001

Notices	Aus Chart
258	Aus 81, 117, 127, 140, 141, 209, 252, 613, 615, 617, 4601, INT 601
259	Selected current Admiralty hydrographic publications.
260	Aus 347, 348, 349, 350, 780, 786, 788, 824, 825
261	Aus 198
262	Aus 198
263	Aus 371, 826
264	Aus 259
265	Aus 833
266	Aus 381, 568
267	Aus 293
268	Aus 154
269(T)	Aus 220
270(T)	Aus 236, 237
271(T)	Aus 252, 253
272(T)	Aus 372
273(T)	Aus 828
274(T)	Aus 373, 831
275(T)	Aus 81, 751
276(P)	Aus 105, 111, 112, 113, 115, 116, 333, 334, 335, 417, 752, 753, 754, 755, 756, 4726, INT 726
277(P)	Aus 109, 110, 116, 118, 119, 335, 336, 337, 417, 756, 757, 758, 759, 762, 763, 4726, INT 726
278(P)	Aus 120, 121, 125, 134, 136, 137, 341, 342, 343, 344, 345, 346, 347, 348, 444, 776, 777, 778, 780, 781, 4727, INT 727
279(P)	Aus 157
280(T)	Aus 154

AHS (01/3487 & 3531). (AH99/139-02, 99/229-02)

<i>Chart</i>	<i>Published</i>	<i>Title, limits and description of amendments</i>	<i>Scale</i>	<i>Folio</i>	<i>Index Chart</i>	<i>Price</i>
Aus 127	30/03/01	Australia – South Coast - South Australia - Plans in South Australia Plan: Port Caroline to Robe 36° 46' 05" S – 37° 11' 23" S 139° 33' 00" E – 139° 52' 35" E King Head to Port Elliot 35° 31' 37" S – 35° 38' 00" S 138° 34' 24" E – 138° 43' 59" E Rivoli Bay 37° 28' 25" S – 37° 34' 48" S 139° 56' 59" E – 140° 08' 00" E Beachport 37° 28' 26" S – 37° 30' 24" S 139° 59' 49" E – 140° 02' 32" E Victor Harbor 35° 33' 04" S – 35° 34' 03" S 138° 37' 28" E – 138° 38' 47" E Southend 37° 33' 25" S – 37° 34' 24" S 140° 06' 00" E – 140° 07' 22" E Port Elliot 35° 31' 55" S – 35° 32' 54" S 138° 40' 47" E – 138° 42' 06" E Kingston SE 36° 49' 04" S – 36° 49' 48" S 139° 50' 17" E – 139° 51' 18" E Robe 37° 09' 22" S – 37° 09' 51" S 139° 44' 45" E – 139° 45' 26" E <i>New metric chart of Aus 127, with improved coverage of the boat harbours. The chart is referred to WGS and LAT.</i>	1:75 000 	5	Aus 65001	\$25.65
Aus 140	30/0301	Australia – South Coast – Victoria – Approaches to Portland 38° 12' 00" S – 38° 37' 24" S 141° 21' 00" E – 142° 05' 37" E Plan: Portland 38° 19' 05" S – 38° 22' 03" S 141° 36' 12" E – 141° 40' 41" E <i>New chart of Aus 140, with improved coverage of the approaches to Portland. The chart is referred to WGS and LAT.</i> <i>Note:</i> The plans Warnambool and Port Fairy have been transferred to chart Aus 141	1:100 000 	6	Aus 65001	\$25.65

Aus 141	30/03/01	Australia – South Coast – Victoria – Plans in South West Victoria Plan: Apollo Bay 38° 43' 00" S – 38° 47' 48" S 143° 39' 05" E – 143° 44' 00" E Loutit Bay 38° 30' 55" S – 38° 34' 15" S 143° 57' 56" E – 144° 01' 53" E Warrnambool 38° 23' 21" S – 38° 24' 41" S 142° 28' 10" E – 142° 29' 33" E Port Fairy 38° 22' 36" S – 38° 23' 41" S 142° 14' 23" E – 142° 15' 46" E Apollo Bay Boat Harbour 38° 45' 07" S – 38° 45' 44" S 143° 40' 15" E – 143° 41' 14" E Port Campbell 38° 37' 06" S – 38° 37' 55" S 142° 58' 31" E – 142° 59' 42" E	6	Aus 65001	\$25.65
---------	----------	---	---	-----------	---------

Set of plans previously published on charts Aus 140, Aus 350 & Aus 788, with new plan Port Campbell. The chart is referred to WGS and LAT.

Aus 252	30/03/01	Australia – East Coast – Queensland – Whitsunday Group 20° 00' 38" S – 20° 48' 31" S 148° 39' 24" E – 149° 09' 05" E Plan: Laguna Quays 20° 35' 48" S – 20° 36' 24" S 148° 40' 42" E – 148° 41' 38" E	8	Aus 65000	\$25.65
---------	----------	---	---	-----------	---------

New metric chart of Aus 252 with amended limits and a new plan of Laguna Quays. The chart is referred to WGS and LAT.

New edition

Chart	Published	Title and description of amendments	Scale	Folio	Index Chart	Price
Aus 117	30/03/01	Australia – West Coast - Western Australia - Gage Roads and Cockburn Sound <i>General updating throughout including latest Port Authority surveys.</i> <i>Note: chart is affected by Notice to Mariners 63(T)/2001.</i>	1:25 000	4	Aus 65001	\$25.65
Aus 613	30/03/01	Australia – East Coast – Coral Sea – Marion Reef <i>General updating throughout.</i>	1:150 000	8	Aus 65000	\$25.65
Aus 615	30/03/01	Plans in the Coral Sea (Sheet 3) Plan: Flinders Reefs Flora Reef and Holmes Reefs <i>General updating throughout</i>	1:150 000 1:100 000	8	Aus 65000	\$25.65
Aus 617	30/03/01	Plans in the Coral Sea Plan: Willis Islet South West Islet to Magdelaine Cays <i>General updating throughout</i>	1:150 000 1:150 000	8	Aus 65000	\$25.65

New edition to be published shortly

<i>Chart</i>	<i>Title</i>	<i>Scale</i>
Aus 81	Australia - West Coast - Western Australia - Approaches to Geraldton Plan: Geraldton	1:25 000 1:7 500
Aus 209	Australia - East Coast - New South Wales - Port Stephens	1:25 000
Aus 4601 (INT 601)	Pacific Ocean - Tasman Sea - New Zealand to SE Australia	1:3 500 000

New edition of British Admiralty publication

<i>NP No</i>	<i>Title</i>	<i>Date</i>	<i>RRP(UK)</i>	<i>Remarks</i>
NP 13s	Supplement No 3 to Australian Pilot, Volume I, (Seventh Edition 1992).	11/01/01	£5.70	Supplement No 2, 1997, is thereby cancelled.
NP 60s	Supplement No 5 to Pacific Islands, Pilot Volume I, (Tenth Edition 1998).	20/07/00	£5.70	Supplement No 4, 1997, is thereby cancelled.

Chart permanently withdrawn

<i>Chart</i>	<i>On publication of new chart/edition</i>
Aus 117	Aus 117
Aus 127	Aus 127
Aus 140	Aus 140
Aus 252	Aus 252
Aus 613	Aus 613
Aus 615	Aus 615
Aus 617	Aus 617

259 AUSTRALIA - Admiralty Publications - Selected current hydrographic publications.

BA Notice 14/1526/01 (01/3298). (AH 99/226-02)

(Corrected 31 March 2001)
(Former BA Notice 5043/00 is cancelled)

(1) Current editions of Sailing Directions and their latest supplements

<i>NP No</i>	<i>Title</i>	<i>Edition</i>	<i>Supplement</i>
9	Antarctica Pilot	5th (1997)	
13	Australia Pilot Vol I	7th (1992)	2/1997*
14 ‡	Australia Pilot Vol II	7th (1999)	
15 ‡	Australia Pilot Vol III	8th (1999)	
17	Australia Pilot Vol V	7th (1992)	2/1997
33	Philippine Islands Pilot	1st (1978)	11/2000
34 ‡	Indonesia Pilot Vol II	2nd (1999)	
35 †	Indonesia Pilot Vol III (23/01/02)	1st (1980)	9/1996
36 ‡	Indonesia Pilot Vol I	3rd (1999)	
39 †	South Indian Ocean Pilot (21/10/01)	9th (1990)	4/1999
44	Malacca Strait and West Coast of Sumatra Pilot	6th (1987)	5/1999
51 †	New Zealand Pilot (09/08/01)	14th (1987)	5/1998
60	Pacific Islands Pilot Vol I	10th (1988)	5/2000
61	Pacific Islands Pilot Vol II	10th (1984)	6/1997*
62	Pacific Islands Pilot Vol III	10th (1982)	8/1999
100	The Mariners Handbook	7th (1999)	
136	Ocean Passages for the World	4th (1987)	
735	Maritime Buoyage System	5th (1994)	

‡ Books in continuous revision (new editions every three years)

† New or revised edition due for publication within one year; scheduled publishing date in brackets

* New Supplement due for publication within three months

(2) Admiralty List of Lights and Fog Signals

<i>NP No</i>	<i>Current Edition</i>	<i>Remarks</i>
83	Volume K, 2001/02	Published January 2001

(3) Admiralty List of Radio Signals

<i>NP No</i>	<i>Current Edition</i>	<i>Remarks</i>
281(2)	Volume 1, 2000/01 – Part 2 – Coast Radio Stations – Philippine Islands, Indonesia, Australasia, the Americas, Greenland and Iceland	Published July 2000
282	Volume 2, 2001 – Radio Navigation Aids, Electronic Position Fixing Systems and Radio Time Signals	Published February 2001
283(2)	Volume 3, 2000/01 – Part 2 – Radio Weather Services and Navigational Warnings – Philippine Islands, Indonesia, Australasia, the Americas, Greenland and Iceland	Published June 2000
284	Volume 4, 2000/01 – Meteorological Observation Stations	Published February 2000
285	Volume 5, 2000/01 – Global Maritime Distress and Safety System (GMDSS)	Published June 2000
286(4)	Volume 6, 2000/01 – Part 4 – Pilot Services, Vessel Traffic Services and Port Operations – Asia and Australia	Published October 2000
288	Volume 8, 2000/01 – Satellite Navigation Systems	Published March 2001

(4) Tidal Publications

<i>NP No</i>	<i>NP No Admiralty Tide Tables (corrected by Annual Notice to Mariners 1/2001)</i>
203-01	Volume 3 Indian Ocean and South China Sea (including Tidal Stream Tables)
204-01	Volume 4 Pacific Ocean (including Tidal Stream Tables)

<i>NP No</i>	<i>Co-Tidal Atlas</i>
215	Edition 1 South East Asia, 1979

<i>NP No</i>	<i>Admiralty Tidal Prediction Software</i>	<i>Edition</i>
158	Tidecalc	Version 1.1
158A3	Area 3 Red Sea, The Gulf, Iran, Pakistan, India, Maldives, Sri Lanka, Chagos Arch, Bangladesh, Burma, Andaman & Nicobar Is, Indian Ocean Is.	Version 3.0
158A4	Area 4 Thailand, Peninsular Malaysia, Sumatera, Banka, Billiton, Central China Sea, Vietnam, Philippines, Cambodia.	Version 2.0
158A5	Area 5 Sulu Arch, Borneo, Sabah, Brunei, Sarawak, Kalimantan, Celebes Sea, Jawa, Sulawesi, Bali, Irian Jaya, Papua New Guinea, Bismarck Archipelago	Version 2.0
158A6	Area 6 Solomon Is, Vanuatu, Iles Loyauté, Nouvelle Calédonie, Australia.	Version 4.0
158A7	Area 7 New Zealand, Pacific Ocean Is, Samoa, Hawaii, Fiji, Marshall Is, Marianas Is, China.	Version 3.0
158A8	Area 8 Korea and Japan.	Version 2.0
158A9	Area 9 Pacific Russia, West Coast of Canada and USA, Mexico, West Coast of South America.	Version 2.0
158A10	Area 10 Antarctica, East Coast of South America, Caribbean, Bahamas, Bermuda.	Version 3.0
158A12	Area 12 Canadian Arctic, Alaska, Greenland, Iceland, Svalbard, Franz Joseph Land, Azores, Madeira, Canary Is, Cape Verde Is, West & East Coasts of Africa, Madagascar, Mauritius, Seychelles.	Version 3.0
159A	Simplified Harmonic Method of Tidal Prediction	Version 2.0

260 AUSTRALIA - Miscellaneous correction.
AHS. (AH99/243)

Aus 347 [589/2000]

Insert	magenta limits, with legend <i>Aus 127</i> in SW corner		
	North	37° 28'.75 S	
	South	37° 35'.50 S	
	West		139° 57'.30 E
	magenta limits, with legend <i>Aus 127</i> in SE corner		
	North	36° 46'.17 S	
	South	37° 11'.47 S	
	West		139° 32'.92 E
	East		139° 52'.50 E
	magenta limits, with legend <i>Aus 127</i> in SE corner		
	North	35° 31'.70 S	
	South	35° 38'.09 S	
	West		138° 34'.32 E
	East		138° 44'.09 E
Delete	limits and legend <i>Aus 127</i> , centred on	37° 32'.0 S	140° 00'.0 E
		37° 08'.0 S	139° 43'.0 E
		36° 52'.0 S	139° 40'.0 E

Aus 348 [611/1996]

Insert	magenta limits, with legend <i>Aus 127</i> in NE corner		
	North	37° 28'.45 S	
	South	37° 34'.89 S	
	West		139° 56'.90 E
	East		140° 07'.92 E
Delete	limits and legend <i>Aus 127</i> , centred on	37° 32'.0 S	140° 04'.0 E

Aus 349 [53/2001]

Insert	magenta legend (see <i>Aus 141</i>) centred on	38° 38'.8 S	142° 58'.5 E
Delete	limits and legend <i>Aus 350</i> , centred on	38° 33'.0 S	144° 00'.0 E

Aus 350 [639/1999]

Delete	plan Loutit Bay	38° 10'.0 S	143° 50'.0 E
	limits and legend see plan, centred on	38° 33'.0 S	144° 00'.0 E

Aus 780 [714/2000]

Insert	magenta limits, with legend <i>Aus 127</i> in NW corner		
	North	35° 31'.72 S	
	South	35° 38'.10 S	
	West		138° 34.46 E
Delete	limits and legend <i>Aus 127</i> , centred on	35° 32'.0 S	138° 36'.0 E

Aus 786 [150/2000]

Insert	magenta limits, with legend <i>Aus 140</i> in SE corner		
	North	38° 12'.10 S	
	South	38° 37'.50 S	
	East		142° 05'.72 E
Amend	legend to (see <i>Aus 141</i>) centred on	38° 22'.8 S	142° 16'.4 E
		38° 24'.9 S	142° 29'.2 E
Delete	limits and legend <i>Aus 140</i> , centred on	38° 20'.8 S	141° 37'.6 E
	quarantine anchorage area, centred on	38° 21'.3 S	141° 39'.0 E
	port limits with legend Portland Port Limits, between	38° 20'.0 S	141° 36'.6 E
		38° 21'.6 S	141° 37'.4 E
	pilot boarding place	38° 20'.3 S	141° 39'.2 E

Aus 788 [612/1999]

Amend	SE corner of existing plan limits as follows:		
	South	38° 34'.20 S	
	East		144° 01'.88 E
	legend, to <i>Aus 141</i> , centred on	38° 47'.8 S	143° 43'.2 E
		38° 34'.0 S	144° 01'.0 E
Delete	plans:		
	Apollo Bay	38° 25'.0 S	143° 30'.0 E
	Apollo Bay Boat Harbour	38° 38'.0 S	143° 28'.0 E

Aus 824 [136/2001]

Insert	magenta limits, with legend <i>Aus 252</i> in SE corner		
	South	20° 48'.60 S	
	West		148° 39'.41 E
	East		149° 09'.09 E
Delete	limits and legends <i>Aus 252</i> , centred on	21° 00'.0 S	148° 59'.5 E
		20° 09'.2 S	149° 19'.0 E
	firm line with legend 250°	20° 35'.4 S	148° 43'.2 E

Aus 825 [676/2000]

Insert	magenta limits, with legend <i>Aus 252</i> in NE corner		
	North	20° 00'.73 S	
	West		148° 39'.41 E
	East		149° 09'.09 E
Delete	limits and legend <i>Aus 252</i> , centred on	20° 01'.0 S	149° 19'.0 E

261* AUSTRALIA - NEW SOUTH WALES - Port Hacking - Buoyage.

Waterways Authority (01/2247). (AH99/19-02)

Aus 198 [217/2001]

Move	port lateral light buoy	34° 04'.34 S	151° 07'.97 E
	to	34° 04'.285 S	151° 07'.871 E

262* AUSTRALIA - NEW SOUTH WALES - Georges River - Buoyage.

Waterways Authority (01/2247). (AH99/19-02)

Aus 198 [261/2001]

Insert	starboard lateral light beacon, <i>Fl.G.3s</i> , without topmark	33° 59'.485 S	151° 03'.411 E
--------	--	---------------	----------------

263* AUSTRALIA - QUEENSLAND - Ocean Creek - Buoyage.

List of Lights Vol K/2001 -- 3089.00

Queensland Transport Notice 153/2001 (01/3539). (AH00/137)

Aus 371 [98/2001]

Insert	light beacon, <i>Fl.2.5s</i>	19° 29'.542 S	147° 30'.721 E
Delete	light <i>Fl.3s</i>	19° 29'.82 S	147° 31'.54 E

Aus 826 [98/2001]

Insert	light beacon, <i>Fl.2.5s</i>	19° 29'.417 S	147° 30'.706 E
Delete	light <i>Fl.3s</i>	19° 29'.82 S	147° 31'.54 E

264* AUSTRALIA - QUEENSLAND - Port of Lucinda - Enterprise Channel - Light buoy.
Queensland Transport Notice 154/2001 (01/3539). (AH99/13)

Aus 259 (plan, Port of Lucinda) [496/2000]

Insert	isolated danger spar light buoy, <i>Fl</i> (2)4s, with topmark	18° 31'.386 S	146° 18'.984 E
--------	--	---------------	----------------

Delete	depth 0 _g m	18° 31'.35 S	146° 18'.98 E
--------	------------------------	--------------	---------------

265* AUSTRALIA - QUEENSLAND - Pipon Islets - Light elevation.

List of Lights Vol K/2001 -- 3224.00

AMSA (01/3425). (AH00/137)

Aus 833 [116/2001]

Amend	light elevation to 26m	14° 07'.8 S	144° 30'.8 E
-------	------------------------	-------------	--------------

Aus 833 (plan, Cape Melville and Pipon Islets)

Amend	light elevation to 26m	14° 07'.8 S	144° 30'.8 E
-------	------------------------	-------------	--------------

266* PAPUA NEW GUINEA - Louisiade Archipelago - Jomard Entrance - Uruba Reef - Wreck.

MV *Australian Endeavour* (01/3483). (AH01/98)

Aus 381 [249/2001]

Insert	stranded wreck	11° 16'.01 S	152° 11'.63 E
--------	----------------	--------------	---------------

Aus 568 [231/2000]

Insert	stranded wreck	11° 16'.01 S	152° 11'.63 E
--------	----------------	--------------	---------------

267* AUSTRALIA - TORRES STRAIT - Wednesday Island - Light sector.

AHS (01/3481). (AH00/137)

Aus 293 [583/2000]

Insert	<i>On certain copies only</i> colour abbreviation <i>R</i>	10° 32'.0 S	142° 20'.2 E
--------	---	-------------	--------------

268* AUSTRALIA - VICTORIA - Port Phillip - Victoria Dock - Harbour works completed.

Former Notice - 719(T)/1999 is cancelled

Victorian Notice 58/2000 (00/10043). (AH00/275)

Aus 154 [181/2001]

Insert	accompanying block	37° 49'.0 S	144° 56'.5 E
--------	--------------------	-------------	--------------

269(T)/2001 AUSTRALIA - NEW SOUTH WALES - Coffs Harbour - Light moved.

Date - Until 1 June 2001

Waterways Authority (01/3861). (AH99/19-02)

The port lateral light (30° 18'.651 S 153° 09.098 E) has been temporarily moved to 30° 18'.675 S 153° 09'.085 E.

Chart temporarily affected – Aus 220.

270(T)/2001 AUSTRALIA - QUEENSLAND - Brisbane River - Fishermans Island - Light buoy.

Date - Until 1 June 2001

Queensland Transport Notice 152/2001 (01/3539). (AH99/14)

A special cylindrical light buoy, Q. Y, exists in approx position 27° 21'.8 S, 153° 11'.8 E. The buoy will be moved locally during the period.

Chart temporarily affected – Aus 236 – Aus 237.

271(T)/2001 AUSTRALIA - QUEENSLAND - Shute Harbour - Light buoys.

Date - Until further notice

Queensland Transport Notice 160/2001 (01/3844). (AH99/14)

Port lateral cylindrical light buoys, *Fl. R. 2.5s*, have been established as follows:

20° 18'.286 S 148° 47'.267 E

20° 18'.119 S 148° 47'.180 E

20° 17'.864 S 148° 47'.153 E

Chart temporarily affected – Aus 252 – Aus 253.

272(T)/2001 AUSTRALIA - QUEENSLAND - Chicken Reef - Scientific instrument northeastward.

Date - Until 30 April 2002

AIMS (01/3850). (AH98/16)

A sub-surface current meter, set at 25 metres below the surface, exists in position 18° 33'.780 S 147° 56'.991 E (WGS datum).

Mariners are advised to navigate with caution in the area.

Chart temporarily affected – Aus 372.

273(T)/2001 AUSTRALIA - QUEENSLAND - Pith Reef - Scientific instrument northwestward.

Former Notice - 297(T)/2000 is cancelled

AIMS (01/3850). (AH98/16)

A sub-surface current meter, set at 15 metres below the surface, exists in position 18° 11'.364 S 146° 57'.910 E (WGS datum).

Mariners are advised to navigate with caution in the area.

Chart temporarily affected – Aus 828.

274(T)/2001 AUSTRALIA - QUEENSLAND - Lark Reef - Scientific instrument recovered.

Former Notice - 300(T)/2000 is cancelled

AIMS (01/3850). (AH98/16)

Cancel this notice on receipt.

Chart formerly affected – Aus 373 – Aus 831

275(T)/2001 WESTERN AUSTRALIA - Geraldton - Scientific instrument.

Date - Until 30 May 2001

WNI Science & Engineering (01/3860). (AH98/280)

A scientific instrument, marked by a white buoy, exists in position 28° 46'.855 S 114° 32'.489 E (WGS datum).

Mariners are advised to navigate with caution in the area.

Chart temporarily affected – Aus 81 – Aus 751.

276(P)/2001 WESTERN AUSTRALIA - Perth - DGPS operational.

Former Notice - 89(P)/2001 is cancelled

AMSA ATH 2001/13 (01/3908). Auscoast 122/2001 (01/3913). (AH99/31)

Cancel this notice on receipt.

Chart formerly affected – Aus 105 – Aus 111 – Aus 112 – Aus 113 – Aus 115 – Aus 116 – Aus 333 – Aus 334 – Aus 335 – Aus 417 – Aus 752 – Aus 753 – Aus 754 – Aus 755 – Aus 756 – Aus 4726

277(P)/2001 WESTERN AUSTRALIA - Albany - DGPS operational.

Former Notice - 64(P)/2001 is cancelled

AMSA ATH 2001/15 (01/3842). Auscoast 117/2001 (01/3898). (AH99/31)

Cancel this notice on receipt.

Chart formerly affected – Aus 109 – Aus 110 – Aus 116 – Aus 118 – Aus 119 – Aus 335 – Aus 336 – Aus 337 – Aus 417 – Aus 756 – Aus 757 – Aus 758 – Aus 759 – Aus 762 – Aus 763 – Aus 4726

278(P)/2001 SOUTH AUSTRALIA - Corny Point - DGPS operational.

Former Notice - 380(P)/2000 is cancelled

AMSA ATH 2001/14 (01/3840). Auscoast 116/2001 (01/3912). (AH99/37)

Cancel this notice on receipt.

Chart formerly affected – Aus 120 – Aus 121 – Aus 125 – Aus 134 – Aus 136 – Aus 137 – Aus 341 – Aus 342 – Aus 343 – Aus 344 – Aus 345 – Aus 346 – Aus 347 – Aus 348 – Aus 444 – Aus 776 – Aus 777 – Aus 778 – Aus 780 – Aus 781 – Aus 4727

279(P)/2001 AUSTRALIA - VICTORIA - Port Phillip - Point Richards Channel - Light beacon to be relocated.

Date - On or about 27 April 2001

Victorian Notice 20/2001 (01/3712). (AH99/21-02)

No 9 starboard lateral light beacon (38° 06'.42 S 144° 34'.71 E) is to be relocated to 38° 06'.395 S 144° 34'.748 E.

Mariners are advised to navigate with caution in the area.

Chart which will be affected – Aus 157.

280(T)/2001 AUSTRALIA - VICTORIA - Port Phillip - Port Melbourne - Depth information.

Former Notice - 239(T)/2001 is cancelled

Victorian Notices 21 & 22/2001 (01/3713 & 3714). (AH99/209-02)

Available depths as at 18 April 2001:

<i>Berth</i>	<i>Metres</i>
Gellibrand Pier	11.7
* No3 Webb Dock	9.3
No4 East Webb Dock	12.1
No6 Yarraville Wharf	9.8
No1 East Swanson Dock	12.9
No4 East Swanson Dock	12.7
* No2 West Swanson Dock	13.1
No3 West Swanson Dock	12.7
* B Appleton Dock	10.7
C Appleton Dock	10.2
* D Appleton Dock	10.4

*Indicates new or revised entry.

Chart temporarily affected – Aus 154.

III

NAVIGATION WARNINGS

The following radio messages have been received during the period to 27 April 2001. Signal copies of these messages may be destroyed. It is recommended that the reprint of Navigational Warnings should be kept in a file or a book divided into areas. Cancellation should be made on receipt of signals and reprints.

Rigs on location other than those listed in the latest Section III summary are the subject of Radio Navigational Warnings. Rigs in transit will not be the subject of Warnings.

AUSCOAST WARNING

- 113 E Coast. Crookhaven River South Entrance light K2594 (34° 54' S 150° 46' E) unlit.
- 114 Cancelled.
- 115 Cancelled.
- 116 S Coast. Corny Point DGPS established in position 34° 54'.0 S 137° 00'.0 E, frequency 316KHz, baud rate 200bps, nominal range 200M.
- 117 SW Coast. Albany DGPS established in position 35° 05'.3 S 117° 54'.0 E, frequency 315KHz, baud rate 200bps, nominal range 200M.
- 118 NW Coast. Drill rig *Ocean General* in position 19° 42'.3 S 116° 18'.8 E. 2.5M clearance requested.
- 119 NW Coast. Drill rig *Ensco 56* in position 19° 42'.3 S 116° 42'.4 E. 2.5M clearance requested.
- 120 NW Coast. Drill rig *Ron Tappmeyer* in position 20° 17'.5 S 116° 16'.4 E. 2.5M clearance requested.
- 121 Cancelled.
- 122 SW Coast. Perth DGPS established in position 31° 47'.9 S 115° 56'.0 E, frequency 306KHz, baud rate 200bps, nominal range 200M.
- 123 NW Coast. Drill rig *Ocean Bounty* in position 37° 56'.0 S 149° 07'.0 E. 2.5M clearance requested.
- 124 NW Coast. Seismic Survey vessel *Geco Angler* towing 3.5 M cable in area 33° 00' S to 35° 48' S and 129° 00' E to 133° 00' E.

NAVAREA X WARNINGS

- 013 PNG. Veale Reef light K3429 (9° 11'.9 S 149° 28'.7 E) unlit.

Navigational warnings in force as at 261500UTC APR 01.

Auscoast

082 090 096 100 107 111 113 116 117 118 119 120 122 123 124

Navarea X

001 002 003 004 013.

Summary of mobile drilling rigs as at 261500UTC APR 01.

Name	Position
Sedco 702	13° 44'.5 S 123° 19'.5 E
Ocean Legend	19° 42'.3 S 116° 42'.4 E
Ensco 56	19° 42'.3 S 116° 42'.4 E
Ocean General	19° 42'.3 S 116° 18'.8 E
Ron Tappmeyer	20° 17'.5 S 116° 16'.4 E
Ocean General	37° 56'.0 S 149° 07'.0 E

NAVAREA XIV WARNINGS

- 081 Cancelled.
- 082 Cancelled.
- 083 Cancelled.
- 084 Cancelled.
- 085 Cancelled.
- 086 Cancelled.
- 087 Cancelled.
- 088 Cancelled.
- 089 Cancelled.
- 090 Cancelled.
- 091 New Zealand. Underwater obstruction marked by buoys in position 46° 37'.4 S 168° 06'.2 E.

Navarea XIV warnings in force as at 260001UTC APR 01.

091

IV

HYDROGRAPHIC REPORTS

<i>Locality</i>	<i>Report</i>	<i>Ship/Authority</i>	<i>Observer</i>
PNG- Raven Channel Bougainville	Buoy Building Buoyage Wrecks	MV <i>Island Express</i>	M Storrs