



22 May 2015

Edition 10

Australian Notices to Mariners are the authority for correcting Australian Charts and Publications

AUSTRALIAN NOTICES TO MARINERS

Notices 565 - 601



Published fortnightly by the Australian Hydrographic Service

Commodore B.K. BRACE RAN
Hydrographer of Australia

SECTIONS.

- I. Australian Notices to Mariners, including blocks and notes.
- II. Hydrographic Reports.
- III. Navigational Warnings.

SUPPLEMENTS.

- I. Tracings
- II. Cumulative List of Australian Notices to Mariners.
- III. Cumulative List of Temporary and Preliminary Australian Notices to Mariners.
- IV. Temporary and Preliminary Notices in force.
- V. Amendments to Admiralty List of Lights and Fog Signals (Vol K), Radio Signals (NP 281(2), 282, 283(2), 285, 286(4)) and Sailing Directions (NP 9, 13, 14, 15, 33, 34, 35, 36, 39, 44, 51, 60, 61, 62, 100, 136).

© Commonwealth of Australia 2015

This work is copyright. Apart from any use permitted under the Copyright Act 1968, no part may be reproduced by any process, adapted, communicated or commercially exploited without prior written permission from The Commonwealth represented by the Australian Hydrographic Service.

IMPORTANT NOTICE

This edition of Notices to Mariners includes all significant information affecting AHS products which the AHS has become aware of since the last edition. All reasonable efforts have been made to ensure the accuracy and completeness of the information, including third party information, on which these updates are based. The AHS regards third parties from which it receives information as reliable, however the AHS cannot verify all such information and errors may therefore exist. The AHS does not accept liability for errors in third party information.

GENERAL INSTRUCTIONS

The substance of these notices should be inserted on the charts affected.

Bearings are referred to the true compass and are reckoned clockwise from North; those relating to lights are given as seen by an observer from seaward.

Positions quoted in notices relate to WGS84 which is the horizontal datum for all charts produced by the Australian Hydrographic Service.

The range quoted for a light is its nominal range.

Depths are with reference to the chart datum of each chart. Heights are above mean high water springs or mean higher high water, as appropriate.

The capital letter (P) or (T) after the number of any notice denotes a preliminary or temporary notice respectively, which are contained separately at the end of the permanent notices.

A star (*) adjacent to the number of a notice indicates that the notice is based on original information.

REPORTING OF DANGERS

Mariners are particularly requested to notify the AUSTRALIAN HYDROGRAPHIC SERVICE, Locked Bag 8801 Wollongong, NSW 2500 (Fax 02-4223 6599, e-mail Hydro.NTM@defence.gov.au or, alternatively by filling in and submitting the [Hydrographic Notes](#) forms located on the web site – www.hydro.gov.au), immediately on the discovery of new dangers or suspected dangers to navigation. For changes or defects in aids to navigation notify AusSAR (Fax 02-6230 6868 or email rccaus@amsa.gov.au).

AUTHORISED USE

Copies of Australian notices are available free of charge from the Australian Hydrographic Service (AHS) website (www.hydro.gov.au) and through the eNotices (email) service (www.hydro.gov.au/enotices/enotices.htm).

Individual Notices may be copied for the purpose of inserting Notice substance on official charts and publications. Paper copies may be printed by chart agents and distributed to customers on a cost recovery basis. Participating chart agents are listed on the AHS website as providing a 'Paper Notices to Mariners' service (www.hydro.gov.au/prodserv/distributors/distributors.htm). Copies of the notices may not be sold for profit without prior written agreement.

NUMERICAL INDEX OF NOTICES TO MARINERS

Edition No 10

Notices	Aus Chart, INT Chart, ENC Cell, AHP, BA Pubs
565	Products- New Charts and New Editions to be published shortly
566	Aus 246, 248, 841
567	Amendment to Australian Notice to Mariners No 2
568	Aus 826
569	Aus 824, 825
570	Aus 830, AXA 0830T
571	Aus 245
572	Aus 249, 250, AX 00249S
573	Aus 250
574	Aus 827
575	Aus 235
576	Aus 399
577	Aus 386, 387, 673
578	Aus 24, 26, 28, AX 00026T
579	Aus 62, 742, 743
580	Aus 331, 747, 749, 4725, INT 725
581	Aus 64, 743, 744
582	Aus 64
583	Aus 485
584	Aus 4709, INT 709
585	Aus 154
586	Aus 171, 173
587	Aus 168
588(T)	Aus 207, 208, 489, 809, AX 00809S
589(T)	Aus 230
590(T)	Aus 230
591(T)	Aus 235, 236, 237, 238, 814, 815
592(T)	Aus 252, 254, 824
593(T)	Aus 672
594(T)	Aus 26, 28, AX 00026T
595(T)	Aus 26, 28, AX 00026T
596(T)	Aus 325, 326, 327, 739, 4722, 4723, INT 722, 723, AX 04722U, 04723U
597(T)	Aus 327, 328, 741, 4723, INT 723, AX 04723U
598(T)	Aus 4723, INT 723, AX 04723U
599(T)	Aus 327, 328
600(T)	Aus 154
601(T)	Aus 179, 800

NUMERICAL INDEX OF CHARTS AFFECTED

Edition No 10

Aus Chart	Notices
Aus 24	578
Aus 26	578, 594(T), 595(T)
Aus 28	578, 594(T), 595(T)
Aus 62	579
Aus 64	581, 582
Aus 154	585, 600(T)
Aus 168	587
Aus 171	586
Aus 173	586
Aus 179	601(T)
Aus 207	588(T)
Aus 208	588(T)
Aus 230	589(T), 590(T)
Aus 235	575, 591(T)
Aus 236	591(T)
Aus 237	591(T)
Aus 238	591(T)
Aus 245	571
Aus 246	566
Aus 248	566
Aus 249	572
Aus 250	572, 573
Aus 252	592(T)
Aus 254	592(T)
Aus 325	596(T)
Aus 326	596(T)
Aus 327	596(T), 597(T), 599(T)
Aus 328	597(T), 599(T)
Aus 331	580
Aus 386	577
Aus 387	577
Aus 399	576
Aus 485	583
Aus 489	588(T)
Aus 672	593(T)
Aus 673	577
Aus 739	596(T)
Aus 741	597(T)
Aus 742	579
Aus 743	579, 581
Aus 744	581
Aus 747	580
Aus 749	580
Aus 800	601(T)
Aus 809	588(T)
Aus 814	591(T)
Aus 815	591(T)
Aus 824	569, 592(T)
Aus 825	569
Aus 826	568
Aus 827	574
Aus 830	570
Aus 841	566
Aus 4709	584

Aus Chart	Notices
Aus 4722	596(T)
Aus 4723	596(T), 597(T), 598(T)
Aus 4725	580
AX 00026T	578, 594(T), 595(T)
AX 00249S	572
AX 00809S	588(T)
AX 04722U	596(T)
AX 04723U	596(T), 597(T), 598(T)
AXA 0830T	570

INT Chart	Notices
INT 709	584
INT 722	596(T)
INT 723	596(T), 597(T), 598(T)
INT 725	580

565 AUSTRALIA - Products- New Charts and New Editions to be published shortly

Australian Hydrographic Service (AA810285)

New Charts to be published shortly

<i>Chart</i>	<i>Title</i>	<i>Scale</i>	<i>Expected Publication Date</i>	<i>Remarks</i>
Aus 627	Papua New Guinea - North East Coast - Jomard Entrance	1:75 000	5 June 2015	New chart with improved coverage of Two Way Route

New Editions to be published shortly

<i>Chart</i>	<i>Title</i>	<i>Scale</i>	<i>Expected Publication Date</i>	<i>Remarks</i>
Aus 250 Edition 4	Australia - East Coast - Queensland – Plans of Hay Point and Mackay Plans: Hay Point Mackay	1:15 000 1:10 000	5 June 2015	General updating throughout
Aus 253 Edition 5	Australia - East Coast - Queensland – Whitsunday Passage	1:37 500	5 June 2015	General updating throughout
Aus 265 Edition 3	Australia - East Coast - Queensland – Approaches to Port Alma Plan: Port Alma	1:25 000 1:10 000	5 June 2015	General updating throughout
Aus 817 Edition 2	Australia - East Coast - Queensland – Great Sandy Strait and Harvey Bay	1:150 000	5 June 2015	General updating throughout

566 AUSTRALIA - Products- New Charts, New Editions, Withdrawn Charts
 Australian Hydrographic Service (AA810285)

New Charts

<i>Chart</i>	<i>Title and Geographical limits</i>	<i>Scale</i>	<i>Publication Date</i>	<i>Remarks</i>
NIL	NIL			

New Editions and Withdrawn Charts

<i>Chart</i>	<i>Title</i>	<i>Scale</i>	<i>Publication Date</i>	<i>Remarks</i>
Aus 246 Edition 5	Australia - East Coast - Queensland – Approaches to Port of Gladstone Inset: Turkey Beach	1:37 500 1:37 500	22 May 2015	New edition with general updating throughout. Edition 4 dated 6 Jan 2006 is now superseded and must be withdrawn from use.
Aus 248 Edition 2	Australia - East Coast - Queensland – Port Clinton	1:25 000	22 May 2015	New edition with general updating throughout. Edition 1 dated 3 Sep 2004 is now superseded and must be withdrawn from use.
Aus 841 Edition 2	Australia - Papua New Guinea - Torres Strait - Kirkcaldie Reef to Boigu Island	1:150 000	22 May 2015	New edition with general updating throughout. Edition 1 dated 27 Jul 2012 is now superseded and must be withdrawn from use.

New Miscellaneous Charts

<i>Chart</i>	<i>Title</i>	<i>Scale</i>	<i>Publication Date</i>	<i>Remarks</i>
AX00316S	Charles Point to Pelican Island	1:300 000	22 May 2015	Fleet use only
AX00317S	Pulau Sawu to Ashmore Reef	1:300 000	22 May 2015	Fleet use only
AX00336S	Cape Leeuwin to King George Sound	1:300 000	22 May 2015	Fleet use only

Chart permanently withdrawn

Charts listed above as withdrawn no longer meet chart carriage requirements and should be marked as "superseded" and replaced with the new chart/ new edition listed prior to passage through the area covered by the new chart.

When placing orders with a chart agent between notice of forthcoming edition and its publication, mariners should advise whether their order pertains to the current edition or the new edition.

For further details refer to the AHS website at www.hydro.gov.au for new edition and new chart stock arrival information.

When placing orders with a chart agent, mariners should advise whether their order pertains to the current edition or the new edition.

567 AUSTRALIA - Product - Amendment to Australian Notice to Mariners No 2

Australian Hydrographic Service (AA809496)

Page 14

Amend KH Charts details to read:**Chartco UK**Unit 4, Voltage
Mollison Avenue
Enfield EN3 7XQ

Telephone

(44 1992) 805 400

C,S

Fax

(44 1992) 805 410

Email

enquiries@chartco.com

Website

www.chartco.com

568* AUSTRALIA - QUEENSLAND - Bowen - Wreck

UKHO (AA809658)

Aus 826 [NE 4/7/2014]Insert dangerous wreck
danger circle

20° 00'.11 S

148° 16'.57 E

20° 01'.37 S

148° 16'.54 E

569* AUSTRALIA - QUEENSLAND - Cid Island - Depth

UKHO (AA809658)

Aus 824 [517/2015]Insert depth, 7₂m enclosed by contour with legend *Conder Shoal*

20° 14'.46 S

148° 54'.56 E

Aus 825 [517/2015]Insert depth, 7₂m enclosed by contour with legend *Conder Shoal*

20° 14'.46 S

148° 54'.56 E

570* AUSTRALIA - QUEENSLAND - Flora Reef - ObstructionHMAS *Leeuwin* (AA809131)**Aus 830** [340/2015]Insert depth, 33m enclosed by danger circle with legend *Obstr*

17° 12'.90 S

146° 12'.42 E

AXA 0830T [340/2015]Insert depth, 33m enclosed by danger circle with legend *Obstr*

17° 12'.90 S

146° 12'.42 E

571* AUSTRALIA - QUEENSLAND - Gladstone - Gatcombe Channel - Legend

Australian Hydrographic Service (AA282710)

Aus 245 [268/2015]Insert magenta legend, *Adjoining Chart Aus 246*, in S border

23° 53'.65 S

151° 22'.50 E

572* AUSTRALIA - QUEENSLAND - Hay Point - Virtual AIS*Former Notice - 1101(T)/2013 is cancelled*

Maritime Safety Queensland Notice 139/2015 (AA808350)

Aus 249 [516/2015]Insert magenta circle with legend *AIS*

21° 15'.33 S

149° 23'.18 E

Aus 250 (plan, Hay Point) [516/2015]

Insert starboard lateral virtual AIS

21° 15'.958 S

149° 19'.700 E

port lateral virtual AIS

21° 16'.220 S

149° 19'.776 E

special virtual AIS

21° 15'.608 S

149° 19'.539 E

AX 00249S [516/2015]Insert magenta circle with legend *AIS*

21° 15'.33 S

149° 23'.18 E

573* AUSTRALIA - QUEENSLAND - Mackay - Signal station

Australian Hydrographic Service (AA76501)

Aus 250 (plan, Mackay Harbour) [572/2015]

Substitute signal station with legend (traffic), for light

21° 06'.59 S

149° 13'.77 E

574* AUSTRALIA - QUEENSLAND - Orpheus Island - Light beacon
UKHO (AA809658)

Aus 827 [269/2015]

Move light beacon
to

18° 37'.72 S 146° 29'.68 E
18° 37'.97 S 146° 29'.73 E

575* AUSTRALIA - QUEENSLAND - Pumicestone Channel - Light amended

Former Notice - 546(T)/2015 is cancelled

Maritime Safety Queensland Notice 146(T)/2015 (AA808922)

Aus 235 [338/2015]

Amend light to *Fl.G.2·5s*

26° 52'.3 S 153° 07'.0 E

576* PAPUA NEW GUINEA - Asie Island - Island

UKHO (AA809233)

Aus 399 [342/2015]

Insert rock which does not cover, enclosed by danger circle

6° 53'.66 S 156° 01'.94 E

577* PAPUA NEW GUINEA - Vitiaz Strait - Tuam Island - Light

National Maritime Safety Authority PNG Notice 31/2014 (AA759523)

Aus 386 [620/2014]

Insert light, *Fl(2)6s 10M*

5° 57'.81 S 148° 01'.64 E

Aus 387 [620/2014]

Insert light, *Fl(2)6s 10M*

5° 57'.81 S 148° 01'.64 E

Aus 673 [620/2014]

Insert light, *Fl(2)6s 60m 10M*

5° 57'.81 S 148° 01'.64 E

578* AUSTRALIA - NORTHERN TERRITORY - Darwin - Weed Reef to Sadgroves Creek - Navajds; AIS; wreck; anchorage area; rock

UKHO (AA809540, AA809768, AA810407, AA810408, AA810466), Department of Transport NT Notice 60/2015 (AA808465)

Aus 24 [NE 8/5/2015]

Insert	magenta circle with legend, <i>AIS</i> , at light buoy	12° 28'.078 S	130° 49'.248 E
	special purpose spar light buoy, <i>Fl. Y. 4s</i> , without topmark	12° 26'.713 S	130° 51'.370 E
	special purpose spar light buoy, <i>Fl. Y. 4s</i> , without topmark	12° 26'.908 S	130° 51'.195 E
	special purpose spar light buoy, <i>Fl. Y. 4s</i> , without topmark	12° 27'.122 S	130° 51'.278 E
	special purpose spar light buoy, <i>Fl. Y. 4s</i> , without topmark	12° 27'.370 S	130° 51'.139 E
Amend	legend to <i>Fl(2)G. 4s</i>	12° 26'.59 S	130° 51'.56 E
Delete	magenta circle with legend, <i>AIS</i> , at light buoy	12° 28'.04 S	130° 49'.47 E

Aus 26 [413/2015]

Insert	rock awash	12° 30'.70 S	130° 48'.45 E
	depth, 10 ₇ m enclosed by danger circle with legend <i>Wk</i>	12° 28'.98 S	130° 50'.34 E
	depth, 3 ₃ m enclosed by danger circle with legend <i>Wk</i>	12° 29'.74 S	130° 53'.82 E
Delete	anchorage prohibited area centred on	12° 28'.7 S	130° 51'.2 E
	depth, 6 ₃ m enclosed by danger circle with legend <i>Wk</i>	12° 29'.1 S	130° 50'.3 E
	depth, 5 ₃ m enclosed by danger circle with legend <i>Wk</i>	12° 29'.9 S	130° 53'.8 E

Aus 28 [413/2015]

Insert	special purpose spar light buoy, <i>Fl. Y. 4s</i> , without topmark	12° 27'.370 S	130° 51'.139 E
--------	---	---------------	----------------

AX 00026T [413/2015]

Insert	rock awash	12° 30'.70 S	130° 48'.45 E
	depth, 10 ₇ m enclosed by danger circle with legend <i>Wk</i>	12° 28'.98 S	130° 50'.34 E
	depth, 3 ₃ m enclosed by danger circle with legend <i>Wk</i>	12° 29'.74 S	130° 53'.82 E
Delete	anchorage prohibited area centred on	12° 28'.7 S	130° 51'.2 E
	depth, 6 ₃ m enclosed by danger circle with legend <i>Wk</i>	12° 29'.1 S	130° 50'.3 E
	depth, 5 ₃ m enclosed by danger circle with legend <i>Wk</i>	12° 29'.9 S	130° 53'.8 E

579* AUSTRALIA - WESTERN AUSTRALIA - Barrow Island - Radio masts

Chevron Australia Pty Ltd (AA807267)

Aus 62 [528/2015]

Insert	Radio mast, with legend (<i>R Lt</i>)	20° 43'.65 S	115° 28'.42 E
	Radio mast, with legend (<i>R Lt</i>)	20° 47'.01 S	115° 27'.50 E

Aus 742 [528/2015]

Insert	Radio mast, with legend (<i>R Lt</i>)	20° 47'.01 S	115° 27'.50 E
	Radio mast, with legend (<i>R Lt</i>)	20° 49'.07 S	115° 26'.30 E
	Radio mast, with legend (<i>R Lt</i>)	20° 47'.99 S	115° 26'.50 E

Aus 743 [529/2015]

Insert	Radio mast, with legend (<i>R Lt</i>)	20° 49'.07 S	115° 26'.30 E
--------	---	--------------	---------------

580* AUSTRALIA - WESTERN AUSTRALIA - Dirk Hartog Island - Light range amended

AMSA (AA807504)

Aus 331 [527/2015]

Amend	light range to 14M	25° 28'.9 S	112° 58'.3 E
-------	--------------------	-------------	--------------

Aus 747 [527/2015]

Amend	light range to 14M	25° 28'.9 S	112° 58'.3 E
-------	--------------------	-------------	--------------

Aus 749 [527/2015]

Amend	light range to 14M	25° 28'.9 S	112° 58'.3 E
-------	--------------------	-------------	--------------

Aus 4725 (INT 725) [527/2015]

Amend	light range to 14M	25° 28'.9 S	112° 58'.3 E
-------	--------------------	-------------	--------------

581* AUSTRALIA - WESTERN AUSTRALIA - Thevenard Island - Light buoys withdrawn

MetOcean (AA809212)

Aus 64 [529/2015]

Delete	light buoy	21° 22'.1 S	114° 50'.9 E
	light buoy	21° 31'.8 S	115° 01'.9 E

Aus 743 [579/2015]

Delete	light buoy	21° 22'.1 S	114° 50'.9 E
	light buoy	21° 31'.8 S	115° 01'.9 E
	light buoy	21° 39'.3 S	115° 00'.1 E

Aus 744 [529/2015]

Delete	light buoy	21° 22'.1 S	114° 50'.9 E
--------	------------	-------------	--------------

582* AUSTRALIA - WESTERN AUSTRALIA - Thevenard Island - Depths eastwards

Chevron Australia Pty Ltd (DHDB 2849549, DHDB 2849646)

Aus 64 [581/2015]

Insert	accompanying block	21° 27'.5 S	115° 09'.0 E
--------	--------------------	-------------	--------------

583* AUSTRALIA - SOUTH AUSTRALIA - The Cabbage Patch - Depths

UKHO (AA808314)

Aus 485 [474/2015]

Insert	depth, 96m enclosed by contour	35° 14'.46 S	135° 14'.02 E
	depth, 90m enclosed by contour	35° 24'.88 S	135° 09'.40 E

Delete	depth, 77m enclosed by contour with legend Rep (1978)	35° 25'.2 S	135° 54'.5 E
--------	---	-------------	--------------

584* SOUTHERN OCEAN - South West Cape - Light buoys; obstruction southwestwards*Former Notice - 549(T)/2014 is cancelled*

CSIRO (AA808073)

Aus 4709 (INT 709) [492/2014]

Move	light buoy	46° 45'.6 S	141° 57'.7 E
	to	46° 40'.0 S	142° 04'.4 E
	obstruction with legend ODAS	46° 46'.9 S	141° 49'.3 E
	to	46° 49'.5 S	141° 39'.4 E

585* AUSTRALIA - VICTORIA - Port Phillip - River Yarra - Maintained depth

Port of Melbourne Corporation (AA808845)

Aus 154 [419/2015]

Amend	legend to 9.5m	37° 49'.19 S	144° 54'.33 E
-------	----------------	--------------	---------------

586* AUSTRALIA - TASMANIA - Little Oyster Cove - Beacon

MAST Notice M72/15 (AA809217)

Aus 171 [421/2015]

Insert	east cardinal beacon with topmark	43° 07'.50 S	147° 15'.40 E
--------	-----------------------------------	--------------	---------------

Delete	beacon	43° 07'.5 S	147° 15'.4 E
--------	--------	-------------	--------------

Aus 173 [353/2015]

Insert	east cardinal beacon with topmark	43° 07'.50 S	147° 15'.40 E
--------	-----------------------------------	--------------	---------------

Delete	beacon	43° 07'.5 S	147° 15'.4 E
--------	--------	-------------	--------------

Aus 173 (plan, Little Oyster Cove) [353/2015]

Insert	east cardinal beacon with topmark	43° 07'.499 S	147° 15'.396 E
--------	-----------------------------------	---------------	----------------

Delete	beacon	43° 07'.49 S	147° 15'.41 E
--------	--------	--------------	---------------

587* AUSTRALIA - TASMANIA - River Tamar - Beacons

MAST (AA809292)

Aus 168 [958/2014]

Insert	beacon with special topmark	41° 15'.383 S	146° 57'.358 E
--------	-----------------------------	---------------	----------------

	special purpose beacon with topmark	41° 15'.640 S	146° 58'.246 E
--	-------------------------------------	---------------	----------------

Delete	beacon	41° 15'.86 S	146° 58'.06 E
--------	--------	--------------	---------------

	beacon	41° 16'.29 S	146° 59'.04 E
--	--------	--------------	---------------

	beacon	41° 15'.28 S	146° 58'.52 E
--	--------	--------------	---------------

	beacon	41° 14'.96 S	146° 57'.98 E
--	--------	--------------	---------------

	beacon	41° 15'.48 S	146° 57'.39 E
--	--------	--------------	---------------

	beacon	41° 15'.40 S	146° 57'.31 E
--	--------	--------------	---------------

	topmark	41° 16'.16 S	146° 59'.50 E
--	---------	--------------	---------------

588(T)/2015 AUSTRALIA - NEW SOUTH WALES - Newcastle - Depth information

Former Notice - 537(T)/2015 is cancelled

Newcastle Port Corporation (AA808707, AA809992)

Available depths as at 14 May 2015:

<i>Berth</i>	<i>Metres</i>	<i>Remarks</i>
Eastern Basin 1	11.5	
Eastern Basin 2 North of Ch 450	11.6	
Eastern Basin 2 South of Ch 450	11.4	
Western Basin 3	11.6	
Western Basin 4	11.6	
Channel Berth	9.7	
Dyke 1	12.8	
Dyke 2	12.8	
* Dyke 4	15.8	
* Dyke 5	15.8	
Dyke 6	5.3	
* Mayfield 4 Ch 27 to 266	12.8	
BHP Wharf 6 to Ch 1050	7.3	
Kooragang 2	11.6	
Kooragang 2 North Dolphin Ch 182 to 243	11.6	
Kooragang 2 South Dolphin Ch -92 to 00	11.4	
Kooragang 3 Ch -40 to 00	13.1	
Kooragang 3 Ch 00 to 220	13.1	
Kooragang 4	16.2	
Kooragang 5	16.5	
Kooragang 6	16.5	
Kooragang 7	16.5	
Kooragang 8	16.4	
Kooragang 9	16.4	
Kooragang 10	16.3	
Throsby 1 Ch 850 to 1030	8.9	
Carrington Wharf		To be sounded as and when required
Foreshore Park Berth	5.9	
Elgo Wharf		To be sounded as and when required
<i>Channels</i>		
Entrance Approach	17.5	
Entrance Channel (18.0m)	17.7	
Entrance Channel (17.4m)	17.4	
Entrance Channel (16.8m)	16.8	
Entrance Channel (16.2m)	16.2	
Entrance Channel to Horseshoe	15.2	
* Horseshoe	15.1	
Steelworks Channel to Swinging Basin	15.0	
Swinging Basin	15.1	
Hunter River South Arm (Kooragang 6 to buoy 18)	15.1	
Hunter River South Arm (buoy 18 to buoy 20)	14.8	
Basin Cutting	12.6	
Basin Area to Eastern & Western Basin Berths	12.6	
Basin Area to Throsby 1	9.2	
Stockton Crossing	3.6	
* Indicates new or revised entry.		

Chart temporarily affected - Aus 207 - Aus 208 - Aus 489 - Aus 809 - AX 00809S**589(T)/2015 AUSTRALIA - QUEENSLAND - Gold Coast - South Channel - Light buoy; harbour works**

Maritime Safety Queensland Notice 150(T)/2015 (AA809631)

A special light buoy, *Fl. Y. 2.5s*, has been established in position 27° 56'.98 S 153° 25'.28 E to mark the boundary of an area of construction works.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 230

590(T)/2015 AUSTRALIA - QUEENSLAND - Gold Coast - Wave Break Island - Wreck
Maritime Safety Queensland Notice 152(T)/2015 (AA810277)

A wreck marked by a special light buoy, *Fl. Y. 2-5s*, exists in position 27° 55'.75 S 153° 24'.59 E

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 230

591(T)/2015 AUSTRALIA - QUEENSLAND - Moreton Bay - Brisbane River - Depth information

Former Notice - 545(T)/2015 is cancelled

Brisbane Port Corporation (AA808703, AA809930)

Available depths and under keel clearances (UKC) at 14 May 2015:

<i>Berth</i>	<i>Metres</i>	<i>Remarks</i>
* Fisherman Islands No12	13.4	
* Fisherman Islands No11	13.8	
Fisherman Islands No10	13.9	
Fisherman Islands No9	14.0	
Fisherman Islands No8	13.8	
Fisherman Islands No7	14.0	
* Fisherman Islands No6	14.0	
* Fisherman Islands No5	14.0	
Fisherman Islands No4	14.1	
Fisherman Islands No3	14.0	
Fisherman Islands No2	14.1	
Fisherman Islands No1	13.7	
* Fisherman Islands Grain and Woodchip	13.3	
Caltex Fisherman Islands	14.3	
* Fisherman Islands Coal	14.0	
* Fisherman Islands General Purpose	10.8	
* BP Luggage Point	13.6	
* Caltex Products	10.2	
* Cement Australia Co Wharf	9.7	
BP Products	10.9	
* Viva Energy	10.9	
Graincorp Liquid Terminal	10.1	
Incitec North	10.0	
* Incitec South	9.6	
Pinkenba 1	10.5	
Pinkenba 2	10.5	
Riverside Marina	-	
Sugar Terminal	9.9	
Cairncross Fitting Out Wharf	7.1	
Cairncross Breasting Wharf	4.4	
Brisbane Naval Wharf	4.3	
* Maritime No1	8.8	
* Hamilton No4	10.3	
Hamilton No1	8.5	
Brisbane Cruise Ship Terminal	8.6	
	<i>Metres</i>	<i>UKC/Remarks</i>
<i>Moreton Bay:</i>		
North West Channel	15.0	2.3 (280m width)
North West Bypass Channel	9.2	1.6
Spitfire Channel	15.0	1.5 (600m width)
East Knoll Bypass Channel	6.0	1.4
East Channel	15.0	1.5 (300m width from western side)
Main Channel (M8 - M9)	10.0	1.8
Entrance Channel (E5 - EBCN)	14.7	1.5
<i>Brisbane River:</i>		
Outer Bar Cutting	14.0	1.46
Inner Bar Cutting	14.0	1.46
Fisherman Islands Swing Basin	14.0	1.3
Fisherman Islands Swing Basin (11.5)	11.5	0.6
River	9.1	0.6 / 0.9 (draft/tide)
Cement Australia Swing Basin	9.1	0.6 / 0.9 (draft/tide)
* Pinkenba Swing Basin	8.9	0.6 / 0.9 (draft/tide)
Hamilton Swing Basin	9.1	0.6 / 0.9 (draft/tide)
* Indicates new or revised entry.		

Chart temporarily affected - Aus 235 - Aus 236 - Aus 237 - Aus 238 - Aus 814 - Aus 815

592(T)/2015 AUSTRALIA - QUEENSLAND - Whitsundays - Spitfire Rock - Light beacon destroyed*Former Notice* - 1109(T)/2013 is cancelled

Maritime Safety Queensland Notice 160(T)/2015 (AA810831)

West cardinal light beacon, Q(9)15s (20° 28' .61 S 149° 01' .72 E) has been destroyed.

Chart temporarily affected - Aus 252 - Aus 254 - Aus 824**593(T)/2015 PAPUA NEW GUINEA - Tavanatangir Harbour - Light restored***Former Notice* - 194(T)/2015 is cancelled

National Maritime Safety Authority PNG Notice 15/15 (AA809499)

Cancel this notice on receipt.

Chart formerly affected - Aus 672**594(T)/2015 AUSTRALIA - NORTHERN TERRITORY - Darwin - Hudson Creek - Light beacon unlit**

Darwin Port Corporation Notice 068(T)/2015 (AA810179)

The starboard lateral light beacon, Q(6)G.10s 2M (12° 29'.13 S 130° 55'.68 E) is unlit.

Chart temporarily affected - Aus 26 - Aus 28 - AX 00026T**595(T)/2015 AUSTRALIA - NORTHERN TERRITORY - Darwin - East Arm - Light beacon unlit**

Darwin Port Corporation Notice 067(T)/2015 (AA810008)

The light beacon, F & Al.WRG Fl.Y.2s (12° 29'.65 S 130° 53'.58 E) is unlit.

Chart temporarily affected - Aus 26 - Aus 28 - AX 00026T**596(T)/2015 AUSTRALIA - WESTERN AUSTRALIA - Bedout Island - Seismic survey northwestwards***Former Notice* - 79(T)/2015 is cancelled*Date* - Until 30 November 2015

AMSA AUSCOAST 122/15 (AA810749), Polarcus DMCC (AA810773)

Survey vessel *Polarcus Naila*, with a 10000m towed array is conducting a survey in the area bounded by the following positions:

18° 38'.89 S 116° 50'.93 E
 18° 38'.93 S 117° 48'.47 E
 19° 13'.27 S 118° 04'.77 E
 19° 12'.44 S 119° 20'.90 E
 18° 41'.77 S 119° 20'.47 E
 18° 13'.09 S 119° 08'.62 E
 17° 21'.98 S 118° 18'.79 E
 17° 13'.03 S 117° 56'.53 E
 17° 12'.95 S 117° 00'.32 E
 17° 22'.37 S 116° 50'.99 E.

Mariners are advised to navigate with caution in the area. 7NM clearance requested.

Chart temporarily affected - Aus 325 - Aus 326 - Aus 327 - Aus 739 - Aus 4722 (INT 722) - Aus 4723 (INT 723) - AX 04722U - AX 04723U

597(T)/2015 AUSTRALIA - WESTERN AUSTRALIA - Dampier Archipelago - Seismic survey northwestwards*Date* - Until 30 June 2015

Scope Resources (AA810181, AA810219)

Survey vessel *Sanco Swift*, with a 8200m towed array, and support vessel *Sunrise-G* are conducting a survey in the area bounded by the following positions:

18° 29'.53 S 116° 19'.93 E

18° 29'.53 S 113° 52'.89 E

19° 34'.10 S 113° 52'.89 E

19° 34'.10 S 116° 19'.93 E.

Mariners are advised to navigate with caution in the area. 5NM clearance requested.

Chart temporarily affected - Aus 327 - Aus 328 - Aus 741 - Aus 4723 (INT 723) - AX 04723U**598(T)/2015 AUSTRALIA - WESTERN AUSTRALIA - Exmouth Plateau - Scientific instruments recovered***Former Notice* - 428(T)/2014 is cancelled

MetOcean Engineers (AA809212)

Cancel this notice on receipt.

Chart formerly affected - Aus 4723 (INT 723) - AX 04723U**599(T)/2015 AUSTRALIA - WESTERN AUSTRALIA - Montebello Islands - Mooring buoy recovered***Former Notice* - 447(T)/2015 is cancelled

Viking Seatech (AA810526)

Cancel this notice on receipt.

Chart formerly affected - Aus 327 - Aus 328**600(T)/2015 AUSTRALIA - VICTORIA - Port Phillip - River Yarra - Yarraville - Harbour works***Date* - Until 30 October 2015

Victorian Notice 94(T)/2015 (AA809213)

Works associated with the rehabilitation of the wharf at Yarraville 6 (37° 49'.28 S 144° 54'.30 E) are in progress.

A barge and support vessels are on site and will display appropriate lights and shapes.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 154**601(T)/2015 AUSTRALIA - TASMANIA - Franklin Sound - Lady Barron - Shoaling; light unreliable***Former Notice* - 201(T)/2014 is cancelled

Marine and Safety Tasmania Notice M074/2015 (AA808896)

Mariners are advised that shoaling exists along the centre line of the lead lights, *F.WRG.48m 10M* (40° 12'.45 S 148° 14.76 E). The lights should not be relied upon for safe navigation.

Mariners should seek local knowledge prior to transiting through and are advised to navigate with caution in the area.

Chart temporarily affected - Aus 179 - Aus 800

II

HYDROGRAPHIC REPORTS

NIL

NAVIGATION WARNINGS

The following radio messages have been received during the period to 21 May 2015. Signal copies of these messages may be destroyed. It is recommended that the reprint of Navigational Warnings should be kept in a file or a book divided into areas. Cancellation should be made on receipt of signals and reprints.

Rigs on location other than those listed in the latest Section III summary are the subject of Radio Navigational Warnings. Rigs in transit will not be the subject of Warnings.

AUSCOAST WARNING

- 116 Cancelled.
- 117 Cancelled.
- 118 Special purpose vessel *BGP Explorer* is conducting a seismic survey in an area bounded by 21° 35'.0 S 114° 30'.0 E and 21° 35'.0 S 114° 46'.0 E. 6NM clearance requested.
- 119 Special purpose vessel *Investigator* is deploying scientific moorings in an area bounded by 26° 50'.0 S 153° 45'.0 E and 27° 30'.0 S 155° 45'.0 E. 4NM clearance requested.
- 120 Drill rig *Atwood Osprey* in position 19° 50'.94 S 115° 22'.23 E.
- 121 Cancelled.
- 122 Special purpose vessel *Polarcus Naila* is conducting a seismic survey in an area bounded by 18° 00'.0 S 116° 51'.0 E and 19° 13'.2 S 119° 20'.7 E. 7NM clearance requested.
- 123 Imperieuse Reef light K1674 and racon ALRS Vol 2 87300 in position 17° 31'.32 S 118° 57'.18 E are unreliable.

NAVAREA X WARNINGS

- 040 Warnings in force.

Navigational warnings in force as at 210001UTC MAY 15.**Auscoast**

2015 035 067 086 095 098 099 100 103 108 113 114 115 118 119 120 122 123

Navarea X

2015 022 026 029 040

Summary of mobile drilling rigs as at 210001UTC MAY 15.

<i>Name</i>	<i>Position</i>
Armada Claire	20° 03'.50 S 115° 11'.50 E
Atwood Eagle	21° 26'.00 S 114° 02'.00 E
Atwood Falcon	21° 32'.28 S 114° 05'.06 E
Atwood Osprey	19° 50'.90 S 115° 22'.20 E
Deepwater Millennium	19° 54'.70 S 115° 07'.90 E
Ensco 5006	13° 52'.80 S 123° 19'.10 E
Jack Bates	13° 54'.20 S 123° 10'.00 E
Noble Clyde Boudreaux	13° 49'.00 S 123° 19'.40 E
Ocean America	20° 25'.90 S 114° 19'.10 E
Stybarrow Venture	21° 27'.00 S 113° 49'.50 E
West Telesto	39° 50'.70 S 145° 49'.20 E


NAVAREA XIV WARNINGS

NIL

Navarea XIV warnings in force as at 210001UTC MAY 15.

2015 042

To accompany Australian Notice to Mariners 582/2015



Block for chart Aus 64

© Commonwealth of Australia 2015

(151 x 130.5mm)