



Australian Notices to Mariners are the authority for correcting Australian Charts

AUSTRALIAN NOTICES TO MARINERS

© Commonwealth of Australia 2000 - Copyright restrictions apply to Notices to Mariners



Notices 307-334

Published fortnightly by the Australian Hydrographic Office

G. J. GERAGHTY,
Hydrographer, RAN

- SECTIONS. I. **Australian Notices to Mariners, including blocks and notes.**
 III. **Navigational Warnings.**
 IV. **Hydrographic Reports.**

New Zealand Notices to Mariners

The substance of these notices should be inserted on the charts affected.

Notices to Mariners information relating to British Admiralty Publications unavailable on this web site at this stage but still available in printed form:-

- Section II. Corrections to Admiralty List of Lights, Vol K.**
Section V. Corrections to Admiralty List of Radio Signals.
Section VI. Corrections to Sailing Directions.

Bearings are referred to the true compass and are reckoned clockwise from 000° (North) to 359°: those relating to lights are given as seen by an observer from seaward. The range quoted for a light is its nominal range. Fog signals are sounded only during thick or foggy weather, unless otherwise stated. Depths are with reference to the chart datum of each chart. Heights are above mean high water springs or mean higher high water, as appropriate.

The capital letter (P) or (T) after the number of any notice denotes a preliminary or temporary notice respectively, which are contained separately at the end of the permanent notices. A star () adjacent to the number of a notice indicates that the notice is based on original information.*

Mariners are particularly requested to notify the AUSTRALIAN HYDROGRAPHIC OFFICE, Locked Bag 8801 South Coast Mail Centre, NSW 2521 (Fax 02-4221 8599), e-mail hni.hydro@navy.gov.au or, alternatively by filling in and submitting the **Hydrographic Notes forms, immediately on the discovery of new dangers or suspected dangers to navigation. For changes or defects in aids to navigation notify AusSAR (Fax 02-6230 6868 or email rccaus@amsa.gov.au).**

Copies of these notices can be obtained from the AUSTRALIAN HYDROGRAPHIC OFFICE, 8 Station Street, Wollongong, and Agents for the sale of charts and hydrographic publications.

The Commonwealth of Australia is the owner of, or is otherwise responsible for, the copyright in this work. It is protected under the Copyright Act 1968 and international convention. Except as expressly authorised below, the work may not be copied, reproduced, adapted, changed or commercially exploited, in whole or in part, or the format in which it is stored altered, without the prior written permission of the Australian Hydrographic Office. The Notices may be copied for the purpose of inserting their substance on official charts and other publications. However, any copies of the notices may not be sold for profit.

© Commonwealth of Australia 2000

NUMERICAL INDEX OF CHARTS AFFECTED

Edition No 11

26 May 2000

Notices	Aus Chart
307	Aus 247,314
308	Aus 191
309	Aus 366,818,819
310	Aus 366,819
311	Aus 380,381,567,4620,4621, INT 621
312	Aus 4620,4621, INT 621
313	Aus 384,570,4621,4622, INT 621, INT 622
314	Aus 384,385,519,520,4620,4621, INT 621
315	Aus 385,386,520,523,572,654,4620,4621,4622, INT 621, INT 622
316	Aus 387,388,654,4622, INT 622
317	Aus 654
318	Aus 327
319	Aus 742
320	Aus 113
321	Aus 125
322	Aus 154
323(T).....	Aus 235,365
324(T).....	Aus 244,245
325(T).....	Aus 256,257
326(T).....	Aus 373,374,832
327(T).....	Aus 4
328(P)	Aus 305,410,710
329(T).....	Aus 120
330(T).....	Aus 345,780
331(T).....	Aus 143,157
332(T).....	Aus 157
333(T).....	Aus 157
334(T).....	Aus 143,158

307 AUSTRALIA - Publications.

AHO (00/3415 & 3416). (AH99/139)

New edition

<i>Chart</i>	<i>Published</i>	<i>Title and description of amendments</i>	<i>Scale</i>	<i>Folio</i>	<i>Index Chart</i>	<i>Price</i>
Aus 247	31/3/00	Australia - East Coast - Queensland - Keppel Bay Plans: Approaches to Port Alma Port Alma Rosslyn Bay <i>General updating throughout. Horizontal datum is referred to WGS.</i> <i>Note: this chart is affected by Notice to Mariners 695(T)/1999.</i>	1:75 000 1:37 500 1:15 000 1:10 000	7	Aus 5020B	\$25.00
Aus 314	31/3/00	Timor Sea - Sahul Banks Plan: Ashmore Reef Anchorage <i>General updating through out including latest RAN and mining company surveys.</i>	1:300 000 1:50 000	2	Aus 5020A	\$25.00

Chart permanently withdrawn

<i>Chart</i>	<i>On publication of new edition</i>
Aus 247	Aus 247
Aus 314	Aus 314

308* AUSTRALIA - NEW SOUTH WALES - Twofold Bay - Marine farms.

Port of Eden (00/3397). (AH 99/302)

Aus 191 (plan, Twofold Bay) [366/1999]

Insert	marine farm, with legend (see Note), centred on	37° 05'.78 S	149° 53'.38 E
		37° 04'.65 S	149° 53'.84 E
	accompanying note	37° 03'.6 S	149° 52'.5 E

309* AUSTRALIA - QUEENSLAND - Bustard Head - Wreck eastward.Downrite Adventures (00/3366). The wreck is FV *Cetacea*. (AH 98/292)**Aus 366 [703/1999]**

Insert	depth, 14fm, enclosed danger circle, with legend <i>Wk</i>	24° 03'.15 S	151° 55'.32 E
Delete	non dangerous wreck	24° 02'.6 S	151° 55'.3 E

Aus 818 [521/1999]

Insert	depth, 26m, enclosed danger circle, with legend <i>Wk</i>	24° 03'.14 S	151° 55'.24 E
Delete	non dangerous wreck	24° 02'.6 S	151° 55'.3 E

Aus 819 [703/1999]

Insert	depth, 26m, enclosed danger circle, with legend <i>Wk</i>	24° 03'.14 S	151° 55'.24 E
Delete	non dangerous wreck	24° 02'.6 S	151° 55'.3 E

310* AUSTRALIA - QUEENSLAND - Bustard Head - Wreck northeastward.Downrite Adventures (00/3366). The wreck is FV *Barcoola*. (AH 98/292)**Aus 366 [309/2000]**

Substitute	depth, 15fm, enclosed danger circle, with legend <i>Wk</i> , for non dangerous wreck	23° 47'.0 S	151° 55'.2 E
------------	--	-------------	--------------

Aus 819 [309/2000]

Substitute	depth, 28m, enclosed danger circle, with legend <i>Wk</i> , for non dangerous wreck	23° 47'.0 S	151° 55'.2 E
------------	---	-------------	--------------

311* PAPUA NEW GUINEA - Bona Bona Island - Depths.
 HMAS' Mermaid & Paluma (00/553). (AH 99/499)

Aus 380 [208/2000]

Insert	accompanying block	10° 35' S	149° 50' E
	depth, 3 ₂ fm, enclosed by contour	10° 23'.00 S	149° 14'.68 E
	depth, 2 ₄ fm, enclosed by contour	10° 22'.94 S	149° 17'.06 E

Delete	shoal area between	10° 21'.2 S	149° 02'.7 E
		10° 25'.8 S	149° 02'.0 E
		10° 20'.5 S	149° 05'.1 E
	shoal area between	10° 24'.5 S	149° 07'.8 E
		10° 30'.4 S	149° 13'.9 E
	depth 15fm	10° 24'.4 S	149° 07'.3 E

Aus 381 [231/2000]

Insert	accompanying block	10° 35' S	149° 50' E
--------	------------------------------------	-----------	------------

Aus 567 [231/2000]

Insert	accompanying block	10° 35' S	151° 50' E
--------	------------------------------------	-----------	------------

Aus 4620 [231/2000]

Insert	danger line between	10° 22'.0 S	149° 02'.5 E
		10° 23'.0 S	149° 05'.5 E
		10° 28'.0 S	149° 15'.0 E
		10° 36'.0 S	149° 41'.1 E

Delete	danger line between	10° 22'.0 S	149° 02'.5 E
		10° 26'.0 S	149° 02'.0 E
		10° 23'.0 S	149° 05'.5 E
	danger line between	10° 23'.0 S	149° 05'.5 E
		10° 30'.0 S	149° 14'.0 E
		10° 28'.0 S	149° 15'.0 E
	depth 10 ₁ m and enclosing contour	10° 31'.0 S	149° 29'.0 E
		10° 35'.0 S	149° 35'.5 E
	depth 37m and enclosing contour	10° 37'.0 S	149° 41'.0 E
	depth 9 ₁ m		

Aus 4621 (INT 621) [231/2000]

Insert	danger line between	10° 22'.0 S	149° 02'.5 E
		10° 23'.0 S	149° 05'.5 E
		10° 28'.0 S	149° 15'.0 E
		10° 36'.0 S	149° 41'.1 E

Delete	danger line between	10° 22'.0 S	149° 02'.5 E
		10° 26'.0 S	149° 02'.0 E
		10° 23'.0 S	149° 05'.5 E
	danger line between	10° 23'.0 S	149° 05'.5 E
		10° 30'.0 S	149° 14'.0 E
		10° 28'.0 S	149° 15'.0 E
	depth 10 ₁ m and enclosing contour	10° 31'.0 S	149° 29'.0 E
		10° 35'.0 S	149° 35'.5 E
	depth 37m and enclosing contour	10° 37'.0 S	149° 41'.0 E
	depth 9 ₁ m		

312* PAPUA NEW GUINEA - Ava Point - Light range.

List of Lights Vol K/2000 -- 3456.5
 DOT&CA PNG (99/6849). (AH 99/196)

Aus 4620 [311/2000]

Amend	light range to 10M	10° 34'.1 S	149° 52'.9 E
-------	--------------------	-------------	--------------

Aus 4621 (INT 621) [311/2000]

Amend	light range to 10M	10° 34'.1 S	149° 52'.9 E
-------	--------------------	-------------	--------------

313* PAPUA NEW GUINEA - Trobriand Islands - Light ranges.

List of Lights Vol K/2000 -- 3436, 3437

DOT&CA PNG (99/6849). (AH 99/45)

Aus 384 [530/1998]

Amend light range to 10M

8° 38'.7 S	151° 20'.3 E
8° 24'.1 S	151° 07'.2 E

Aus 570 [467/1995]

Amend light range to 10M

8° 38'.0 S	151° 20'.0 E
8° 23'.0 S	151° 06'.5 E

Aus 4621 (INT 621) [312/2000]

Amend light range to 10M

8° 38'.7 S	151° 20'.3 E
8° 24'.1 S	151° 07'.2 E

Aus 4622 (INT 622) [288/2000]

Amend light range to 10M

8° 24'.1 S	151° 07'.2 E
------------	--------------

314* PAPUA NEW GUINEA - Cape Vogel to Cape Nelson - Light ranges.

List of Lights Vol K/2000 -- 3426, 3429.4, 3429.6, 3430, 3430.1, 3432

DOT&CA PNG (99/6849). (AH 99/44)

Aus 384 [313/2000]

Amend light range to 10M

9° 37'.8 S	150° 01'.4 E
9° 11'.9 S	149° 26'.8 E
9° 10'.5 S	149° 27'.2 E
9° 05'.2 S	149° 19'.3 E
9° 04'.4 S	149° 17'.9 E
8° 59'.4 S	149° 08'.3 E

Aus 385 (plan, Cape Nelson to Cape Ward Hunt) [258/1998]

Amend light range to 10M

9° 12'.2 S	149° 26'.1 E
9° 10'.8 S	149° 26'.5 E
9° 05'.5 S	149° 18'.8 E
9° 04'.3 S	149° 17'.4 E
8° 59'.7 S	149° 07'.8 E

Aus 519 [258/1998]

Amend light range to 10M

9° 37'.8 S	150° 01'.4 E
9° 11'.9 S	149° 26'.8 E
9° 10'.5 S	149° 27'.0 E
9° 05'.2 S	149° 19'.3 E
9° 04'.2 S	149° 17'.9 E

Aus 520 [258/1998]

Amend light range to 10M

9° 12'.1 S	149° 26'.3 E
9° 10'.8 S	149° 26'.7 E
9° 05'.4 S	149° 18'.8 E
9° 04'.3 S	149° 17'.5 E
8° 59'.7 S	149° 07'.8 E

Aus 4620 [312/2000]

Amend light range to 10M

9° 37'.8 S	150° 01'.4 E
9° 04'.4 S	149° 17'.9 E
8° 59'.4 S	149° 08'.3 E

Aus 4621 (INT 621) [313/2000]

Amend light range to 10M

9° 37'.8 S	150° 01'.4 E
9° 04'.4 S	149° 17'.9 E
8° 59'.4 S	149° 08'.3 E

315* PAPUA NEW GUINEA - Cape Killerton to Fortification Point - Light ranges.

List of Lights Vol K/2000 -- 3423, 3422.5, 3408, 3406, 3405.5

DOT&CA PNG (99/6849). (AH 99/44)

Aus 385 (plan, Cape Ward Hunt to Cape Cretin) [314/2000]

Amend	light range to 10M	8° 30'.8 S	148° 25'.2 E
		8° 12'.8 S	148° 17'.3 E
		6° 45'.1 S	147° 33'.4 E
		6° 39'.8 S	147° 51'.8 E

Aus 386 [467/1995]

Amend	light range to 10M	6° 45'.0 S	147° 34'.5 E
		6° 39'.4 S	147° 51'.6 E
		6° 19'.5 S	147° 48'.4 E

Aus 520 [314/2000]

Amend	light range to 10M	8° 31'.0 S	148° 25'.1 E
-------	--------------------	------------	--------------

Aus 523 [143/1993]

Amend	light range to 10M	6° 44'.8 S	147° 34'.6 E
		6° 39'.4 S	147° 51'.8 E

Aus 572 [89/1997]

Amend	light range to 10M	8° 30'.6 S	148° 25'.7 E
		8° 12'.8 S	148° 17'.7 E

Aus 654 (plan, Dreger and Schneider Harbours) [496/1997]

Amend	light range to 10M	6° 39'.6 S	147° 52'.4 E
-------	--------------------	------------	--------------

Aus 4620 [314/2000]

Amend	light range to 10M	8° 12'.1 S	148° 17'.5 E
-------	--------------------	------------	--------------

Aus 4621 (INT 621) [314/2000]

Amend	light range to 10M	8° 12'.1 S	148° 17'.5 E
-------	--------------------	------------	--------------

Aus 4622 (INT 622) [313/2000]

Amend	light range to 10M	8° 12'.1 S	148° 17'.5 E
		6° 44'.8 S	147° 34'.6 E
		6° 39'.4 S	147° 51'.8 E
		6° 19'.2 S	147° 48'.4 E

316* PAPUA NEW GUINEA - Long Island to Cape Gourdon - Light ranges.

List of Lights Vol K/2000 -- 3401.6, 3401.8, 3402, 3478

DOT&CA PNG (99/6849). (AH 99/44)

Aus 387 [467/1995]

Amend	light range to 10M	5° 12'.5 S	147° 05'.7 E
		4° 51'.1 S	145° 48'.5 E
	light range to 15M	5° 12'.9 S	145° 49'.1 E

Aus 388 [70/2000]

Amend	light range to 10M	4° 50'.9 S	145° 48'.3 E
		4° 23'.0 S	145° 19'.5 E

Aus 654 (plan, Madang Harbour to Sek Harbour) [315/2000]

Amend	light range to 15M	5° 12'.91 S	145° 49'.14 E
-------	--------------------	-------------	---------------

Aus 654 (plan, Madang Harbour and Approaches)

Amend	light range to 15M	5° 12'.81 S	145° 48'.83 E
-------	--------------------	-------------	---------------

Aus 4622 (INT 622) [315/2000]

Amend	light range to 10M	5° 12'.3 S	147° 05'.2 E
		4° 51'.1 S	145° 48'.5 E
		4° 23'.5 S	145° 18'.5 E
	light range to 15M	5° 12'.9 S	145° 49'.1 E

317* PAPUA NEW GUINEA - Madang - Light ranges.

List of Lights Vol K/2000 -- 3403.1, 3403.2, 3403.4, 3403.41
DOT&CA PNG (99/6849). (AH 99/44)

Aus 654 (plan, Madang Harbour to Sek Harbour) [316/2000]

Amend	light range to 4M	5° 12'.59 S	145° 49'.06 E
	light range to 8M	5° 12'.40 S	145° 48'.54 E
	light range to 5M	5° 12'.40 S	145° 49'.12 E
		5° 12'.39 S	145° 49'.14 E

Aus 654 (plan, Madang Harbour and Approaches)

Amend	light range to 4M	5° 12'.47 S	145° 48'.75 E
	light range to 8M	5° 12'.27 S	145° 48'.27 E
	light range to 5M	5° 12'.28 S	145° 48'.83 E
		5° 12'.27 S	145° 48'.85 E

318* WESTERN AUSTRALIA - Dampier - Pilot boarding place.

Dampier Port Authority (00/2018). (AH 00/100)

Aus 327 [299/1999]

Insert	pilot boarding place	20° 24'.0 S	116° 42'.9 E
Delete	note PILOTS centred on	21° 29'.0 S	117° 11'.0 E
	legend, Pilots (see Note), centred on	20° 23'.5 S	116° 42'.0 E

319* WESTERN AUSTRALIA - Dampier - Port limits.

Dampier Port Authority (00/2020). (AH 00/101)

Aus 742 [416/1999]

Insert	pecked magenta line, with legend <i>Dampier Port Limit</i> , between	20° 40'.92 S	116° 36'.07 E
		20° 40'.92 S	116° 31'.07 E
		20° 37'.92 S	116° 25'.07 E
		20° 34'.92 S	116° 25'.07 E
		20° 37'.42 S	116° 28'.07 E
		20° 37'.92 S	116° 33'.07 E
		20° 36'.72 S	116° 36'.07 E
	pecked magenta line between	20° 36'.72 S	116° 37'.60 E
		20° 36'.72 S	116° 38'.08 E
	pecked magenta line, with legend <i>Dampier Port Limit</i> , between	20° 26'.08 S	116° 38'.08 E
		20° 25'.92 S	116° 36'.07 E
		20° 22'.92 S	116° 36'.07 E
		20° 22'.22 S	116° 38'.07 E
Delete	pecked magenta line between	20° 40'.9 S	116° 36'.1 E
		20° 25'.9 S	116° 36'.1 E
	pecked magenta line between	20° 23'.6 S	116° 36'.1 E
		20° 22'.8 S	116° 38'.1 E

320* WESTERN AUSTRALIA - Fremantle - Depths.

FPA (00/3400). (AH 00/157)

Aus 113 [235/2000]

Insert	depth, 3 ₈ m, and extend 5m contour NW to enclose	32° 02'.568 S	115° 45'.018 E
	depth, 9 ₄ m	(a) 32° 02'.627 S	115° 44'.997 E
	10m contour, enclosing depth at (a), between	32° 02'.595 S	115° 45'.010 E
		32° 02'.668 S	115° 45'.000 E
Delete	depth 10 ₃ m	32° 02'.61 S	115° 45'.00 E

321* SOUTH AUSTRALIA - O'Sullivan Beach - Lights altered.

List of Lights Vol K/2000 -- 2089.4,2089.5

Transport SA Notice 6/2000 (00/3130). (AH 99/35)

Aus 125 (plan, Port Stanvac) [147/2000]

Amend light to *Fl. 4s*

35° 07'.20 S

138° 27'.91 E

light to *Fl. R. 4s*

35° 07'.21 S

138° 27'.95 E

322* AUSTRALIA - VICTORIA - Port Phillip - Hobsons Bay - Lights.

List of Lights Vol K/2000 -- 2339.4,2339.8

VCA (00/3396). (AH 99/21)

Aus 154 [217/2000]

Amend light to *2F (vert)*

37° 50'.84 S

144° 55'.81 E

light to *F. 11m*

37° 50'.70 S

144° 55'.53 E

323(T)/2000 AUSTRALIA - QUEENSLAND - Point Cartwright - Obstruction; light buoy.
Queensland Transport Notice 184/2000 (00/3926). (AH 99/176)

An obstruction, marked by special light buoy *Fl. Y. 2.5s*, exists in position 26° 40'.46 S 153° 10.73 E.

Chart temporarily affected - Aus 235 - Aus 365.

324(T)/2000 AUSTRALIA - QUEENSLAND - Gladstone - Southend - Jetty demolition.
Queensland Transport Notice 182/2000 (00/3926). (AH 99/208)

Demolition of the jetty (23° 45'.73 S 151° 18'.82 E) is in progress.

Mariners should navigate with caution in the area.

Chart temporarily affected - Aus 244 - Aus 245.

325(T)/2000 AUSTRALIA - QUEENSLAND - Townsville - Depth information.

Former Notice - 296(T)/2000 is cancelled

Queensland Transport Notice 171/2000 (00/3606). (AH 99/252)

Available depths as at 3 May 2000:

	<i>Metres</i>	<i>Remarks</i>
Sea Channel	11.7	
* Platypus Channel	11.3	
Outer Harbour:		
* Arrival Channel	7.4	
* Departure Channel	11.0	
Inner Harbour:		
Harbour	11.7	
Berths:		
No 1	12.1	
No 2	11.6	Not beyond 785 metre mark
No 3	11.7	
No 4	10.4	
No 7	11.2	
No 8	10.1	
No 9	12.1	
No 10	9.6	
* No 11	11.3	
Between No 7 and No 8	10.6	Seaward of zero mark at No 7 berth
Between No 9 and No 10	10.4	Seaward of zero mark at No 10 berth
Ross River Channel	1.6	
Ross River	1.5	
Ross Creek	1.7	

* Indicates new or revised entry.

Chart temporarily affected - Aus 256 - Aus 257.

326(T)/2000 AUSTRALIA - QUEENSLAND - Megaera Reef - Works in progress.

Date - Until 26 June 2000

AMSA (00/3827). (AH 00/137)

A construction barge is anchored southwest of the existing light (14° 28'.8 S 144° 57'.1 E) and a second barge is moored west of Howick Island.

Mariners transiting the Howick Group are asked to navigate with caution and reduce speed where possible.

Chart temporarily affected - Aus 373 - Aus 374 - Aus 832.

327(T)/2000 AUSTRALIA - QUEENSLAND - Weipa - Dredging; light buoys.

Date - Until 30 June 2000

Queensland Transport Notices 173/2000 (00/3606) & 180/2000 (00/3926). (AH 00/178; 99/13)

The dredge *Sir Thomas Hiley* is conducting dredging operations in Weipa.

Red spherical light buoys, Q. Y, exist in positions:

12° 40'.05 S 141° 48'.56 E

12° 39'.91 S 141° 48'.57 E

12° 39'.89 S 141° 48'.94 E

12° 40'.09 S 141° 48'.92 E

Chart temporarily affected - Aus 4.

328(P)/2000 AUSTRALIA - NORTHERN TERRITORY - Bing Bong - Depth.

Land & Marine Pty Ltd (00/3835). (AH 99/144)

A depth, *0.2 metres*, exists in position 15° 30'.75 S 136° 25'.82 E.

Charts will be updated in due course.

Chart which will be affected - Aus 305 - Aus 410 - Aus 710.

329(T)/2000 SOUTH AUSTRALIA - Nuyts Archipelago - Goat Island - Buoy re-established.

Former Notice - 593(T)/1997 is cancelled

Transport SA (00/3977). (AH 99/36)

Cancel this notice on receipt.

Chart formerly affected - Aus 120

330(T)/2000 SOUTH AUSTRALIA - Port Noarlunga - Scientific instrument recovered.

Former Notice - 230(T)/1999 is cancelled

Transport SA Notice 7/99 (99/1819). (AH 98/149)

Cancel this notice on receipt.

Chart formerly affected - Aus 345 - Aus 780

331(T)/2000 AUSTRALIA - VICTORIA - Port Phillip - Point Richards Channel - Light beacon re-established; light buoy removed.

Former Notice - 224(T)/2000 is cancelled

Victorian Notice 24/2000 (00/3927). (AH 99/21)

Cancel this notice on receipt.

Chart formerly affected - Aus 143 - Aus 157

332(T)/2000 AUSTRALIA - VICTORIA - Port Phillip - Point Richards Channel - Light beacon re-established; light buoy removed.

Former Notice - 698(T)/1999 is cancelled

Victorian Notice 19/2000 (00/3603). (AH 99/21)

Cancel this notice on receipt.

Chart formerly affected - Aus 157

333(T)/2000 AUSTRALIA - VICTORIA - Port Phillip - Geelong - Corio Quay - Depth information.

Former Notice - 455(T)/1998 is cancelled

Victorian Notice 20/2000 (00/3604). (AH 99/209)

Available depth of Corio Quay No3 berth, as at 3 July 1998, is *10.8m*.

Chart temporarily affected - Aus 157.

334(T)/2000 AUSTRALIA - VICTORIA - Port Phillip - South Channel - Light beacon re-established; light buoy removed.

Former Notice - 717(T)/1999 is cancelled

Victorian Notice 25/2000 (00/3969). (AH 99/21)

Cancel this notice on receipt.

Chart formerly affected - Aus 143 - Aus 158

III NAVIGATION WARNINGS

The following radio messages have been received during the period to 12 May 2000. Signal copies of these messages may be destroyed. It is recommended that the reprint of Navigational Warnings should be kept in a file or a book divided into areas. Cancellation should be made on receipt of signals and reprints.

Rigs on location other than those listed in the latest Section III summary are the subject of Radio Navigational Warnings. Rigs in transit will not be the subject of Warnings.

AUSCOAST WARNINGS

125 NW Coast. Drill Rig *Ocean Bounty* in position 12° 56'.6 S 124° 27'.1 E. 2.5M clearance requested.
126 Cancelled.
127 Cancelled.
128 Cancelled.
129 NW Coast. Drill Rig *Ensco 56* in position 20° 33'.4 S 115° 38'.8 E. 2.5M clearance requested.
130 NE Coast. Harrison Rock light buoy (10° 33'.0 S 142° 08'.0 E) unlit.

NAVAREA X WARNINGS

015 Drill Rig *Ocean General* in position 11° 42'.5 S 126° 19'.4 E. 2.5M clearance requested.

Navigational warnings in force as at 111500UTC MAY 00.

Auscoast

2000 054 055 070 089 100 108 117 118 120 122 123 125 129 130.

Navarea X

2000 014 015.

Summary of mobile drilling rigs as at 111500UTC MAY 00.

Name	Position
Ocean General	11° 42'.5 S 126° 19'.4 E
Ocean Bounty	12° 56'.6 S 124° 27'.1 E
Sedco 703	13° 49'.5 S 123° 11'.3 E
Ensco 56	20° 33'.4 S 115° 38'.8 E
Sedco 702	21° 13'.5 S 114° 37'.3 E

NAVAREA XIV WARNINGS

167 Cancelled.
168 Cancelled.
169 Cancelled.
170 Cancelled.
171 New Zealand. North Island. Cape Reinga light K3688 (34° 25'.0 S 172° 41'.0 E) altered *Fl. 12s 19M*.
172 Cancelled.
173 Cancelled.
174 New Zealand. North Island. Poor Knights Island light K3711 (35° 27'.0 S 174° 44'.0 E) altered *Fl. 5s 17M*.
175 Cancelled.
176 Cancelled.
177 Cancelled.
178 Cancelled.

Navarea XIV warnings in force as at 110001UTC MAY 00.

2000 158 163 171 174.

IV

HYDROGRAPHIC REPORTS

Nil