



Australian Notices to Mariners are the authority for correcting Australian Charts

AUSTRALIAN NOTICES TO MARINERS

© Commonwealth of Australia 2001 - Copyright restrictions apply to Notices to Mariners



Notices 305-344

Published fortnightly by the Australian Hydrographic Service

B. J. KAHER,
Hydrographer of Australia

- SECTIONS.**
- I. **Australian Notices to Mariners, including blocks and notes.**
 - III. **Navigational Warnings.**
 - IV. **Hydrographic Reports.**

New Zealand Notices to Mariners

The substance of these notices should be inserted on the charts affected.

Notices to Mariners information relating to British Admiralty Publications unavailable on this web site at this stage but still available in printed form:-

- Section II. Corrections to Admiralty List of Lights, Vol K.**
- Section V. Amendments to Admiralty List of Radio Signals.**
- Section VI. Corrections to Sailing Directions.**

Bearings are referred to the true compass and are reckoned clockwise from 000° (North) to 359°: those relating to lights are given as seen by an observer from seaward. The range quoted for a light is its nominal range. Fog signals are sounded only during thick or foggy weather, unless otherwise stated Depths are with reference to the chart datum of each chart. Heights are above mean high water springs or mean higher high water, as appropriate.

The capital letter (P) or (T) after the number of any notice denotes a preliminary or temporary notice respectively, which are contained separately at the end of the permanent notices. A star () adjacent to the number of a notice indicates that the notice is based on original information.*

Mariners are particularly requested to notify the AUSTRALIAN HYDROGRAPHIC SERVICE, Locked Bag 8801 South Coast Mail Centre, NSW 2521 (Fax 02-4221 8599), e-mail hni.hydro@navy.gov.au or, alternatively by filling in and submitting the **Hydrographic Notes forms, immediately on the discovery of new dangers or suspected dangers to navigation. For changes or defects in aids to navigation notify AusSAR (Fax 02-6230 6868 or email rccaus@amsa.gov.au).**

Copies of these notices can be obtained from the AUSTRALIAN HYDROGRAPHIC OFFICE, 8 Station Street, Wollongong, and Agents for the sale of charts and hydrographic publications.

The Commonwealth of Australia is the owner of, or is otherwise responsible for, the copyright in this work. It is protected under the Copyright Act 1968 and international convention. Except as expressly authorised below, the work may not be copied, reproduced, adapted, changed or commercially exploited, in whole or in part, or the format in which it is stored altered, without the prior written permission of the Australian Hydrographic Office. The Notices may be copied for the purpose of inserting their substance on official charts and other publications. However, any copies of the notices may not be sold for profit.

© Commonwealth of Australia 2001

NUMERICAL INDEX OF CHARTS AFFECTED

Edition No 12

8 June 2001

Notices	Aus Chart
305	Aus 209, 4601, 60321, 61203
306	Aus 235, 236, 814
307	Aus 236
308	Aus 426, 4060, 4602, INT 60, 602
309	Aus 366, 426, 818
310	Aus 245
311	Aus 367, 426, 823
312	Aus 830
313	Aus 374, 832
314	Aus 376, 839, 840
315	Aus 376
316	Aus 4
317	Aus 715
318	Aus 306, 716
319	Aus 26, 28
320	Aus 63, 328, 743
321	Aus 115, 755
322	Aus 116, 335, 336, 417, 756, 757, 4708, 4709, 4710, 4726, INT 708, 709, 710, 726
323	Aus 109
324	Aus 134
325	Aus 777
326	Aus 136, 344, 444, 778
327	Aus 136
328	Aus 778
329	Aus 167
330	Aus 182
331	Aus 4602, INT 602
332	Aus 4060, INT 60
333(T)	Aus 236
334(T)	Aus 238
335(T)	Aus 243
336(T)	Aus 243
337(T)	Aus 628
338(T)	Aus 385, 523, 4620, 4622, INT 622
339(T)	Aus 310, 411
340(T)	Aus 137
341(T)	Aus 141
342(T)	Aus 154
343(T)	Aus 181, 182
344(T)	Aus 181, 182

305 AUSTRALIA - Publication.
AHS (01/4418 & 01/4419). (AH99/139-02, AH99/228)

New edition

Chart	Published	Title and description of amendments	Scale	Folio	Index Chart	Price
Aus 209	27/04/01	Australia - East Coast - New South Wales - Port Stephens	1:25 000	7	Aus 65001	\$25.65

General updating throughout, including amendments to buoyage and marine farms. The chart is referred to WGS and LAT

Note: chart is affected by Notice to Mariners 389(T)/1999.

Aus 4601 (INT 601)	27/04/01	South Pacific Ocean - Tasman Sea - New Zealand to SE Australia	1:3 500 000	1	Aus 65000 & Aus 65001	\$25.65
-----------------------	----------	--	-------------	---	--------------------------	---------

General updating throughout, including Southern Cross cables and isogonals.

Miscellaneous chart

Chart	Published	Title and description of amendments	Scale	Index Chart
Aus 60321	30/03/01	Indonesia - West Timor Including Ambeno Plan: East Timor - Pante Makasar	1:300 000 1:10 000	Aus 65020C
Aus 61203	13/04/01	Eastern Australia - Submarine Exercise Area	1:750 000	Aus 65020C

Chart permanently withdrawn

Chart	On publication of new chart/edition
Aus 209	Aus 209
Aus 4601 (INT 601)	Aus 4601 (INT 601)
Aus 61203	Aus 61203

306* AUSTRALIA - QUEENSLAND - Moreton Bay - North East Channel - Depths ; buoys.
Queensland Transport (01/3719 & 01/4380). (AH99/176-02; AH99/14)

Aus 235 [169/2001]

Insert	accompanying block	27° 00'.0 S	153° 20'.0 E
Delete	nomenclature, Howe or North Channel (closed), centred on	26° 56'.3 S	153° 21'.9 E

Aus 236 [284/2001]

Insert	accompanying block	27° 00'.0 S	153° 20'.0 E
--------	------------------------------------	-------------	--------------

Aus 814 [284/2001]

Substitute	depth, 3 ₆ m, for 3 ₉ m	26° 58'.5 S	153° 19'.6 E
Delete	depth 4 ₁ m and enclosing contour	26° 58'.1 S	153° 20'.0 E

307* AUSTRALIA - QUEENSLAND - Moreton Bay - Empire Point to Cox Bank - Light beacons.
Queensland Transport Notices 169 & 176/2001 (01/4151 & 4235). (AH00/107)

Aus 236 [306/2001]

Insert	light beacon, <i>Fl. R. 4s</i> , with cylindrical topmark	27° 29'.39 S	153° 16'.50 E
	light beacon, <i>Fl. G. 2.5s</i> , with triangular topmark	27° 30'.14 S	153° 16'.87 E
	south cardinal beacon, with topmark	27° 32'.70 S	153° 17'.74 E
Substitute	light beacon, <i>Fl(2) R. 8s</i> , with cylindrical topmark, for port lateral beacon	27° 32'.8 S	153° 18'.4 E
Move	light beacon	27° 32'.32 S	153° 17'.69 E
	to	27° 32'.36 S	153° 17'.71 E
Delete	special beacon	27° 32'.7 S	153° 17'.8 E

308* AUSTRALIA - CORAL SEA - Fraser Seamount - Depth.
HMAS *Leeuwin* (01/4436). (AH99/179)

Aus 426 [521/2000]

Insert	depth, <i>183fm</i> , and extend 1000fm contour E to enclose	24° 26'.8 S	155° 18'.1 E
Delete	depth 188fm	24° 26'.0 S	155° 17'.0 E

Aus 4060 (INT 60) [250/2001]

Insert	depth, <i>335m</i> , and extend 1000m contour E to enclose	24° 26'.8 S	155° 18'.1 E
Delete	depth 344m	24° 24'.5 S	155° 15'.5 E

Aus 4602 (INT 602) [NE 02/03/2001]

Insert	depth, <i>335m</i> , and extend 1000m contour E to enclose	24° 26'.8 S	155° 18'.1 E
Delete	depth 344m	24° 24'.5 S	155° 15'.5 E

309* AUSTRALIA - QUEENSLAND - Lady Musgrave Island - Depths southeastward.
HMAS *Leeuwin* HI 295 (01/4435). (AH99/176-02)

Aus 366 [521/2000]

Insert	depth, <i>10₃ fm</i>	24° 03'.17 S	152° 29'.16 E
	depth, <i>10₄ fm</i>	23° 58'.15 S	152° 36'.18 E
Delete	depth 9fm and enclosing contour	24° 03'.3 S	152° 29'.1 E
	depth 11fm	23° 58'.0 S	152° 36'.0 E

Aus 426 [308/2001]

Substitute	depth, <i>10₃ fm</i> , for 9fm and enclosing contour	24° 03'.3 S	152° 29'.1 E
	depth, <i>10₄ fm</i> , for 11fm	23° 58'.0 S	152° 36'.0 E

Aus 818 [521/2000]

Insert	depth, <i>19₃ m</i>	24° 03'.16 S	152° 29'.08 E
	depth, <i>19₅ m</i> , enclosed by contour	23° 58'.14 S	152° 36'.10 E
Substitute	depth, <i>30₄ m</i> , for 29m and enclosing contour	24° 01'.8 S	152° 31'.8 E
Delete	depth 16 ₄ m	24° 03'.3 S	152° 29'.1 E
	depth 20 ₁ m	23° 58'.0 S	152° 36'.0 E

310* AUSTRALIA - QUEENSLAND - Gladstone - Ripple Rock - Light beacon.
Queensland Transport Notice 170/2001 (01/4151). (AH00/107)

Aus 245 [674/2000]

Substitute	light beacon, Fl. G. 3s, with triangular topmark, for starboard lateral beacon	23° 48'.17 S	151° 13'.58 E
------------	--	--------------	---------------

311* AUSTRALIA - QUEENSLAND - Percy Isles - Middle Island - Depth.
HMAS Shepparton (01/4422), Auscoast 134/2001 (01/4493). (AH99/176-02)

Aus 367 [603/1999]

Insert	depth, 16 ₃ m, enclosed by contour	21° 36'.90 S	150° 16'.25 E
--------	---	--------------	---------------

Delete	depth 25m	21° 36'.8 S	150° 16'.7 E
--------	-----------	-------------	--------------

Aus 426 [309/2001]

Substitute	depth, 8 ₅ fm, enclosed by contour, for 14fm	21° 36'.8 S	150° 16'.3 E
------------	---	-------------	--------------

Aus 823 [283/2000]

Insert	depth, 8 ₅ fm, enclosed by contour	21° 36'.88 S	150° 16'.30 E
--------	---	--------------	---------------

Delete	depth 14fm	21° 36'.8 S	150° 16'.6 E
	depth 15fm	21° 36'.7 S	150° 16'.1 E

312* AUSTRALIA - QUEENSLAND - Little Turtle Bay - Beacons removed.
HMAS Cairns (01/4239). (AH00/137)

Aus 830 [462/2000]

Delete	beacons	16° 54'.5 S	145° 56'.6 E
		16° 54'.5 S	145° 56'.9 E
		16° 53'.5 S	145° 56'.7 E
		16° 53'.5 S	145° 57'.0 E
	measured distance centred on	16° 54'.0 S	145° 57'.8 E

313* AUSTRALIA - QUEENSLAND - Jewell Reef - Rocks.
PV New Investigator (01/4437). (AH99/175-02)

Aus 374 [247/2001]

Insert	dangerous rock, enclosed by danger circle, with legend Rep (2001)	14° 24'.31 S	145° 19'.73 E
--------	---	--------------	---------------

Aus 832 [172/2001]

Insert	dangerous rock, enclosed by danger circle, with legend Rep (2001)	14° 24'.31 S	145° 19'.73 E
		14° 24'.04 S	145° 19'.34 E

314* AUSTRALIA - TORRES STRAIT - Ackers Shoal to Gabba Island - Tidal streams.
AHS (01/4379). (AH99/516)

Aus 376 [142/2001]

Insert	flood tide stream, with rate <i>2.1kn</i> , in a direction 273°, centred on	10° 19'.0 S	142° 47'.0 E
	ebb tide stream, with rate <i>1.5kn</i> , in a direction 100°, centred on	10° 19'.0 S	142° 47'.0 E
	flood tide stream, with rate <i>3.4kn</i> , in a direction 288°, centred on	9° 50'.1 S	142° 57'.4 E
	flood tide stream, with rate <i>1.9kn</i> , in a direction 129°, centred on	9° 40'.6 S	142° 36'.5 E
	ebb tide stream, with rate <i>1.4kn</i> , in a direction 300°, centred on	9° 40'.6 S	142° 36'.5 E

Aus 839 [140/2001]

Insert	flood tide stream, with rate <i>2.1kn</i> , in a direction 273°, centred on	10° 19'.0 S	142° 47'.0 E
	ebb tide stream, with rate <i>1.5kn</i> , in a direction 100°, centred on	10° 19'.0 S	142° 47'.0 E
	flood tide stream, with rate <i>3.4kn</i> , in a direction 288°, centred on	9° 50'.1 S	142° 57'.4 E

Aus 840 [142/2001]

Insert	flood tide stream, with rate <i>3.4kn</i> , in a direction 288°, centred on	9° 50'.1 S	142° 57'.4 E
	flood tide stream, with rate <i>1.9kn</i> , in a direction 129°, centred on	9° 40'.6 S	142° 36'.5 E
	ebb tide stream, with rate <i>1.4kn</i> , in a direction 300°, centred on	9° 40'.6 S	142° 36'.5 E

315* AUSTRALIA - TORRES STRAIT - Boigu Island - Radio tower.
HMAS *Tarakan* (01/4245). (AH99/11)

Aus 376 [314/2001]

Insert	radio tower	9° 14'.0 S	142° 13'.2 E
--------	-------------	------------	--------------

316* AUSTRALIA - QUEENSLAND - Weipa - Dredged limit.
Queensland Transport K901-089 (01/3981). (AH00/178)

Aus 4 [143/2001]

Insert	pecked arc of circle, radius 0.27M, centred on between	12° 40'.658 S 12° 40'.91 S 12° 40'.85 S	141° 46'.843 E 141° 46'.70 E 141° 47'.05 E
Delete	pecked line between	12° 40'.91 S 12° 40'.85 S	141° 46'.70 E 141° 47'.05 E

317* AUSTRALIA - NORTHERN TERRITORY - Gove - Radio tower.
HMAS *Balikpapan* (01/4243). (AH99/28)

Aus 715 [365/2000]

Insert	radio tower	12° 12'.6 S	136° 47'.5 E
--------	-------------	-------------	--------------

318* AUSTRALIA - NORTHERN TERRITORY - Buckingham Bay - Islet disproved.
MV *Caledon Bay* (00/6571), AHS V5/502. (AH00/167)

Aus 306 [453/1999]

Insert	rock which covers and uncovers, enclosed by danger circle	12° 04'.8 S	136° 00'.2 E
--------	---	-------------	--------------

Aus 716 [500/1999]

Delete	islet, centred on	12° 04'.6 S	136° 00'.1 E
--------	-------------------	-------------	--------------

319* AUSTRALIA - NORTHERN TERRITORY - Darwin - Hudson Creek - Light buoy.
DPA (01/4454). (AH99/27)

Aus 26 [198/2001]

Insert	spar light buoy, <i>Fl(4)R</i> .6s, with cylindrical topmark	12° 28'.922 S	130° 55'.745 E
--------	--	---------------	----------------

Aus 28 (plan, East Arm) [174/2001]

Insert	spar light buoy, <i>Fl(4)R</i> .6s, with cylindrical topmark	12° 28'.922 S	130° 55'.745 E
--------	--	---------------	----------------

320* WESTERN AUSTRALIA - Taunton Reef to Thevenard Island - Lit production platform.
List of Lights Vol K/2001 -- 1701.70,1698.00,1701.70
SS Vessel *Pacific Sword* (01/4252). (AH99/197)

Aus 63 [346/1999]

Insert	light characteristic <i>Mo(U)</i> 15s	21° 18'.6 S	115° 13'.6 E
--------	---------------------------------------	-------------	--------------

Aus 328 [289/2001]

Insert	light characteristic <i>Mo(U)</i> 15s	21° 18'.6 S	115° 13'.6 E
--------	---------------------------------------	-------------	--------------

Aus 743 [76/2001]

Insert	light characteristic <i>Mo(U)</i> 15s	21° 18'.6 S	115° 13'.6 E
		21° 26'.4 S	115° 03'.3 E
		21° 26'.8 S	115° 02'.4 E

321* WESTERN AUSTRALIA - Bunbury - Directional light.
List of Lights Vol K/2001 -- 1785.10
DTWA (01/3534). (AH99/29-02)

Aus 115 [49/2001]

Amend	light to <i>Dir F. WRG. 20m 8M & F. Bu</i>	33° 19'.1 S	115° 39'.7 E
-------	--	-------------	--------------

Delete	light	33° 18'.9 S	115° 39'.5 E
--------	-------	-------------	--------------

Aus 115 (plan, Port of Bunbury)

Amend	light to <i>Dir F. WRG. 20m 8M & F. Bu</i>	33° 19'.1 S	115° 39'.7 E
-------	--	-------------	--------------

Delete	light	33° 18'.9 S	115° 39'.5 E
--------	-------	-------------	--------------

Aus 755 [738/2000]

Amend	light to <i>Dir F. WRG. 8M & F. Bu</i>	33° 19'.1 S	115° 39'.7 E
-------	--	-------------	--------------

Delete	light	33° 18'.9 S	115° 39'.5 E
--------	-------	-------------	--------------

322* WESTERN AUSTRALIA - Cape Leeuwin - Submarine cable.
Department of Defence (01/4149). (AH99/359)

Aus 116 (plan, Flinders Bay) [245/1999]

Insert submarine cable between

34° 20'.82 S	115° 10'.13 E
34° 21'.81 S	115° 13'.25 E
34° 26'.63 S	115° 14'.99 E
34° 27'.83 S	115° 13'.25 E

Aus 335 [75/1998]

Insert submarine cable between

34° 20'.89 S	115° 10'.05 E
34° 21'.88 S	115° 13'.17 E
34° 26'.70 S	115° 14'.91 E
34° 29'.40 S	115° 11'.01 E
34° 36'.99 S	114° 51'.92 E
34° 45'.63 S	114° 35'.12 E
34° 48'.27 S	114° 31'.92 E
34° 49'.07 S	114° 17'.42 E
34° 52'.36 S	114° 08'.79 E

Aus 336 [269/2000]

Insert submarine cable between

34° 20'.89 S	115° 10'.05 E
34° 21'.88 S	115° 13'.17 E
34° 26'.70 S	115° 14'.91 E
34° 29'.40 S	115° 11'.01 E
34° 30'.90 S	115° 07'.00 E

Aus 417 [NE 15/09/2000]

Insert submarine cable between

34° 20'.8 S	115° 10'.1 E
34° 21'.8 S	115° 13'.2 E
34° 26'.6 S	115° 15'.0 E
34° 29'.4 S	115° 11'.1 E
34° 36'.9 S	114° 52'.0 E
34° 45'.6 S	114° 35'.2 E
34° 48'.2 S	114° 32'.0 E
34° 49'.0 S	114° 17'.5 E
34° 52'.3 S	114° 08'.9 E

Aus 756 [75/1998]

Insert submarine cable between

34° 20'.89 S	115° 10'.05 E
34° 21'.88 S	115° 13'.17 E
34° 26'.70 S	115° 14'.91 E
34° 29'.40 S	115° 11'.01 E
34° 30'.00 S	115° 09'.50 E

Aus 757 [473/1992]

Insert submarine cable between

34° 20'.89 S	115° 10'.05 E
34° 21'.88 S	115° 13'.17 E
34° 26'.70 S	115° 14'.91 E
34° 29'.40 S	115° 11'.01 E
34° 36'.99 S	114° 51'.92 E
34° 45'.63 S	114° 35'.12 E
34° 47'.60 S	114° 33'.00 E

Aus 4708 (INT 708) [164/2001]

Insert submarine cable between

34° 20'.8 S	115° 10'.1 E
34° 26'.6 S	115° 15'.0 E
34° 36'.9 S	114° 52'.0 E
34° 48'.2 S	114° 32'.0 E
34° 49'.0 S	114° 17'.5 E
34° 52'.3 S	114° 08'.9 E

Aus 4709 (INT 709) [456/2000]

Insert submarine cable between

34° 20'.8 S	115° 10'.1 E
34° 26'.6 S	115° 15'.0 E
34° 36'.9 S	114° 52'.0 E
34° 48'.2 S	114° 32'.0 E
34° 49'.0 S	114° 17'.5 E
34° 52'.3 S	114° 08'.9 E

Aus 4710 (INT 710) [NC 23/06/2000]

Insert submarine cable between

34° 20'.8 S	115° 10'.1 E
34° 26'.6 S	115° 15'.0 E
34° 36'.9 S	114° 52'.0 E
34° 48'.2 S	114° 32'.0 E
34° 49'.0 S	114° 17'.5 E
34° 52'.3 S	114° 08'.9 E

Aus 4726 (INT726) [84/1999]

Insert submarine cable between

34° 20'.8 S	115° 10'.1 E
34° 21'.8 S	115° 13'.2 E
34° 26'.6 S	115° 15'.0 E
34° 29'.4 S	115° 11'.1 E
34° 36'.9 S	114° 52'.0 E
34° 45'.6 S	114° 35'.2 E
34° 48'.2 S	114° 32'.0 E
34° 49'.0 S	114° 17'.5 E
34° 52'.3 S	114° 08'.9 E

323* WESTERN AUSTRALIA - Albany - Amendment to nav aids.

List of Lights Vol K/2001 -- 1804.00,1803.90

Albany Port Authority (01/4247). (AH99/29-02)

Aus 109 [467/2000]Insert starboard lateral light beacon, *Fl. G. 1.5s 9m No 9*, with topmark

35° 02'.346 S 117° 53'.840 E

Delete light beacon

35° 02'.52 S	117° 54'.20 E
35° 02'.44 S	117° 53'.97 E

Note: Notice to Mariners 616(T)/2000 refers.**324* SOUTH AUSTRALIA - Port Lincoln - Berth pocket.**

Transport SA Notice 26/2001 (01/4236). (AH01/135)

Aus 134 (plan, Port Lincoln Wharves) [341/2000]

Insert pecked line between

34° 43'.228 S	135° 52'.347 E
34° 43'.206 S	135° 52'.343 E
34° 43'.184 S	135° 52'.525 E
34° 43'.206 S	135° 52'.528 E

Delete depth 12₂ m
delete 10m contour between

34° 43'.20 S	135° 52'.39 E
34° 43'.22 S	135° 52'.35 E
34° 43'.19 S	135° 52'.53 E

325* SOUTH AUSTRALIA - Franklin Harbor - Buoyage ; depths.
Transport SA Notice 41/2000 (01/829). (AH99/35)

Aus 777 [225/2001]

Amend	nomenclature, to <i>Harbor</i> , centred on	33° 41'.9 S	136° 57'.1 E
Insert	beacon with cylindrical topmark	33° 42'.40 S	136° 55'.57 E
		33° 43'.00 S	136° 55'.17 E
	beacon with triangular topmark	33° 43'.54 S	136° 54'.48 E
		33° 43'.13 S	136° 55'.34 E
		33° 44'.33 S	136° 53'.32 E
Delete	depth 0.4 m	33° 43'.0 S	136° 55'.0 E

Aus 777 (plan, Franklin Harbour)

Substitute	accompanying plan	34° 02'.0 S	136° 12'.0 E
------------	-----------------------------------	-------------	--------------

326* SOUTH AUSTRALIA - Western Shoal - Wreck.

Transport SA Notice 13/2001 (01/3132). Wreck is SV *Rooganah*. (AH98/283)

Aus 136 [293/2001]

Insert	stranded wreck	33° 07'.15 S	137° 31'.94 E
--------	----------------	--------------	---------------

Aus 344 [224/2001]

Insert	stranded wreck	33° 07'.25 S	137° 32'.00 E
--------	----------------	--------------	---------------

Aus 444 [714/2000]

Insert	stranded wreck	33° 07'.25 S	137° 32'.00 E
--------	----------------	--------------	---------------

Delete	depth ¾ fm	33° 07'.2 S	137° 32'.5 E
--------	------------	-------------	--------------

Aus 778 [203/2001]

Insert	stranded wreck	33° 07'.24 S	137° 31'.86 E
--------	----------------	--------------	---------------

Delete	depth 0.3 m	33° 07'.3 S	137° 31'.9 E
--------	-------------	-------------	--------------

327* SOUTH AUSTRALIA - Whyalla - Obstruction.

Transport SA Notice 27/2001 (01/4376). (AH99/35)

Aus 136] (plan, Whyalla) [326/2001

Insert	east cardinal light beacon, VQ(3) 5s, with topmark	33° 02'.288 S	137° 35'.918 E
--------	--	---------------	----------------

328* SOUTH AUSTRALIA - Port Augusta - Nav aids.

Transport SA Notice 28/2001 (01/4439). (AH99/35)

Aus 778 (plan, Approaches to Port Augusta) [326/2001]

Substitute	starboard lateral light beacon, <i>Fl.G.4s No 13</i> , for No13 beacon	32° 36'.5 S	137° 46'.3 E
	port lateral light beacon, <i>Fl.R.4s No16</i> , for No16 beacon	32° 36'.5 S	137° 46'.2 E

329* AUSTRALIA - TASMANIA - Port Dalrymple - Light buoy permanently withdrawn.
Port of Launceston Pty Ltd (01/4456). (AH99/39)

Aus 167 [226/2001]

Delete light buoy

41° 08'.52 S

146° 50'.82 E

Aus 167 (plan, Bell Bay)

Delete light buoy

41° 08'.52 S

146° 50'.82 E

330* AUSTRALIA - VICTORIA - Lewis Channel - Beacon re-established.

Former Notice - 617(T)/2000 is cancelled

Victorian Notice 25/2001 (01/4073). (AH99/21-02)

Aus 182 (plan, Port Welshpool) [296/2001]

Move beacon No17
to

38° 42'.64 S

146° 26'.41 E

38° 42'.553 S

146° 26'.513 E

331 PACIFIC OCEAN - Vanuatu - Epi Island - Depth.

New Zealand Notice 12/86/2001 (01/3967). (AH99/273)

Aus 4602 (INT 602) [308/2001]

Insert depth, 28m, enclosed by danger circle

16° 41'.0 S

168° 23'.0 E

Delete depth 33m

16° 41'.0 S

168° 25'.0 E

Note: correction has been incorporated in new edition of Aus 4604, presently in production.

332 PACIFIC OCEAN - Samoa Islands - Manua Islands - Depth.

BA Notice 11/1185/2001 (01/3968). (AH99/273)

Aus 4060 (INT 60) [308/2001]

Substitute depth, 590m, for 622m

14° 13'.0 S

169° 01'.0 W

333(T)/2001 AUSTRALIA - QUEENSLAND - Moreton Bay - East Channel - Light beacon destroyed; light buoy.

Date - Until further notice

Queensland Transport Notice 198/2001 (01/4535). (AH00/107)

The east cardinal light beacon E5 (27° 13'.87 S 153° 19'.90 E) has been destroyed; a starboard lateral light buoy, VQ. G, has been established in situ.

Chart temporarily affected - Aus 236.

334(T)/2001 AUSTRALIA - QUEENSLAND - Brisbane River - South Brisbane Reach - Bridge construction.

Former Notice - 659(T)/2000 is cancelled

Date - Until further notice

Queensland Transport Notices 194/2001 (01/4488). (AH99/207)

A pedestrian and cycle bridge exists between Gardens Point (27° 28'.77 S 153° 01'.75 E) and the central support structure (27° 28'.81 S 153° 01'.65 E).

Construction is continuing from the central support structure to 27° 28'.89 S 153° 01'.62 E, where the pile barge is located. Two mooring anchors extend out from the barge into the river.

Port lateral light buoys, Q. R, exist in positions 27° 28'.87 S 153° 01'.67 E and 27° 28'.83 S 153° 01'.58 E.

A starboard lateral light buoy, Q. G, exists in position 27° 28'.82 S 153° 01'.62 E.

Mariners should navigate with caution and transit the area via the marked channel.

Chart temporarily affected - Aus 238.

335(T)/2001 AUSTRALIA - QUEENSLAND - Bundaberg - Burnett River - Dredging operations.

Former Notice - 188(T)/2001 is cancelled

Queensland Transport Notice 199/2001 (01/4535). (AH99/343)

The dredge *John Francis* is operating between light beacon No16 (24° 45'.62 S 152° 23'.22 E) and light buoy No18 (24° 45'.75 S 152° 23'.05 E).

The dredge can be contacted on VHF Chs 12 & 16.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 243.

336(T)/2001 AUSTRALIA - QUEENSLAND - Bundaberg - Middle Reach - Light beacon.

Date - Until further notice

Queensland Transport Notice 201/2001 (01/4592). (AH00/107)

No12 light beacon (24° 45'.40 S 152° 23'.85 E) has had its light and topmark removed. A light, Fl. R. 2.5s, has been placed on the beacon.

Chart temporarily affected - Aus 243.

337(T)/2001 PAPUA NEW GUINEA - Raven Channel - Light beacon unlit.

Date - Until further notice

MV *Island Express* (01/4420). (AH99/44)

The starboard lateral light beacon (10° 14'.7 S 150° 56'.5 E) is unlit.

Chart temporarily affected - Aus 628.

338(T)/2001 PAPUA NEW GUINEA - Parsee Point - Light unlit.

Date - Until further notice

HMAS *Paluma* (01/3484). (AH99/44)

Parsee Point light (7° 00'.8 S 147° 04'.2 E) is unlit.

Chart temporarily affected - Aus 385 - Aus 523 - Aus 4620 - Aus 4622.

339(T)/2001 AUSTRALIA - NORTHERN TERRITORY - Evans Shoal - Scientific instruments southward.

Date - Until 30 June 2001

WNI Science & Engineering (01/4585). (AH98/148)

Scientific instruments, marked by a white buoy, exist in positions:

10° 08'.45 S 129° 34'.62 E

10° 08'.29 S 129° 33'.33 E

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 310 - Aus 411.

340(T)/2001 SOUTH AUSTRALIA - Adelaide - Dredging.

Date - Until 06 July 2001

Transport SA Notice 25/2001 (01/4375). (AH99/248)

A cutter suction dredge is conducting dredging between the Outer Harbor (34° 47.0 S 138° 28'.5 E) and the Inner Harbor (34° 50'.5 S 138° 30'.5 E).

The dredge will operate with mooring to the wharves and anchors. A floating pipeline will extend to the shoreline.

The dredge will display standard lights and shapes.

Mariners are advised to navigate with caution when passing the dredge.

Chart temporarily affected - Aus 137.

341(T)/2001 AUSTRALIA - VICTORIA - Apollo Bay - Harbour works.

Date - Until 30 November 2001

Victorian Notice 30/2001 (01/4479). (AH99/313)

Works are in progress at Fishermans Landing (38° 45'.46 S 143° 40'.48 E). A prohibited area marked by light buoys, Q, exists adjacent to the landing.

Vessels may access the lee breakwater for loading and unloading.

Chart temporarily affected - Aus 141.

342(T)/2001 AUSTRALIA - VICTORIA - Port Phillip - Williamstown Channel - Light beacon re-established; light buoy withdrawn.

Former Notice - 303(T)/2001 is cancelled

Victorian Notice 28/2001 (01/4373). (AH99/21-02)

Cancel this notice on receipt

Chart formerly affected - Aus 154

343(T)/2001 AUSTRALIA - VICTORIA - Port Albert - Light buoy off station.

Date - Until further notice

Victorian Notice 29/2001 (01/4458) (AH99/22)

The port lateral buoy (38° 44'.73 S 146° 40'.33 E) is off station.

Chart temporarily affected - Aus 181 - Aus 182.

344(T)/2001 AUSTRALIA - VICTORIA - Port Albert - Light beacon maintenance.

Date - Until further notice

Victorian Notice 26/2001 (01/4377). (AH99/21-02)

A barge is undertaking beacon maintenance in Port Albert Channel (38° 43'.0 S 146° 41'.0 E). The barge will remain on location overnight and display a light, Q. Y.

Mariners are advised to navigate with caution when passing the barge.

Chart temporarily affected - Aus 181 - Aus 182.

III

NAVIGATION WARNINGS

The following radio messages have been received during the period to 25 May 2001. Signal copies of these messages may be destroyed. It is recommended that the reprint of Navigational Warnings should be kept in a file or a book divided into areas. Cancellation should be made on receipt of signals and reprints.

Rigs on location other than those listed in the latest Section III summary are the subject of Radio Navigational Warnings. Rigs in transit will not be the subject of Warnings.

AUSCOAST WARNING

- 133 Cancelled.
- 134 NE Coast. Percy Isles shoal, least depth 16.3 metres, reported and examined in position 21° 36'.8 S 150° 16'.3 E.
- 135 Cancelled.
- 136 Cancelled.
- 137 Cancelled.
- 138 NW Coast. Seismic Survey vessel *Geo Angler* towing 3.5M cable in area 17° 57' S to 18° 32' S and 118° 21' E to 119° 15' E.
- 139 NW Coast. Seismic Survey vessel *Geco Resolution* towing 3.5M cable in area 13° 54' S to 14° 11' S and 122° 59' E to 123° 58' E.
- 140 SE Coast. Seismic Survey vessel *Geo Arctic* towing 4.0M cable in area 38° 15' S to 42° 15' S and 140° 15' E to 145° 15' E.
- 141 NW Coast. Drill rig *Ocean General* in position 19° 23'.7 S 116° 30'.2 E. 2.5M clearance requested.
- 142 Cancelled.
- 143 NW Coast. Drill rig *Sedco 702* in position 18° 37'.01 S 117° 21'.56 E. 2.5M clearance requested.
- 144 NW Coast. Drill rig *Ron Tappmeyer* in position 21° 28'.6 S 114° 39'.4 E. 2.5M clearance requested.

NAVAREA X WARNINGS

- 018 PNG. Hastings Island light K3446 (10° 20'.5 S 151° 52'.1 E) unlit.

Navigational warnings in force as at 241500UTC MAY 01.

Auscoast

082 096 100 116 117 119 122 129 130 131 134 138 139 140 141 143 144

Navarea X

001 002 003 004 013 016 017 018.

Summary of mobile drilling rigs as at 241500UTC MAY 01.

Name	Position
Sedco 702	18° 37'.01 S 117° 21'.56 E
Ocean Legend	19° 42'.3 S 116° 42'.4 E
Ensco 56	19° 42'.3 S 116° 42'.4 E
Ocean General	19° 23'.7 S 116° 30'.2 E
Ron Tappmeyer	21° 28'.6 S 114° 39'.4 E
Ocean Bounty	39° 14'.5 S 142° 54'.7 E

NAVAREA XIV WARNINGS

- 095 Cancelled.
- 096 Cancelled.
- 097 Cancelled.
- 098 Cancelled.
- 099 Cancelled.
- 100 Cancelled.
- 101 Fiji. Nukutolu Islets light K4751 (17° 17' S 179° 38' W) and Totoya Island light K4758 (19° 00' S 179° 52' W) unlit.
- 102 Cancelled.
- 103 Society Archipelago. 30ft MV *Tamure*, PY5111, dark blue, 3 to 5 POB, unreported since departure Maupiti 131600Z May enroute to Tahiti.
- 104 Cancelled.
- 105 Cancelled.
- 106 Cancelled.

Navarea XIV warnings in force as at 240001UTC MAY 01.

091 093 101 103

IV

HYDROGRAPHIC REPORTS

<i>Locality</i>	<i>Report</i>	<i>Ship/Authority</i>	<i>Observer</i>
TAS- Macquarie Harbour	Buoyage Sailing Directions Port Infrastructure	SV <i>Westerly Serenade</i>	F Holden
Low Rocky Point Port Davey	Rock Buoys		
QLD- Bramble Cay	Passage sounding	Nairana Pty Ltd	J Foley