



3 July 2015

Edition 13

Australian Notices to Mariners are the authority for correcting Australian Charts and Publications

AUSTRALIAN NOTICES TO MARINERS

Notices 708 - 765



Published fortnightly by the Australian Hydrographic Service

Commodore B.K. BRACE RAN
Hydrographer of Australia

SECTIONS.

- I. Australian Notices to Mariners, including blocks and notes.
- II. Hydrographic Reports.
- III. Navigational Warnings.

SUPPLEMENTS.

- I. Tracings
- II. Cumulative List of Australian Notices to Mariners.
- III. Cumulative List of Temporary and Preliminary Australian Notices to Mariners.
- IV. Temporary and Preliminary Notices in force.
- V. Amendments to Admiralty List of Lights and Fog Signals (Vol K), Radio Signals (NP 281(2), 282, 283(2), 285, 286(4)) and Sailing Directions (NP 9, 13, 14, 15, 33, 34, 35, 36, 39, 44, 51, 60, 61, 62, 100, 136).

© Commonwealth of Australia 2015

This work is copyright. Apart from any use permitted under the Copyright Act 1968, no part may be reproduced by any process, adapted, communicated or commercially exploited without prior written permission from The Commonwealth represented by the Australian Hydrographic Service.

IMPORTANT NOTICE

This edition of Notices to Mariners includes all significant information affecting AHS products which the AHS has become aware of since the last edition. All reasonable efforts have been made to ensure the accuracy and completeness of the information, including third party information, on which these updates are based. The AHS regards third parties from which it receives information as reliable, however the AHS cannot verify all such information and errors may therefore exist. The AHS does not accept liability for errors in third party information.

GENERAL INSTRUCTIONS

The substance of these notices should be inserted on the charts affected.

Bearings are referred to the true compass and are reckoned clockwise from North; those relating to lights are given as seen by an observer from seaward.

Positions quoted in notices relate to WGS84 which is the horizontal datum for all charts produced by the Australian Hydrographic Service.

The range quoted for a light is its nominal range.

Depths are with reference to the chart datum of each chart. Heights are above mean high water springs or mean higher high water, as appropriate.

The capital letter (P) or (T) after the number of any notice denotes a preliminary or temporary notice respectively, which are contained separately at the end of the permanent notices.

A star (*) adjacent to the number of a notice indicates that the notice is based on original information.

REPORTING OF DANGERS

Mariners are particularly requested to notify the AUSTRALIAN HYDROGRAPHIC SERVICE, Locked Bag 8801 Wollongong, NSW 2500 (Fax 02-4223 6599, e-mail Hydro.NTM@defence.gov.au or, alternatively by filling in and submitting the [Hydrographic Notes](#) forms located on the web site – www.hydro.gov.au), immediately on the discovery of new dangers or suspected dangers to navigation. For changes or defects in aids to navigation notify AusSAR (Fax 02-6230 6868 or email rccaus@amsa.gov.au).

AUTHORISED USE

Copies of Australian notices are available free of charge from the Australian Hydrographic Service (AHS) website (www.hydro.gov.au) and through the eNotices (email) service (www.hydro.gov.au/enotices/enotices.htm).

Individual Notices may be copied for the purpose of inserting Notice substance on official charts and publications. Paper copies may be printed by chart agents and distributed to customers on a cost recovery basis. Participating chart agents are listed on the AHS website as providing a 'Paper Notices to Mariners' service (www.hydro.gov.au/prodserv/distributors/distributors.htm). Copies of the notices may not be sold for profit without prior written agreement.

NUMERICAL INDEX OF NOTICES TO MARINERS

Edition No 13

Notices	Aus Chart, INT Chart, ENC Cell, AHP, BA Pubs
708	Aus 245, AX 00309S, 00318S, 00319S, 00320S, 00335S, 00337S, 00342S, 00346S, 00347S, 00349S, 00357S, 00487S, 00490S, 00767S, 00776S, 00795S, 00796S, 00799S, 04621S, 04635S
709	Products- New Charts and New Editions to be published shortly
710	Amendment to Australian Notice to Mariners No 2
711	Aus 204
712	Aus 244, 271
713	Aus 256, 827
714	Aus 250
715	Aus 250
716	Aus 828
717	Aus 252, 254, 824
718	Aus 252, 253, 254
719	Aus 510
720	Aus 505
721	Aus 379, 505, 621, 622, 4620, INT 620, AX 04620U
722	Aus 651
723	Aus 294, 700
724	Aus 309, 722, AX 00309S, 00309T, 00722T
725	Aus 26, 28, AX 00026T
726	Aus 62, 742, 743
727	Aus 113
728	Aus 324
729	Aus 4723, INT 723, AX 04723U
730	Aus 318, 319, 728, AX 00318S, 00319S, 00319U
731	Aus 327, 328
732	Aus 112, 334, 754, AX 00112T, 00334S, 00754S, AXA 0754S
733	Aus 118, 759, AX 00118S
734	Aus 333, 753
735	Aus 143, 158
736	Aus 155
737	Aus 177
738	Aus 173, 174, 795
739(T)	Aus 197, 489, 809, AX 00809S
740(T)	Aus 207, 208, 809, AX 00809S
741(P)	Aus 246
742(T)	Aus 6
743(T)	Aus 259, 267
744(T)	Aus 235, 236, 237, 238, 814, 815
745(T)	Aus 260, 261, 367, 822, AX 00260S, 00260T, 00261L, 00367S, 00822S
746(T)	Aus 248, 260, 261, 367, 490, 820, 822, AX 00260S, 00260T, 00261L, 00367S, 00820S, 00822S
747(T)	Aus 4
748(T)	Aus 673
749(T)	Aus 29, 309, 316, 722, AX 00309T, 00309U, 00316S, 00336S, 00722T
750(T)	Aus 328, 4723, INT 723, AX 04723U
751(T)	Aus 324, 325, 326, 739, 4722, INT 722, AX 04722U
752(T)	Aus 319, 320, 4721, 4722, INT 721, 722, AX 00319U, 04721U, 04722U
753(T)	Aus 319, 320, 322, 4721, 4722, INT 721, 722, AX 00319U, 00322U, 04721U, 04722U
754(T)	Aus 319, 320, 322, AX 00319S, 00319U, 00320S, 00322U
755(T)	Aus 327, 328, 741, 4723, INT 723, AX 04723U
756(T)	Aus 319, 4721, 4722, INT 721, 722, AX 00319S, 00319U, 04721U, 04722U
757(T)	Aus 328, 4060, 4070, 4071, 4708, 4723, INT 60, 70, 71, 708, 723, AX 04708U, 04723U
758(T)	Aus 4722, 4723, INT 722, 723, AX 04722U, 04723U
759(T)	Aus 328, 329, 744
760(T)	Aus 328, 329, 744
761(T)	Aus 312, AX 00312U
762(T)	Aus 154
763(T)	Aus 143, 150, 154, 155, 158
764(T)	Aus 173, 795
765(T)	Aus 173, 795

NUMERICAL INDEX OF CHARTS AFFECTED

Edition No 13

Aus Chart	Notices
Aus 4	747(T)
Aus 6	742(T)
Aus 26	725
Aus 28	725
Aus 29	749(T)
Aus 62	726
Aus 112	732
Aus 113	727
Aus 118	733
Aus 143	735, 763(T)
Aus 150	763(T)
Aus 154	762(T), 763(T)
Aus 155	736, 763(T)
Aus 158	735, 763(T)
Aus 173	738, 764(T), 765(T)
Aus 174	738
Aus 177	737
Aus 197	739(T)
Aus 204	711
Aus 207	740(T)
Aus 208	740(T)
Aus 235	744(T)
Aus 236	744(T)
Aus 237	744(T)
Aus 238	744(T)
Aus 244	712
Aus 245	708
Aus 246	741(P)
Aus 248	746(T)
Aus 250	714, 715
Aus 252	717, 718
Aus 253	718
Aus 254	717, 718
Aus 256	713
Aus 259	743(T)
Aus 260	745(T), 746(T)
Aus 261	745(T), 746(T)
Aus 267	743(T)
Aus 271	712
Aus 294	723
Aus 309	724, 749(T)
Aus 312	761(T)
Aus 316	749(T)
Aus 318	730
Aus 319	730, 752(T), 753(T), 754(T), 756(T)
Aus 320	752(T), 753(T), 754(T)
Aus 322	753(T), 754(T)
Aus 324	728, 751(T)
Aus 325	751(T)
Aus 326	751(T)
Aus 327	731, 755(T)
Aus 328	731, 750(T), 755(T), 757(T), 759(T), 760(T)
Aus 329	759(T), 760(T)
Aus 333	734

Aus Chart	Notices
Aus 334	732
Aus 367	745(T), 746(T)
Aus 379	721
Aus 489	739(T)
Aus 490	746(T)
Aus 505	720, 721
Aus 510	719
Aus 621	721
Aus 622	721
Aus 651	722
Aus 673	748(T)
Aus 700	723
Aus 722	724, 749(T)
Aus 728	730
Aus 739	751(T)
Aus 741	755(T)
Aus 742	726
Aus 743	726
Aus 744	759(T), 760(T)
Aus 753	734
Aus 754	732
Aus 759	733
Aus 795	738, 764(T), 765(T)
Aus 809	739(T), 740(T)
Aus 814	744(T)
Aus 815	744(T)
Aus 820	746(T)
Aus 822	745(T), 746(T)
Aus 824	717
Aus 827	713
Aus 828	716
Aus 4060	757(T)
Aus 4070	757(T)
Aus 4071	757(T)
Aus 4620	721
Aus 4708	757(T)
Aus 4721	752(T), 753(T), 756(T)
Aus 4722	751(T), 752(T), 753(T), 756(T), 758(T)
Aus 4723	729, 750(T), 755(T), 757(T), 758(T)
AX 00026T	725
AX 00112T	732
AX 00118S	733
AX 00260S	745(T), 746(T)
AX 00260T	745(T), 746(T)
AX 00261L	745(T), 746(T)
AX 00309S	708, 724
AX 00309T	724, 749(T)
AX 00309U	749(T)
AX 00312U	761(T)
AX 00316S	749(T)
AX 00318S	708, 730
AX 00319S	708, 730, 754(T), 756(T)
AX 00319U	730, 752(T), 753(T), 754(T), 756(T)
AX 00320S	708, 754(T)

Aus Chart	Notices
AX 00322U	753(T) , 754(T)
AX 00334S	732
AX 00335S	708
AX 00336S	749(T)
AX 00337S	708
AX 00342S	708
AX 00346S	708
AX 00347S	708
AX 00349S	708
AX 00357S	708
AX 00367S	745(T) , 746(T)
AX 00487S	708
AX 00490S	708
AX 00722T	724 , 749(T)
AX 00754S	732
AX 00767S	708
AX 00776S	708
AX 00795S	708
AX 00796S	708
AX 00799S	708
AX 00809S	739(T) , 740(T)
AX 00820S	746(T)
AX 00822S	745(T) , 746(T)
AX 04620U	721
AX 04621S	708
AX 04635S	708
AX 04708U	757(T)
AX 04721U	752(T) , 753(T) , 756(T)
AX 04722U	751(T) , 752(T) , 753(T) , 756(T) , 758(T)
AX 04723U	729 , 750(T) , 755(T) , 757(T) , 758(T)
AXA 0754S	732

INT Chart	Notices
INT 60	757(T)
INT 70	757(T)
INT 71	757(T)
INT 620	721
INT 708	757(T)
INT 721	752(T) , 753(T) , 756(T)
INT 722	751(T) , 752(T) , 753(T) , 756(T) , 758(T)
INT 723	729 , 750(T) , 755(T) , 757(T) , 758(T)

708 AUSTRALIA - Products- New Charts, New Editions, Withdrawn Charts
 Australian Hydrographic Service (AA816467, AA817577)

New Charts

<i>Chart</i>	<i>Title and Geographical limits</i>	<i>Scale</i>	<i>Publication Date</i>	<i>Remarks</i>
Aus 245	Australia - East Coast - Queensland - Port of Gladstone	1:25 000	3 July 2015	General updating throughout incorporating latest bathymetric surveys Chart Aus 245 Edition 3 dated 27 Apr 2007 is now superseded and must be withdrawn from use.

New Editions and Withdrawn Charts

<i>Chart</i>	<i>Title</i>	<i>Scale</i>	<i>Publication Date</i>	<i>Remarks</i>
NIL				

New Miscellaneous Editions

<i>Chart</i>	<i>Title</i>	<i>Scale</i>	<i>Publication Date</i>	<i>Remarks</i>
AX00309S	Darwin to Penguin Shoal (Eastern Sheet)	1:300 000	3 July 2015	Fleet use only
AX00318S	Pelican Island to Penguin Shoal	1:300 000	3 July 2015	Fleet use only
AX00319S	Penguin Shoal to Browse Island	1:300 000	3 July 2015	Fleet use only
AX00320S	Browse Island to Adele Island including Bonaparte Archipelago	1:300 000	3 July 2015	Fleet use only
AX00335S	Cape Naturaliste to Point D'Entrecasteaux	1:300 000	3 July 2015	Fleet use only
AX00337S	King George Sound to Investigator Island	1:300 000	3 July 2015	Fleet use only
AX00342S	Streaky Bay to Whidbey Islets	1:300 000	3 July 2015	Fleet use only
AX00346S	Kangaroo Island (South Coast)	1:300 000	3 July 2015	Fleet use only
AX00347S	Backstairs Passage to Cape Martin	1:300 000	3 July 2015	Fleet use only
AX00349S	Cape Nelson to Port Phillip	1:300 000	3 July 2015	Fleet use only
AX00357S	South East Point to Point Hicks	1:300 000	3 July 2015	Fleet use only
AX00487S	Bass Strait	1:500 000	3 July 2015	Fleet use only
AX00490S	Sandy Cape to Swain Reefs	1:500 000	3 July 2015	Fleet use only
AX00766S	Mistaken Cape to Wardlaws Point	1:150 000	3 July 2015	Fleet use only
AX00767S	Wardlaws Point to Eddystone Point	1:150 000	3 July 2015	Fleet use only
AX00795S	South Cape to Storm Bay	1:150 000	3 July 2015	Fleet use only
AX00796S	Tasman Head to Cape Frederick Hendrick	1:150 000	3 July 2015	Fleet use only
AX00799S	Stony Head to Rocky Cape	1:150 000	3 July 2015	Fleet use only
AX04621S	Mackay to Solomon Islands	1:150 0000	3 July 2015	Fleet use only
AX04635S	Cape Byron to Mackay	1:150 0000	3 July 2015	Fleet use only

Chart permanently withdrawn

Charts listed above as withdrawn no longer meet chart carriage requirements and should be marked as "superseded" and replaced with the new chart/ new edition listed prior to passage through the area covered by the new chart.

When placing orders with a chart agent between notice of forthcoming edition and its publication, mariners should advise whether their order pertains to the current edition or the new edition.

For further details refer to the AHS website at www.hydro.gov.au for new edition and new chart stock arrival information.

When placing orders with a chart agent, mariners should advise whether their order pertains to the current edition or the new edition.

708 AUSTRALIA - Products- New Charts, New Editions, Withdrawn Charts
709 AUSTRALIA - Products- New Charts and New Editions to be published shortly

Australian Hydrographic Service (AA816467)

New Charts to be published shortly

<i>Chart</i>	<i>Title</i>	<i>Scale</i>	<i>Expected Publication Date</i>	<i>Remarks</i>
NIL	NIL			

New Editions to be published shortly

<i>Chart</i>	<i>Title</i>	<i>Scale</i>	<i>Expected Publication Date</i>	<i>Remarks</i>
Aus 153 Edition 2	Australia - South Coast - Victoria – Port of Geelong	1 : 7 500	17 July 2015	New edition incorporating updates to channel, navmarks and port limit.

710 AUSTRALIA - Product - Amendment to Australian Notice to Mariners No 2

Australian Hydrographic Service (AA816700)

Page 15

Amend Safe Navigation Inc's details to read:

Safe Navigation Inc.

 255 E. 6th Street
 Long Beach 90802
 California

Telephone

(1 562)590 8744

C,NtM

Fax

(1 562)491 0073

Email

sales@safenav.com

Website

www.safenavigation.com

711* AUSTRALIA - NEW SOUTH WALES - Bulbararing Bay - Light buoys

NSW Department of Primary Industries (AA538962)

Aus 204 [462/2015]

Insert	out of position special pillar light buoy, Q.Y, with topmark	33° 27'.91 S	151° 27'.52 E
--------	--	--------------	---------------

712* AUSTRALIA - QUEENSLAND - Gladstone - Clinton Channel - Lights; navline
Maritime Safety Queensland (AA809913)

Aus 244 [339/2015]

Insert	light <i>WRG</i>	23° 49'.973 S	151° 15'.438 E
	dashed line in a direction 318·6° for a distance of 2060m, thence a continuous line for a distance of 1720m, with legend <i>Dir 138·6°</i> , emanating from light	23° 49'.973 S	151° 15'.438 E

Delete	silo	23° 49'.97 S	151° 15'.44 E
--------	------	--------------	---------------

Aus 271 [339/2015]

Insert	light <i>WRG</i>	23° 49'.973 S	151° 15'.438 E
	dashed line in a direction 318·6° for a distance of 2060m, thence a continuous line for a distance of 1720m, with legend <i>Dir 138·6°</i> , emanating from light	23° 49'.973 S	151° 15'.438 E

Delete	silo	23° 49'.97 S	151° 15'.44 E
--------	------	--------------	---------------

713* AUSTRALIA - QUEENSLAND - Halifax Bay - Depths
James Cook University (DHDB 2879632)

Aus 256 [519/2015]

Insert	depth 1_g m, enclosed by contour	19° 05'.27 S	146° 33'.55 E
--------	------------------------------------	--------------	---------------

Substitute	depth 1_g m for depth 1_2 m	19° 05'.4 S	146° 33'.7 E
------------	---------------------------------	-------------	--------------

Aus 827 [574/2015]

Substitute	depth 1_g m for depth 1_2 m	19° 05'.4 S	146° 33'.7 E
------------	---------------------------------	-------------	--------------

714* AUSTRALIA - QUEENSLAND - Hay Point - Topmarks
Maritime Safety Queensland (AA811020)

Aus 250 (plan, Hay Point) [NE 5/6/2015]

Insert	port lateral topmark	21° 15'.956 S	149° 20'.800 E
	starboard lateral topmark	21° 15'.704 S	149° 20'.732 E

715* AUSTRALIA - QUEENSLAND - Mackay - Light buoys
Maritime Safety Queensland (AA815073)

Aus 250 (plan, Mackay Harbour) [714/2015]

Insert	special spar light buoy, <i>Fl.Y.5s</i> , without topmark	21° 06'.453 S	149° 13'.604 E
	special spar light buoy, <i>Fl.Y.5s</i> , without topmark	21° 06'.535 S	149° 13'.624 E
	special spar light buoy, <i>Fl.Y.5s</i> , without topmark	21° 06'.445 S	149° 13'.564 E

Delete	depth, 3_5 m	21° 06'.44 S	149° 13'.60 E
	light buoy	21° 06'.43 S	149° 13'.58 E
	light buoy	21° 06'.54 S	149° 13'.61 E

716* AUSTRALIA - QUEENSLAND - Rib Reef - Light buoy
Former Notice - 64(T)/2014 is cancelled
AIMS (AA816760)

Aus 828 [520/2015]

Substitute	special cylindrical light buoy, <i>Fl.Y.2·5s</i> , with topmark for light buoy	18° 28'.1 S	146° 52'.3 E
------------	--	-------------	--------------

717* AUSTRALIA - QUEENSLAND - Whitsunday Group - Shaw Island - Platypus Rock - Light buoy; light beacon discontinued

Former Notice - 1189(T)/2010 is cancelled
Maritime Safety Queensland (AA811830)

Aus 252 [847/2014]

Insert	west cardinal cylindrical light buoy, VQ(9)10s, with topmark	20° 31'.19 S	149° 02'.28 E
--------	--	--------------	---------------

Delete	light beacon	20° 31'.2 S	149° 02'.3 E
--------	--------------	-------------	--------------

Aus 254 (plan, Lindeman Island) [952/2014]

Insert	west cardinal cylindrical light buoy, VQ(9)10s, with topmark	20° 31'.192 S	149° 02'.283 E
--------	--	---------------	----------------

Delete	light beacon	20° 31'.19 S	149° 02'.28 E
--------	--------------	--------------	---------------

Aus 824 [569/2015]

Substitute	west cardinal cylindrical light buoy, VQ(9)10s, with topmark, for light beacon	20° 31'.2 S	149° 02'.3 E
------------	--	-------------	--------------

Delete	depth 2 _g m	20° 31'.3 S	149° 02'.4 E
--------	------------------------	-------------	--------------

718* AUSTRALIA - QUEENSLAND - Whitsunday Island - Reef Point - Light buoy; light beacon discontinued

Former Notice - 1193(T)/2010 is cancelled
Maritime Safety Queensland (AA811830)

Aus 252 [717/2015]

Substitute	port lateral cylindrical light buoy, Fl.R.2·5s, with topmark, for light beacon	20° 17'.5 S	148° 54'.7 E
------------	--	-------------	--------------

Aus 253 [NE 5/6/2015]

Insert	port lateral cylindrical light buoy, Fl.R.2·5s, with topmark	20° 17'.460 S	148° 54'.676 E
--------	--	---------------	----------------

Delete	light beacon	20° 17'.48 S	148° 54'.71 E
--------	--------------	--------------	---------------

Aus 254 (plan, Fitzalan Passage) [717/2015]

Insert	port lateral cylindrical light buoy, Fl.R.2·5s, with topmark	20° 17'.460 S	148° 54'.676 E
--------	--	---------------	----------------

Delete	light beacon	20° 17'.48 S	148° 54'.71 E
--------	--------------	--------------	---------------

719* PAPUA NEW GUINEA - Jomard Entrance - Chart limits

Australian Hydrographic Service (AA812648)

Aus 510 [668/2015]

Insert	magenta limits, with legend Aus 627 in SW corner, between	11° 29'.70 S	151° 58'.00 E
		11° 29'.70 S	152° 17'.70 E
		11° 03'.42 S	152° 17'.70 E
		11° 03'.42 S	151° 58'.00 E
		11° 29'.70 S	151° 58'.00 E

720* PAPUA NEW GUINEA - Port Moresby - Basilisk Passage - Depths

Aquamap Pty Ltd (DHDB 2858891)

Aus 505 [39/2014]

Insert	accompanying block	9° 32'.0 S	147° 08'.0 E
--------	--------------------	------------	--------------

721* PAPUA NEW GUINEA - Port Moresby - Lights

National Maritime Safety Authority PNG (AA815340)

Aus 379 [622/2014]

Amend	light range to 15M	9° 29'.9 S	147° 11'.1 E
-------	--------------------	------------	--------------

Aus 505 [720/2015]

Amend	light range to 15M	9° 29'.9 S	147° 11'.1 E
-------	--------------------	------------	--------------

Aus 621 [613/2015]

Amend	light range to 15M	9° 29'.94 S	147° 11'.12 E
-------	--------------------	-------------	---------------

Delete	faint light sectors emanating from light	9° 29'.94 S	147° 11'.12 E
	partly obscured light sector emanating from light	9° 29'.78 S	147° 11'.33 E

Aus 622 (plan, Port Moresby and Napa Napa Wharves) [1223/2014]

Amend	light range to 4M	9° 28'.46 S	147° 08'.62 E
-------	-------------------	-------------	---------------

Aus 4620 (INT 620) [664/2015]

Amend	light range to 15M	9° 29'.9 S	147° 11'.1 E
-------	--------------------	------------	--------------

AX 04620U [664/2015]

Amend	light range to 15M	9° 29'.9 S	147° 11'.1 E
-------	--------------------	------------	--------------

722* PAPUA NEW GUINEA - Wewak - Light beacon

National Maritime Safety Authority PNG Notice 18/2015 (AA816375, AA817425)

Aus 651 [468/2015]

Move	light beacon	3° 33'.29 S	143° 37'.91 E
	to	3° 33'.23 S	143° 37'.99 E

Aus 651 (plan, Wewak Harbour) [468/2015]

Move	light beacon	3° 33'.294 S	143° 37'.905 E
	to	3° 33'.232 S	143° 37'.986 E

723* AUSTRALIA - TORRES STRAIT - Booby Island - DepthsHMAS *Benalla* and HMAS *Shepparton* (DHDB 2566750)**Aus 294 [1116/2014]**

Insert	accompanying block	10° 40'.0 S	141° 47'.0 E
--------	--------------------	-------------	--------------

Aus 700 [343/2015]

Insert	accompanying block	10° 40'.0 S	141° 40'.0 E
	depth 14 _g m enclosed by contour	10° 43'.12 S	141° 27'.28 E

724* AUSTRALIA - NORTHERN TERRITORY - Beagle Gulf - Fenton Patches - Depths
 HMAS *Leeuwin* (DHDB 980934)

Aus 309 [167/2015]

Insert	contour between	12° 11'.83 S	130° 41'.95 E
		12° 11'.36 S	130° 41'.70 E
	contour between	12° 11'.35 S	130° 42'.91 E
		12° 10'.84 S	130° 42'.82 E
	depth, 12 ₇ m	12° 11'.55 S	130° 42'.18 E
Delete	depth, 14 ₂ m	12° 10'.8 S	130° 42'.2 E
	depth, 12 ₇ m	12° 11'.8 S	130° 42'.8 E
	contour between	12° 11'.8 S	130° 42'.0 E
		12° 11'.4 S	130° 42'.9 E
	contour between	12° 11'.4 S	130° 41'.7 E
		12° 10'.8 S	130° 42'.8 E

Aus 722 [224/2015]

Insert	depth 16 ₃ m, and extend contour S to enclose	12° 08'.39 S	130° 39'.42 E
	depth, 12 ₇ m, and extend contour SE to enclose	12° 11'.55 S	130° 42'.18 E
	depth, 17 ₈ m, enclosed by contour	12° 07'.92 S	130° 38'.09 E
Delete	depth, 18 ₅ m	12° 08'.2 S	130° 39'.6 E
	depth, 19 ₁ m	12° 11'.4 S	130° 42'.3 E
	depth, 19 ₇ m, and enclosing contour	12° 07'.8 S	130° 38'.1 E
	depth, 14 ₅ m	12° 11'.4 S	130° 41'.8 E

AX 00309S [NE 3/7/2015]

Insert	contour between	12° 11'.83 S	130° 41'.95 E
		12° 11'.36 S	130° 41'.70 E
	contour between	12° 11'.35 S	130° 42'.91 E
		12° 10'.84 S	130° 42'.82 E
	depth, 12 ₇ m	12° 11'.55 S	130° 42'.18 E
Delete	depth, 14 ₂ m	12° 10'.8 S	130° 42'.2 E
	depth, 12 ₇ m	12° 11'.8 S	130° 42'.8 E
	contour between	12° 11'.8 S	130° 42'.0 E
		12° 11'.4 S	130° 42'.9 E
	contour between	12° 11'.4 S	130° 41'.7 E
		12° 10'.8 S	130° 42'.8 E

AX 00309T [167/2015]

Insert	contour between	12° 11'.83 S	130° 41'.95 E
		12° 11'.36 S	130° 41'.70 E
	contour between	12° 11'.35 S	130° 42'.91 E
		12° 10'.84 S	130° 42'.82 E
	depth, 12 ₇ m	12° 11'.55 S	130° 42'.18 E
Delete	depth, 14 ₂ m	12° 10'.8 S	130° 42'.2 E
	depth, 12 ₇ m	12° 11'.8 S	130° 42'.8 E
	contour between	12° 11'.8 S	130° 42'.0 E
		12° 11'.4 S	130° 42'.9 E
	contour between	12° 11'.4 S	130° 41'.7 E
		12° 10'.8 S	130° 42'.8 E

AX 00722T [224/2015]

Insert	depth 16 ₃ m, and extend contour S to enclose	12° 08'.39 S	130° 39'.42 E
	depth, 12 ₇ m, and extend contour SE to enclose	12° 11'.55 S	130° 42'.18 E
	depth, 17 ₈ m, enclosed by contour	12° 07'.92 S	130° 38'.09 E
Delete	depth, 18 ₅ m	12° 08'.2 S	130° 39'.6 E
	depth, 19 ₁ m	12° 11'.4 S	130° 42'.3 E
	depth, 19 ₇ m, and enclosing contour	12° 07'.8 S	130° 38'.1 E
	depth, 14 ₅ m	12° 11'.4 S	130° 41'.8 E

725* AUSTRALIA - NORTHERN TERRITORY - Darwin - South Shell Island - Light beacon amended
Northern Territory Government Notice 81/2015 (AA817522)

Aus 26 [578/2015]

Amend	light to <i>F.Bu</i>	12° 29'.8 S	130° 53'.2 E
-------	----------------------	-------------	--------------

Aus 28 [578/2015]

Amend	light to <i>F.Bu.11m 6M</i>	12° 29'.80 S	130° 53'.19 E
-------	-----------------------------	--------------	---------------

Delete	Q.Bu light sector	12° 29'.80 S	130° 53'.19 E
--------	-------------------	--------------	---------------

AX 00026T [578/2015]

Amend	light to <i>F.Bu</i>	12° 29'.8 S	130° 53'.2 E
-------	----------------------	-------------	--------------

726* AUSTRALIA - WESTERN AUSTRALIA - Barrow Island - Chart limits; depths
Australian Hydrographic Service (AA814109, AA817363), UKHO (AA817079)

Aus 62 [617/2015]

Insert	depth, <i>10m</i> , enclosed by contour	20° 50'.68 S	115° 35'.36 E
	depth, <i>4m</i> , enclosed by contour	20° 42'.54 S	115° 35'.59 E
	depth, <i>4₇m</i> , enclosed by contour	20° 42'.32 S	115° 36'.07 E
	depth, <i>14₇m</i> , enclosed by contour	20° 46'.68 S	115° 40'.60 E
	magenta legend <i>Adjoining Chart Aus 65</i> in S border	20° 51'.0 S	115° 38'.5 E

Delete	depth, <i>15₃m</i>	20° 46'.7 S	115° 40'.5 E
--------	-------------------------------	-------------	--------------

Aus 742 [617/2015]

Insert	magenta limits, with legend <i>Aus 65</i> in NE corner, between	20° 54'.70 S	115° 16'.50 E
		20° 54'.70 S	115° 46'.28 E
		20° 37'.00 S	115° 46'.28 E
		20° 37'.00 S	115° 16'.50 E
		20° 54'.70 S	115° 16'.50 E
	depth, <i>14₈m</i> , enclosed by contour	20° 40'.58 S	115° 23'.46 E
	depth, <i>10m</i> , enclosed by contour	20° 50'.68 S	115° 35'.36 E
	depth, <i>4m</i> , enclosed by contour	20° 42'.54 S	115° 35'.59 E
	depth, <i>4₇m</i> , enclosed by contour	20° 42'.32 S	115° 36'.07 E
	depth, <i>14₇m</i> , enclosed by contour	20° 46'.68 S	115° 40'.60 E

Substitute	depth, <i>12₄m</i> for depth, <i>14₇m</i>	20° 52'.3 S	115° 38'.7 E
	depth, <i>7₁m</i> , enclosed by contour for depth, <i>14₃m</i>	20° 38'.5 S	115° 23'.3 E

Delete	depth, <i>11₄m</i>	20° 50'.6 S	115° 35'.9 E
--------	-------------------------------	-------------	--------------

Aus 743 [617/2015]

Insert	depth, <i>10m</i> , enclosed by contour	20° 50'.68 S	115° 35'.36 E
	magenta limits, with legend <i>Aus 65</i> in SE corner, between	20° 47'.92 S	115° 16'.50 E
		20° 54'.70 S	115° 16'.50 E
		20° 54'.70 S	115° 46'.28 E
		20° 47'.92 S	115° 46'.28 E

Substitute	depth, <i>12₄m</i> for depth, <i>14₇m</i>	20° 52'.3 S	115° 38'.7 E
------------	---	-------------	--------------

Delete	depth, <i>11₄m</i>	20° 50'.6 S	115° 35'.9 E
--------	-------------------------------	-------------	--------------

727* AUSTRALIA - WESTERN AUSTRALIA - Fremantle - Port limit
Fremantle Ports (AA817092)

Aus 113 [NE 8/5/2015]

Insert	magenta dashed line, with legend <i>Fremantle Port Limit</i> , between	32° 03'.356 S	115° 43'.929 E
		32° 04'.360 S	115° 43'.742 E

728* AUSTRALIA - WESTERN AUSTRALIA - James Price Point - Depths
Woodside Energy Ltd (DHDB 2577902)

Aus 324 [471/2015]

Insert accompanying block 17° 30'.0 S 122° 05'.0 E

729* AUSTRALIA - WESTERN AUSTRALIA - Montebello Islands - Infrastructure northwestwards
Chevron Australia Pty Ltd (AA806181, AA813223)

Aus 4723 (INT 723) [169/2015]

Insert accompanying block 19° 51' S 114° 57' E

AX 04723U [169/2015]

Insert accompanying block 19° 51' S 114° 57' E

730* AUSTRALIA - WESTERN AUSTRALIA - Otway Bank - Depth
HMAS *Paluma* (AA817617)

Aus 318 [1004/2014]

Insert depth, 1₅m, enclosed by contour 13° 39'.53 S 126° 03'.47 E

Aus 319 [670/2015]

Insert depth, 1₅m, enclosed by contour 13° 39'.53 S 126° 03'.47 E

Aus 728 [1004/2014]

Insert depth, 1₅m, enclosed by contour 13° 39'.53 S 126° 03'.47 E

Delete depth, 18₉m

13° 39'.4 S 126° 03'.4 E

AX 00318S [NE 3/7/2015]

Insert depth, 1₅m, enclosed by contour 13° 39'.53 S 126° 03'.47 E

AX 00319S [NE 3/7/2015]

Insert depth, 1₅m, enclosed by contour 13° 39'.53 S 126° 03'.47 E

AX 00319U [670/2015]

Insert depth, 1₅m, enclosed by contour 13° 39'.53 S 126° 03'.47 E

731* AUSTRALIA - WESTERN AUSTRALIA - Rankin Bank - AIS withdrawn southwestwards
Chevron Australia Pty Ltd (AA817382)

Aus 327 [618/2015]

Delete legend AIS 19° 56'.7 S 115° 24'.0 E

Aus 328 [618/2015]

Delete legend AIS 19° 56'.7 S 115° 24'.0 E

732* AUSTRALIA - WESTERN AUSTRALIA - Rottnest Island - Light buoys
 Department for Transport WA (AA816780)

Aus 112 [415/2015]

Insert	orange spherical light buoy, <i>Fl(5)Y.20s</i> , without topmark	31° 58'.967 S	115° 41'.400 E
Delete	light buoy	31° 58'.79 S	115° 41'.38 E

Aus 334 [344/2015]

Insert	orange spherical light buoy, <i>Fl(5)Y.20s</i> , without topmark	32° 05'.92 S	115° 24'.30 E
Delete	light buoy	32° 06'.0 S	115° 24'.1 E

Aus 754 [415/2015]

Insert	orange spherical light buoy, <i>Fl(5)Y.20s</i> , without topmark	32° 05'.92 S	115° 24'.30 E
Delete	light buoy	32° 06'.0 S	115° 24'.1 E

AX 00112T [415/2015]

Insert	orange spherical light buoy, <i>Fl(5)Y.20s</i> , without topmark	31° 58'.967 S	115° 41'.400 E
Delete	light buoy	31° 58'.79 S	115° 41'.38 E

AX 00334S [344/2015]

Insert	orange spherical light buoy, <i>Fl(5)Y.20s</i> , without topmark	32° 05'.92 S	115° 24'.30 E
Delete	light buoy	32° 06'.0 S	115° 24'.1 E

AX 00754S [415/2015]

Insert	orange spherical light buoy, <i>Fl(5)Y.20s</i> , without topmark	32° 05'.92 S	115° 24'.30 E
Delete	light buoy	32° 06'.0 S	115° 24'.1 E

AXA 0754S [415/2015]

Insert	orange spherical light buoy, <i>Fl(5)Y.20s</i> , without topmark	32° 05'.92 S	115° 24'.30 E
Delete	light buoy	32° 06'.0 S	115° 24'.1 E

733* AUSTRALIA - WESTERN AUSTRALIA - Torbay - Light buoys
 Department for Transport WA (AA816780)

Aus 118 [34/2015]

Insert	orange spherical light buoy, <i>Fl(5)Y.20s</i> , without topmark	35° 11'.77 S	117° 43'.48 E
Delete	light buoy	35° 11'.9 S	117° 43'.3 E

Aus 759 [34/2015]

Insert	orange spherical light buoy, <i>Fl(5)Y.20s</i> , without topmark	35° 11'.77 S	117° 43'.48 E
Delete	light buoy	35° 11'.9 S	117° 43'.3 E

AX 00118S [34/2015]

Insert	orange spherical light buoy, <i>Fl(5)Y.20s</i> , without topmark	35° 11'.77 S	117° 43'.48 E
Delete	light buoy	35° 11'.9 S	117° 43'.3 E

734* AUSTRALIA - WESTERN AUSTRALIA - Whitlock Island - Light buoys; depth northwestwards

Department for Transport WA (AA816780)

Aus 333 [158/2014]

Insert	orange spherical light buoy, <i>Fl(5)Y.20s</i> , without topmark	30° 17'.72 S	114° 55'.10 E
--------	--	--------------	---------------

Delete	light buoy	30° 17'.5 S	114° 54'.9 E
--------	------------	-------------	--------------

Aus 753 [681/2014]

Insert	orange spherical light buoy, <i>Fl(5)Y.20s</i> , without topmark	30° 17'.72 S	114° 55'.10 E
	depth 42m	30° 17'.32 S	114° 54'.92 E

Delete	light buoy	30° 17'.5 S	114° 54'.9 E
	depth 40m	30° 17'.7 S	114° 55'.2 E

735* AUSTRALIA - VICTORIA - Port Phillip - Symonds Channel - Light beacon

Port of Melbourne Corporation (AA815339)

Aus 143 [418/2015]

Move	light beacon	38° 13'.54 S	144° 48'.63 E
	to	38° 13'.57 S	144° 48'.54 E

Aus 158 [622/2015]

Move	light beacon	38° 13'.54 S	144° 48'.63 E
	to	38° 13'.572 S	144° 48'.539 E

Delete	depth, 2 ₃ m	38° 13'.55 S	144° 48'.57 E
--------	-------------------------	--------------	---------------

736* AUSTRALIA - VICTORIA - Port Phillip - Brighton - Light beacon

Victorian Notice 118/2015 (AA816386)

Aus 155 [420/2015]

Substitute	special light beacon, <i>Fl.Y.4s</i> with topmark for special beacon	37° 55'.20 S	144° 59'.07 E
------------	--	--------------	---------------

737* AUSTRALIA - TASMANIA - Macquarie Harbour - Light buoys

MAST M97/2015 (AA815921)

Aus 177 [1174/2014]

Move	light buoy	42° 15'.54 S	145° 18'.74 E
	to	42° 15'.56 S	145° 18'.88 E
	light buoy	42° 15'.11 S	145° 19'.57 E
	to	42° 15'.22 S	145° 19'.55 E

738* AUSTRALIA - TASMANIA - Port Huon - Submarine power cable

Tasports (AA816940)

Aus 173 [586/2015]

Insert	submarine power cable, between	43° 10'.16 S	146° 58'.46 E
		43° 10'.60 S	146° 59'.19 E

Aus 174 (plan, Port Huon) [481/2015]

Insert	submarine power cable, between	43° 10'.163 S	146° 58'.464 E
		43° 10'.596 S	146° 59'.192 E

Aus 795 [1173/2014]

Insert	submarine power cable, between	43° 10'.16 S	146° 58'.46 E
		43° 10'.60 S	146° 59'.19 E

739(T)/2015 AUSTRALIA - NEW SOUTH WALES - Narrabeen - Survey operations eastwards*Date* - Until 6 August 2015

EGS Survey Pty Ltd (AA817498)

The vessel *Geo Reflection*, will be conducting survey operations between the following positions:

34° 50'.72 S 155° 21'.13 E
 34° 50'.64 S 155° 20'.76 E
 34° 36'.35 S 153° 49'.73 E
 34° 20'.52 S 153° 08'.60 E
 34° 08'.81 S 152° 43'.61 E
 34° 01'.89 S 152° 21'.37 E
 33° 59'.23 S 152° 16'.97 E
 33° 54'.85 S 152° 14'.05 E
 33° 51'.93 S 152° 08'.14 E
 33° 48'.74 S 152° 05'.92 E
 33° 47'.59 S 152° 04'.44 E
 33° 47'.01 S 152° 02'.41 E
 33° 46'.64 S 151° 55'.86 E
 33° 46'.68 S 151° 50'.85 E
 33° 45'.76 S 151° 45'.85 E
 33° 45'.39 S 151° 42'.73 E
 33° 45'.43 S 151° 41'.54 E
 33° 45'.55 S 151° 40'.81 E
 33° 45'.80 S 151° 40'.20 E
 33° 46'.20 S 151° 39'.64 E
 33° 46'.38 S 151° 39'.21 E
 33° 46'.48 S 151° 38'.59 E
 33° 46'.40 S 151° 36'.69 E
 33° 46'.07 S 151° 33'.55 E

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 197 - Aus 489 - Aus 809 - AX 00809S

740(T)/2015 AUSTRALIA - NEW SOUTH WALES - Newcastle - Depth information

Former Notice - 676(T)/2015 is cancelled
Newcastle Port Corporation (AA816692)

Available depths as at 22 June 2015:

<i>Berth</i>	<i>Metres</i>	<i>Remarks</i>
Eastern Basin 1	11.5	
Eastern Basin 2 North of Ch 450	11.6	
Eastern Basin 2 South of Ch 450	11.4	
Western Basin 3	11.6	
Western Basin 4	11.6	
Channel Berth	9.7	
Dyke 1	12.8	
Dyke 2	12.8	
Dyke 4	16.3	
Dyke 5	16.2	
Dyke 6	5.3	
Mayfield 4 Ch 27 to 266	12.8	
BHP Wharf 6 to Ch 1050	7.3	
Kooragang 2	11.6	
Kooragang 2 North Dolphin Ch 182 to 243	11.6	
Kooragang 2 South Dolphin Ch -92 to 00	11.4	
Kooragang 3 Ch -40 to 00	13.1	
Kooragang 3 Ch 00 to 220	13.1	
Kooragang 4	16.2	
Kooragang 5	16.3	
Kooragang 6	16.3	
Kooragang 7	16.2	
Kooragang 8	16.2	
Kooragang 9	16.2	
* Kooragang 10	16.1	
Throsby 1 Ch 850 to 1030	8.9	
Carrington Wharf		To be sounded as and when required
Foreshore Park Berth	5.9	
Elgo Wharf		To be sounded as and when required
<i>Channels</i>		
Entrance Approach	17.4	
Entrance Channel (18.0m)	17.7	
Entrance Channel (17.4m)	17.4	
Entrance Channel (16.8m)	16.8	
Entrance Channel (16.2m)	16.2	
Entrance Channel to Horseshoe	15.2	
Horseshoe	15.2	
* Steelworks Channel to Swinging Basin	15.2	
Swinging Basin	15.1	
Hunter River South Arm (Kooragang 6 to buoy 18)	15.1	
Hunter River South Arm (buoy 18 to buoy 20)	15.0	
Basin Cutting	12.6	
Basin Area to Eastern & Western Basin Berths	12.6	
Basin Area to Throsby 1	9.2	
Stockton Crossing	3.6	
* Indicates new or revised entry.		

Chart temporarily affected - Aus 207 - Aus 208 - Aus 809 - AX 00809S

741(P)/2015 AUSTRALIA - QUEENSLAND - Gladstone - Depths; new edition

Australian Hydrographic Service (AA817350)

Depths have changed adjacent to Gatcombe Channel (23° 52'.2 S 151° 21'.2 E). Shoaler depths than those charted may exist.

For latest depth information refer to NC Aus 245 or ENC.

New edition of Aus 246 is due to be published September 2015.

Chart which will be affected - Aus 246

742(T)/2015 AUSTRALIA - QUEENSLAND - Karumba - Light beacon damaged; light buoy off station

Former Notice - 633(T)/2015 is cancelled

Maritime Safety Queensland Notice 201/2015 (AA818139)

The special purpose light beacon, *Fl.Y.4s No15* (17° 26'.66 S 140° 46'.73 E), is damaged and unlit, a light buoy, *Fl.Y.4s*, exists in situ.

The starboard lateral light buoy, *Fl.G.2s* (17° 26'.70 S 140° 46'.91 E), is off station.

Chart temporarily affected - Aus 6

743(T)/2015 AUSTRALIA - QUEENSLAND - Lucinda - Light buoy off station; light buoy unlit

Maritime Safety Queensland Notice 198(T)/2015 (AA817937)

The starboard lateral light buoy, *Fl.G.3s No13*, (18° 29'.59 S 146° 16'.40 E) is off station.

The isolated danger light buoy, *Fl(2)4s*, (18° 31'.29 S 146° 19'.04 E) is unlit.

Chart temporarily affected - Aus 259 - Aus 267

744(T)/2015 AUSTRALIA - QUEENSLAND - Moreton Bay - Brisbane River - Depth information

Former Notice - 684(T)/2015 is cancelled
Brisbane Port Corporation (AA816665)

Available depths and under keel clearances (UKC) at 22 June 2015:

<i>Berth</i>	<i>Metres</i>	<i>Remarks</i>
Fisherman Islands No12	13.5	
Fisherman Islands No11	14.1	
* Fisherman Islands No10	13.8	
Fisherman Islands No9	14.0	
Fisherman Islands No8	14.3	
Fisherman Islands No7	13.9	
Fisherman Islands No6	14.2	
Fisherman Islands No5	14.0	
Fisherman Islands No4	14.0	
Fisherman Islands No3	14.0	
Fisherman Islands No2	14.1	
Fisherman Islands No1	14.2	
Fisherman Islands Grain and Woodchip	13.2	
Caltex Fisherman Islands	14.1	
Fisherman Islands Coal	14.0	
Fisherman Islands General Purpose	10.8	
BP Luggage Point	13.6	
* Caltex Products	10.3	
* Cement Australia Co Wharf	9.6	
* BP Products	10.1	
Viva Energy	10.6	
Graincorp Liquid Terminal	10.7	
Incitec North	10.0	
* Incitec South	10.2	
Pinkenba 1	10.4	
Pinkenba 2	10.4	
Riverside Marina	-	
Sugar Terminal	9.9	
Cairncross Fitting Out Wharf	7.1	
Cairncross Breasting Wharf	4.4	
Brisbane Naval Wharf	4.3	
Maritime No1	8.7	
* Hamilton No4	10.1	
Hamilton No1	8.6	
* Brisbane Cruise Ship Terminal	8.6	
	<i>Metres</i>	<i>UKC/Remarks</i>
<i>Moreton Bay:</i>		
North West Channel	15.0	2.3 (280m width)
North West Bypass Channel	9.2	1.6
Spitfire Channel	15.0	1.5 (600m width)
East Knoll Bypass Channel	6.0	1.4
East Channel	15.0	1.5 (300m width from western side)
Main Channel (M8 - M9)	10.0	1.8
Entrance Channel (E5 - EBCN)	14.7	1.5
<i>Brisbane River:</i>		
Outer Bar Cutting	14.0	1.46
Inner Bar Cutting	14.0	1.46
* Fisherman Islands Swing Basin	13.8	1.3
Fisherman Islands Swing Basin (11.5)	11.3	0.6
River	9.1	0.6 / 0.9 (draft/tide)
Cement Australia Swing Basin	9.1	0.6 / 0.9 (draft/tide)
* Pinkenba Swing Basin	9.1	0.6 / 0.9 (draft/tide)
Hamilton Swing Basin	8.7	0.6 / 0.9 (draft/tide)
* Indicates new or revised entry.		

Chart temporarily affected - Aus 235 - Aus 236 - Aus 237 - Aus 238 - Aus 814 - Aus 815

745(T)/2015 AUSTRALIA - QUEENSLAND - Shoalwater Bay - Live firing completed*Former Notice* - 547(T)/2015 is cancelled

Maritime Safety Queensland Notice 133(T)/2015 (AA807259)

Cancel this notice on receipt.

Chart formerly affected - Aus 260 - Aus 261 - Aus 367 - Aus 822 - AX 00260S - AX 00260T - AX 00261L - AX 00367S - AX 00822S**746(T)/2015 AUSTRALIA - QUEENSLAND - Shoalwater Bay - Live firing completed***Former Notice* - 548(T)/2015 is cancelled

Maritime Safety Queensland Notice 134(T)/2015 (AA807823)

Cancel this notice on receipt.

Chart formerly affected - Aus 248 - Aus 260 - Aus 261 - Aus 367 - Aus 490 - Aus 820 - Aus 822 - AX 00260S - AX 00260T - AX 00261L - AX 00367S - AX 00820S - AX 00822S**747(T)/2015 AUSTRALIA - QUEENSLAND - Weipa - Dredging operations***Date* - Until 21 July 2015

Maritime Safety Queensland Notice 192(T)/2015 (AA816389)

The vessels *Brisbane*, *Pacific Conquest* and *Norfolk* are conducting dredging and survey operations in South Channel and Embley River.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 4**748(T)/2015 PAPUA NEW GUINEA - Dampier Strait - Nessup Channel - Light buoy off station**

National Maritime Safety Authority PNG Notice 19/2015 (AA817425)

The port lateral light buoy, *Fl.R.2s*, (5° 53'.27 S 148° 08'.70 E) is off station.**Chart temporarily affected - Aus 673****749(T)/2015 AUSTRALIA - NORTHERN TERRITORY - Quail Island - Exclusion zone removed***Former Notice* - 643(T)/2015 is cancelled

Department of Defence (AA813076)

Cancel this notice on receipt.

Chart formerly affected - Aus 29 - Aus 309 - Aus 316 - Aus 722 - AX 00309T - AX 00309U - AX 00316S - AX 00336S - AX 00722T**750(T)/2015 AUSTRALIA - WESTERN AUSTRALIA - Barrow Island - Drill rig moved***Former Notice* - 689(T)/2015 is cancelledMODU *Ocean America* (AA817919)

Cancel this notice on receipt.

Chart formerly affected - Aus 328 - Aus 4723 (INT 723) - AX 04723U**751(T)/2015 AUSTRALIA - WESTERN AUSTRALIA - Bedout Island - Seismic survey completed***Former Notice* - 253(T)/2015 is cancelled

Searcher Seismic Pty Ltd (AA815005)

Cancel this notice on receipt.

Chart formerly affected - Aus 324 - Aus 325 - Aus 326 - Aus 739 - Aus 4722 (INT 722) - AX 04722U

752(T)/2015 AUSTRALIA - WESTERN AUSTRALIA - Browse Island - Drill rig northwards*Date* - Until 31 October 2015MODU *Jack Bates* (AA816377), AMSA AUSCOAST 030/2015 (AA816378)Drill rig *Jack Bates* is conducting drilling operations in position 13° 49'.47 S 123° 12'.80 E.**Chart temporarily affected - Aus 319 - Aus 320 - Aus 4721 (INT 721) - Aus 4722 (INT 722) - AX 00319U - AX 04721U - AX 04722U****753(T)/2015 AUSTRALIA - WESTERN AUSTRALIA - Browse Island - Drill rig moved northwards***Former Notice* - 207(T)/2015 is cancelledMODU *Jack Bates* (AA816377), AMSA AUSCOAST 030/2015 (AA816378)

Cancel this notice on receipt.

Chart formerly affected - Aus 319 - Aus 320 - Aus 322 - Aus 4721 (INT 721) - Aus 4722 (INT 722) - AX 00319U - AX 00322U - AX 04721U - AX 04722U**754(T)/2015 AUSTRALIA - WESTERN AUSTRALIA - Browse Island - Pipeline operations northwards***Date* - Until 30 August 2015

McDermott Australia Pty Ltd (AA817788)

Vessels *LV 108*, *Loch Seaforth* and *Campos Tide* are conducting pipeline installation works in an area bounded by the following positions:

13° 44'.0 S 123° 05'.0 E

13° 44'.0 S 123° 20'.0 E

14° 00'.0 S 123° 20'.0 E

14° 00'.0 S 123° 05'.0 E.

Mariners are advised to navigate with caution in the area. 2.5NM clearance requested.

Chart temporarily affected - Aus 319 - Aus 320 - Aus 322 - AX 00319S - AX 00319U - AX 00320S - AX 00322U**755(T)/2015 AUSTRALIA - WESTERN AUSTRALIA - Dampier Archipelago - Seismic survey completed***Former Notice* - 597(T)/2015 is cancelled

Scope Resources (AA81668)

Cancel this notice on receipt.

Chart formerly affected - Aus 327 - Aus 328 - Aus 741 - Aus 4723 (INT 723) - AX 04723U**756(T)/2015 AUSTRALIA - WESTERN AUSTRALIA - Eugene McDermott Shoal - Drill rig northwards***Former Notice* - 691(T)/2015 is cancelled*Date* - Until 30 July 2015MODU *Stena Clyde* (AA817758), AMSA (AA817753)MODU *Stena Clyde* is conducting drilling operations in position 12° 58'.54 S 124° 29'.16 E.**Chart temporarily affected - Aus 319 - Aus 4721 (INT 721) - Aus 4722 (INT 722) - AX 00319S - AX 00319U - AX 04721U - AX 04722U**

757(T)/2015 AUSTRALIA - WESTERN AUSTRALIA - Exmouth Plateau - Seismic survey northwestwards*Date* - Until 31 December 2015

Scope Resources (AA816668)

Survey vessel *Sanco Swift*, with a 9200m towed array, and support vessels *Sunrise-G* and *Limitless* are conducting a survey in the area bounded by the following positions:

18° 02'.72 S 114° 14'.68 E

18° 02'.72 S 112° 03'.31 E

19° 12'.46 S 112° 03'.31 E

19° 12'.46 S 114° 14'.68 E.

Mariners are advised to navigate with caution in the area. 7NM clearance requested.

Chart temporarily affected - Aus 328 - Aus 4060 (INT 60) - Aus 4070 (INT 70) - Aus 4071 (INT 71) - Aus 4708 (INT 708) - Aus 4723 (INT 723) - AX 04708U - AX 04723U

758(T)/2015 AUSTRALIA - WESTERN AUSTRALIA - Glomar Shoal - Drill rig northwards*Date* - Until 18 September 2015MODU *Ocean America* (AA817919)

Drill rig *Ocean America* is conducting drilling operations in position 18° 11'.88 S 116° 51'.25 E.

Chart temporarily affected - Aus 4722 (INT 722) - Aus 4723 (INT 723) - AX 04722U - AX 04723U

759(T)/2015 AUSTRALIA - WESTERN AUSTRALIA - Muiron Islands - Drill rig northwestwards*Former Notice* - 449(T)/2015 is cancelled*Date* - Until 4 September 2015MODU *Atwood Falcon* (AA818141), AMSA AUSCOAST (AA818135)

Drill rig *Atwood Falcon* is conducting drilling operations in position 21° 31'.73 S 114° 06'.10 E.

Chart temporarily affected - Aus 328 - Aus 329 - Aus 744

760(T)/2015 AUSTRALIA - WESTERN AUSTRALIA - Muiron Islands - Mooring buoys northwestwards

BHP Billiton Petroleum Pty Ltd (AA818138)

Lit yellow mooring buoys exist in the following positions;

<i>Position</i>	<i>Remarks</i>
21° 32'.68 S 114° 05'.37 E	<i>Fl. 5s</i>
21° 31'.88 S 114° 04'.96 E	<i>Fl. Y. 5s</i>
21° 31'.97 S 114° 05'.47 E	<i>Fl. 5s</i>
21° 32'.22 S 114° 05'.54 E	<i>Fl. 5s</i>

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 328 - Aus 329 - Aus 744

761(T)/2015 AUSTRALIA - WESTERN AUSTRALIA - Sahul Banks - Pipeline completed*Former Notice* - 757(T)/2014 is cancelled

ConocoPhillips Australia (AA817987)

Cancel this notice on receipt.

Chart formerly affected - Aus 312 - AX 00312U

762(T)/2015 AUSTRALIA - VICTORIA - Port Phillip - Station Pier to South Wharf - Harbour works*Date* - Until 31 October 2015

Victorian Notice 119(T)/2015, 120(T)/2015, 121(T)/2015 (AA816906, AA816907, AA817163)

Harbours works are in progress at the following locations:

South Wharf berth 26 (37° 49'.20 S 144° 55'.61 E)

Swanson Dock West (37° 48'.82 S 144° 54'.75 E)

Station Pier (37° 50'.80 S 144° 55'.83 E).

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 154**763(T)/2015 AUSTRALIA - VICTORIA - Port Phillip - Dredging operations completed***Former Notice* - 561(T)/2015 is cancelled

Port of Melbourne Corporation (AA817974)

Cancel this notice on receipt.

Chart formerly affected - Aus 143 - Aus 150 - Aus 154 - Aus 155 - Aus 158**764(T)/2015 AUSTRALIA - TASMANIA - D'Entrecasteaux Channel - Great Taylors Bay - Marine farm***Date* - Until 1 December 2015

Marine and Safety Tasmania Notice M100/2015 (AA817160)

Works to amend the limits of the marine farm are in progress.

The works will be marked by special light buoys in the following positions:

43° 22'.53 S 147° 08'.61 E

43° 23'.13 S 147° 09'.48 E

43° 24'.18 S 147° 07'.99 E

43° 23'.58 S 147° 07'.16 E.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 173 - Aus 795**765(T)/2015 AUSTRALIA - TASMANIA - D'Entrecasteaux Channel - Great Taylors Bay - Butlers Point - Marine farm***Former Notice* - 117(T)/2015 is cancelled*Date* - Until 30 September 2015

Marine and Safety Tasmania Notice 139/2014 (AA783505, AA817160, AA817688)

Mariners are advised that works to amend the boundary of the marine farm are in progress.

The amended boundary will be marked by special light buoys in an area bounded by the following positions:

43° 25'.06 S 147° 07'.36 E

43° 24'.99 S 147° 07'.52 E

43° 25'.24 S 147° 07'.74 E

43° 25'.31 S 147° 07'.58 E.

A fill station is marked by special light buoys in the following positions:

43° 24'.85 S 147° 07'.48 E

43° 24'.78 S 147° 07'.41 E.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 173 - Aus 795

HYDROGRAPHIC REPORTS

<i>Locality</i>	<i>Report</i>	<i>Ship/Authority</i>	<i>Observer</i>
WA- Otway Bank	Depth	<i>HMAS Paluma</i>	P Locke

NAVIGATION WARNINGS

The following radio messages have been received during the period to 2 July 2015. Signal copies of these messages may be destroyed. It is recommended that the reprint of Navigational Warnings should be kept in a file or a book divided into areas. Cancellation should be made on receipt of signals and reprints.

Rigs on location other than those listed in the latest Section III summary are the subject of Radio Navigational Warnings. Rigs in transit will not be the subject of Warnings.

AUSCOAST WARNING

- 152 Cancelled.
- 153 Cancelled.
- 154 Cancelled.
- 155 Drill rig *Jack Bates* in position 13° 49'.46 S 123° 12'.80 E. 2.5NM clearance requested.
- 156 Cancelled.
- 157 Cancelled.
- 158 Special purpose vessel *Sanco Swift* is conducting a seismic survey in an area bounded by 18° 00'.00 S 112° 00'.00 E and 19° 15'.00 S 114° 15'.00 E. 7NM clearance requested.
- 159 Cancelled.
- 160 Drill rig *Stena Clyde* in position 12° 58'.54 S 124° 29'.16 E.
- 161 Cancelled.
- 162 Special purpose vessel *BGP Explorer* is conducting a seismic survey in an area bounded by 19° 04'.00 S 114° 09'.00 E and 20° 05'.00 S 115° 44'.00 E. 6NM clearance requested.
- 163 Drill rig *Atwood Falcon* in position 21° 31'.73 S 114° 06'.10 E.

NAVAREA X WARNINGS

- 050 Cancelled.
- 051 Special purpose vessel *Fugro Equator* and *Fugro Discovery* are conducting underwater vehicle towing operations in an area bounded by 34° 49'.40 S 89° 38'.04 E and 37° 21'.60 S 93° 06'.38 E. 10NM clearance requested.
- 052 Warnings in force.

Navigational warnings in force as at 020001UTC JUL 15.

Auscoast

2015 067 086 113 122 130 134 138 143 144 145 146 147 151 155 158 160 162 163

Navarea X

2015 051 052

Summary of mobile drilling rigs as at 020001UTC JUL 15.

Name	Position
Armada Claire	20° 03'.50 S 115° 11'.50 E
Atwood Eagle	19° 54'.50 S 115° 07'.60 E
Atwood Falcon	21° 31'.70 S 114° 06'.10 E
Atwood Osprey	19° 48'.70 S 115° 17'.70 E
Deepwater Millennium	21° 39'.90 S 113° 51'.90 E
EnSCO 5006	13° 51'.70 S 123° 16'.40 E
Jack Bates	13° 49'.50 S 123° 12'.80 E
Noble Clyde Boudreaux	13° 49'.00 S 123° 19'.40 E
Stena Clyde	12° 58'.50 S 124° 29'.20 E
Stybarrow Venture	21° 27'.00 S 113° 49'.50 E
West Telesto	39° 50'.70 S 145° 49'.20 E

III

NAVAREA XIV WARNINGS


059 Abandoned 51 foot, twin masted, white wooden yacht *Corinna* reported adrift in vicinity 17° 47'.4 S 174° 40'.6 W.
060 Cancelled.
061 Hazardous operations, falling space debris in area bounded by: 6° 41' S 77° 38' E, 41° 38' S 111° 15' E, 50° 30' S
163° 35' E, 53° 33' S 163° 11' E, 45° 37' S 107° 22' E, 19° 26' S 75° 36' E.
062 Abandoned 16 metre yacht reported adrift in vicinity 21° 30'.40 S 169° 03'.68 W.

Navarea XIV warnings in force as at 020001UTC JUL 15.

2015 059 061 062

(129.5 x 62.1mm)

To accompany Australian Notice to Mariners 723/2015




Block for chart Aus 294

© Commonwealth of Australia 2015

(121.6 x 199.0mm)

[illegible]

To accompany Australian Notice to Mariners 728/2015




© Commonwealth of Australia 2015

Block for chart Aus 324

(72.9 x 165.7mm)

To accompany Australian Notice to Mariners 729/2015



Block for chart Aus 4723 © Commonwealth of Australia 2015

(113.6 x 45.0mm)