

Australian Notices to Mariners are the authority for correcting Australian Charts

AUSTRALIAN NOTICES TO MARINERS

© Commonwealth of Australia 2000 - Copyright restrictions apply to Notices to Mariners



Notices 384-415

Published fortnightly by the Australian Hydrographic Office

G. J. GERAGHTY,
Hydrographer, RAN

- SECTIONS. I. **Australian Notices to Mariners, including blocks and notes.**
 III. **Navigational Warnings.**
 IV. **Hydrographic Reports.**

New Zealand Notices to Mariners

The substance of these notices should be inserted on the charts affected.

Notices to Mariners information relating to British Admiralty Publications unavailable on this web site at this stage but still available in printed form:-

- Section II. Corrections to Admiralty List of Lights, Vol K.**
Section V. Corrections to Admiralty List of Radio Signals.
Section VI. Corrections to Sailing Directions.

Bearings are referred to the true compass and are reckoned clockwise from 000° (North) to 359°: those relating to lights are given as seen by an observer from seaward. The range quoted for a light is its nominal range. Fog signals are sounded only during thick or foggy weather, unless otherwise stated. Depths are with reference to the chart datum of each chart. Heights are above mean high water springs or mean higher high water, as appropriate.

The capital letter (P) or (T) after the number of any notice denotes a preliminary or temporary notice respectively, which are contained separately at the end of the permanent notices. A star () adjacent to the number of a notice indicates that the notice is based on original information.*

Mariners are particularly requested to notify the AUSTRALIAN HYDROGRAPHIC OFFICE, Locked Bag 8801 South Coast Mail Centre, NSW 2521 (Fax 02-4221 8599), e-mail hni.hydro@navy.gov.au or, alternatively by filling in and submitting the **Hydrographic Notes forms, immediately on the discovery of new dangers or suspected dangers to navigation. For changes or defects in aids to navigation notify AusSAR (Fax 02-6230 6868 or email rccaus@amsa.gov.au).**

Copies of these notices can be obtained from the AUSTRALIAN HYDROGRAPHIC OFFICE, 8 Station Street, Wollongong, and Agents for the sale of charts and hydrographic publications.

The Commonwealth of Australia is the owner of, or is otherwise responsible for, the copyright in this work. It is protected under the Copyright Act 1968 and international convention. Except as expressly authorised below, the work may not be copied, reproduced, adapted, changed or commercially exploited, in whole or in part, or the format in which it is stored altered, without the prior written permission of the Australian Hydrographic Office. The Notices may be copied for the purpose of inserting their substance on official charts and other publications. However, any copies of the notices may not be sold for profit.

© Commonwealth of Australia 2000

NUMERICAL INDEX OF CHARTS AFFECTED

Edition No 14

7 July 2000

Notices	Aus Chart
384.....	Aus 195,628
385.....	Amendment to Annual Notices to Mariners No9
386.....	Aus 235,236,814
387.....	Aus 236,237
388.....	Aus 236
389.....	Aus 235
390.....	Aus 246
391.....	Aus 244,245,366,819
392.....	Aus 250
393.....	Aus 268
394.....	Aus 280,374,833
395.....	Aus 375,836
396.....	Aus 4,701
397.....	Aus 52,54
398.....	Aus 606,607,4708, INT 708
399.....	Aus 4070, INT 70
400.....	Aus 331,748,749
401.....	Aus 81
402.....	Aus 173
403.....	Aus 158
404.....	Aus 143,158
405(T).....	Aus 251
406(T).....	Aus 253,268
407(T).....	Aus 256,257
408(T).....	Aus 4
409(T).....	Aus 410
410(T).....	Aus 15
411(T).....	Aus 330,331,332,333,334,335,347,348,749,751,752,753,754,755,756
412(P).....	Aus 81
413(T).....	Aus 136,778
414(T).....	Aus 157
415(T).....	List of Temporary and Preliminary Notices in Force

384 AUSTRALIA - Publications.

AHO (00/4845, 00/5310). (AH99/139 & 229)

New Chart to be published shortly

Chart	Title	Scale
Aus 628	Papua New Guinea - East Coast - Nuakata Passage	1:37 500

New Edition to be published shortly

Chart	Title	Scale
Aus 195	Australia - East Coast - New South Wales - Port Kembla and Wollongong Plans:	1:25 000
	Wollongong Harbour	1:7 500
	Port Kembla	1:6 000

385 AUSTRALIA - Publications - Amendment to Annual Notices to Mariners No9.

Designated Airspace Handbook (15/6/00) (00/4823 & 4824). (AH 00/216, 00/217)

Amend page 56 as follows:

YBBB/R622A Evans Head to read YBBB/R634A Evans Head,
YBBB/R622B Evans Head to read YBBB/R634B Evans Head,
YBBB/R622C Evans Head to read YBBB/R634C Evans Head,
YBBB/R622D Evans Head to read YBBB/R634D Evans Head,
YBBB/R622E Evans Head to read YBBB/R634E Evans Head,
YBBB/R622F Evans Head to read YBBB/R634F Evans Head,
YBBB/R622G Evans Head to read YBBB/R634G Evans Head,
YBBB/R634C Times of Use to H24 and
YBBB/R634F Times of Use to H24

Amend page 67 YMMM/R323A Western Port Vertical Limits to SFC - FL550

Amend page 70 diagram 2 as follows:

R622 A/C/D to read R634 A/C/D,
R622 B/C/D to read R634 B/C/D and
R622 E/F/G to read R634 E/F/G

386* AUSTRALIA - QUEENSLAND - Flinders Reef - Wreck.Queensland Transport (00/5249). Wreck is MV *Crusader II*. (AH 98/292)**Aus 235 [203/2000]**

Insert	depth, 15 ₄ m, enclosed by danger circle, with legend <i>Wk</i>	26° 58'.42 S	153° 29'.43 E
Delete	dangerous wreck	26° 58'.4 S	153° 29'.5 E
	depth 8 ₈ m	26° 58'.5 S	153° 29'.4 E

Aus 236 [358/2000]

Insert	depth, 15 ₄ m, enclosed by danger circle, with legend <i>Wk</i>	26° 58'.42 S	153° 29'.43 E
Delete	dangerous wreck	26° 58'.4 S	153° 29'.5 E
	depth 8 ₈ m	26° 58'.5 S	153° 29'.4 E

Aus 814 [701/1999]

Insert	depth, 15 ₄ m, enclosed by danger circle, with legend <i>Wk</i>	26° 58'.42 S	153° 29'.43 E
Delete	dangerous wreck	26° 58'.4 S	153° 29'.5 E

387* AUSTRALIA - QUEENSLAND - Moreton Bay - Rous Channel to Old Bar Cutting - Light buoys.
Queensland Transport Notices 228, 232 & 233/2000 (00/5431). (AH 99/14)

Aus 236 [386/2000]

Insert	port lateral cylindrical light buoy, <i>Fl. R.</i> 6s, with topmark	27° 22'.47 S	153° 24'.13 E
	isolated danger cylindrical light buoy, <i>Fl(2)</i> 6s, with topmark	27° 17'.18 S	153° 11'.64 E
Move	port lateral light buoy	27° 22'.55 S	153° 24'.28 E
	to	27° 22'.59 S	153° 24'.48 E
	starboard lateral light buoy	27° 23'.24 S	153° 23'.75 E
	to	27° 23'.30 S	153° 23'.84 E
Substitute	isolated danger cylindrical light buoy, <i>Fl(2)</i> 8s, with topmark, for special light buoy	27° 20'.20 S	153° 11'.00 E
Delete	special light buoy	27° 17'.26 S	153° 12'.34 E

Aus 237 [NE 18/02/2000]

Substitute	isolated danger cylindrical light buoy, <i>Fl(2)</i> 8s, with topmark, for special light buoy	27° 20'.12 S	153° 11'.07 E
------------	---	--------------	---------------

388* AUSTRALIA - QUEENSLAND - Moreton Bay - Peel Island to Macleay Island - Jetty demolished; light beacons.

Queensland Transport (00/5121), Notice 219/2000 (00/5126). (AH 99/207, 00/107)

Aus 236 [387/2000]

Insert	light beacon, <i>Q. R.</i> with cylindrical topmark	27° 35'.04 S	153° 19'.11 E
	light beacon, <i>Fl. R.</i> 4s, with cylindrical topmark	27° 35'.08 S	153° 22'.19 E
	light beacon, <i>Fl. G.</i> 4s, with triangular topmark	27° 34'.72 S	153° 21'.96 E
	light beacon, <i>Fl. G.</i> 2.5s, with triangular topmark	27° 34'.40 S	153° 21'.66 E
Substitute	light beacon, <i>Fl. G.</i> 3s, with triangular topmark, for starboard lateral beacon	27° 34'.96 S	153° 19'.78 E
Delete	jetty centred on	27° 30'.55 S	153° 20'.30 E
	light beacon	27° 35'.1 S	153° 19'.1 E
	depth 1m	27° 34'.3 S	153° 21'.7 E

389* AUSTRALIA - QUEENSLAND - Mooloolah River - Light beacon discontinued.

Former Notice - 140(T)/1999 is cancelled

List of Lights Vol K/2000 -- 2910.60

Queensland Transport Notice 236/2000 (00/107). (AH 00/107)

Aus 235 (plan, Mooloolaba Harbour) [386/2000]

Delete	No13 light beacon	26° 41'.30 S	153° 07'.83 E
--------	-------------------	--------------	---------------

390* AUSTRALIA - QUEENSLAND - Gladstone - Boyne River - Beacons.

Queensland Transport Notice 223/2000 (00/5394). (AH 00/107)

Aus 246 [114/2000]

Insert	beacon, No1, with triangular topmark	23° 55'.705 S	151° 21'.861 E
	beacon, No3, with triangular topmark	23° 55'.792 S	151° 21'.675 E
	beacon, No5, with triangular topmark	23° 55'.829 S	151° 21'.596 E
	beacon, No7, with triangular topmark	23° 55'.966 S	151° 21'.501 E
	beacon, No9, with triangular topmark	23° 56'.214 S	151° 21'.363 E
	beacon, No8, with cylindrical topmark	23° 56'.324 S	151° 21'.310 E
	beacon, No10, with cylindrical topmark	23° 56'.448 S	151° 21'.294 E
Delete	legend, (Channel marked by beacons), centred on	23° 56'.15 S	151° 21'.75 E

391* AUSTRALIA - QUEENSLAND - Gladstone - Southend - Jetty demolished; light beacon.

Former Notice - 324(T)/2000 is cancelled

Queensland Transport Notice 224/2000 (00/5394 & 00/5412). (AH 99/208, 00/107)

Aus 244 (plan, Entrance to North Channel) [337/2000]

Insert	light beacon, Fl. R. 4s SE4, with cylindrical topmark	23° 45'.823 S	151° 18'.822 E
Delete	jetty, with legend Southend Jetty, between	23° 45'.82 S	151° 18'.82 E
		23° 45'.63 S	151° 18'.82 E

Aus 245 [337/2000]

Insert	light beacon, Fl. R. 4s SE4, with cylindrical topmark	23° 45'.823 S	151° 18'.822 E
Delete	jetty, with legend Southend Jetty, between	23° 45'.82 S	151° 18'.82 E
		23° 45'.63 S	151° 18'.82 E

Aus 366 [310/2000]

Delete	jetty	23° 45'.9 S	151° 18'.9 E
		23° 45'.8 S	151° 18'.8 E

Aus 819 [310/2000]

Delete	jetty, with legend Jetty, between	23° 45'.8 S	151° 18'.7 E
		23° 45'.6 S	151° 18'.7 E

392* AUSTRALIA - QUEENSLAND - Mackay - Light.

Queensland Transport Notice 237/2000 (00/5431). (AH 00/107)

Aus 250 (plan, Mackay Harbour) [171/2000]

Insert	light, 2Q. R (hor) (occas)	21° 06'.590 S	149° 13'.773 E
--------	----------------------------	---------------	----------------

393* AUSTRALIA - QUEENSLAND - Airlie Beach - Depths.

HMAS Shepparton HI 298 (00/5604). (AH 99/176)

Aus 268 (plan, Airlie Beach) [NC 15/10/1999]

Substitute	accompanying plan	20° 15'.5 S	148° 43'.0 E
Delete	legend C in ZOC diagram	20° 15'.4 S	148° 42'.7 E
	magenta line, in ZOC diagram, centred on	20° 15'.0 S	148° 43'.0 E
		20° 15'.5 S	148° 43'.5 E
		20° 15'.8 S	148° 42'.4 E

394* AUSTRALIA - QUEENSLAND - Stainer Island - Light established.

Former Notice - 222(P)/2000 is cancelled

List of Lights Vol K/2000 -- 3227.50

AMSA (00/5535), Auscoast 160/00 (00/5463). (AH 00/137)

Aus 280 (plan, Magpie Reef to Eden Reef) [343/1995]

Insert	light, <i>Fl. WRG. 10s 13m 14-10M</i> , with sectors:	13° 58'.06 S	143° 50'.23 E
	<i>White 155° - 129° (334°)</i>		
	<i>Green 129° - 144° (15°)</i>		
	<i>White 144° - 148° (4°)</i>		
	<i>Red 148° - 155° (7°)</i>		

Aus 374 [361/2000]

Insert	light, <i>Fl. WRG. 10s 14-10M</i>	13° 58'.15 S	143° 50'.17 E
--------	-----------------------------------	--------------	---------------

Aus 833 [361/2000]

Insert	light, <i>Fl. WRG. 10s 13m 14-10M</i> , with sectors:	13° 58'.15 S	143° 50'.17 E
	<i>White 155° - 129° (334°)</i>		
	<i>Green 129° - 144° (15°)</i>		
	<i>White 144° - 148° (4°)</i>		
	<i>Red 148° - 155° (7°)</i>		

395* AUSTRALIA - QUEENSLAND - Raine Island to Pandora Entrance - Depths.

LADSU (HI 285 (00/4632). (AH 99/175)

Aus 375 [175/2000]

Insert	depth, <i>4fm</i> , enclosed by contour	11° 22'.58 S	143° 48'.18 E
	depth, <i>3₄ fm</i> , enclosed by contour	11° 33'.67 S	143° 57'.17 E
	depth, <i>2₄ fm</i> , enclosed by contour	11° 30'.40 S	143° 52'.83 E
	depth, <i>2₂ fm</i> , and extend contour E from reef to enclose	11° 31'.64 S	143° 55'.58 E
	depth, <i>4₃ fm</i> , enclosed by contour	11° 32'.50 S	143° 59'.74 E
Substitute	depth, <i>3₁ fm</i> , enclosed by contour, for 14fm	11° 33'.4 S	143° 58'.2 E
Delete	depth 32fm	11° 34'.0 S	143° 56'.9 E

Aus 836 [140/2000]

Insert	depth, <i>7₃ m</i> , enclosed by contour	11° 22'.58 S	143° 48'.18 E
	depth, <i>6₉ m</i> , enclosed by contour	11° 33'.67 S	143° 57'.17 E
	depth, <i>5m</i> , enclosed by contour	11° 30'.40 S	143° 52'.83 E
	depth, <i>4₃ m</i> , and extend contour E from reef to enclose	11° 31'.64 S	143° 55'.58 E
	depth, <i>8₄ m</i> , enclosed by contour	11° 32'.50 S	143° 59'.74 E
Substitute	depth, <i>6₂ m</i> , for 9 ₂ m	11° 25'.2 S	143° 45'.1 E
	depth, <i>5₉ m</i> , enclosed by contour, for 26 ₉ m	11° 33'.6 S	143° 58'.1 E
Move	reef	11° 20'.6 S	143° 58'.2 E
	to	11° 20'.36 S	143° 58'.16 E

396* AUSTRALIA - QUEENSLAND - Albatross Bay - Depth.
HMAS Warrego (00/5086). (AH 99/175)

Aus 4 [120/2000]

Insert	contour between	(a) 12° 38'.70 S	141° 28'.70 E
		12° 39'.50 S	141° 28'.78 E
	depth, 19 ₉ m	(b) 12° 40'.30 S	141° 28'.70 E
		12° 39'.72 S	141° 29'.20 E
Delete	20m close E of contour (a) - (b)		
	depth 20 ₉	12° 40'.1 S	141° 29'.3 E

Aus 701 [652/1999]

Insert	contour between	(a) 12° 38'.70 S	141° 28'.70 E
		12° 39'.50 S	141° 28'.78 E
		(b) 12° 40'.30 S	141° 28'.70 E
Delete	20m close E of contour (a) - (b)		

397* WESTERN AUSTRALIA - Port Hedland - Quarantine limit revoked.
AQIS (98/10977). (AH 98/105)

Aus 52 [99/1999]

Delete	magenta pecked line, with legend Quarantine Line, between	20° 17'.98 S	118° 38'.00 E
		20° 17'.77 S	118° 34'.08 E

Aus 54 [502/1999]

Delete	magenta pecked line, with legend Quarantine Line, between	20° 17'.90 S	118° 36'.30 E
		20° 17'.77 S	118° 34'.08 E

398* INDIAN OCEAN - Cocos Islands - West Islands - Aero navigation beacon; light discontinued.
List of Lights Vol K/2000 -- 828.00
P Eveleigh (00/4756). (AH 99/55)

Aus 606 [653/1991]

Insert	aero nautical radiobeacon	12° 08'.72 S	96° 49'.18 E
Delete	light	12° 11'.2 S	96° 49'.5 E

Aus 607 [120/1992]

Insert	aero nautical radiobeacon, centred on mast	12° 08'.72 S	96° 49'.20 E
Delete	light	12° 11'.2 S	96° 49'.5 E

Aus 4708 (INT 708) [473/1999]

Delete	light	12° 11'.0 S	96° 50'.0 E
--------	-------	-------------	-------------

399 INDIAN OCEAN - South Africa - Durban - Radiobeacon.
BA Notice 23/2295/2000 (00/5529). (AH 99/55)

Aus 4070 (INT 70) [36/2000]

Delete	radiobeacon	29° 56'.0 S	31° 01'.0 E
--------	-------------	-------------	-------------

400* WESTERN AUSTRALIA - Denham Channel - Light beacon altered.

List of Lights Vol K/2000 -- 1732.00

Transport WA (00/5430). (AH 99/29)

Aus 331 [684/1999]

Substitute	west cardinal light beacon, Q(9) 15s, with topmark, for light beacon	25° 58'.3 S	113° 23'.3 E
------------	--	-------------	--------------

Aus 748 [500/1998]

Substitute	west cardinal light beacon, Q(9) 15s No12, with topmark, for No12 light beacon	25° 58'.2 S	113° 23'.4 E
------------	--	-------------	--------------

Aus 749 [380/1999]

Substitute	west cardinal light beacon, Q(9) 15s No12, with topmark, for No12 light beacon	25° 58'.2 S	113° 23'.4 E
------------	--	-------------	--------------

401* WESTERN AUSTRALIA - Geraldton - Light altered.

List of Lights Vol K/2000 -- 1753.25

Transport WA (00/4766). (AH 99/32)

Aus 81 [144/2000]

Amend	light to F. R	28° 45'.92 S	114° 36'.70 E
-------	---------------	--------------	---------------

Aus 81 (plan, Port of Geraldton)

Amend	light to F. R	28° 45'.92 S	114° 36'.70 E
-------	---------------	--------------	---------------

402* AUSTRALIA - TASMANIA - D'Entrecasteaux Channel - Huon Point - Marine farms.

Marine and Safety Tasmania (00/5251). (AH 99/293)

Aus 173 [435/1999]

Insert	pecked line, with legend <i>Marine Farm</i> (see Note), between	43° 18'.37 S	147° 06'.90 E
		43° 18'.47 S	147° 07'.18 E
		43° 19'.07 S	147° 06'.74 E
		43° 18'.97 S	147° 06'.46 E
	pecked line, with legend <i>Marine Farm</i> (see Note), between	43° 15'.66 S	147° 06'.31 E
		43° 15'.84 S	147° 06'.83 E
		43° 16'.16 S	147° 06'.99 E
		43° 16'.32 S	147° 06'.75 E

403* AUSTRALIA - VICTORIA - Port Phillip - West Channel - Amendment to light.

AHO (00/5413). (AH 99/21)

Aus 158 [368/2000]

Amend	(On certain copies only) West Channel Pile light to Fl. WR. 6s 11m 14/11M	38° 11'.67 S	144° 45'.32 E
-------	--	--------------	---------------

404* AUSTRALIA - VICTORIA - Port Phillip - Sorrento - Jetty; light.

Victorian Notice 70/1998 (00/5085). (AH 98/328)

Aus 143 [368/2000]

Move	light, Fl. R. 9s	38° 20'.67 S	144° 45'.31 E
	to	38° 20'.64 S	144° 45'.12 E

Aus 158 [403/2000]

Move	light, Fl. R. 9s	38° 20'.67 S	144° 45'.31 E
	to	38° 20'.64 S	144° 45'.12 E
	firm line between	38° 20'.64 S	144° 45'.12 E
		38° 20'.71 S	144° 45'.09 E

Delete	firm line between	38° 20'.67 S	144° 45'.31 E
		38° 20'.72 S	144° 45'.29 E

405(T)/2000 AUSTRALIA - QUEENSLAND - Victor Creek - Light beacon destroyed; light buoy.

Queensland Transport Notice 240/2000 (00/5598). (AH 00/107)

No 4 light beacon (20° 52'.40 S 148° 55'.65 E) has been destroyed. A port lateral cylindrical light buoy, *Fl. R. 3s*, has been established in situ.

Chart temporarily affected - Aus 251.

406(T)/2000 AUSTRALIA - QUEENSLAND - Airlie Bay - Reclamation; light buoys.

Date - Until further notice

Queensland Transport Notice 239/2000 (00/5598). (AH 00/237)

Reclamation for the construction of a lagoon is underway in position 20° 16'.0 S 149° 43'.1 E. Two special light buoys, *Fl. Y. 3s*, have been established to mark the extremities of work.

Mariners are to navigate to seaward of the buoys.

Chart temporarily affected - Aus 253 - Aus 268.

407(T)/2000 AUSTRALIA - QUEENSLAND - Townsville - Dredging.

Date - Until 31 July 2000

Queensland Transport Notice 238/2000 (00/5598). (AH 99/252)

The dredge *Sir Thomas Hiley* is conducting dredging operations in Townsville harbour and the approach channels.

Mariners are advised to navigate with caution in the vicinity of the dredge.

Chart temporarily affected - Aus 256 - Aus 257.

408(T)/2000 AUSTRALIA - QUEENSLAND - Weipa - Dredging completed; light buoys removed.

Former Notice - 327(T)/2000 is cancelled

Queensland Transport Notice 243/2000 (00/5598). (AH 00/178, 99/13)

Cancel this notice on receipt.

Chart formerly affected - Aus 4

409(T)/2000 AUSTRALIA - QUEENSLAND - Gulf of Carpentaria - Scientific instrument recovered.

Former Notice - 736(T)/1999 is cancelled

AHO (00/61). (AH 98/16)

Cancel this notice on receipt.

Chart formerly affected - Aus 410

410(T)/2000 AUSTRALIA - NORTHERN TERRITORY - Gove - Light buoy relit.

Former Notice - 301(T)/2000 is cancelled

Nabalco Shipping (00/5530). (AH 99/27)

Cancel this notice on receipt.

Chart formerly affected - Aus 15

411(T)/2000 AUSTRALIA - Western Australia, South Australia and Victoria - Lobster fishery closed.

Former Notice - 596(T)/1999 is cancelled

AHO (00/5856). (AH 99/357)

Cancel this notice on receipt.

Chart formerly affected - Aus 330 - Aus 331 - Aus 332 - Aus 333 - Aus 334 - Aus 335 - Aus 347 - Aus - 348 - Aus 749 - Aus 751 - Aus 752 - Aus 753 - Aus 754 - Aus 755 - Aus 756

412(P)/2000 WESTERN AUSTRALIA - Geraldton - Harbour works; light.

Transport WA (00/4766). (AH 98/323, 99/29)

A breakwater has been constructed between:

28° 45'.86 S 114° 36'.73 E

28° 45'.86 S 114° 36'.62 E

A light, *LFl. R.* 6s, has been established in position 28° 45'.865 S 114° 36'.615 E.

Note: Changes will be incorporated in a new edition presently in production.

Chart which will be affected - Aus 81.

413(T)/2000 SOUTH AUSTRALIA - Black Point - Scientific instruments recovered.

Former Notice - 303(T)/2000 is cancelled

Transport SA Notice 9/2000 (00/3133). (AH 98/149)

Cancel this notice on receipt.

Chart formerly affected - Aus 136 - Aus 778

414(T)/2000 AUSTRALIA - VICTORIA - Port Phillip - Geelong - Depth information.

Former Notice - 350(T)/2000 is cancelled

Victorian Notice 35/2000 (00/5788). (AH 99/209)

Available depths at berths, as at 20 June 2000, are:

(a) Point Henry Pier *11.6m*

(b) Corio Quay No3 *10.8m*

(c) Lascelles Wharf No1 *12.0m*.

(d) Lascelles Wharf No2 *11.7m*

Chart temporarily affected - Aus 157.

415(T) AUSTRALIA - TEMPORARY AND PRELIMINARY NOTICES.

Former Notice - 261(T)/2000 is cancelled

AHO (00/5854). (AH 99/253)

<i>Notice</i>	<i>Charts affected</i>	<i>Locality and Subject</i>
NEW SOUTH WALES		
		<i>Brisbane Water</i>
460/1995	Aus204.....	Aids to navigation
83/1997	Aus204.....	Shoaling
		<i>Cabbage Tree Island</i>
389/1999	Aus209-362-809-810	Fish farm
		<i>Cape Byron</i>
99/2000	Aus813.....	Fish aggregating device off station
		<i>Cape Three Points</i>
388/1999	Aus197-204-361-809	Waverider buoy
		<i>Green Cape to Point Danger</i>
89/1999	Aus197-806-807-808-810-812-813	Waverider and research buoys
		<i>Port Jackson</i>
663/1999	Aus200-202	Harbour works
		<i>Port Kembla</i>
218/2000	Aus195.....	Light buoy moved
		<i>Tweed River</i>
689/1999	Aus814.....	Waverider buoy
273/2000	Aus220-813-814.....	Dredging
NORTHERN TERRITORY		
		<i>Bing Bong</i>
377/2000	Aus710.....	Light buoys removed
		<i>Darwin</i>
283/1999	Aus26.....	Obstruction; light buoys
83/2000	Aus26-28.....	Shoaling
109/2000	Aus28.....	Depth information
378/2000	Aus26-28.....	Hazard
		<i>Evans Shoal</i>
669/1999	Aus310-411	Scientific instruments eastward
QUEENSLAND		
		<i>Airlie Bay</i>
406/2000	Aus253-268	Reclamation; light buoys
		<i>Bramble Cay</i>
374/2000	Aus376-377-378-840	Shoal southwestward
		<i>Bramston Beach</i>
250/2000	Aus372-829	Wreck
		<i>Brisbane River</i>
323/1999	Aus237.....	Mooring buoy; pipeline
392/1999	Aus238.....	Harbour works
617/1999	Aus237.....	Harbour works
51/2000	Aus237.....	Dredging operations
52/2000	Aus238.....	Harbour works
188/2000	Aus238.....	Leading lights altered
189/2000	Aus238.....	Buoys withdrawn
246/2000	Aus238.....	Harbour works; light buoys; speed limit
344/2000	Aus236-237	Light beacon maintenance
		<i>Bundaberg</i>
126/2000	Aus243.....	Depth information
190/2000	Aus243.....	Dredging operations
248/2000	Aus243.....	Training wall
294/2000	Aus365-818	Wreck northeastward

<i>Notice</i>	<i>Charts affected</i>	<i>Locality and Subject</i>
251/2000	Aus262-830	<i>Cairns</i> Depth information
348/2000	Aus262.....	Harbour works
347/2000	Aus827	<i>Cape Ferguson</i> Scientific instrument
78/2000	Aus370-371-824.....	<i>Edward Island</i> Wreck
356/1998	Aus372-373-830.....	<i>Fitzroy Island</i> Obstructions
293/2000	Aus365-817-818.....	<i>Fraser Island</i> Wreck
576/1998	Aus246.....	<i>Gladstone</i> Light beacon destroyed; light buoy established
278/1999	Aus366-819	Light beacon destroyed; light buoy
100/2000	Aus244-245-246.....	Depth information
219/2000	Aus244-245	Harbour works
249/2000	Aus244-245	Harbour works
437/1999	Aus814.....	<i>Gold Coast</i> Artificial reef; buoys
594/1999	Aus814.....	Light buoys
670/1998	Aus823.....	<i>Hay Point</i> Obstruction
734/1999	Aus250.....	Depth information
54/2000	Aus252-254	<i>Hayman Island</i> Light beacon destroyed; light buoy
605/1998	Aus258-259	<i>Hinchinbrook Channel</i> Light buoys
108/2000	Aus6-303.....	<i>Karumba</i> Light beacon destroyed; light buoy
349/2000	Aus6.....	Light beacon destroyed; light buoy
300/2000	Aus373-831	<i>Lark Reef</i> Scientific instrument
274/2000	Aus259.....	<i>Lucinda</i> Harbour works
621/1999	Aus250.....	<i>Mackay</i> Depth information
102/2000	Aus249-250	Surface net fishing activities
295/2000	Aus250.....	Depth
276/2000	Aus373-374-832.....	<i>Maxwell Reef</i> Light to be established
277/2000	Aus373-374-832.....	<i>Megaera Reef</i> Light to be replaced
326/2000	Aus373-374-832.....	Works in progress
346/2000	Aus235.....	<i>Mooloolah River</i> Light beacon maintenance
391/1999	Aus236.....	<i>Moreton Bay</i> Wreck; light buoy
419/1999	Aus236.....	Dredging operations
615/1999	Aus235-814	Light beacon destroyed; light buoy
343/2000	Aus236.....	Pontoon construction
660/1997	Aus235-236-238-814	<i>Moreton Bay and Brisbane River</i> Depth information and keel clearances in channels

<i>Notice</i>	<i>Charts affected</i>	<i>Locality and Subject</i>
509/1999	Aus829.....	<i>Mourilyan</i> Depth information
297/2000	Aus372-828	<i>Pith Reef</i> Scientific instrument
292/2000	Aus235-365	<i>Point Cartwright</i> Scientific instrument
695/1999	Aus4-236-255-256-814-819-829-830	<i>Point Danger to Karumba</i> Waverecorder and research buoys
101/2000	Aus247	<i>Port Alma</i> Depth information
243/2000	Aus814.....	<i>Southport</i> Dredging; alteration to nav aids
80/1994	Aus293-299	<i>Thursday Island</i> Depth information
270/1998	Aus256-257	<i>Townsville</i> Shoaling
325/2000	Aus256-257	Depth information
407/2000	Aus256-257	Dredging
405/2000	Aus251.....	<i>Victor Creek</i> Light beacon destroyed; light buoy
296/1998	Aus4.....	<i>Weipa</i> Depth information
107/2000	Aus4.....	Light beacon destroyed; light buoy
375/2000	Aus4-6-289-292-293-294-296-299-301-302-303-304-376-410-700-701-839-4620	Differential global positioning system
SOUTH AUSTRALIA		
162/2000	Aus137	<i>Adelaide</i> Pipeline construction
380/2000	Aus120-121-125-127-134-136-137-341-342-343-344-345-346-347-348-444-776-777-778-780-781-4727	<i>Cornby Point</i> Differential global positioning system
331/1999	Aus125.....	<i>Glenelg</i> Leading light
515/1998	Aus345-780-781.....	<i>Gulf of St Vincent</i> Obstructions
326/1995	Aus134.....	<i>Port Lincoln</i> Mussel culture; light buoys
448/1995	Aus134.....	Mussel culture; light buoys
471/1996	Aus134-776	Fish farms
306/2000	Aus125-345-780-781	<i>Port Stanvac</i> Mooring buoy
305/2000	Aus781.....	<i>St Kilda</i> Dredging
TASMAN SEA		
240/2000	Aus197-361-423-424-808-4060-4601-4602	<i>Sydney to New Zealand</i> Submarine cable

<i>Notice</i>	<i>Charts affected</i>	<i>Locality and Subject</i>
TASMANIA		
		<i>Burnie</i>
255/2000	Aus163.....	Light beacon destroyed
		<i>D'Entrecasteaux Channel</i>
254/2000	Aus173.....	Fish farm
		<i>Devonport</i>
463/1999	Aus164.....	Light beacon extinguished
		<i>Hobart</i>
110/2000	Aus172.....	Depth information
		<i>Port Dalrymple</i>
339/1997	Aus167.....	Shoal depth
		<i>Spring Bay</i>
111/2000	Aus170.....	Depth information
VICTORIA		
		<i>Corner Inlet</i>
342/1997	Aus181.....	Shoaling
353/2000	Aus181-182	Light beacon destroyed; light buoy
		<i>Drum Island</i>
98/1999	Aus181-182-357-357A.....	Light destroyed
		<i>Popes Eye Bank</i>
112/2000	Aus143-158	Shoaling
		<i>Port Fairy</i>
381/2000	Aus140.....	Light buoy unlit
		<i>Port Phillip</i>
420/1998	Aus157-158	Beacon destroyed
774/1998	Aus143-157	Buoy off station
97/1999	Aus157.....	Dredged depth
307/1999	Aus154.....	Light beacons moved
579/1999	Aus143-155	Light buoy
632/1999	Aus143-158	Shoaling; harbour master's direction revoked
634/1999	Aus143.....	Light buoy
719/1999	Aus154.....	Harbour works
741/1999	Aus154.....	Depth information
258/2000	Aus154.....	Harbour works
351/2000	Aus143.....	Harbour works; lights beacons
352/2000	Aus154.....	Dredging operations
414/2000	Aus157.....	Depth information
		<i>Western Port</i>
69/1997	Aus150-151	Lights
139/1997	Aus151-152	Depth information
WESTERN AUSTRALIA		
		<i>Broome</i>
302/2000	Aus50.....	Light beacon destroyed
		<i>Carnarvon</i>
418/1998	Aus747.....	Dredging
142/1999	Aus747.....	Light buoys
		<i>Cockburn Sound</i>
338/1997	Aus117.....	Shoal depth marked by light buoy
279/2000	Aus111-117	Mooring buoy removed
		<i>Dampier</i>
673/1999	Aus58-59.....	Depth information
		<i>Geraldton</i>
412/2000	Aus81.....	Harbour works; light

<i>Notice</i>	<i>Charts affected</i>	<i>Locality and Subject</i>
199/2000	Aus327-415	<i>Glomar Shoal</i> Scientific instruments northeastward
671/1999	Aus43-319-413-4603	<i>Heywood Shoal to Scott Reef</i> Scientific instruments
630/1999	Aus327	<i>North Rankin</i> Scientific instrument
203/1999	Aus329-744	<i>North West Cape</i> Scientific instruments
737/1999	Aus112-751-753-756	<i>Oakajee River to Cape Naturaliste</i> Scientific instruments
402/1999	Aus328-743	<i>Onslow</i> Harbour works
670/1999	Aus312-315	<i>Sahul Banks</i> Scientific instrument
55/2000	Aus312	Scientific instrument
INDIAN OCEAN		
743/1998	Aus112-334-416-417-4060-4070-4071-4708-4709	<i>Fremantle to Jakarta</i> Submarine cable
PACIFIC OCEAN		
76/2000	Aus197-361-423-424-809-4060-4601-4602	<i>Sydney to Suva</i> Submarine Cable
PAPUA NEW GUINEA		
570/1999	Aus399-461-683-684-4060-4604-4622	<i>Bougainville Island</i> Buoyage
197/2000	Aus388-389-651	<i>Cape Girgir to Muschu Island</i> Lights unlit
198/2000	Aus376-378-840	<i>Daru to Bristow Island</i> Lights unlit
566/1999	Aus523	<i>Lae</i> Depth
194/2000	Aus385-523-4622	Light unlit
572/1999	Aus462-576-662-4604-4622	<i>Manus Island</i> Lights destroyed
670/1997	Aus680	<i>New Britain</i> Siltation
568/1999	Aus547	Light beacon destroyed
195/2000	Aus547	Light beacons unlit
571/1999	Aus666-667	<i>New Ireland</i> Light beacons destroyed
193/2000	Aus379-380-505-620-621-4604-4620-4621	<i>Redscar Bay to Port Moresby</i> Lights unlit and racon non operational
564/1999	Aus380-506-4604-4620-4621	<i>Rothery Passage</i> Light beacon destroyed

III NAVIGATION WARNINGS

The following radio messages have been received during the period to 23 June 2000. Signal copies of these messages may be destroyed. It is recommended that the reprint of Navigational Warnings should be kept in a file or a book divided into areas. Cancellation should be made on receipt of signals and reprints.

Rigs on location other than those listed in the latest Section III summary are the subject of Radio Navigational Warnings. Rigs in transit will not be the subject of Warnings.

AUSCOAST WARNINGS

- 161 NW Coast. Drill Rig *Sedco 702* in position 20° 53'.4 S 114° 58'.2 E. 2.5M clearance requested.
162 Cancelled.
163 N Coast. Cullen Bay leading lights (12° 27'.1 S 130° 49'.1 E) in process of being realigned and should not be used.
164 Cancelled.
165 Cancelled.
166 NW Coast. MV *Pacific Centurion* deploying anchors with unlit buoys attached in position 12° 48'.0 S 123° 31'.0 E.
167 Cancelled.
168 Cancelled.
169 NW Coast. Drill Rig *Ocean Bounty* in position 12° 56'.0 S 125° 50'.8 E. 2.5M clearance requested.
170 NW Coast. Seismic survey vessel *Pacific Sword* towing 3M cable in area 16° 30' S to 19° 00' S and 116° 00' E to 118° 30' E.
171 NW Coast. Drill Rig *Ron Tappmeyer* in position 20° 44'.2 S 115° 19'.4 E. 2.5M clearance requested.
172 NW Coast. Drill Rig *Ocean General* in position 13° 12'.7 S 122° 03'.1 E. 2.5M clearance requested.
173 Cancelled.
174 Cancelled.
175 E Coast. Cable laying operations in progress by CS *Ocean Commander* in vicinity of 34° 00'.0 S 151° 23'.0 E.

NAVAREA X WARNINGS

- 017 Cancelled.

Navigational warnings in force as at 221500UTC JUN 00.

Auscoast

2000 108 118 139 140 141 144 158 160 161 163 166 169 170 171 172 175.

Navarea X

2000 014.

Summary of mobile drilling rigs as at 221500UTC JUN 00.

Name	Position
Ocean Bounty	12° 56'.0 S 125° 50'.8 E
Sedco 703	13° 58'.7 S 123° 07'.6 E
Ocean General	13° 12'.7 S 122° 03'.1 E
Ensco 56	20° 40'.4 S 115° 35'.0 E
Ron Tappmeyer	20° 44'.2 S 115° 19'.4 E
Sedco 702	20° 53'.4 S 114° 58'.2 E

NAVAREA XIV WARNINGS

Nil received.

Navarea XIV warnings in force as at 220001UTC JUN 00.

2000 171 174 187 188.

IV

HYDROGRAPHIC REPORTS

Nil