



Australian Notices to Mariners are the authority for correcting Australian Charts

AUSTRALIAN NOTICES TO MARINERS

© Commonwealth of Australia 2000 - Copyright restrictions apply to Notices to Mariners



Notices 416-440

Published fortnightly by the Australian Hydrographic Office

G. J. GERAGHTY,
Hydrographer, RAN

SECTIONS. I. **Australian Notices to Mariners, including blocks and notes.**
III. **Navigational Warnings.**
IV. **Hydrographic Reports.**

New Zealand Notices to Mariners

The substance of these notices should be inserted on the charts affected.

Notices to Mariners information relating to British Admiralty Publications unavailable on this web site at this stage but still available in printed form:-

Section II. Corrections to Admiralty List of Lights, Vol K.
Section V. Corrections to Admiralty List of Radio Signals.
Section VI. Corrections to Sailing Directions.

Bearings are referred to the true compass and are reckoned clockwise from 000° (North) to 359°: those relating to lights are given as seen by an observer from seaward. The range quoted for a light is its nominal range. Fog signals are sounded only during thick or foggy weather, unless otherwise stated. Depths are with reference to the chart datum of each chart. Heights are above mean high water springs or mean higher high water, as appropriate.

The capital letter (P) or (T) after the number of any notice denotes a preliminary or temporary notice respectively, which are contained separately at the end of the permanent notices. A star () adjacent to the number of a notice indicates that the notice is based on original information.*

Mariners are particularly requested to notify the AUSTRALIAN HYDROGRAPHIC OFFICE, Locked Bag 8801 South Coast Mail Centre, NSW 2521 (Fax 02-4221 8599), e-mail hni.hydro@navy.gov.au or, alternatively by filling in and submitting the **Hydrographic Notes forms, immediately on the discovery of new dangers or suspected dangers to navigation. For changes or defects in aids to navigation notify AusSAR (Fax 02-6230 6868 or email rccaus@amsa.gov.au).**

Copies of these notices can be obtained from the AUSTRALIAN HYDROGRAPHIC OFFICE, 8 Station Street, Wollongong, and Agents for the sale of charts and hydrographic publications.

The Commonwealth of Australia is the owner of, or is otherwise responsible for, the copyright in this work. It is protected under the Copyright Act 1968 and international convention. Except as expressly authorised below, the work may not be copied, reproduced, adapted, changed or commercially exploited, in whole or in part, or the format in which it is stored altered, without the prior written permission of the Australian Hydrographic Office. The Notices may be copied for the purpose of inserting their substance on official charts and other publications. However, any copies of the notices may not be sold for profit.

© Commonwealth of Australia 2000

NUMERICAL INDEX OF CHARTS AFFECTED

Edition No 15

21 July 2000

Notices	Aus Chart
416	Aus 4710,4714, INT 710, INT 714
417	Aus 220,811,812
418	Aus 813
419	Aus 236
420	Aus 814
421	Aus 365,366,817,818
422	Aus 366,426,817,818
423	Aus 244,245
424	Aus 250
425	Aus 825
426	Aus 255,825,826
427	Aus 371,826
428	Aus 827
429	Aus 292,293
430	Aus 296,376,700
431	Aus 754
432	Aus 164
433(T).....	Aus 238
434(T).....	Aus 238
435(T).....	Aus 243
436(T).....	Aus 259
437(T).....	Aus 830
438(T).....	Aus 6,830
439(T).....	Aus 125,345,780,781
440(T).....	Aus 140

416 AUSTRALIA - Publications.

AHO (00/5528, 00/6030, 00/6031 & 00/6032). (AH99/229, 99/226)

New Chart to be published shortly

Chart	Title	Scale
Aus 4710 (INT 710)	Indian Ocean - Cape Leeuwin to Southeast Indian Ridge	1:3 500 000

Aus 4714 (INT 714)	Indian Ocean - Cocos (Keeling) Islands to Ile Saint Paul	1:3 500 000
-----------------------	--	-------------

New Admiralty publication

NP No	Title	Date	RRP(UK)	Remarks
NP 34	Indonesian Pilot Volume II (Second Edition).	16/9/99	£36.50	First Edition , 1976 (Revised 1983) and Supplement No6, 1996 are thereby cancelled.
NP 285	Admiralty List of Radio Signals. Global Maritime Distress and Safety System (GMDSS).	15/6/00	£26.00	The 1999/00 edition is thereby cancelled.

417* AUSTRALIA - NEW SOUTH WALES - Macleay River - Leading lights.

List of Lights Vol K/2000 -- 2800,2800.1
Waterways (00/5862). (AH 99/19)

Aus 220 (plan, Trial Bay) [699/1999]

Insert	light, <i>Fl. Y. 2s & F. Bu</i> , with sector 233°-253° (20°)	30° 52'.728 S	153° 00'.942 E
	light, <i>Iso. Y. 2s & F. Bu</i> , with sector 233°-253° (20°) (a)	30° 52'.747 S	153° 00'.899 E
	pecked line from light (a) in a direction 063° - 1900 metres, thence a firm line for 2500 metres, with legend <i>Dir 243°</i>		

Delete	light, with sector	30° 52'.71 S	153° 00'.95 E
	light, with sector and leading line	30° 52'.74 S	153° 00'.86 E

Aus 811 [448/1999]

Amend	light to <i>Ldg Fl. Y & Iso. Y</i>	30° 52'.7 S	153° 01'.1 E
-------	--	-------------	--------------

Aus 812 [684/1998]

Amend	light to <i>Ldg Fl. Y & Iso. Y</i>	30° 52'.7 S	153° 01'.1 E
-------	--	-------------	--------------

418* AUSTRALIA - NEW SOUTH WALES - Byron Bay - Fish aggregation device repositioned.

Former Notice - 99(T)/2000 is cancelled
D Pont (00/5744). (AH 99/302)

Aus 813 [368/1999]

Move	FAD	28° 35'.1 S	153° 38'.1 E
	to	28° 35'.5 S	153° 38'.1 E

419* AUSTRALIA - QUEENSLAND - Moreton Bay - Rous Channel - Light buoys.

Queensland Transport Notice 255/2000 (00/5745). (AH 99/14)

Aus 236 [388/2000]

Insert	north cardinal cylindrical light buoy, <i>Q No2</i> , with topmark	27° 23'.10 S	153° 25'.98 E
Move	No1 light buoy	27° 22'.8 S	153° 26'.0 E
	to	27° 22'.92 S	153° 25'.92 E
	No3 light buoy	27° 22'.9 S	153° 25'.7 E
	to	27° 23'.23 S	153° 25'.53 E
	No5 light buoy	27° 23'.0 S	153° 25'.1 E
	to	27° 23'.14 S	153° 24'.90 E
Delete	special spherical light buoy	27° 22'.9 S	153° 26'.0 E

420* AUSTRALIA - QUEENSLAND - Moreton Bay - Reeders Point - Light.
Queensland Transport (00/6056). (AH 00/107)

Aus 814 [386/2000]

Substitute light beacon, *Fl. R. 6s*, with cylindrical topmark, for light 27° 21'.9 S 153° 25'.2 E

421* AUSTRALIA - QUEENSLAND - Fraser Island - Rooney Point - Wreck.

Former Notice - 293(T)/2000 is cancelled

Queensland Transport (00/5600). , Wreck is FV *Bonnie Ellen*. (AH 98/292)

Aus 365 [520/1999]

Insert dangerous wreck 24° 43'.82 S 153° 05'.10 E

Aus 366 [391/2000]

Insert dangerous wreck 24° 43'.82 S 153° 05'.18 E

Aus 817 [429/1999]

Insert dangerous wreck 24° 43'.81 S 153° 05'.18 E

Aus 818 [309/2000]

Insert dangerous wreck 24° 43'.81 S 153° 05'.10 E

422* AUSTRALIA - QUEENSLAND - Bundaberg - Wreck northeastward.

Former Notice - 294(T)/2000 is cancelled

Queensland Transport (00/5600) & Notice 250/2000 (00/5695). , Wreck is FV *Hirondelle*. (AH 98/292)

Aus 366 [421/2000]

Insert dangerous wreck 24° 42'.06 S 152° 37'.88 E

Aus 426 [603/1999]

Insert dangerous wreck 24° 42'.06 S 152° 37'.88 E

Aus 817 [421/2000]

Insert dangerous wreck 24° 42'.05 S 152° 37'.88 E

Aus 818 [421/2000]

Insert dangerous wreck 24° 42'.05 S 152° 37'.80 E

423* AUSTRALIA - QUEENSLAND - Gladstone - Fishermans Landing - Light buoy moved.

Queensland Transport (00/5892). (AH 99/14)

Aus 244 (plan, Fishermans Landing Wharves) [391/2000]

Move light buoy 23° 47'.10 S 151° 10'.72 E
to 23° 47'.061 S 151° 10'.702 E

Aus 245 [391/2000]

Move light buoy 23° 47'.10 S 151° 10'.72 E
to 23° 47'.061 S 151° 10'.702 E

424* AUSTRALIA - QUEENSLAND - Hay Point - Depth.

Queensland Transport Notice 241/2000 (00/5598). (AH 99/478)

Aus 250 (plan, Hay Point) [392/2000]

Insert legend, *4m*, centred on 21° 17'.38 S 149° 17'.97 E

425* AUSTRALIA - QUEENSLAND - Dingo Beach - Light repositioned.
Queensland Transport (00/5684). (AH 00/107)

Aus 825 [360/2000]

Move	west cardinal light beacon	20° 04'.9 S	148° 29'.8 E
	to	20° 04'.76 S	148° 30'.34 E

426* AUSTRALIA - QUEENSLAND - Abbot Point - Anchorage revoked.
Queensland Transport Notice 258/2000 (00/5897). (AH 99/349)

Aus 255 [646/1999]

Delete	recommended anchorage	19° 49'.0 S	148° 06'.5 E
--------	-----------------------	-------------	--------------

Aus 825 [425/2000]

Delete	recommended anchorage	19° 49'.0 S	148° 06'.5 E
--------	-----------------------	-------------	--------------

Aus 826 [721/1999]

Delete	recommended anchorage	19° 49'.0 S	148° 06'.5 E
--------	-----------------------	-------------	--------------

427* AUSTRALIA - QUEENSLAND - Ocean Creek - Light repositioned.

List of Lights Vol K/2000 -- 3089.00
Queensland Transport (00/5684). (AH 00/107)

Aus 371 [360/2000]

Insert	light, Fl. 3s	19° 29'.82 S	147° 31'.54 E
--------	---------------	--------------	---------------

Delete	light	19° 31'.2 S	147° 31'.7 E
--------	-------	-------------	--------------

Aus 826 [426/2000]

Insert	light, Fl. 3s	19° 29'.72 S	147° 31'.53 E
--------	---------------	--------------	---------------

Delete	light	19° 31'.1 S	147° 31'.9 E
--------	-------	-------------	--------------

428* AUSTRALIA - QUEENSLAND - Rollingstone Creek - Light buoy repositioned.

Queensland Transport (00/5684). (AH 99/13)

Aus 827 [42/2000]

Move	light buoy	19° 00'.1 S	146° 24'.4 E
	to	19° 00'.19 S	146° 24'.53 E

429* AUSTRALIA - QUEENSLAND - Hammond Island - Radar tower.

AMSA 00/5784). (AH 99/11)

Aus 292 [177/2000]

Insert	fixed point, with legend RADAR TR	10° 31'.83 S	142° 13'.33 E
--------	-----------------------------------	--------------	---------------

Aus 293 [141/2000]

Insert	fixed point, with legend RADAR TR	10° 31'.83 S	142° 13'.33 E
--------	-----------------------------------	--------------	---------------

430* AUSTRALIA - QUEENSLAND - Cook Shoal - Depths.
 HMAS' Benalla & Shepparton (00/6029). (AH 99/175)

Aus 296 [180/2000]

Insert	depth, 7 ₃ m, enclosed by contour	10° 26'.42 S	141° 33'.40 E
	depth, 9 ₅ m, enclosed by contour	10° 28'.73 S	141° 33'.70 E
	depth, 9 ₂ m, enclosed by contour	10° 28'.67 S	141° 34'.11 E
	depth, 10 ₆ m	10° 28'.90 S	141° 37'.11 E
	depth, 7 ₆ m, and extend 10m contour W to enclose	10° 29'.95 S	141° 36'.97 E
	depth, 9 ₄ m, enclosed by contour	10° 29'.55 S	141° 37'.64 E
	depth, 5 ₅ m, enclosed by contour	10° 27'.39 S	141° 34'.04 E
Delete	depth 9 ₆ m	10° 29'.90 S	141° 37'.15 E
	depth 11 ₈ m	10° 29'.50 S	141° 37'.50 E
	depth 14 ₈ m	10° 28'.82 S	141° 36'.87 E

Aus 376 [362/2000]

Insert	depth, 7 ₃ m, enclosed by contour	10° 26'.42 S	141° 33'.40 E
	depth, 7 ₇ m, enclosed by contour	10° 27'.22 S	141° 35'.07 E
	depth, 9 ₂ m, enclosed by contour	10° 28'.67 S	141° 34'.11 E
	depth, 7 ₆ m, and extend 10m contour W to enclose	10° 29'.95 S	141° 36'.97 E
Delete	depth 9 ₄ m	10° 29'.9 S	141° 37'.2 E

Aus 700 [180/2000]

Insert	depth, 7 ₃ m, enclosed by contour	10° 26'.33 S	141° 33'.46 E
	depth, 7 ₇ m, enclosed by contour	10° 27'.13 S	141° 35'.13 E
	depth, 9 ₂ m, enclosed by contour	10° 28'.58 S	141° 34'.17 E
	depth, 10 ₆ m	10° 28'.81 S	141° 37'.17 E
	depth, 7 ₆ m, and extend 10m contour W to enclose	10° 29'.86 S	141° 37'.03 E
	depth, 9 ₄ m, and extend 10m contour NE to enclose	10° 29'.46 S	141° 37'.70 E
	depth, 5 ₅ m, enclosed by contour	10° 27'.29 S	141° 34'.10 E
	magenta pecked line between	10° 27'.4 S	141° 39'.2 E
		10° 26'.0 S	141° 34'.7 E
	magenta pecked line between	10° 25'.4 S	141° 32'.0 E
		10° 23'.3 S	141° 25'.1 E
Move	legend, Unsurveyed (see Note), centred on	10° 24'.5 S	141° 28'.5 E
	to	10° 20'.0 S	141° 28'.5 E
Delete	depth 9 ₆ m	10° 29'.8 S	141° 37'.2 E
	depth 11 ₈ m	10° 29'.4 S	141° 37'.6 E
	depth 14 ₈ m	10° 28'.7 S	141° 36'.9 E
	magenta pecked line between	10° 27'.4 S	141° 39'.2 E
		10° 23'.3 S	141° 25'.1 E
	magenta pecked line between	10° 26'.0 S	141° 34'.6 E
		10° 25'.4 S	141° 32'.0 E

431* WESTERN AUSTRALIA - Gretel Reef - Light beacon.

List of Lights Vol K/2000 -- 1757.66
 UKHO (00/5736). (AH 99/29).

Aus 754 [NE 17/03/2000]

Amend	south cardinal light beacon to Q(6) + LFI. 15s	31° 31'.4 S	115° 33'.8 E
-------	--	-------------	--------------

432* AUSTRALIA - TASMANIA - Devonport - Spoil ground.

Port of Devonport Corp, Environment Australia (00/5683). (AH 99/245)

Aus 164 [NE 11/06/1999]

Move	spoil ground centred on	41° 08'.2 S	146° 22'.9 E
	to	41° 07'.92 S	146° 22'.61 E

433(T)/2000 AUSTRALIA - QUEENSLAND - Brisbane River - South Brisbane Reach - Bridge construction.

Date - Until further notice

Queensland Transport Notice 261/2000 (00/6017). (AH99/207)

Mariners are advised that construction of a pedestrian and cycle bridge has commenced between 27° 28'.80 S 153° 01'.75 E and 27° 28'.89 S 153° 01'.62 E.

As construction progresses, aids to navigation will be deployed, to mark the navigation channel. Vessels involved with the construction work will transit from the Town Reach and the Milton Reach.

Mariners should navigate with caution in the area.

Chart temporarily affected - Aus 238.

434(T)/2000 AUSTRALIA - QUEENSLAND - Brisbane River - South Brisbane Reach - Light buoys.

Date - Until further notice

Queensland Transport Notice 277/2000 (00/6313). (AH99/14)

Notice to Mariners 433(T)/2000 refers.

Port lateral light buoys, Q.R, have been established to mark the extremities of mooring anchors utilised by the construction barges described in the above notice.

27° 28'.856 S 153° 01'.659 E

27° 28'.789 S 153° 01'.583 E

Chart temporarily affected - Aus 238.

435(T)/2000 AUSTRALIA - QUEENSLAND - Bundaberg - Burnett River - Dredging operations.

Former Notice - 190(T)/2000 is cancelled

Queensland Transport Notices 274&275/2000 (00/6240). (AH99/343)

The dredge *John Francis* is operating in the Swing Basin between No21 and No25 light beacon.

The dredge can be contacted on VHF Chs 12 & 16.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 243.

436(T)/2000 AUSTRALIA - QUEENSLAND - Lucinda - Harbour works completed.

Former Notice - 274(T)/2000 is cancelled

Queensland Transport Notice 270/2000 (00/6106). (AH00/138)

Cancel this notice on receipt

Chart formerly affected - Aus 259

437(T)/2000 AUSTRALIA - QUEENSLAND - Port Douglas - Dickson Inlet - Light beacon destroyed.

Date - Until further notice

Queensland Transport Notice 264/2000 (00/6056). (AH00/137)

No9 light beacon, in approx position 16° 29'.14 S 145° 27'.46 E, has been destroyed.

Mariners are advised to navigate with caution in the vicinity.

Chart temporarily affected - Aus 830.

438(T)/2000 AUSTRALIA - QUEENSLAND - Karumba - Norman River - Light beacon damaged; temporary light established; light buoy withdrawn.

Former Notice - 349(T)/2000 is cancelled

Queensland Transport Notice 263/2000 (00/6056). (AH 00/137)

No20 light beacon (17° 26'.88 S 140° 47'.30 E) has been damaged. The beacon is at a 45° angle with a , *Fl. R. 4s* , light temporarily established on the structure.

The port lateral light buoy which marked the damaged beacon has been withdrawn.

Chart temporarily affected - Aus 6.

439(T)/2000 SOUTH AUSTRALIA - Port Stanvac - Mooring buoy removed.

Former Notice - 306(T)/2000 is cancelled

Transport SA Notice 14/2000 (00/6015). (AH00/156)

Cancel this notice on receipt

Chart formerly affected - Aus 125 - Aus 345 - Aus 780 - Aus 781

440(T)/2000 AUSTRALIA - VICTORIA - Port Fairy - Light buoy restored to normal.

Former Notice - 381(T)/2000 is cancelled

Victorian Notice 38/2000 (00/6239). (AH99/24)

Cancel this notice on receipt

Chart formerly affected - Aus 140

III NAVIGATION WARNINGS

The following radio messages have been received during the period to 7 July 2000. Signal copies of these messages may be destroyed. It is recommended that the reprint of Navigational Warnings should be kept in a file or a book divided into areas. Cancellation should be made on receipt of signals and reprints.

Rigs on location other than those listed in the latest Section III summary are the subject of Radio Navigational Warnings. Rigs in transit will not be the subject of Warnings.

AUSCOAST WARNINGS

176 NW Coast. Drill Rig *Ocean General* in position 13° 12'.7 S 122° 33'.1 E. 2.5M clearance requested.
177 Cancelled.
178 Cancelled.
179 Cancelled.
180 Cancelled.
181 NW Coast. Drill Rig *Ocean Bounty* in position 12° 48'.4 S 123° 30'.7 E. 2.5M clearance requested.
182 Cancelled.
183 NW Coast. Drill Rig *Ron Tappmeyer* in position 20° 40'.9 S 115° 23'.2 E. 2.5M clearance requested.
184 NW Coast. Drill Rig *Ensco 56* in position 20° 36'.6 S 115° 40'.8 E. 2.5M clearance requested.
185 Cancelled.
186 Cancelled.
187 NW Coast. Drill rig *Marine 500* in position 19° 11'.9 S 115° 11'.6 E.
188 E Coast. Research vessel *Ocean Commander* conducting submarine cable operations in vicinity of 33° 44 S 33°45
Sand 151° 39' E to 152° 03'E.
189 Cancelled.

NAVAREA X WARNINGS

Nil issued.

Navigational warnings in force as at 061500UTC JUL 00.

Auscoast

2000 108 118 140 144 160 163 166 170 176 181 183 184 187 188

Navarea X

2000 014.

Summary of mobile drilling rigs as at 061500UTC JUL 00.

Name	Position
Ocean Bounty	12° 48'.4 S 123° 30'.7 E
Sedco 703	13° 58'.7 S 123° 07'.6 E
Ocean General	13° 12'.7 S 122° 33'.1 E
Ensco 56	20° 40'.4 S 115° 35'.0 E
Ron Tappmeyer	20° 40'.9 S 115° 23'.2 E
Sedco 702	20° 53'.4 S 114° 58'.2 E
Marine 500	19° 11'.9 S 115° 11'.6 E

NAVAREA XIV WARNINGS

197 Cancelled.
198 Cancelled.
199 New Zealand. North Island. 35 foot gunwale from sunken vessel adrift in 36° 21'.8 S 175° 06'.4 E
200 Cancelled.

Navarea XIV warnings in force as at 060001UTC JUL 00.

2000 171 174 187 188.

IV

HYDROGRAPHIC REPORTS

<i>Locality</i>	<i>Report</i>	<i>Ship/Authority</i>	<i>Observer</i>
NSW- Castle Cove	Light beacon	Port Services Sydney	