



Australian Notices to Mariners are the authority for correcting Australian Charts

AUSTRALIAN NOTICES TO MARINERS

© Commonwealth of Australia 2000 - Copyright restrictions apply to Notices to Mariners



Notices 455-486

Published fortnightly by the Australian Hydrographic Office

G. J. GERAGHTY,
Hydrographer, RAN

- SECTIONS. I. **Australian Notices to Mariners, including blocks and notes.**
 III. **Navigational Warnings.**
 IV. **Hydrographic Reports.**

New Zealand Notices to Mariners

The substance of these notices should be inserted on the charts affected.

Notices to Mariners information relating to British Admiralty Publications unavailable on this web site at this stage but still available in printed form:-

- Section II. Corrections to Admiralty List of Lights, Vol K.**
Section V. Corrections to Admiralty List of Radio Signals.
Section VI. Corrections to Sailing Directions.

Bearings are referred to the true compass and are reckoned clockwise from 000° (North) to 359°: those relating to lights are given as seen by an observer from seaward. The range quoted for a light is its nominal range. Fog signals are sounded only during thick or foggy weather, unless otherwise stated. Depths are with reference to the chart datum of each chart. Heights are above mean high water springs or mean higher high water, as appropriate.

The capital letter (P) or (T) after the number of any notice denotes a preliminary or temporary notice respectively, which are contained separately at the end of the permanent notices. A star () adjacent to the number of a notice indicates that the notice is based on original information.*

Mariners are particularly requested to notify the AUSTRALIAN HYDROGRAPHIC OFFICE, Locked Bag 8801 South Coast Mail Centre, NSW 2521 (Fax 02-4221 8599), e-mail hni.hydro@navy.gov.au or, alternatively by filling in and submitting the **Hydrographic Notes forms, immediately on the discovery of new dangers or suspected dangers to navigation. For changes or defects in aids to navigation notify AusSAR (Fax 02-6230 6868 or email rccaus@amsa.gov.au).**

Copies of these notices can be obtained from the AUSTRALIAN HYDROGRAPHIC OFFICE, 8 Station Street, Wollongong, and Agents for the sale of charts and hydrographic publications.

The Commonwealth of Australia is the owner of, or is otherwise responsible for, the copyright in this work. It is protected under the Copyright Act 1968 and international convention. Except as expressly authorised below, the work may not be copied, reproduced, adapted, changed or commercially exploited, in whole or in part, or the format in which it is stored altered, without the prior written permission of the Australian Hydrographic Office. The Notices may be copied for the purpose of inserting their substance on official charts and other publications. However, any copies of the notices may not be sold for profit.

© Commonwealth of Australia 2000

NUMERICAL INDEX OF CHARTS AFFECTED

Edition No 17

18 August 2000

Notice	Aus Chart
455	Aus 4071, 4710, 4714, INT 71, INT 710, INT 714, new edition Admiralty publication
456	Aus 4709, INT 709
457	Aus 360, 807
458	Aus 200
459	Aus 364, 813
460	Aus 250
461	Aus 370, 371, 824
462	Aus 372, 373, 830
463	Aus 662
464	Aus 303
465	Aus 316, 318, 726
466	Aus 332, 751
467	Aus 109, 110, 118
468	Aus 137
469	Aus 157
470	Aus 154
471(T)	Aus 197, 200, 201, 202, 203, 361, 808, 809
472(T)	Aus 235, 814
473(T)	Aus 236
474(T)	Aus 249, 250
475(T)	Aus 827
476(T)	Aus 256, 257
477(T)	Aus 262, 830
478(T)	Aus 830
479(T)	Aus 373, 374, 832
480(T)	Aus 373, 374, 832
481(T)	Aus 376, 377, 378, 840
482(T)	Aus 113
483(T)	Aus 120
484(T)	Aus 345, 780
485(T)	Aus 150, 151
486(T)	Summer time

455 AUSTRALIA - Publications.

AHO (00/6690), BA Notice Ed 27/2000 (00/6569). (AH 99/139,AH 99/226 & AH 99/229)

New chart

<i>Chart</i>	<i>Published</i>	<i>Title, limits and description</i>	<i>Scale</i>	<i>Folio</i>	<i>Index Chart</i>	<i>Price</i>
Aus 4710 (INT 710)	23/6/2000	Indian Ocean - Cape Leeuwin to Southeast Indian Ridge 34° 15' 00" S - 50° 05' 00" S 84° 10' 00" E - 117° 30' 00" E <i>Former BA chart 4710, published as INT 710, with general updating throughout..</i>	1:3 500 000	1	Aus 5020 A & Aus 5020 B	\$ 25.65
Aus 4714 (INT 714)	23/6/2000	Indian Ocean - Cocos (Keeling) Islands to Ile Saint Paul 9° 07' 30" S - 38° 50' 00" S 76° 10' 00" E - 97° 35' 42" E <i>Former BA chart 4714, published as INT 714, with general updating throughout..</i>	1:3 500 000	1	Aus 5020 A & Aus 5020 B	\$ 25.65

New edition to be published shortly

<i>Chart</i>	<i>Title</i>	<i>Scale</i>
Aus 4071 (INT 71)	Indian Ocean Northern Part	1:10 000 000

New edition of Admiralty publication

<i>NP No</i>	<i>Title</i>	<i>Date</i>	<i>RRP(UK)</i>	<i>Remarks</i>
NP 204-01	Admiralty Tide Tables, Volume 4, Pacific Ocean (including Tidal Stream Tables)	6/7/00	£ 17.50	
NP 158A6	Tidecalc Area Disk 6, Solomon Islands, Vanuatu, Iles Loyaute, Nouvelle Caledonie and Australia	26/6/00	£ 28.95	Version 4.0 replaces Version 3.0

456* AUSTRALIA - Miscellaneous correction.

AHO (00/6690). (AH 99/243)

Aus 4709 (INT 709) [84/1999]Amend legend to *Adjoining Chart INT 710 (Aus 4710)*, centred on 41° 00' S**457* AUSTRALIA - NEW SOUTH WALES - Narooma - Light.**MV *Goliath* (00/6348). (AH 99/17)**Aus 360 [747/1998]**Insert tower, with legend (*R Lt*) 36° 11'.80 S 150° 04'.85 E**Aus 807 [365/1999]**Substitute tower, with legend (*R Lt*) , for fixed point and legend Fire Tr 36° 11'.80 S 150° 04'.85 E**458* AUSTRALIA - NEW SOUTH WALES - Port Jackson - Castle Cove - Light beacon.**Port Services Sydney (00/6180), HMAS *Penguin* (00/6756). (AH 99/19)**Aus 200 [168/2000]**

Move port lateral light beacon to 33° 47'.28 S 151° 13'.93 E
33° 47'.339 S 151° 13'.881 E

Delete depth 7₃ m 33° 47'.34 S 151° 13'.89 E

459* AUSTRALIA - NEW SOUTH WALES - Evans Head - Wreck eastward.
Waterways Authority (00/6637). (AH 98/291)

Aus 364 [368/1999]

Insert	non-dangerous wreck	29° 11'.28 S	153° 38'.00 E
--------	---------------------	--------------	---------------

Aus 813 [418/2000]

Insert	non-dangerous wreck	29° 11'.28 S	153° 38'.00 E
--------	---------------------	--------------	---------------

460* AUSTRALIA - QUEENSLAND - Hay Point - Depth; dredged channel.
Queensland Transport Notice 286/2000 (00/6501 & 00/6638). (AH 99/478)

Aus 250 (plan, Hay Point) [424/2000]

Amend	legend 4m, to 5.1m, centred on	21° 17'.38 S	149° 17'.97 E
-------	--------------------------------	--------------	---------------

Insert	pecked line, (a), between	21° 17'.299 S	149° 18'.056 E
		21° 17'.336 S	149° 17'.973 E
		21° 17'.395 S	149° 18'.010 E
		21° 17'.402 S	149° 18'.041 E
		21° 17'.447 S	149° 18'.082 E
		21° 17'.494 S	149° 18'.025 E
		21° 17'.468 S	149° 17'.981 E
		21° 17'.337 S	149° 17'.941 E
		21° 17'.318 S	149° 17'.948 E
		21° 17'.274 S	149° 18'.043 E

Delete	5m contour within dredged channel (a)		
--------	---------------------------------------	--	--

461* AUSTRALIA - QUEENSLAND - Edward Island - Wreck eastward.

Former Notice - 78(T)/2000 is cancelled
Queensland Transport Notice 300/2000 (00/6595). Wreck is FV *Osprey*. (AH 98/292)

Aus 370 [173/2000]

Insert	non-dangerous wreck	20° 16'.5 S	149° 20'.8 E
--------	---------------------	-------------	--------------

Aus 371 [427/2000]

Insert	non-dangerous wreck	20° 16'.5 S	149° 20'.8 E
--------	---------------------	-------------	--------------

Aus 824 [283/2000]

Insert	non-dangerous wreck	20° 16'.5 S	149° 20'.8 E
--------	---------------------	-------------	--------------

462* AUSTRALIA - QUEENSLAND - Fitzroy Island - Obstruction.

Former Notice - 356(T)/1998 is cancelled
HSOM (00/6689). (AH 99/175)

Aus 372 [445/2000]

Insert	danger circle, with legend <i>Obstr</i>	16° 57'.26 S	146° 02'.40 E
--------	---	--------------	---------------

Aus 373 [139/2000]

Insert	danger circle, with legend <i>Obstr</i>	16° 57'.28 S	146° 02'.19 E
--------	---	--------------	---------------

Aus 830 [138/2000]

Insert	danger circle, with legend <i>Obstr</i>	16° 57'.28 S	146° 02'.20 E
--------	---	--------------	---------------

463* PAPUA NEW GUINEA - Los Negros Island - Lombrum Bay - Wreck.
HMNZS *Endeavour* (00/6564). (AH 98/294)

Aus 662 [69/2000]

Insert stranded wreck

2° 02'.64 S

147° 22'.57 E

Aus 662 (plan, Lombrum Bay)

Insert stranded wreck

2° 02'.64 S

147° 22'.57 E

464* AUSTRALIA - QUEENSLAND - Bayley Point - Depths.
AHO (00/6706). (AH 99/175)

Aus 303 [364/2000]

Insert [accompanying block](#)

16° 45'.0 S

139° 00'.0 E

465* WESTERN AUSTRALIA - Joseph Bonaparte Gulf - Rock.
Woodside Energy Ltd (00/6574). (AH 97/95)

Aus 316 [728/1998]

Substitute rock which covers and uncovers, height 3₄ m, enclosed by danger circle, for dying sand bank height 3₄ m

14° 34'.6 S

128° 47'.1 E

Aus 318 [46/2000]

Substitute rock which covers and uncovers, height 3₄ m, enclosed by danger circle, for dying sand bank height 3₄ m

14° 34'.6 S

128° 47'.1 E

Aus 726 [389/1992]

Substitute rock which covers and uncovers, height 3₄ m, enclosed by danger circle, for dying sand bank height 3₄ m

14° 34'.6 S

128° 47'.1 E

466* WESTERN AUSTRALIA - Geelvink Channel - Aquaculture.
Transport WA (00/6757). (AH 99/130)

Aus 332 [347/1999]

Insert magenta pecked line, with legend *Shellfish Beds* (see Note), between

28° 26'.7 S

114° 08'.5 E

28° 26'.7 S

114° 12'.5 E

28° 30'.5 S

114° 12'.5 E

28° 30'.5 S

114° 08'.5 E

[accompanying note](#)

26° 58'.0 S

114° 29'.0 E

Aus 751 [144/2000]

Insert magenta pecked line, with legend *Shellfish Beds* (see Note), between

28° 26'.7 S

114° 08'.5 E

28° 26'.7 S

114° 12'.5 E

28° 30'.5 S

114° 12'.5 E

28° 30'.5 S

114° 08'.5 E

[accompanying note](#)

28° 29'.0 S

114° 39'.0 E

467* WESTERN AUSTRALIA - Albany - Quarantine line revoked; light buoys.
AQIS (98/10977), Albany Port (00/6262). (AH 00/274 & AH 99/30)

Aus 109 [236/2000]

Substitute	starboard lateral pillar light buoy, <i>Fl(2) G. 4.5s No1</i> , with topmark, for light buoy	35° 01'.92 S	117° 56'.52 E
	port lateral pillar light buoy, <i>Fl(2) R. 4.5s No2</i> , with topmark, for light buoy	35° 02'.01 S	117° 56'.56 E
Delete	magenta line, with legend Quarantine Line, between	35° 02'.19 S	117° 53'.68 E
		35° 05'.08 S	117° 54'.11 E

Aus 110 [657/1999]

Substitute	starboard lateral pillar light buoy, <i>Fl(2) G. 4.5s No1</i> , with topmark, for light buoy	35° 01'.92 S	117° 56'.52 E
	port lateral pillar light buoy, <i>Fl(2) R. 4.5s No2</i> , with topmark, for light buoy	35° 02'.01 S	117° 56'.56 E

Aus 118 [658/1999]

Substitute	starboard lateral pillar light buoy, <i>Fl(2) G No1</i> , with topmark, for light buoy	35° 01'.92 S	117° 56'.52 E
	port lateral pillar light buoy, <i>Fl(2) R No2</i> , with topmark, for light buoy	35° 02'.01 S	117° 56'.56 E
Amend	light buoy topmark to ball	35° 02'.82 S	117° 57'.45 E

468* SOUTH AUSTRALIA - Adelaide - Pelican Point - Pipeline.
Former Notice - 162(T)/2000 is cancelled
Transport SA (00/6709). (AH 00/58)

Aus 137 [148/2000]

Insert	discharge pipeline between	34° 45'.797 S	138° 30'.327 E
		34° 45'.724 S	138° 30'.343 E
	discharge pipeline between	34° 45'.797 S	138° 30'.327 E
		34° 45'.763 S	138° 30'.317 E

469* AUSTRALIA - VICTORIA - Port Phillip - Point Wilson - Depths; new plan.
Former Notice - 97(T)/1999 is cancelled
VCA (00/1628). (AH 99/209)

Aus 157 [237/2000]

Insert	accompanying block	38° 06'.0 S	144° 32'.5 E
	accompanying plan	38° 11'.0 S	144° 33'.5 E

470* AUSTRALIA - VICTORIA - Port Phillip - Appleton Dock - Light moved.
List of Lights Vol K/2000 -- 2406.61
VCA (00/6664). (AH 99/21)

Aus 154 [369/2000]

Move	light	37° 49'.065 S	144° 55'.103 E
	to	37° 49'.061 S	144° 55'.118 E

471(T)/2000 AUSTRALIA - NEW SOUTH WALES - Port Jackson - Olympic regatta.

Date - Until 27 October 2000

Waterways Authority (00/6933). (AH 98/317)

The following events will occur on Sydney Harbour and impact on vessel movements:

- (a) Olympic Triathlon Saturday 16 and Sunday 17 September,
- (b) Olympic Sailing Saturday 16 to Sunday 30 September,
- (c) Olympic Closing Ceremony Harbour Fireworks Display Sunday 1 October and
- (d) Paralympic Sailing Friday 20 to Friday 27 October

Commercial shipping movements are restricted between 1030 to 1800 on race days 16 to 30 September and 20 to 27 October in the Harbour from the Port Limit to a line between Blues Point and Millers Point. Six designated race areas will be activated inside this area, as required, to meet the racing schedule.

To facilitate the Closing Ceremony commercial vessel movement between 1500 on 1 October and 0300 on 2 October will be restricted throughout the Harbour.

Access for smaller commercial vessels and recreational vessels not requiring a pilot will be possible on east Sydney Harbour around the sailing area exclusion zones marked by special buoys. A six knot speed and no wash restriction will apply in these areas. Competitors transiting to and from the Olympic Sailing Marina Rushcutters Bay have right of way.

Access to the Parramatta River west, beyond Ryde Road Bridge and inside declared exclusion zones is prohibited except for accredited vessels.

The offshore areas are of 0.81 nautical miles (1500 metres) radius centred on positions:

Area E 33° 51'.4 S 151° 18'.5 E

Area F 33° 48'.0 S 151° 19'.5 E

The Waterways Authority is responsible for vessel management during the events. Masters or persons in charge of vessels are requested to follow directions and instructions from Waterways' Officers without delay.

Regatta updates will be advised on the Waterways website (www.waterways.nsw.gov.au), and on VHF radio Ch 13 & 17 and 27.88 MHz on the hour.

Communications involving requests and intentions should be passed on VHF Ch 17.

For further information refer to Waterways' *Sydney Harbour Map Special Olympic Edition* and *Sydney 2000 Olympic Brochure* available free from the Waterways Authority, access via website or call the Waterways Boating Information Line on 131256.

Chart temporarily affected - Aus 197 - Aus 200 - Aus 201 - Aus 202 - Aus 203 - Aus 361 - Aus 808 - Aus 809.

472(T)/2000 AUSTRALIA - QUEENSLAND - Moreton Bay - North West Channel - Light beacon re-established; light buoy withdrawn.

Former Notice - 615(T)/1999 is cancelled.

Queensland Transport Notice 290/2000 (00/6502). (AH 00/107)

Cancel this notice on receipt.

Chart formerly affected - Aus 235 - Aus 814

473(T)/2000 AUSTRALIA - QUEENSLAND - Moreton Bay - Waterloo Bay - Dredging completed.

Former Notice - 419(T)/1999 is cancelled.

Queensland Transport Notice 310/2000 (00/6711). (AH 99/207)

Cancel this notice on receipt.

Chart formerly affected - Aus 236

474(T)/2000 AUSTRALIA - QUEENSLAND - Mackay - Surface net fishing sufficiently promulgated.

Former Notice - 102(T)/2000 is cancelled.

Queensland Transport Notice 14/2000 (00/192). (AH 99/381)

Cancel this notice on receipt.

Chart formerly affected - Aus 249 - Aus 250

475(T)/2000 AUSTRALIA - QUEENSLAND - Cape Ferguson - Scientific instrument recovered.

Former Notice - 347(T)/2000 is cancelled.

AIMS (00/6892). (AH 98/16)

Cancel this notice on receipt.

Chart formerly affected - Aus 827

476(T)/2000 AUSTRALIA - QUEENSLAND - Townsville - Dredging completed.

Former Notice - 407(T)/2000 is cancelled.

Queensland Transport Notice 238/2000 (00/5598). (AH 99/252)

Cancel this notice on receipt.

Chart formerly affected - Aus 256 - Aus 257

477(T)/2000 AUSTRALIA - QUEENSLAND - Cairns - Depth information.

Former Notice - 251(T)/2000 is cancelled.

Queensland Transport Notice 321/2000 (00/6808). (AH 99/393)

Available depths as at 27 July 2000:

	Metres	
	LAT	ISLW (Chart Datum)
Entrance Channel	8.3	8.5
Crystal Swing Basin at:		
* 360 metre diameter	7.0	7.2
380 metre diameter	6.5	6.7
Swing Basin at:		
310 metre diameter	8.2	8.4
320 metre diameter	7.5	7.7
Berths:		
No 1	8.2	8.4
No 2	8.4	8.6
No 3	8.4	8.6
No 4	8.4	8.6
No 5	8.4	8.6
No 6	8.4	8.6
No 7	10.0	10.2
No 8	10.0	10.2
No 10	9.3	9.5
No 12	10.5	10.7
Smith Creek 1	4.8	5.0

* Indicates new or revised entry.

Chart temporarily affected - Aus 262 - Aus 830.

478(T)/2000 AUSTRALIA - QUEENSLAND - Port Douglas - Dickson Inlet - Light beacon re-established.

Former Notice - 437(T)/2000 is cancelled.

Queensland Transport Notice 326/2000. (00/6935). (AH 00/137)

Cancel this notice on receipt.

Chart formerly affected - Aus 830

479(T)/2000 AUSTRALIA - QUEENSLAND - Maxwell Reef - Light to be established.

Date - on or about 15 December 2000.

Former Notice - 276(T)/2000 is cancelled.

AMSA (00/6658). (AH 00/137)

A light, *Fl. WR. 10s 9m 11/8M*, will be established in position 14° 47'.2 S 145° 18'.8 E, with sectors as follows:

White 152° - 140° (348°)

Red 140° - 152° (12°)

Chart temporarily affected - Aus 373 - Aus 374 - Aus 832.

480(T)/2000 AUSTRALIA - QUEENSLAND - Magaera Reef - Works completed.

Former Notice - 326(T)/2000 is cancelled.

AMSA (00/6659). (AH 00/137)

Cancel this notice on receipt.

Chart formerly affected - Aus 373 - Aus 374 - Aus 832

481(T)/2000 AUSTRALIA - QUEENSLAND - Bramble Cay - Shoal disproved.

Former Notice - 374(T)/2000 is cancelled.

LADSU (00/6934). (AH 99/175)

Cancel this notice on receipt.

Chart formerly affected - Aus 376 - Aus 377 - Aus 378 - Aus 840

482(T)/2000 WESTERN AUSTRALIA - Fremantle - Forrest Landing - Light buoys; light moved.

Date - Until further notice

Fremantle Port Authority Notices 3 & 4/2000 (00/6805 & 00/6806) (AH 99/30 & AH 99/29)

Two special spar light buoys; *Q. Y*, have been established in positions:

32° 03'.337 S 115° 44'.196 E

32° 03'.347 S 115° 44'.166 E.

The area delimited by the buoys and Forrest Landing is prohibited.

The light (33° 03'.350 S 115° 44'.192 E) has been moved to 32° 03'.372 S 115° 44'.172 E.

Chart temporarily affected - Aus 113.

483(T)/2000 SOUTH AUSTRALIA - Thevenard - Yatala Channel - Light beacons destroyed; buoys.

Date - Until further notice

Transport SA Notices 17 & 19/2000 (00/6895 & 00/6897) (AH 99/35 & AH 99/36)

No 6 port lateral light beacon (32° 11'.12 S 133° 36'.12 E) and No 8 port lateral light beacon (32° 11'.15 S 133° 36'.39 E) have been destroyed. Special buoys have been placed in situ.

A port lateral light buoy, *Fl. R. 4s*, has been established in position 32° 11'.13 S 133° 36'.25 E.

Chart temporarily affected - Aus 120.

484(T)/2000 SOUTH AUSTRALIA - Port Noarlunga - Scientific instrument.

Date - Until 27 July 2001

Transport SA Notice 21/2000. (00/6899) (AH 98/149)

A scientific instrument, marked by special light buoy *Q*, exists in position 35° 11'.0 S 138° 18'.0 E.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 345 - Aus 780.

485(T)/2000 AUSTRALIA - VICTORIA - Western Port - French Island - Tea Tree Point - Lights discontinued.
Former Notice - 69(T)/1997 is cancelled.
Parks Victoria (00/6705). (AH 99/21)

Cancel this notice on receipt.

Chart formerly affected - Aus 150 - Aus 151

486(T)/2000 AUSTRALIA - Summer time.

Date - Until 25 March 2001

NSW AGD (00/6700). (AH 99/259)

1. Clocks will be advanced/retarded one hour in the following states at 0300 local time as follows:

	<i>Advanced</i>	<i>Retarded</i>
Australian Capital Territory	27 AUG 2000	25 MAR 2001
New South Wales	27 AUG 2000	25 MAR 2001
South Australia	29 OCT 2000	25 MAR 2001
Victoria	27 AUG 2000	25 MAR 2001
Tasmania	27 AUG 2000	25 MAR 2001

2 Clocks will be advanced/retarded half an hour at Lord Howe Island on the 27 AUG 2000 and 25 MAR 2001 respectively.

3. No changes will be made in Queensland, Northern Territory and Western Australia.

III NAVIGATION WARNINGS

The following radio messages have been received during the period to 4 August 2000. Signal copies of these messages may be destroyed. It is recommended that the reprint of Navigational Warnings should be kept in a file or a book divided into areas. Cancellation should be made on receipt of signals and reprints.

Rigs on location other than those listed in the latest Section III summary are the subject of Radio Navigational Warnings. Rigs in transit will not be the subject of Warnings.

AUSCOAST WARNINGS

- 200 NW Coast. Drill rig Sedco 702 in position 19° 28'.6 S 116° 28'.7 E. 2.5M clearance requested.
- 201 NW Coast. Seismic survey vessel *Pacific Sword* towing 3M cables in area 14° 25' S to 14° 45' S and 128° 30' E to 129° 00' E.
- 202 Cancelled.
- 203 Cancelled.
- 204 Cancelled.
- 205 Cancelled.
- 206 N Coast. Weipa trial DGPS established in position 12° 39' S 141° 57' E.
- 207 NW Coast. Seismic survey vessel *Geco Beta* towing eight 3M cables in area 17° 47' S to 18° 43' S and 116° 00' E to 117° 06' E.
- 208 NE Coast. Juno Bay west cardinal buoy (18° 40'.7 S 146° 30'.6 E) reported off station.
- 209 NW Coast. Drill rig *Ron Tappmeyer* in position 20° 31'.1 S 115° 49'.7 E. 2.5M clearance requested.
- 210 E Coast. Tacking Point light K2788 (31° 28'.7 S 152° 56'.2 E) unlit.

NAVAREA X WARNINGS

Nil issued.

Navigational warnings in force as at 031500UTC AUG 00.

Auscoast

2000 108 118 140 144 160 163 176 181 188 197 199 200 201 206 207 208 209 210

Navarea X

2000 014.

Summary of mobile drilling rigs as at 031500UTC AUG 00.

Name	Position
Ocean Bounty	12° 48'.4 S 123° 30'.7 E
Ocean General	13° 12'.7 S 122° 33'.1 E
Sedco 702	19° 28'.6 S 116° 28'.7 E
Ron Tappmeyer	20° 31'.1 S 115° 49'.7 E
Ensco 56	20° 32'.9 S 115° 41'.8 E

NAVAREA XIV WARNINGS

- 211 Cancelled.
- 212 South Pacific. 30 ft SV *Karmela*, 2 POB, unreported since departing San Diego 8 May enroute Iles Marqueses and Tonga
- 213 Cancelled.
- 214 Cancelled.
- 215 Cancelled.
- 216 Cancelled.
- 217 New Zealand. North Island. 30 ft yacht abandoned in position 31° 12' S 174° 31' E at 291800Z JUL.
- 218 Cancelled.
- 219 Fiji. Navo Island light K4701 (18° 07' S 177° 20' E) unlit. Yaciwa Island light K4735 (18° 08' S 179° 21' E) unlit.

Navarea XIV warnings in force as at 030001UTC AUG 00.

2000 212 217 219.

IV

HYDROGRAPHIC REPORTS

<i>Locality</i>	<i>Report</i>	<i>Ship/Authority</i>	<i>Observer</i>
NSW- Narooma Athol Bay Botany Bay Twofold Bay Port Kembla	Light Jetty Building Light Lights	MV <i>Goliath</i> HMAS <i>Watson</i> HMAS <i>Shoalwater</i> HMAS <i>Leeuwin</i>	PF Jepson
QLD- Gladstone	Port Services	HMAS <i>Leeuwin</i>	

To accompany Australian Notice to Mariners 466/2000

SHELLFISH BEDS

Shellfish culture activities occur within this area. The area may be used for navigation, but seabed activities are prohibited.

Note for chart Aus 332

To accompany Australian Notice to Mariners 466/2000

SHELLFISH BEDS

Shellfish culture activities occur within this area. The area may be used for navigation, but seabed activities are prohibited.

Note for chart Aus 751