



AUSTRALIAN NOTICES TO MARINERS

Notices 752 - 803

Published fortnightly by the Australian Hydrographic Office

Australian Notices to Mariners are the authority for correcting charts and publications published by the Australian Hydrographic Office covering Australia, Papua New Guinea, Solomon Islands, Australian Antarctic Territory and Timor-Leste.

Commodore D.G. MULLINS, RAN
Hydrographer of Australia

SECTIONS.

- I. **Australian Notices to Mariners, including blocks and notes.**
- II. **Hydrographic Reports.**

SUPPLEMENTS.

- I. **Tracings**
- II. **Cumulative List of Australian Notices to Mariners.**
- III. **Cumulative List of Temporary and Preliminary Australian Notices to Mariners.**
- IV. **Temporary and Preliminary Notices in force.**

Supplements can be obtained from <https://www.hydro.gov.au/notices-to-mariners>

© Commonwealth of Australia 2026

This work is copyright. Apart from any use permitted under the Copyright Act 1968, no part may be reproduced by any process, adapted, communicated or commercially exploited without prior written permission from The Commonwealth represented by the Australian Hydrographic Office.

IMPORTANT NOTICE

This edition of Notices to Mariners includes all navigationally significant information affecting AHO products which the AHO has become aware of since the last edition. All reasonable efforts have been made to ensure the accuracy and completeness of the information, including third party information, on which these updates are based. The AHO regards third parties from which it receives information as reliable, however the AHO cannot verify all such information and errors may therefore exist. The AHO does not accept liability for errors in third party information.

GENERAL INSTRUCTIONS

The substance of these notices should be inserted on the charts affected.

Bearings are referred to the true compass and are reckoned clockwise from North; those relating to lights are given as seen by an observer from seaward.

Positions quoted in notices relate to WGS84 which is the horizontal datum for all charts produced by the Australian Hydrographic Office.

The range quoted for a light is its nominal range.

Depths are with reference to the chart datum of each chart. Heights are above mean high water springs or mean higher high water, as appropriate.

The capital letter (P) or (T) after the number of any notice denotes a preliminary or temporary notice respectively, which are contained separately at the end of the permanent notices.

REPORTING OF DANGERS

Mariners are particularly requested to notify the AUSTRALIAN HYDROGRAPHIC OFFICE, Locked Bag 8801 Wollongong, NSW 2500 (e-mail datacentre@hydro.gov.au or, alternatively by filling in and submitting the **Hydrographic Notes** forms located on the web site – www.hydro.gov.au), immediately on the discovery of new dangers or suspected dangers to navigation. For dangers requiring more urgent communication to other mariners than via the fortnightly Notices to Mariners publication, notify the nearest coastal radio station, relevant port authority, or even AMSA's JRCC (Fax 02-6230 6868 or email rccaus@amsa.gov.au).

AUTHORISED USE

Copies of Australian notices are available free of charge from the Australian Hydrographic Office (AHO) website (www.hydro.gov.au) and through the eNotices (email) service (<https://www.hydro.gov.au/charts/paper-charts/enotices>).

Individual Notices may be copied for the purpose of inserting Notice substance on official charts and publications. Paper copies may be printed by chart agents and distributed to customers on a cost recovery basis. Participating chart agents are listed on the AHO website as providing a 'Paper Notices to Mariners' service (<https://www.hydro.gov.au/charts/distribution-agents>). Copies of the notices may not be sold for profit without prior written agreement.

NUMERICAL INDEX OF NOTICES TO MARINERS

Edition No 18

Notices	Aus Chart, INT Chart, ENC Cell, AHP, BA Pubs
752	Aus 236, 343
753	Aus 144, 246, 329, 718, 719
754	AusTides 2026
755	Aus 808
756	Aus 255, 268
757	Aus 251, 824
758	Aus 265
759	Aus 25
760	Aus 4603, INT 603
761	Aus 4603, 4722, INT 603, 722
762	Aus 485
763	Aus 776
764(T)	Aus 489, 806, 807, 808, 4601, 4602, INT 601, 602
765(T)	Aus 200
766(T)	Aus 268
767(T)	Aus 242
768(T)	Aus 262
769(T)	Aus 4, 301
770(T)	Aus 251
771(T)	Aus 259, 828
772(T)	Aus 236, 814
773(T)	Aus 236, 814, 815
774(T)	Aus 22
775(T)	Aus 309
776(T)	Aus 26
777(T)	Aus 14
778(T)	Aus 309, 311, 312, 315
779(P)	Aus 65
780(T)	Aus 115
781(T)	Aus 328, 744
782(T)	Aus 117
783(T)	Aus 81
784(T)	Aus 81
785(T)	Aus 315, 318
786(T)	Aus 752, 4708, INT 708
787(P)	Aus 116, 755
788(T)	Aus 64, 743
789(T)	Aus 64, 743
790(T)	Aus 55
791(T)	Aus 74
792(T)	Aus 4708, 4723, INT 708, 723
793(T)	Aus 348
794(T)	Aus 134
795(T)	Aus 181, 802
796(T)	Aus 357
797(T)	Aus 349
798(T)	Aus 349
799(T)	Aus 157
800(T)	Aus 143, 157
801(T)	Aus 143, 155
802(T)	Aus 151, 179, 181, 349, 357, 487, 766, 767, 790, 798, 800, 801, 802, 4601, 4709, INT 601, 709
803(T)	Aus 164

NUMERICAL INDEX OF CHARTS AFFECTED

Edition No 18

Aus Chart	Notices
Aus 4	769(T)
Aus 14	777(T)
Aus 22	774(T)
Aus 25	759
Aus 26	776(T)
Aus 55	790(T)
Aus 64	788(T), 789(T)
Aus 65	779(P)
Aus 74	791(T)
Aus 81	783(T), 784(T)
Aus 115	780(T)
Aus 116	787(P)
Aus 117	782(T)
Aus 134	794(T)
Aus 143	800(T), 801(T)
Aus 144	753
Aus 151	802(T)
Aus 155	801(T)
Aus 157	799(T), 800(T)
Aus 164	803(T)
Aus 179	802(T)
Aus 181	795(T), 802(T)
Aus 200	765(T)
Aus 236	752, 772(T), 773(T)
Aus 242	767(T)
Aus 246	753
Aus 251	757, 770(T)
Aus 255	756
Aus 259	771(T)
Aus 262	768(T)
Aus 265	758
Aus 268	756, 766(T)
Aus 301	769(T)
Aus 309	775(T), 778(T)
Aus 311	778(T)
Aus 312	778(T)
Aus 315	778(T), 785(T)
Aus 318	785(T)
Aus 328	781(T)
Aus 329	753
Aus 343	752
Aus 348	793(T)
Aus 349	797(T), 798(T), 802(T)
Aus 357	796(T), 802(T)
Aus 485	762
Aus 487	802(T)
Aus 489	764(T)
Aus 718	753
Aus 719	753
Aus 743	788(T), 789(T)
Aus 744	781(T)
Aus 752	786(T)
Aus 755	787(P)
Aus 766	802(T)

Aus Chart	Notices
Aus 767	802(T)
Aus 776	763
Aus 790	802(T)
Aus 798	802(T)
Aus 800	802(T)
Aus 801	802(T)
Aus 802	795(T), 802(T)
Aus 806	764(T)
Aus 807	764(T)
Aus 808	755, 764(T)
Aus 814	772(T), 773(T)
Aus 815	773(T)
Aus 824	757
Aus 828	771(T)
Aus 4601	764(T), 802(T)
Aus 4602	764(T)
Aus 4603	760, 761
Aus 4708	786(T), 792(T)
Aus 4709	802(T)
Aus 4722	761
Aus 4723	792(T)

INT Chart	Notices
INT 601	764(T), 802(T)
INT 602	764(T)
INT 603	760, 761
INT 708	786(T), 792(T)
INT 709	802(T)
INT 722	761
INT 723	792(T)

752 AUSTRALIA - Products - New Charts, New Editions, Withdrawn Charts

Australian Hydrographic Office , UKHO

New Charts

<i>Chart</i>	<i>Title and Geographical limits</i>	<i>Scale</i>	<i>Publication Date</i>	<i>Remarks</i>
NIL				

New Editions and Withdrawn Charts

<i>Chart</i>	<i>Title</i>	<i>Scale</i>	<i>Publication Date</i>	<i>Remarks</i>
Aus 236 (Edition 10)	Australia - East Coast - Queensland - Moreton Bay	1:80 000	4/9/2026	New edition with general updating throughout; including new bathymetric data. Chart Aus 236 Edition 9 dated 6 December 2024 is now superseded and must be withdrawn from use.
Aus 343 (Edition 2)	Australia - South Coast - South Australia - Whidbey Isles to Cape Du Couedic	1:300 000	4/9/2026	New edition with general updating throughout; including new bathymetric data. Chart Aus 343 Edition 1 dated 10 April 2015 is now superseded and must be withdrawn from use.

New Electronic Navigation Chart (Aus ENC)

<i>Cell Name</i>	<i>Title</i>	<i>Publication Date</i>	<i>Remarks</i>
NIL			

New S100 Products

<i>Cell Name</i>	<i>Title</i>	<i>Publication Date</i>	<i>Remarks</i>
NIL			

Admiralty publication

<i>NP No</i>	<i>Title</i>	<i>Date</i>	<i>Remarks</i>
NP286(4)	ADMIRALTY List of Radio Signals. Pilot Services, Vessel Traffic Services and Port Operations Indian sub-continent, South East Asia and Australasia Volume 6(4) 7th Edition (2026).	3/9/2026	The 6th Edition (2025) of NP286(4) is cancelled.

Chart permanently withdrawn

Charts listed above as withdrawn no longer meet chart carriage requirements and should be marked as "superseded" and replaced with the new chart/ new edition listed prior to passage through the area covered by the new chart.

When placing orders with a chart agent between notice of forthcoming edition and its publication, mariners should advise whether their order pertains to the current edition or the new edition.

For further details refer to the AHO website at www.hydro.gov.au for new edition and new chart stock arrival information.

753 AUSTRALIA - Products - New Charts and New Editions to be published shortly

Australian Hydrographic Office

New Charts to be published shortly

<i>Chart</i>	<i>Title</i>	<i>Scale</i>	<i>Remarks</i>
NIL			

New Editions to be published shortly

<i>Chart</i>	<i>Title</i>	<i>Scale</i>	<i>Remarks</i>
Aus 144	Australia - South Coast - Victoria - The Rip	1:12 500	New edition with general updating throughout; including new bathymetric data.
Aus 246	Australia - East Coast - Queensland - Approaches to Gladstone	1:37 500	New edition with general updating throughout; including new bathymetric data.
Aus 329	Australia - North West Coast - Western Australia - North West Cape to Point Cloates	1:300 000	New edition with general updating throughout; including new bathymetric data.
Aus 718	Australia - North Coast - Northern Territory - Cape Stewart to Cuthbert Point	1:150 000	New edition with general updating throughout; including new bathymetric data.
Aus 719	Australia - North Coast - Northern Territory - Cuthbert Point to New Year Island	1:150 000	New edition with general updating throughout; including new bathymetric data.

754 AUSTRALIA - AusTides 2026

Australian Hydrographic Office

The 'Local Standard' tidal predictions from Spit West Reserve (60365) are in UTC and not AEST.

755 AUSTRALIA - NEW SOUTH WALES - Cape Banks - Scientific instrument eastwards

UKHO , University of New South Wales

Aus 808 [503/2026]

Move	depth, 15m, and enclosing danger circle with legend, ODAS	33° 59'.6 S	151° 27'.1 E
to		33° 59'.38 S	151° 27'.07 E

756 AUSTRALIA - QUEENSLAND - Bowen to Abbot Point - Depths northwards

Australian Hydrographic Office

Aus 255 [NE 3/4/2026]

Insert	depth, 25 ₃ m	19° 49'.362 S	148° 09'.964 E
Move	depth, 33m	19° 43'.47 S	148° 06'.02 E
	to	19° 43'.527 S	148° 05'.901 E
	depth, 31m	19° 43'.53 S	148° 04'.56 E
	to	19° 43'.583 S	148° 04'.598 E
	depth, 35m	19° 43'.52 S	148° 07'.46 E
	to	19° 43'.641 S	148° 07'.371 E
	depth, 34m	19° 46'.08 S	148° 09'.72 E
	to	19° 46'.054 S	148° 09'.652 E
Delete	depth, 25m	19° 49'.41 S	148° 10'.19 E

Aus 268 [304/2023]

Insert	accompanying block B	19° 53'.8 S	148° 19'.0 E
	accompanying block A	19° 55'.3 S	148° 16'.0 E

757 AUSTRALIA - QUEENSLAND - Cockermouth Island - Depth

Australian Hydrographic Office

Aus 251 [709/2026]

Insert	depth, 19 ₇ m, enclosed by contour	20° 47'.18 S	149° 26'.29 E
--------	---	--------------	---------------

Aus 824 [709/2026]

Insert	depth, 19 ₇ m, enclosed by contour	20° 47'.18 S	149° 26'.29 E
--------	---	--------------	---------------

758 AUSTRALIA - QUEENSLAND - Port Alma - Sea Reach - Light buoys

Maritime Safety Queensland

Aus 265 [NE 24/7/2026]

Move	light buoy	23° 30'.11 S	150° 57'.01 E
	to	23° 30'.073 S	150° 57'.022 E
	light buoy	23° 30'.91 S	150° 56'.72 E
	to	23° 30'.841 S	150° 56'.769 E

759 AUSTRALIA - NORTHERN TERRITORY - Beagle Gulf - Middle Patches - Wreck

Northern Territory Government Notice 81/2026

Aus 25 [465/2026]

Replace	depth, 14 ₃ m, with depth, 13 ₉ m, enclosed by danger circle with legend, Wk	12° 18'.68 S	130° 43'.05 E
---------	---	--------------	---------------

760 AUSTRALIA - NORTHERN TERRITORY - New Year Island - Depth southeastwards

Australian Hydrographic Office

Aus 4603 (INT 603) [674/2026]

Insert	depth, 6 ₄ m	11° 17'.6 S	133° 48'.0 E
--------	-------------------------	-------------	--------------

761 INDIAN OCEAN - North Australian Basin - Scientific instrument

Australian Bureau of Meteorology

Aus 4603 (INT 603) [760/2026]

Move	light buoy	15° 01'.0 S	118° 04'.4 E
	to	15° 00'.2 S	118° 00'.0 E

Aus 4722 (INT 722) [714/2026]

Move	light buoy	15° 01'.0 S	118° 04'.4 E
	to	15° 00'.2 S	118° 00'.0 E

762 AUSTRALIA - SOUTH AUSTRALIA - The Cabbage Patch - Depths

Australian Hydrographic Office

Aus 485 [364/2026]Insert [accompanying ZOC diagram](#)
[accompanying block](#)32° 45'.0 S 136° 33'.0 E
35° 13'.0 S 135° 23'.0 E**763 AUSTRALIA - SOUTH AUSTRALIA - Wedge Island - Coastline; rocks**

Australian Geospatial-Intelligence Organisation

Aus 776 [361/2025]Insert [accompanying block](#)

35° 09'.0 S 136° 24'.0 E

764(T)/2026 AUSTRALIA - NEW SOUTH WALES - Jervis Bay - Live firing completed southeastwards

Former Notice - 285(T)/2026 is cancelled
Department of Defence

Cancel this notice on receipt.

Chart formerly affected - Aus 489 - Aus 806 - Aus 807 - Aus 808 - Aus 4601 (INT 601) - Aus 4602 (INT 602)

765(T)/2026 AUSTRALIA - NEW SOUTH WALES - Port Jackson - Hunters Bay to Sow & Pigs Reef - Scientific instruments

Transport for NSW

Special light buoys, *Fl. Y. 5s*, exist in positions 33° 49'.30 S 151° 15'.41 E and 33° 49'.94 S 151° 16'.40 E.

Chart temporarily affected - Aus 200

766(T)/2026 AUSTRALIA - QUEENSLAND - Bowen - Port Denison - Light buoy restored

Former Notice - 514(T)/2026 is cancelled
Maritime Safety Queensland

Cancel this notice on receipt.

Chart formerly affected - Aus 268

767(T)/2026 AUSTRALIA - QUEENSLAND - Bundaberg - Burnett Heads - Harbour works

Maritime Safety Queensland Notice 467(T)/2026

Works associated with the construction of the new marina are in progress. The works area is marked by special light buoys, *Fl. Y. 3s*, which exist in the following positions:

24° 45'.57 S 152° 24'.09 E

24° 45'.52 S 152° 24'.13 E

24° 45'.53 S 152° 24'.18 E.

Mariners are not to enter the area as there will be a number of unlit piles.

Workboats can be contacted via Marine Rescue Bundaberg on VHF 81.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 242

768(T)/2026 AUSTRALIA - QUEENSLAND - Cairns - Trinity Inlet - Wreck salvaged

Former Notice - 743(T)/2024 is cancelled
Maritime Safety Queensland Notice 467(T)/2024

Cancel this notice on receipt.

Chart formerly affected - Aus 262

769(T)/2026 AUSTRALIA - QUEENSLAND - False Pera Head to Boyd Point - Scientific instruments recovered

Former Notice - 369(T)/2026 is cancelled
Maritime Safety Queensland Notice 214(T)/2026

Cancel this notice on receipt.

Chart formerly affected - Aus 4 - Aus 301

770(T)/2026 AUSTRALIA - QUEENSLAND - Heskett Rock - Light buoy off station
Maritime Safety Queensland Notice 446(T)/2026

The south cardinal light buoy, *Q(6)+LFl.15s* (20° 56'.29 S 149° 28'.99 E), is off station.

Chart temporarily affected - Aus 251

771(T)/2026 AUSTRALIA - QUEENSLAND - Hinchinbrook Island - Missionary Bay - Light beacon destroyed
Former Notice - 361(T)/2023 is cancelled
Maritime Safety Queensland Notice 169(T)/2023, 475(T)/2026

The special light beacon, *Fl.Y.3s* (18° 15'.20 S 146° 11'.79 E), has been destroyed.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 259 - Aus 828

772(T)/2026 AUSTRALIA - QUEENSLAND - Moreton Bay - Amity Banks - Wreck
Maritime Safety Queensland Notice 466(T)/2026

A stranded wreck marked by a special light buoy, *Fl.Y.2-5s*, exists in position 27° 25'.53 S 153° 21'.25 E.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 236 - Aus 814

773(T)/2026 AUSTRALIA - QUEENSLAND - Moreton Bay - Skirmish Banks - Scientific instrument
Maritime Safety Queensland Notice 468(T)/2026

A special light buoy, *Fl(5)Y.20s*, exists in position 27° 03'.95 S 153° 12'.91 E.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 236 - Aus 814 - Aus 815

774(T)/2026 AUSTRALIA - NORTHERN TERRITORY - Apsley Strait - Saint Asaph Bay - Obstruction
Australian Hydrographic Office

A lost anchor and cable exists in the vicinity of position 11° 19'.10 S 130° 22'.92 E.

Mariners are advised to navigate with caution and to avoid anchoring or trawling in the area.

Chart temporarily affected - Aus 22

775(T)/2026 AUSTRALIA - NORTHERN TERRITORY - Beagle Gulf - Fenton Patches - Fish aggregating devices
Former Notice - 62(T)/2026 is cancelled
Northern Territory Government Notice 1(T)/2026, Australian Border Force

Special light buoys, *Q(4)Y.19s FAD*, exist in the following positions:

12° 06'.67 S 130° 34'.13 E
12° 08'.93 S 130° 44'.83 E
12° 09'.50 S 130° 44'.83 E
12° 10'.30 S 130° 38'.50 E.

Chart temporarily affected - Aus 309

776(T)/2026 AUSTRALIA - NORTHERN TERRITORY - Darwin - Middle Arm - Light buoy restored

Former Notice - 594(T)/2026 is cancelled

Northern Territory Government Notice 52(T)/2026

Cancel this notice on receipt.

Chart formerly affected - Aus 26

777(T)/2026 AUSTRALIA - NORTHERN TERRITORY - Groote Eylandt - Milner Bay - Scientific instrument recovered

Former Notice - 374(T)/2026 is cancelled

Northern Territory Government

Cancel this notice on receipt.

Chart formerly affected - Aus 14

778(T)/2026 AUSTRALIA - TIMOR SEA - The Boxers - Survey operations westwards

Reach Subsea

Survey vessel *Offshore Surveyor* and USV *Reach Remote 2* are conducting survey operations in an area bounded by the following positions:

11° 12'.66 S 127° 04'.60 E

11° 04'.66 S 127° 39'.52 E

11° 16'.25 S 128° 13'.48 E

11° 35'.13 S 127° 55'.54 E

11° 51'.28 S 127° 14'.36 E.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 309 - Aus 311 - Aus 312 - Aus 315

779(P)/2026 AUSTRALIA - WESTERN AUSTRALIA - Barrow Island - Shoaling

Department of Transport WA

Latest survey indicates shoaler depths than those charted may exist within the limits of chart Aus 65.

Mariners are advised to navigate with caution in the area.

The chart will be updated in due course.

Chart which will be affected - Aus 65

780(T)/2026 AUSTRALIA - WESTERN AUSTRALIA - Bunbury - Koombana Bay - Shoaling; light beacon

Department of Transport WA Notice 6967/2026

Due to shoaling, which extends approximately 15m east of Berth 1, a light beacon, *Fl.Y.3s*, has been established in position 33° 18'.35 S 115° 38'.77 E.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 115

781(T)/2026 AUSTRALIA - WESTERN AUSTRALIA - Exmouth Gulf - Observation Island - Scientific instrument

Department of Transport WA Notice 6964(T)/2026

A special conical light buoy, *Fl.Y.2-5s*, exists in position 21° 41'.30 S 114° 35'.23 E.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 328 - Aus 744

782(T)/2026 AUSTRALIA - WESTERN AUSTRALIA - Garden Island - Scientific instruments
Department of Transport WA

Subsurface scientific instruments, 0.6m above the seabed, exist in positions:

32° 13'.60 S 115° 42'.60 E
32° 14'.21 S 115° 41'.45 E
32° 15'.10 S 115° 39'.98 E
32° 14'.80 S 115° 42'.77 E
32° 14'.84 S 115° 41'.36 E.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 117

783(T)/2026 AUSTRALIA - WESTERN AUSTRALIA - Geraldton - Fishing Boat Harbour - Dredging operations; survey operations completed

Former Notice - 795(T)/2025 is cancelled
Mid West Ports

Cancel this notice on receipt.

Chart formerly affected - Aus 81

784(T)/2026 AUSTRALIA - WESTERN AUSTRALIA - Geraldton - Harbour works
Mid West Ports Notice 14/2026

Works associated with the construction of a new breakwater, as part of the Tug Harbour Development Project, are in progress in an area bounded by the following positions:

28° 46'.27 S 114° 35'.64 E
28° 46'.29 S 114° 36'.00 E
28° 45'.81 S 114° 36'.00 E
28° 45'.81 S 114° 35'.88 E.

Mariners are advised to navigate with caution in the area and to maintain a safe distance.

Chart temporarily affected - Aus 81

785(T)/2026 AUSTRALIA - WESTERN AUSTRALIA - Joseph Bonaparte Gulf - ROV operations northwards
Eni Australia Ltd

Vessel *Lauri J* is conducting ROV operations in the vicinity of positions 12° 56'.04 S 128° 34'.25 E and 13° 16'.72 S 128° 07'.97 E.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 315 - Aus 318

786(T)/2026 AUSTRALIA - WESTERN AUSTRALIA - Leander Reef - Platform unlit; light buoys
Former Notice - 742(T)/2026 is cancelled
Department of Transport and Major Infrastructure WA Notice WA979/2/2026

The *Cliff* platform, *Mo(U)15s* (29° 26'.99 S 114° 52'.18 E), is unlit.

4 special light buoys, *Fl. Y. 5s*, exist surrounding the unlit platform.

Chart temporarily affected - Aus 752 - Aus 4708 (INT 708)

787(P)/2026 AUSTRALIA - WESTERN AUSTRALIA - Mandurah - Shoaling southeastwards*Former Notice - 743(P)/2026 is cancelled*

Department of Transport and Major Infrastructure WA

Latest survey indicates shoaler depths than those charted may exist in the vicinity of position 32° 31'.37 S 115° 42'.66 E and in an area bounded by the following positions:

32° 31'.08 S 115° 42'.63 E

32° 30'.94 S 115° 42'.78 E

32° 31'.09 S 115° 43'.21 E

32° 31'.17 S 115° 43'.21 E

32° 31'.12 S 115° 42'.69 E.

Mariners are advised to navigate with caution in the area.

Charts will be updated in due course.

Chart which will be affected - Aus 116 - Aus 755**788(T)/2026 AUSTRALIA - WESTERN AUSTRALIA - Onslow - Gorgon Patch - Light buoys relit***Former Notice - 649(T)/2026 is cancelled*

Department of Transport WA

Cancel this notice on receipt.

Chart formerly affected - Aus 64 - Aus 743**789(T)/2026 AUSTRALIA - WESTERN AUSTRALIA - Onslow - Light buoys unlit**

Department of Transport and Major Infrastructure WA Notice 6982/2026

The starboard lateral light buoy, *Fl.G.3s* (21° 33'.62 S 115° 04'.15 E), is unlit.The port lateral light buoy, *Fl.R.3s* (21° 35'.47 S 115° 04'.99 E), is unlit.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 64 - Aus 743**790(T)/2026 AUSTRALIA - WESTERN AUSTRALIA - Port Walcott - Light beacon unlit**

Department of Transport and Major Infrastructure WA Notice 6983/2026

The starboard lateral light beacon, *Fl.G.2s No21* (20° 31'.56 S 117° 14'.49 E), is unlit.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 55**791(T)/2026 AUSTRALIA - WESTERN AUSTRALIA - Shark Bay - Denham Channel - Light beacon unlit**

Department of Transport and Major Infrastructure WA Notice 6971/2026

The port lateral light beacon, *Fl.R.3s 4M No4* (25° 53'.47 S 113° 15'.20 E), is unlit.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 74**792(T)/2026 INDIAN OCEAN - Roo Rise - Light buoy restored***Former Notice - 867(T)/2023 is cancelled*

The Bureau of Meteorology

Cancel this notice on receipt.

Chart formerly affected - Aus 4708 (INT 708) - Aus 4723 (INT 723)

793(T)/2026 AUSTRALIA - SOUTH AUSTRALIA - Cape Banks - Light unlit

Department for Infrastructure and Transport SA Notice 59(T)/2026

The leading light, *F.WRG* (37° 54'.73 S 140° 23'.82 E), is unlit.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 348

794(T)/2026 AUSTRALIA - SOUTH AUSTRALIA - Port Lincoln - Billys Lights Point - Dredging operations; exclusion zone

Department for Infrastructure and Transport SA Notice 61(T)/2026

An exclusion zone for dredging operations exists in an area bounded by the coast and the following:

<i>Position</i>	<i>Remarks</i>
34° 45'.16 S 135° 53'.09 E	
34° 45'.40 S 135° 53'.25 E	marked by special light buoy, <i>Fl.5s</i>
34° 45'.57 S 135° 53'.15 E	marked by special light buoy, <i>Fl.5s</i>
34° 45'.73 S 135° 53'.05 E	marked by special light buoy, <i>Fl.5s</i>
34° 46'.02 S 135° 52'.90 E	marked by special light buoy, <i>Fl.5s</i>
34° 45'.90 S 135° 52'.60 E	marked by special light buoy, <i>Fl.5s</i>
34° 45'.72 S 135° 52'.70 E	marked by special light buoy, <i>Fl.5s</i>
34° 45'.17 S 135° 53'.05 E.	

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 134

795(T)/2026 AUSTRALIA - VICTORIA - Corner Inlet - Scientific instruments

Bhagwan Marine

Special light buoys, *Fl(5)Y.20s*, exist in positions 38° 52'.85 S 146° 42'.29 E and 38° 57'.65 S 146° 35'.50 E.

Chart temporarily affected - Aus 181 - Aus 802

796(T)/2026 AUSTRALIA - VICTORIA - Ninety Mile Beach - Drill rig eastwardsMODU *Valaris 107*

Drill rig *Valaris 107* is conducting drilling operations in position 38° 17'.79 S 147° 40'.57 E.

Chart temporarily affected - Aus 357

797(T)/2026 AUSTRALIA - VICTORIA - Port Campbell - Subsea operations completed southwestwards

Former Notice - 611(T)/2026 is cancelled

Australian Maritime Safety Authority

Cancel this notice on receipt.

Chart formerly affected - Aus 349

798(T)/2026 AUSTRALIA - VICTORIA - Port Campbell - Scientific instruments southwestwards

Amplitude Energy

Subsurface scientific instruments exist on the seabed in positions 38° 44'.63 S 142° 48'.69 E and 38° 44'.63 S 142° 48'.90 E.

Mariners are advised to navigate with caution in the area. 500m clearance requested.

Chart temporarily affected - Aus 349

799(T)/2026 AUSTRALIA - VICTORIA - Port Phillip - Scientific instruments recovered*Former Notice* - 638(T)/2025 is cancelled

Parks Victoria Notice 398(T)/2026

Cancel this notice on receipt.

Chart formerly affected - Aus 157**800(T)/2026 AUSTRALIA - VICTORIA - Port Phillip - Point Richards Bank to St Leonards - Light beacons relit***Former Notices* - 615(T)/2026, 616(T)/2026, 617(T)/2026, 618(T)/2026 are cancelled

Parks Victoria Notice 403/2026, 407/2026, 408/2026, 409/2026

Cancel this notice on receipt.

Chart formerly affected - Aus 143 - Aus 157**801(T)/2026 AUSTRALIA - VICTORIA - Port Phillip - Carrum - Buoy off station**

Parks Victoria Notice 401(T)/2026

The special buoy, No2 (38° 03'.09 S 145° 04'.43 E), is off station.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 143 - Aus 155**802(T)/2026 AUSTRALIA - BASS STRAIT - Military exercise completed***Former Notice* - 310(T)/2026 is cancelled

Department of Defence

Cancel this notice on receipt.

Chart formerly affected - Aus 151 - Aus 179 - Aus 181 - Aus 349 - Aus 357 - Aus 487 - Aus 766 - Aus 767 - Aus 790 - Aus 798 - Aus 800 - Aus 801 - Aus 802 - Aus 4601 (INT 601) - Aus 4709 (INT 709)**803(T)/2026 AUSTRALIA - TASMANIA - Moorland Point to Claytons Bay - Scientific instruments recovered northwards***Former Notice* - 405(T)/2026 is cancelled

Marine and Safety Tasmania Notice M315(T)/2026


Cancel this notice on receipt.

Chart formerly affected - Aus 164


II

HYDROGRAPHIC REPORTS

NIL



To accompany Australian Notice to Mariners 756/2026




Block B for chart Aus 268

© Commonwealth of Australia 2026

(128.5 x 111.7mm)

To accompany Australian Notice to Mariners 762/2026




Block for chart Aus 485

(100.4 x 123.1mm)

© Commonwealth of Australia 2026

To accompany Australian Notice to Mariners 762/2026



To accompany Australian Notice to Mariners 763/2026

