

Australian Notices to Mariners are the authority for correcting Australian Charts

AUSTRALIAN NOTICES TO MARINERS

© Commonwealth of Australia 2001 - Copyright restrictions apply to Notices to Mariners



Notices 516-541

Published fortnightly by the Australian Hydrographic Service

B. J. KAUFER,
Hydrographer of Australia

- SECTIONS. I. **Australian Notices to Mariners, including blocks and notes.**
III. **Navigational Warnings.**
IV. **Hydrographic Reports.**

New Zealand Notices to Mariners

The substance of these notices should be inserted on the charts affected.

Notices to Mariners information relating to British Admiralty Publications unavailable on this web site at this stage but still available in printed form:-

- Section II. Amendments to Admiralty List of Lights, Vol K.**
Section V. Amendments to Admiralty List of Radio Signals.
Section VI. Amendments to Sailing Directions.

Bearings are referred to the true compass and are reckoned clockwise from 000° (North) to 359°: those relating to lights are given as seen by an observer from seaward. The range quoted for a light is its nominal range. Fog signals are sounded only during thick or foggy weather, unless otherwise stated Depths are with reference to the chart datum of each chart. Heights are above mean high water springs or mean higher high water, as appropriate.

The capital letter (P) or (T) after the number of any notice denotes a preliminary or temporary notice respectively, which are contained separately at the end of the permanent notices. A star () adjacent to the number of a notice indicates that the notice is based on original information.*

Mariners are particularly requested to notify the AUSTRALIAN HYDROGRAPHIC SERVICE, Locked Bag 8801 South Coast Mail Centre, NSW 2521 (Fax 02-4221 8599, e-mail hni.hydro@navy.gov.au or, alternatively by filling in and submitting the **Hydrographic Notes forms located on the web site – www.hydro.gov.au), immediately on the discovery of new dangers or suspected dangers to navigation. For changes or defects in aids to navigation notify AusSAR (Fax 02-6230 6868 or email rccaus@amsa.gov.au).**

Copies of these notices can be obtained from the AUSTRALIAN HYDROGRAPHIC OFFICE, 8 Station Street, Wollongong, and Agents for the sale of charts and hydrographic publications.

The Commonwealth of Australia is the owner of, or is otherwise responsible for, the copyright in this work. It is protected under the Copyright Act 1968 and international convention. Except as expressly authorised below, the work may not be copied, reproduced, adapted, changed or commercially exploited, in whole or in part, or the format in which it is stored altered, without the prior written permission of the Australian Hydrographic Office. The Notices may be copied for the purpose of inserting their substance on official charts and other publications. However, any copies of the notices may not be sold for profit.

© Commonwealth of Australia 2001

NUMERICAL INDEX OF CHARTS AFFECTED

Edition No 19

14 September 2001

Notices	Aus Chart
516	Aus 177, 262, 315, 347, 720
517	Aus 15, 26, 55, 154, 204, 249, 251, 254, 263, 268, 332, 349, 366, 370, 371, 374, 376, 377, 426, 384, 777, 824, 826, 833
518	Aus 204
519	Aus 610
520	Aus 236
521	Aus 366, 426, 819
522	Aus 249, 251, 252, 253, 370, 371, 823, 824, 825, 826
523	Aus 268
524	Aus 259
525	Aus 259
526	Aus 263
527	Aus 374, 833
528	Aus 377
529	Aus 26
530	Aus 309, 411
531	Aus 777
532	Aus 154
533(P)	Aus 197, 361, 423, 426, 808, 809, 4060, 4601, 4602, 4604, INT 60, 601, 602, 604
534(T)	Aus 236, 237
535(T)	Aus 236
536(T)	Aus 249, 823
537(T)	Aus 58, 59
538(P)	Aus 81
539(P)	Aus 119
540(T)	Aus 154
541(T)	Aus 349, 445B

516 AUSTRALIA - Publications.

AHS (01/6832 & 01/7011). (AH99/229-02, 139-02)

New chart to be published shortly

<i>Chart</i>	<i>Title</i>	<i>Scale</i>
Aus 177	Australia - Tasmania - Approaches to Macquarie Harbour Plan: Strahan Hells Gates	1:75 000 1:17 500 1:12 500
Aus 262	Australia - North East Coast - Queensland - Approaches to Cairns	1:25 000
Aus 347	Australia - South Coast - South Australia - Backstairs Passage to Cape Martin	1:300 000
Aus 720	Australia - North Coast - Northern Territory - Van Diemen Gulf	1:150 000

New edition to be published shortly

<i>Chart</i>	<i>Title</i>	<i>Scale</i>
Aus 315	Timor Sea - Darwin to Penguin Shoal (Western Sheet)	1:300 000

517* AUSTRALIA - Miscellaneous chart correction.

AHS (01/6815). (AH99/243)

Aus 15 [365/2000]Substitute [accompanying note](#), outside N border 136° 21'.4 E**Aus 26 [369/2001]**Substitute [accompanying note](#) 12° 30'.3 S 130° 37'.7 E**Aus 55 [146/2001]**Substitute [accompanying note](#) 20° 32'.5 S 117° 01'.6 E**Aus 154 [268/2001]**Substitute [accompanying note](#) 37° 49'.9 S 144° 55'.5 E**Aus 204 [394/2001]**Substitute [accompanying note](#) 33° 34'.4 S 151° 06'.0 E**Aus 249 [430/2001]**Substitute [accompanying note](#) 21° 18'.7 S 149° 16'.2 E**Aus 251 [462/2001]**Substitute [accompanying note](#) 20° 56'.5 S 148° 56'.7 E**Aus 254 [136/2001]**Substitute [accompanying note](#), outside N border 148° 53'.1 E**Aus 263 [NC 11/05/2001]**Substitute [accompanying note](#) 16° 55'.3 S 145° 48'.1 E**Aus 268 [393/2000]**Substitute [accompanying note](#) 20° 05'.4 S 148° 14'.6 E**Aus 332 [291/2001]**Substitute [accompanying note](#) 26° 49'.5 S 114° 29'.5 E**Aus 349 [477/2001]**Substitute [accompanying note](#) 39° 25'.5 S 142° 07'.0 E**Aus 366 [400/2001]**Substitute [accompanying note](#) 24° 33'.5 S 150° 51'.0 E**Aus 370 [462/2001]**Substitute [accompanying note](#) 21° 40'.5 S 148° 53'.0 E

Aus 371 [462/2001]			
Substitute	accompanying note	20° 16'.2 S	147° 17'.6 E
Aus 374 [313/2001]			
Substitute	accompanying note	14° 50'.0 S	143° 22'.0 E
Aus 376 [315/2001]			
Substitute	accompanying note	9° 02'.0 S	141° 38'.0 E
Aus 377 [142/2001]			
Substitute	accompanying note	10° 36'.0 S	146° 06'.0 E
Aus 384 [314/2000]			
Substitute	accompanying note	8° 44'.5 S	149° 10'.0 E
Aus 426 [363/2001]			
Substitute	accompanying note	25° 47'.0 S	148° 35'.0 E
Aus 777 [325/2001]			
Substitute	accompanying note	33° 58'.0 S	136° 23'.5 E
Aus 824 [462/2001]			
Substitute	accompanying note	21° 01'.0 S	148° 43'.0 E
Aus 826 [263/2001]			
Substitute	accompanying note	19° 59'.0 S	147° 28'.5 E
Aus 833 [346/2001]			
Substitute	accompanying note	14° 27'.0 S	143° 38'.5 E

518* AUSTRALIA - NEW SOUTH WALES - Pittwater - Observation Point - Wreck salvaged.
HODSU (01/6834). (AH98/291)

Aus 204 [517/2001]			
Delete	dangerous wreck	33° 35'.7 S	151° 18'.9 E

519* AUSTRALIA - TASMAN SEA - Lord Howe Island - Depths.
UKHO (01/6835). (AH99/179)

Aus 610 [457/2001]			
Insert	depth, 17m, enclosed by contour	31° 30'.25 S	159° 07'.42 E
	depth, 21 ₅ m, and extend contour NW to enclose	31° 29'.77 S	159° 02'.02 E
	depth, 16 ₄ m	31° 35'.84 S	159° 01'.98 E
	depth, 196m	31° 46'.97 S	159° 12'.63 E
	depth, 358m	31° 38'.88 S	159° 14'.37 E
Substitute	depth, 366m, for 256m	31° 43'.7 S	159° 03'.6 E
	depth, 256m, for 66m	31° 39'.2 S	159° 01'.3 E
Delete	depth 25m	31° 29'.7 S	159° 02'.3 E
	depth 201m	31° 47'.3 S	159° 12'.6 E
	depth 512m	31° 39'.0 S	159° 14'.3 E
Aus 610 (plan, Lord Howe Island)			
Insert	depth, 15 ₂ m, and extend contour NE to enclose	31° 33'.20 S	159° 03'.02 E
Delete	depth 19 ₆ m	31° 33'.3 S	159° 03'.1 E
	depth 21 ₂ m	31° 33'.2 S	159° 02'.9 E

520* AUSTRALIA - QUEENSLAND - Moreton Bay - Rous Channel - Light buoy moved.
Queensland Transport Notice 376/2001 (01/6656). (AH99/14)

Aus 236 [486/2001]

Move	starboard lateral light buoy	27° 23'.2 S	153° 25'.6 E
	to	27° 23'.26 S	153° 25'.63 E

521* AUSTRALIA - QUEENSLAND - Bustard Head - Wreck northeastward.

HMAS *Melville* (01/6791). (AH98/292)

Aus 366 [517/2001]

Substitute	depth, 14fm, for 15fm	23° 47'.0 S	151° 55'.2 E
------------	-----------------------	-------------	--------------

Aus 426 [517/2001]

Insert	depth, 14fm, enclosed by danger circle, with legend Wk	23° 47'.0 S	151° 55'.2 E
--------	--	-------------	--------------

Delete	depth 18fm	23° 46'.5 S	151° 55'.2 E
--------	------------	-------------	--------------

Aus 819 [489/2001]

Substitute	depth, 26 ₈ m, for 28m	23° 47'.0 S	151° 55'.2 E
------------	-----------------------------------	-------------	--------------

522* AUSTRALIA - QUEENSLAND - Percy Isles to Nares Rock - Recommended/preferred route revoked.

AMSA (01/6831). (AH98/304)

Aus 249 [517/2001]

Delete	pecked line, with legend Preferred Route (see Note)		
	132° 30' - 312° 30', between	21° 17'.2 S	149° 56'.3 E
		20° 58'.5 S	149° 34'.5 E
	note, PREFERRED ROUTE, centred on	21° 20'.7 S	149° 16'.2 E

Aus 251 [517/2001]

Delete	pecked line, with legend Preferred Route (see Note)		
	132° 30' - 312° 30', between	21° 02'.6 S	149° 39'.3 E
		20° 40'.0 S	149° 13'.0 E
	pecked line, with legend Preferred Route (see Note)		
	121° - 301°, between	20° 40'.0 S	149° 13'.0 E
		20° 35'.3 S	149° 04'.6 E
	pecked line, with legend Preferred Route (see Note)		
	099° - 279°, between	20° 44'.0 S	149° 39'.5 E
		20° 40'.0 S	149° 13'.0 E
	note, PREFERRED ROUTE, centred on	20° 58'.6 S	148° 56'.7 E

Aus 252 [491/2001]

Delete	pecked line, with legend Preferred Route (see Note)		
	121° - 301°, between	20° 37'.8 S	149° 09'.1 E
		20° 33'.0 S	149° 00'.6 E
	pecked line, with legend 154° - 334°, between	20° 32'.6 S	149° 00'.3 E
		20° 22'.1 S	148° 54'.9 E
	pecked line, with legend Preferred Route (see Note)		
	160° - 340°, between	20° 21'.9 S	148° 54'.8 E
		20° 09'.3 S	148° 49'.9 E
	pecked line, with legend Preferred Route (see Note)		
	134° - 314°, between	20° 09'.1 S	148° 49'.7 E
		20° 01'.8 S	148° 41'.7 E
	pecked line, with legend 125° - 305°, between	20° 01'.8 S	148° 41'.7 E
		20° 00'.6 S	148° 39'.5 E
	note, PREFERRED ROUTE, centred on	20° 22'.6 S	148° 43'.5 E

Aus 253 [490/2001]

Delete	pecked line, with legend 154° - 334°, between	20° 24'.9 S	148° 56'.3 E
		20° 22'.3 S	148° 55'.0 E
	pecked line, with legend Preferred Route (see Note) 160° - 340°, between	20° 22'.1 S	148° 54'.9 E
		20° 11'.8 S	148° 50'.8 E
	note, PREFERRED ROUTE, centred on	20° 24'.0 S	148° 46'.7 E

Aus 370 [517/2001]

Delete	pecked line, with legend 130° - 310°, between	21° 43'.8 S	150° 31'.3 E
		21° 36'.5 S	150° 21'.9 E
	pecked line, with legend 116° 30' - 296° 30', between	21° 36'.5 S	150° 21'.9 E
		21° 32'.7 S	150° 13'.7 E
	pecked line, with legend 132° 30' - 312° 30', between	21° 32'.7 S	150° 13'.7 E
		20° 39'.9 S	149° 12'.9 E
	pecked line, with legend 121° - 301°, between	20° 39'.9 S	149° 12'.9 E
		20° 33'.0 S	149° 00'.4 E
	pecked line, with legend 154° - 334°, between	20° 33'.0 S	149° 00'.4 E
		20° 22'.2 S	148° 54'.9 E
	pecked line, with legend 160° - 340°, between	20° 22'.2 S	148° 54'.9 E
		20° 09'.3 S	148° 49'.8 E
	pecked line, with legend 134° - 314°, between	20° 09'.3 S	148° 49'.8 E
		20° 01'.7 S	148° 41'.4 E
	pecked line, with legend 125° - 305°, between	20° 01'.7 S	148° 41'.4 E
		19° 58'.2 S	148° 36'.0 E
	pecked line, with legend 099° - 279°, between	20° 44'.5 S	149° 43'.4 E
		20° 39'.9 S	149° 12'.9 E

Aus 371 [517/2001]

Delete	pecked line, with legend 160° - 340°, between	20° 15'.5 S	148° 52'.2 E
		20° 09'.2 S	148° 49'.7 E
	pecked line, with legend 134° - 314°, between	20° 09'.2 S	148° 49'.7 E
		20° 01'.7 S	148° 41'.3 E
	pecked line, with legend 125° - 305°, between	20° 01'.7 S	148° 41'.3 E
		19° 47'.7 S	148° 20'.2 E

Aus 823 [429/2001]

Delete	pecked line, with legend 130° - 310°, between	21° 40'.0 S	150° 26'.5 E
		21° 36'.1 S	150° 22'.3 E
	pecked line, with legend 116° 30' - 296° 30', between	21° 36'.1 S	150° 22'.3 E
		21° 32'.8 S	150° 13'.9 E
	pecked line, with legend 132° 30' - 312° 30', between	21° 32'.8 S	150° 13'.9 E
		20° 51'.0 S	149° 25'.8 E

Aus 824 [517/2001]

Delete	pecked line, with legend Recommended Track 132° 30' - 312° 30', between	21° 02'.0 S	149° 38'.5 E
		20° 40'.0 S	149° 13'.0 E
	pecked line, with legend 121° - 301°, between	20° 40'.0 S	149° 13'.0 E
		20° 33'.0 S	149° 00'.5 E
	pecked line, with legend Track 154° - 334°, between	20° 33'.0 S	149° 00'.5 E
		20° 22'.2 S	148° 54'.9 E
	pecked line, with legend Recommended 160° - 340°, between	20° 22'.2 S	148° 54'.9 E
		20° 09'.4 S	148° 49'.8 E
	pecked line, with legend Recommended Track 099° - 279°, between	20° 44'.6 S	149° 43'.5 E
		20° 40'.0 S	149° 13'.0 E

Aus 825 [486/2001]

Delete	pecked line, with legend 160° - 340°, between	20° 16'.0 S	148° 52'.5 E
		20° 09'.3 S	148° 49'.8 E
	pecked line, with legend 134° - 314°, between	20° 09'.3 S	148° 49'.8 E
		20° 02'.0 S	148° 41'.8 E
	pecked line, with legend 125° - 305°, between	20° 02'.0 S	148° 41'.8 E
		19° 47'.8 S	148° 20'.5 E

Aus 826 [517/2001]

Delete	pecked line between	19° 49'.0 S	148° 22'.6 E
		19° 47'.7 S	148° 20'.6 E

523* AUSTRALIA - QUEENSLAND - Bowen - Light beacon established; light buoy removed.

Queensland Transport Notice 382/2001 (01/6666). (AH00/107, AH99/14)

Aus 268 (plan, Approaches to Bowen) [517/2001]

Insert	safe water light beacon, <i>Iso. 2s N2</i> , with topmark	20° 01'.268 S	148° 16'.972 E
Delete	light buoy	20° 01'.24 S	148° 16'.98 E

524* AUSTRALIA - QUEENSLAND - Lucinda - Obstruction.

Former Notice - 450(T)/2001 is cancelled

Queensland Transport Notice 331/2001 (01/6011). (AH99/175-02)

Aus 259 [432/2001]

Insert	depth, <i>12m</i> , enclosed by danger circle, with legend <i>Obstn</i>	18° 31'.24 S	146° 23'.15 E
--------	---	--------------	---------------

Aus 259 (plan, Port of Lucinda)

Insert	depth, <i>12m</i> , enclosed by danger circle, with legend <i>Obstn</i>	18° 31'.24 S	146° 23'.15 E
--------	---	--------------	---------------

525* AUSTRALIA - QUEENSLAND - Oyster Point - Light beacon.

Queensland Transport (01/4803). (AH00/137-02)

Aus 259 [524/2001]

Insert	light beacon, <i>Fl. G. 4s</i>	18° 16'.54 S	146° 03'.19 E
--------	--------------------------------	--------------	---------------

526* AUSTRALIA - QUEENSLAND - Cairns - Light.

Queensland Transport (01/5000). (AH00/137-02)

Aus 263 [517/2001]

Amend	light to <i>Dir Iso. 4s WRG. 18m 11M</i>	16° 55'.17 S	145° 46'.83 E
-------	--	--------------	---------------

527* AUSTRALIA - QUEENSLAND - King Island - Depth.

LADS HI275 (01/6936). (AH00/175-02)

Aus 374 [517/2001]

Substitute	depth, <i>7₁ fm</i> , for 7fm with legend SD	14° 05'.0 S	144° 25'.5 E
------------	---	-------------	--------------

Aus 833 [517/2001]

Substitute	depth, <i>13₂ m</i> , for 12 ₉ m with legend SD	14° 05'.0 S	144° 25'.5 E
------------	---	-------------	--------------

528* AUSTRALIA - CORAL SEA - Ashmore Reef - Depth.

LADS HI285(5) (01/6817). (AH99/179)

Aus 377 [517/2001]

Insert	depth, <i>2₁ m</i> , enclosed by contour	10° 20'.9 S	144° 26'.5 E
--------	---	-------------	--------------

529* AUSTRALIA - NORTHERN TERRITORY - Darwin - Light buoys.
Darwin Port Authority (01/6943). (AH99/27)

Aus 26 [517/2001]

Insert	special pillar light buoy, <i>Fl. Y. 2s</i> , without topmark	12° 25'.56 S	130° 48'.80 E
	special pillar light buoy, <i>Fl. Y. 3s</i> , without topmark	12° 24'.30 S	130° 48'.10 E

530* AUSTRALIA - NORTHERN TERRITORY - Bathurst Island - Wreck.

Environment Australia (01/6610). Wreck is MV *Sumber Malia*. (AH98/289)

Aus 309 [457/2001]

Insert	non dangerous wreck	11° 34'.5 S	129° 51'.5 E
--------	---------------------	-------------	--------------

Delete	depth 188m	11° 34'.6 S	129° 51'.4 E
--------	------------	-------------	--------------

Aus 411 [465/2001]

Insert	non dangerous wreck	11° 34'.5 S	129° 51'.5 E
--------	---------------------	-------------	--------------

531* SOUTH AUSTRALIA - Franklin Harbor - Leading line; nomenclature.

Ports Corp SA (01/6601). (AH99/35)

Aus 777 (plan, Franklin Harbour) [517/2001]

Amend	bearing, to 276.9°, centred on	33° 44'.0 S	136° 58'.0 E
	nomenclature, to <i>Observation Point</i> , centred on	33° 34'.1 S	136° 56'.7 E

532* AUSTRALIA - VICTORIA - Port Phillip - Melbourne - Berth number.

Victorian Channels Authority (01/6833). (AH98/328)

Aus 154 [517/2001]

Move	berth desig 26	37° 49'.20 S	144° 55'.57 E
	to	37° 49'.21 S	144° 55'.61 E

Delete	berth desig 25	37° 49'.21 S	144° 55'.67 E
--------	----------------	--------------	---------------

533(P)/2001 AUSTRALIA - NEW SOUTH WALES – Sydney to Japan - Submarine cable.

Date - On or about 30 December 2001

Global Marine Systems (01/7116). (AH99/269)

The AJC submarine cables are to be laid in the following positions:

Segment S1

33° 54'.30 S	151° 16'.61 E
34° 24'.00 S	151° 56'.00 E
34° 30'.00 S	152° 20'.00 E
34° 07'.00 S	152° 38'.00 E
33° 51'.00 S	152° 59'.00 E

Segment S2

33° 43'.35 S	151° 18'.42 E
33° 50'.00 S	152° 04'.00 E
33° 48'.00 S	152° 39'.00 E
33° 51'.00 S	152° 59'.00 E

Segment 3

33° 51'.0 S	152° 59'.0 E
33° 37'.0 S	153° 20'.0 E
31° 32'.0 S	154° 45'.0 E
25° 17'.0 S	156° 45'.0 E
23° 41'.0 S	159° 02'.0 E
23° 32'.0 S	159° 58'.0 E
19° 15'.0 S	160° 12'.0 E
16° 51'.0 S	160° 32'.0 E
11° 31'.0 S	164° 16'.0 E
6° 13'.0 S	162° 30'.0 E
4° 59'.0 S	160° 27'.0 E
8° 59'.0 N	152° 00'.0 E (thence to Japan)

Chart which will be affected – Aus 197 – Aus 361 – Aus 423 – Aus 426 – Aus 808 – Aus 809 – Aus 4060 – Aus 4601 – Aus 4602 – Aus 4604.

534(T)/2001 AUSTRALIA - QUEENSLAND - Brisbane River - Fisherman Islands - Reclamation works completed.

Former Notice - 441(T)/2001 is cancelled

Queensland Transport Notice 378/2001 (01/6656). (AH99/207)

Cancel this notice on receipt.

Chart formerly affected – Aus 236 – Aus 237

535(T)/2001 AUSTRALIA - QUEENSLAND - Moreton Bay - Wellington Point - Repair works completed; light buoy removed.

Former Notice - 443(T)/2001 is cancelled

Queensland Transport Notice 397/2001 (01/7158). (AH99/207)

Cancel this notice on receipt.

Chart formerly affected – Aus 236

536(T)/2001 AUSTRALIA - QUEENSLAND - Mackay - Wreck salvaged.

Former Notice - 189(T)/2001 is cancelled

Queensland Transport Notice 387/2001 (01/6818). (AH98/292)

Cancel this notice on receipt.

Chart formerly affected – Aus 249 – Aus 823

537(T)/2001 WESTERN AUSTRALIA - Dampier - Depth charted.

Former Notice - 673(T)/1999 is cancelled

Dampier Port Authority (01/5974). (AH99/494)

Cancel this notice on receipt.

Chart formerly affected – Aus 58 – Aus 59

538(P)/2001 WESTERN AUSTRALIA - Geraldton - Pile driving operations.

Geraldton Port Authority (01/7118). (AH98/323)

Pile driving activities are in progress for the construction of a silt curtain centred on position 28° 46'.30 S 114° 35'.55 E.

Mariners are advised to navigate with caution.

Chart which will be affected – Aus 81.

539(P)/2001 WESTERN AUSTRALIA - Esperance - Harbour works.

Date - On or about 30 December 2001

Esperance Port Authority (01/7010). (AH00/125)

Harbour works are in progress for the construction of No3 Berth (33° 52'.30 S 121° 54'.12 E).

The breakwater (33° 52'.37 S 121° 54'.21 E) has been extended to 33° 52'.45 S 121° 54'.45 E.

The area between 33° 52'.35 S 121° 54'.14 E, 33° 52'.45 S 121° 54'.38 E and Dempster Head (33° 52'.80 S 121° 53'.95 E) has been reclaimed.

A breakwater has been established between Taylor Street Landing (33° 52'.02 S 121° 53'.67 E) and 33° 52'.16 S 121° 53'.72 E.

Portion of the Tanker Jetty has been demolished between 33° 51'.37 S 121° 54'.44 E and 33° 51'.32 S 121° 54'.34 E; the area is foul ground.

Mariners should navigate with caution in the area.

A new edition of the chart is in production.

Chart which will be affected – Aus 119.

540*(T)/2001 AUSTRALIA - VICTORIA - Port Phillip - Port Melbourne - Depth information.

Former Notice - 455(T)/2001 is cancelled

Victorian Notice 49/2001 (01/6800). (AH99/209-02)

Available depths as at 17 August 2001:

<i>Berth</i>	<i>Metres</i>
Gellibrand Pier	12.1
* No3 Webb Dock	9.9
No6 Yarraville Wharf	10.2
No1 East Swanson Dock	12.9
No4 East Swanson Dock	12.7
No2 West Swanson Dock	13.1
No3 West Swanson Dock	12.7
B Appleton Dock	10.7
C Appleton Dock	10.7
D Appleton Dock	10.7
No25 Lower South Wharf	10.7
No4 East Webb Dock	12.1
No26 Lower South Wharf	10.7

*Indicates new or revised entry.

Chart temporarily affected – Aus 154.

541(T)/2001 AUSTRALIA – VICTORIA – Bass Strait – Scientific instruments.

Lawson & Treloar Pty Ltd (01/7184). (AH99/387)

Lit waverider buoys, *F(5) Y. 20s*, exist in positions:

39° 13'.49 S 142° 53'.27 E.

39° 48'.36 S 145° 48'.13 E.

Mariners are advised to navigate with caution.

Chart which will be affected – Aus 349 – Aus 445B.

III

NAVIGATION WARNINGS

The following radio messages have been received during the period to 31 August 2001. Signal copies of these messages may be destroyed. It is recommended that the reprint of Navigational Warnings should be kept in a file or a book divided into areas. Cancellation should be made on receipt of signals and reprints.

Rigs on location other than those listed in the latest Section III summary are the subject of Radio Navigational Warnings. Rigs in transit will not be the subject of Warnings.

AUSCOAST WARNING

215 Cancelled.
 216 Cancelled.
 217 Cancelled.
 218 Cancelled.
 219 Cancelled.
 220 Cancelled.
 221 Cancelled.
 222 SE Coast. Drill rig *Ocean Bounty* in position 39° 13'.7 S 142° 50'.9 E. 2.5M clearance requested.
 223 Cancelled.
 224 NW Coast. Drill rig *Ensco 56* in position 21° 09'.2 S 115° 02'.4 E. 2.5M clearance requested.
 225 Cancelled.
 226 W Coast. Seismic survey vessel *Western Horizon* towing 3.5M cable in area 26° 00' S to 28° 40' S and 111° 00' E to 113° 40' E.

NAVAREA X WARNINGS

022 PNG. Vabukori light K3456.1 (9° 29'.8 S 147° 11'.3 E) unlit.

Navigational warnings in force as at 301500UTC AUG 01.

Auscoast

139 175 199 200 209 212 222 224 226.

Navarea X

001 002 003 004 013 016 017 018 020 022.

Summary of mobile drilling rigs as at 301500UTC AUG 01.

Name	Position
Ocean Legend	19° 42'.3 S 116° 42'.4 E
Ensco 56	21° 09'.2 S 115° 02'.4 E
Ocean General	19° 44'.8 S 115° 44'.1 E
Ron Tappmeyer	13° 54'.2 S 128° 29'.1 E
Ocean Bounty	39° 13'.7 S 142° 50'.9 E

NAVAREA XIV WARNINGS

170 Cancelled.
 171 Cancelled.
 172 Cancelled.
 173 Cancelled.
 174 Cancelled.
 175 Cancelled.
 176 New Zealand. Cook Strait. Seismic survey vessel *Polar Duke* towing 3.5M cable in areas 40° 03' S to 40° 12' S and 173° 14' E to 173° 25' E and 35° 48' S to 39° 46' S and 174° 21' E to 174° 26' E.
 177 Cancelled.
 178 South Pacific. SV *Supremacy* abandoned in position 32° 12'.9 S 159° 41'.5 W.
 179 Cancelled.
 180 South Pacific. Hazardous operations 01000 to 0300Z daily until 15 Sep in area 10° 35' S to 14° 00' S and 109° 30' W to 111° 30' E.
 181 Cancelled.
 182 New Zealand. South Island. Bushy Point light K4387 (46° 36'.5 S 168° 31'.2 E) unlit.

Navarea XIV warnings in force as at 300001UTC AUG 01.

127 157 176 178 180 182

HYDROGRAPHIC REPORTS

<i>Locality</i>	<i>Report</i>	<i>Ship/Authority</i>	<i>Observer</i>
SOLOMON ISLANDS- Honiara	Lights Masts	HMAS <i>Melbourne</i>	
TAS- Cape Lodi D'Entrecasteaux Channel	Depth Beacon Fish farm	SV <i>Windclimber</i>	J Silberberg D Davey
WA- Bonaparte Archipelago	Rocks	SV <i>Seporah</i>	R Innes
QLD- Turu Cay	Nomenclature	HMAS <i>Leeuwin</i>	