

Australian Notices to Mariners are the authority for correcting Australian Charts

AUSTRALIAN NOTICES TO MARINERS

© Commonwealth of Australia 2001 - Copyright restrictions apply to Notices to Mariners



Notices 542-561

Published fortnightly by the Australian Hydrographic Service

B. J. KAHER,
Hydrographer of Australia

- SECTIONS. I. [Australian Notices to Mariners, including blocks and notes.](#)
 III. [Navigational Warnings.](#)
 IV. [Hydrographic Reports.](#)

[British Admiralty Notices to Mariners](#)
[New Zealand Notices to Mariners](#)

The substance of these notices should be inserted on the charts affected.

Notices to Mariners information relating to British Admiralty Publications unavailable on this web site at this stage but still available in printed form:-

[Section II. Amendments to Admiralty List of Lights, Vol K.](#)
[Section V. Amendments to Admiralty List of Radio Signals.](#)
[Section VI. Amendments to Sailing Directions.](#)

Bearings are referred to the true compass and are reckoned clockwise from 000° (North) to 359°: those relating to lights are given as seen by an observer from seaward. The range quoted for a light is its nominal range. Fog signals are sounded only during thick or foggy weather, unless otherwise stated Depths are with reference to the chart datum of each chart. Heights are above mean high water springs or mean higher high water, as appropriate.

The capital letter (P) or (T) after the number of any notice denotes a preliminary or temporary notice respectively, which are contained separately at the end of the permanent notices. A star () adjacent to the number of a notice indicates that the notice is based on original information.*

Mariners are particularly requested to notify the AUSTRALIAN HYDROGRAPHIC SERVICE, Locked Bag 8801 South Coast Mail Centre, NSW 2521 (Fax 02-4221 8599, e-mail hni.hydro@navy.gov.au or, alternatively by filling in and submitting the [Hydrographic Notes](#) forms located on the web site – www.hydro.gov.au), immediately on the discovery of new dangers or suspected dangers to navigation. For changes or defects in aids to navigation notify AusSAR (Fax 02-6230 6868 or email rccaus@amsa.gov.au).

Copies of these notices can be obtained from the AUSTRALIAN HYDROGRAPHIC OFFICE, 8 Station Street, Wollongong, and Agents for the sale of charts and hydrographic publications.

The Commonwealth of Australia is the owner of, or is otherwise responsible for, the copyright in this work. It is protected under the Copyright Act 1968 and international convention. Except as expressly authorised below, the work may not be copied, reproduced, adapted, changed or commercially exploited, in whole or in part, or the format in which it is stored altered, without the prior written permission of the Australian Hydrographic Office.

The Notices may be copied for the purpose of inserting their substance on official charts and other publications. However, any copies of the notices may not be sold for profit.

© Commonwealth of Australia 2001

NUMERICAL INDEX OF CHARTS AFFECTED

Edition No 20

28 September 2001

Notices	Aus Chart
542	Aus 68708
543	Aus 28, 45, 136, 167, 203, 207, 245, 310, 311, 312, 344, 380, 386, 415, 416, 444, 445A, 733, 739, 742, 776, 827, 828
544	Aus 200, 203
545	Aus 236
546	Aus 26, 28
547	Aus 311, 312
548	Aus 320, 729, 730
549	Aus 415, 416
550	Aus 136, 344, 444, 778
551	Aus 355
552	Aus 167
553(T)	Aus 195
554(T)	Aus 236
555(T)	Aus 243
556(T)	Aus 567, 625, 629
557(T)	Aus 310, 411
558(T)	Aus 134
559(T)	Aus 157
560(T)	Aus 150
561(T)	Summer time

542 AUSTRALIA - Publication.
AHS (01/7323). (AH99/228)

Miscellaneous chart published

Chart	Title	Scale
Aus 68708	Indian Ocean - Australia - North Coast and Adjacent Waters	1:3 500 000

543* AUSTRALIA - Miscellaneous chart correction.
AHS (01/6473). (AH99/243)

Aus 28 [319/2001]

Substitute	accompanying note , outside N border	130° 49'.2 E
------------	--	--------------

Aus 45 [468/2001]

Substitute	accompanying note	17° 12'.4 S 123° 22'.8 E
------------	-----------------------------------	--------------------------

Aus 136 [327/2001]

Substitute	accompanying note	32° 59'.2 S 137° 35'.0 E
------------	-----------------------------------	--------------------------

Aus 167 [329/2001]

Substitute	accompanying note	41° 06'.5 S 146° 43'.5 E
------------	-----------------------------------	--------------------------

Aus 203 [549/2000]

Substitute	accompanying note	33° 52'.15 S 151° 07'.20 E
------------	-----------------------------------	----------------------------

Aus 207 [NE 21/07/2000]

Substitute	accompanying note	32° 57'.7 S 151° 42'.1 E
------------	-----------------------------------	--------------------------

Aus 245 [399/2001]

Substitute	accompanying note	23° 52'.8 S 151° 10'.0 E
------------	-----------------------------------	--------------------------

Aus 310 [499/2000]

Substitute	accompanying note	9° 02'.0 S 130° 36'.0 E
------------	-----------------------------------	-------------------------

Aus 311 [250/2001]

Substitute	accompanying note	8° 52'.0 S 128° 51'.0 E
------------	-----------------------------------	-------------------------

Aus 312 [467/2001]

Substitute	accompanying note	8° 52'.0 S 125° 42'.0 E
------------	-----------------------------------	-------------------------

Aus 344 [326/2001]

Substitute	accompanying note	32° 46'.0 S 136° 42'.0 E
------------	-----------------------------------	--------------------------

Aus 380 [219/2001]

Substitute	accompanying note	9° 51'.5 S 148° 43'.0 E
------------	-----------------------------------	-------------------------

Aus 386 [315/2000]

Substitute	accompanying note	4° 53'.05 S 147° 47'.50 E
------------	-----------------------------------	---------------------------

Aus 415 [202/2001]

Substitute	accompanying note	20° 30'.0 S 122° 28'.0 E
------------	-----------------------------------	--------------------------

Aus 416 [202/2001]

Substitute	accompanying note	24° 46'.0 S 114° 42'.0 E
------------	-----------------------------------	--------------------------

Aus 444 [326/2001]

Substitute	accompanying note	33° 13'.0 S 135° 49'.0 E
------------	-----------------------------------	--------------------------

Aus 445A [370/2000]

Substitute	accompanying note	38° 32'.0 S 146° 45'.0 E
------------	-----------------------------------	--------------------------

Aus 733 [468/2001]

Substitute	accompanying note	17° 13'.0 S 123° 07'.0 E
------------	-----------------------------------	--------------------------

Aus 739 [267/2000]

Substitute	accompanying note	20° 15'.5 S 119° 10'.0 E
------------	-----------------------------------	--------------------------

Aus 742 [202/2001]

Substitute	accompanying note	20° 53'.5 S 116° 17'.5 E
------------	-----------------------------------	--------------------------

Aus 776 [224/2001]Substitute [accompanying note](#)

35° 10'.5 S

137° 22'.5 E

Aus 778 [328/2001]Substitute [accompanying note](#)

33° 51'.0 S

137° 50'.5 E

Aus 827 [98/2001]Substitute [accompanying note](#)

19° 21'.5 S

146° 14'.5 E

Aus 828 [246/2001]Substitute [accompanying note](#)

18° 46'.5 S

146° 01'.5 E

544* AUSTRALIA - NEW SOUTH WALES - Sydney - Jetties.

Waterways Authority (01/6667). (AH99/290)

Aus 200 [457/2001]firm line, with legend *Jetty* , between

33° 50'.585 S

151° 06'.923 E

33° 50'.544 S

151° 06'.922 E

pile

33° 50'.542 S

151° 06'.957 E

firm line, between

33° 50'.839 S

151° 08'.426 E

33° 50'.830 S

151° 08'.427 E

firm line, between

33° 50'.835 S

151° 08'.438 E

33° 50'.826 S

151° 08'.438 E

Aus 200 (inset, Parramatta River)Insert firm line, with legend *Jetty* , between

33° 49'.945 S

151° 06'.034 E

33° 49'.994 S

151° 06'.053 E

33° 50'.002 S

151° 06'.047 E

Aus 203 [543/2001]Insert firm line, with legend *Jetty* , between

33° 49'.945 S

151° 06'.034 E

33° 49'.994 S

151° 06'.053 E

33° 50'.002 S

151° 06'.047 E

pile

33° 50'.005 S

151° 06'.058 E

33° 50'.001 S

151° 06'.039 E

firm line, with legend *Jetty* , between

33° 50'.585 S

151° 06'.923 E

33° 50'.544 S

151° 06'.922 E

pile

33° 50'.544 S

151° 06'.912 E

33° 50'.543 S

151° 06'.931 E

33° 50'.542 S

151° 06'.957 E

firm line, between

33° 50'.839 S

151° 08'.426 E

33° 50'.830 S

151° 08'.427 E

firm line, between

33° 50'.835 S

151° 08'.438 E

33° 50'.826 S

151° 08'.438 E

pile

33° 50'.825 S

151° 08'.417 E

33° 50'.826 S

151° 08'.447 E

545* AUSTRALIA - QUEENSLAND - East Knoll - Bypass channel.

Former Notice - 500(P)/2001 is cancelled

Queensland Transport (01/4475), Notice 193/2001 (01/4488). (AH99/323)

Aus 236 [520/2001]

Insert	depth, 4_4 m, and extend contour NW to enclose	27° 07'.87 S	153° 19'.83 E
	depth, 4_3 m	27° 08'.02 S	153° 20'.00 E
	depth, 4_8 m, and extend contour S to enclose	27° 08'.57 S	153° 19'.89 E
	depth, 7_9 m	27° 08'.44 S	153° 19'.58 E
	depth, 6_1 m	27° 07'.65 S	153° 19'.52 E
	starboard lateral cylindrical light buoy, <i>Q. G EK1</i> , with topmark	27° 08'.65 S	153° 19'.34 E
	port lateral cylindrical light buoy, <i>Q. R EK2</i> , with topmark	27° 08'.58 S	153° 19'.75 E
Substitute	depth, 6_9 m, for 7_9 m	27° 09'.1 S	153° 19'.6 E
	south cardinal light beacon, <i>Q(6) + LFI. 15s</i> , with topmark for light beacon	27° 09'.5 S	153° 20'.1 E
Delete	depth 4_9 m and enclosing contour	27° 08'.7 S	153° 20'.0 E
	depth 5_5 m	27° 08'.4 S	153° 19'.9 E
	depth 4_2 m	27° 08'.2 S	153° 20'.1 E
	depth 6_1 m	27° 07'.8 S	153° 19'.7 E

546* AUSTRALIA - NORTHERN TERRITORY - Darwin - Harbour works.

Darwin Naval Base (01/4476). (AH98/327)

Aus 26 [529/2001]

Insert	firm line between	12° 27'.66 S	130° 49'.24 E
		12° 27'.70 S	130° 49'.33 E
Delete	mooring buoy	12° 27'.65 S	130° 49'.33 E

Aus28 (plan, Port Darwin) [543/2001]

Insert	accompanying block	12° 27'.83 S	130° 49'.35 E
--------	------------------------------------	--------------	---------------

547* WESTERN AUSTRALIA - Sahul Banks - Discoloured water disproved.HMAS *Leeuwin* (01/7005). (AH97/95)**Aus 311 [543/2001]**

Delete	danger circle, with legend Discoloured water Rep (1958)	10° 53'.9 S	127° 24'.9 E
--------	---	-------------	--------------

Aus 312 [543/2001]

Delete	danger circle, with legend Discoloured water Rep (1958)	10° 53'.95 S	127° 24'.90 E
--------	---	--------------	---------------

548* WESTERN AUSTRALIA - Bonaparte Archipelago - Rocks.
SV Seporah (01/7179). (AH97/95)

Aus 320 [493/2001]

Insert	rock which covers and uncovers, height (≥ 5 m), enclosed by danger circle	15° 02'.25 S	124° 54'.70 E
	rock awash, semi enclosed by danger circle to SW	14° 52'.30 S	125° 14'.05 E
	rock which covers and uncovers, and extend danger circle NE to enclose	15° 02'.15 S	125° 11'.05 E
	danger line between	15° 14'.20 S	124° 30'.80 E
		15° 14'.50 S	124° 30'.40 E
		15° 14'.80 S	124° 30'.50 E
		15° 14'.80 S	124° 31'.00 E
		15° 14'.60 S	124° 31'.05 E
Substitute	rock which covers and uncovers, semi enclosed by danger circle to NW, for island	15° 32'.2 S	124° 26'.3 E
Delete	depth 6m and enclosing contour	15° 02'.3 S	124° 54'.6 E
	depth 13 ₇ m and enclosing contour	15° 02'.2 S	125° 11'.3 E
	depth 8 ₂ m	15° 32'.5 S	124° 26'.0 E

Aus 729 [436/2001]

Insert	rock awash, enclosed by danger circle	14° 52'.30 S	125° 14'.05 E
--------	---------------------------------------	--------------	---------------

Aus 730 [493/2001]

Insert	rock which covers and uncovers, height (≥ 5 m), enclosed by danger circle	15° 02'.25 S	124° 54'.70 E
	rock awash, enclosed by danger circle	14° 52'.30 S	125° 14'.05 E
	rock which covers and uncovers, enclosed by danger circle	15° 02'.15 S	125° 11'.05 E
	danger line between	15° 14'.20 S	124° 30'.80 E
		15° 14'.50 S	124° 30'.40 E
		15° 14'.80 S	124° 30'.50 E
		15° 14'.80 S	124° 31'.00 E
		15° 14'.60 S	124° 31'.05 E
Delete	island	15° 32'.2 S	124° 26'.3 E
	depth 6m and enclosing contour	15° 02'.3 S	124° 54'.6 E
	depth 13 ₇ m	15° 02'.2 S	125° 11'.3 E

549 WESTERN AUSTRALIA - North West Cape - Pipeline.
BHP Petroleum (01/7358). (AH99/308)

Aus 415 [543/2001]

Insert	pipeline between	21° 13'.4 S	114° 38'.7 E
		21° 32'.2 S	114° 49'.0 E
		21° 42'.8 S	114° 49'.4 E
		21° 45'.0 S	114° 50'.7 E

Aus 416 [543/2001]

Insert	pipeline between	21° 13'.4 S	114° 38'.7 E
		21° 32'.2 S	114° 49'.0 E
		21° 42'.8 S	114° 49'.4 E
		21° 45'.0 S	114° 50'.7 E

550* SOUTH AUSTRALIA - Western Shoal - Light beacon; wreck.
Transport SA Notice 43/2001 (01/7157). (AH98/283)

Aus 136 [543/2001]

Insert	isolated danger light beacon, <i>Fl</i> (2) 6s	33° 07'.15 S	137° 32'.10 E
--------	--	--------------	---------------

Substitute	dangerous wreck for stranded wreck	33° 07'.15 S	137° 31'.94 E
------------	------------------------------------	--------------	---------------

Aus 344 [543/2001]

Substitute	dangerous wreck for stranded wreck	33° 07'.25 S	137° 32'.00 E
------------	------------------------------------	--------------	---------------

Aus 444 [543/2001]

Substitute	dangerous wreck for stranded wreck	33° 07'.25 S	137° 32'.00 E
------------	------------------------------------	--------------	---------------

Aus 778 [543/2001]

Insert	isolated danger light beacon, <i>Fl</i> (2) 6s	33° 07'.24 S	137° 32'.10 E
--------	--	--------------	---------------

Substitute	dangerous wreck, for stranded wreck	33° 07'.24 S	137° 31'.86 E
------------	-------------------------------------	--------------	---------------

551* AUSTRALIA - TASMANIA - Cape Lodi - Depth.
Silberberg Marine Services Pty Ltd (01/7165). (AH99/177)

Aus 355 [49/2000]

Insert	upright sounding, 2 ₄ fm, with legend <i>Rep</i> (2001), enclosed by broken contour	41° 56'.04 S	148° 19'.14 E
--------	---	--------------	---------------

552* AUSTRALIA - TASMANIA - Launceston - Survey data reassessed.
Port of Launceston P/L (01/7120). (AH01/207)

Aus 167 [543/2001]

Delete	legend, Inadequately Surveyed (see Note), centred on	41° 00'.85 S	146° 44'.20 E
--------	--	--------------	---------------

553(T)/2001 AUSTRALIA - NEW SOUTH WALES - Port Kembla - Core sampling.

Former Notice - 498(P)/2001 is cancelled

Sydney Water (01/7378). (AH99/269)

A drilling rig is taking core samples between 34° 26'.73 S 150° 54'.01 E and 34° 27'.0 S 150° 54'.58 E. Associated plant will be onsite.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected – Aus 195.

554(T)/2001 AUSTRALIA - QUEENSLAND - Moreton Bay - Toondah Harbour - Harbour works.

Date - Until 30 November 2001

Queensland Transport Notice 407/2001 (01/7321). (AH99/207)

Construction of a boat ramp has commenced in Toondah Harbour (27° 31'.65 S 153° 15'.09 E).

Mariners are advised to navigate with caution in the area.

Chart temporarily affected – Aus 236.

555(T)/2001 AUSTRALIA - QUEENSLAND - Bundaberg - Drying bank.

Queensland Transport Notice 402/2001 (01/7183). (AH99/343)

A drying bank, (*dries 0.9m*), exists in position 24° 45'.51 S 152° 24'.17 E.

Chart temporarily affected – Aus 243.

556(T)/2001 PAPUA NEW GUINEA - China Strait - Nav aids restored to normal.

Former Notice - 125(T)/2001 is cancelled

PNG Dept of Works and Transport (01/7327). (AH99/44)

Cancel this notice on receipt.

Chart formerly affected – Aus 567 – Aus 625 – Aus 629

557(T)/2001 AUSTRALIA - NORTHERN TERRITORY - Evans Shoal - Scientific instruments recovered.

Former Notice - 339(T)/2001 is cancelled

WNI Oceanographers & Meteorologists (01/7160). (AH98/148)

Cancel this notice on receipt.

Chart formerly affected – Aus 310 – Aus 411

558(T)/2001 SOUTH AUSTRALIA - Port Lincoln - Boston Bay - Buoy restored to normal.

Former Notice - 160(T)/2001 is cancelled

SA Transport (01/7330). (AH99/36)

Cancel this notice on receipt.

Chart formerly affected – Aus 134

559(T)/2001 AUSTRALIA - VICTORIA - Port Phillip - Geelong - Depth information.
Victorian Notice 54/2001 (01/7407). (AH99/209-02)

Available depth as at 12 September 2001:
 Berth *Metres*
* No2 Bulk Grain Pier 12.0
*Indicates new or revised entry.

Chart temporarily affected – Aus 157.

560(T)/2001 AUSTRALIA - VICTORIA - Western Port - Pelican Island - Light beacon destroyed; light buoy.
Victorian Notice 47/2001 (01/7322). (AH99/21-02, AH99/24)

The starboard light beacon (38° 24'.18 S 145° 24'.20 E) has been destroyed; a light buoy, /so. G. 2s, has been established in situ.

Chart temporarily affected - Aus150.

561(T)/2001 AUSTRALIA - Summer time.
Date - Until 31 March 2002
NSW AGD (01/7513). TAS DPAC (01/7512) (AH 99/259)

1. Clocks will be advanced/retarded one hour in the following states at 0300 local time as follows:

	<i>Advanced</i>	<i>Retarded</i>
Australian Capital Territory	28 OCT 2001	31 MAR 2002
New South Wales	28 OCT 2001	31 MAR 2002
South Australia	28 OCT 2001	31 MAR 2002
Victoria	28 OCT 2001	31 MAR 2002
Tasmania	7 OCT 2001	31 MAR 2002

2. Clocks will be advanced/retarded half an hour at Lord Howe Island on the 28 OCT 2001 and 31 MAR 2002 respectively.

3. No changes will be made in Queensland, Northern Territory and Western Australia.

III

NAVIGATION WARNINGS

The following radio messages have been received during the period to 14 September 2001. Signal copies of these messages may be destroyed. It is recommended that the reprint of Navigational Warnings should be kept in a file or a book divided into areas. Cancellation should be made on receipt of signals and reprints.

Rigs on location other than those listed in the latest Section III summary are the subject of Radio Navigational Warnings. Rigs in transit will not be the subject of Warnings.

AUSCOAST WARNING

227 Cancelled.
229 Cancelled.
229 SE Coast. Whiting platform (38° 14'.5 S 147° 52'.5 E) unlit.
230 Cancelled.
231 Cancelled.
232 Cancelled.
233 NW Coast. Drill rig *Sedco 702* in position 12° 14'.8 S 124° 34'.3 E. 2.5M clearance requested.

NAVAREA X WARNINGS

Nil issued.

Navigation warnings in force as at 131500UTC SEP 01.

Auscoast

139 175 222 224 226 229 233.

Navarea X

013 016 017 020 022.

Summary of mobile drilling rigs as at 131500UTC SEP 01.

<i>Name</i>	<i>Position</i>
Ron Tappmeyer	14° 35'.9 S 128° 44'.8 E
Sedco 702	12° 14'.8 S 124° 34'.3 E
Ocean Legend	19° 42'.3 S 116° 42'.4 E
Ocean General	19° 44'.8 S 115° 44'.1 E
Ensco 56	21° 09'.2 S 115° 02'.4 E
Ocean Bounty	39° 13'.7 S 142° 50'.9 E

NAVAREA XIV WARNINGS

183 Cancelled.
184 Cancelled.
185 Cancelled.
186 Cancelled.
187 Cancelled.
188 Cancelled.
189 Cancelled.
190 Cancelled.
191 Cancelled.
192 Cancelled.
193 Cancelled.
194 Cancelled.
195 Cancelled.
196 Cancelled.
197 Cancelled.
198 Cancelled.
199 Cancelled.
200 Cancelled.

Navarea XIV warnings in force as at 130001UTC SEP 01.

157 180

HYDROGRAPHIC REPORTS

<i>Locality</i>	<i>Report</i>	<i>Ship/Authority</i>	<i>Observer</i>
NT- North Goulburn Island	Depth	HMAS <i>Leeuwin</i>	
MISCELLANEOUS-	Chart	HMAS <i>Geraldton</i>	