19 October 2012 **Edition 21**

Australian Notices to Mariners are the authority for correcting Australian Charts and Publications

AUSTRALIAN NOTICES TO MARINERS

Notices 1018 – 1064

Published fortnightly by the Australian Hydrographic Service

Commodore R. NAIRN RAN
Hydrographer of Australia

SECTIONS.

I. Australian Notices to Mariners, including blocks and notes.
II. Hydrographic Reports.
III. Navigational Warnings.

SUPPLEMENTS.

I. Tracings
II. Cumulative List of Australian Notices to Mariners.
III. Cumulative List of Temporary and Preliminary Australian Notices to Mariners.
IV. Temporary and Preliminary Notices in force.
V. Amendments to Admiralty List of Lights and Fog Signals (Vol K), Radio Signals (NP 281(2), 282, 283(2), 285, 286(4)) and Sailing Directions (NP 9, 13, 14, 15, 33, 34, 35, 36, 39, 44, 51, 60, 61, 62, 100, 136).

© Commonwealth of Australia 2012

This work is copyright. Apart from any use permitted under the Copyright Act 1968, no part may be reproduced by any process, adapted, communicated or commercially exploited without prior written permission from The Commonwealth represented by the Australian Hydrographic Service.

IMPORTANT NOTICE

This edition of Notices to Mariners includes all significant information affecting AHS products which the AHS has become aware of since the last edition. All reasonable efforts have been made to ensure the accuracy and completeness of the information, including third party information, on which these updates are based. The AHS regards third parties from which it receives information as reliable, however the AHS cannot verify all such information and errors may therefore exist. The AHS does not accept liability for errors in third party information.

GENERAL INSTRUCTIONS

The substance of these notices should be inserted on the charts affected.

Bearings are referred to the true compass and are reckoned clockwise from North; those relating to lights are given as seen by an observer from seaward. Positions quoted in permanent notices relate to the horizontal datum for the chart(s). When preliminary or temporary notices affect multiple charts, positions will be provided in relation to only one horizontal datum and that datum will be specified. When the multiple charts do not have a common horizontal datum, mariners will be required to adjust the position(s) for those charts not on the specified datum. The range quoted for a light is its nominal range. Depths are with reference to the chart datum of each chart. Heights are above mean high water springs or mean higher high water, as appropriate.

The capital letter (P) or (T) after the number of any notice denotes a preliminary or temporary notice respectively, which are contained separately at the end of the permanent notices. A star (*) adjacent to the number of a notice indicates that the notice is based on original information.

REPORTING OF DANGERS

Mariners are particularly requested to notify the AUSTRALIAN HYDROGRAPHIC SERVICE, Locked Bag 8801 Wollongong, NSW 2500 (Fax 02-4223 6599, e-mail **Hydro.NTM@defence.gov.au** or, alternatively by filling in and submitting the **Hydrographic Notes** forms located on the web site – www.hydro.gov.au), immediately on the discovery of new dangers or suspected dangers to navigation. For changes or defects in aids to navigation notify AusSAR (Fax 02-6230 6868 or email rccaus@amsa.gov.au).

AUTHORISED USE

Copies of Australian notices are available free of charge from the Australian Hydrographic Service (AHS) website (**www.hydro.gov.au**) and through the eNotices (email) service (**www.hydro.gov.au/enotices/enotices.htm**).

Individual Notices may be copied for the purpose of inserting Notice substance on official charts and publications. Paper copies may be printed by chart agents and distributed to customers on a cost recovery basis. Participating chart agents are listed on the AHS website as providing a 'Paper Notices to Mariners' service (**www.hydro.gov.au/prodserv/distributors/distributors.htm**). Copies of the notices may not be sold for profit without prior written agreement.

NUMERICAL INDEX OF NOTICES TO MARINERS

Edition No 21

Notices	Aus Chart, INT Chart, AHP, BA Pubs
1018	Aus 67, 132, 646, NP 284
1019	Amendment to Australian Notice to Mariners No 2
1020	Amendment to Australian National Tide Tables 2012 and 2013
1021	Aus 196
1022	Aus 237
1023	Aus 4620, INT 620, AX 04620U
1024	Aus 836
1025	Aus 292, 839
1026	Aus 304, 305, 710
1027	Aus 24, 26, AX 72026
1028	Aus 326, 327
1029	Aus 74
1030	Aus 113, 117, AX 00117T
1031	Aus 115
1032	Aus 4060, 4070, 4074, 4709, 4710, INT 60, 70, 74, 709, 710
1033	Aus 602
1034	Aus 121
1035	Aus 135
1036	Aus 136, 778
1037	Aus 177, 792
1038	Aus 169, 171, 173, 174, 796, 797
1039	Aus 143, 157, 158
1040	Aus 157
1041	Aus 154
1042	Aus 150, 151
1043(T)	Aus 207, 208
1044(T)	Aus 235, 236, 237, 238, 814, 815
1045(T)	Aus 237
1046(T)	Aus 235
1047(T)	Aus 244, 245
1048(T)	Aus 244, 245
1049(T)	Aus 244, 245
1050(T)	Aus 245
1051(T)	Aus 260, 261, 367, 822, AX 67261, 00260S, 00260T, 00367S, 00822S
1052(T)	Aus 255
1053(T)	Aus 322, AX 00322U
1054(T)	Aus 327, 741
1055(T)	Aus 329, 4723, INT 723, AX 04723U
1056(T)	Aus 329, 4723, 4725, INT 723, 725, AX 04723U
1057(T)	Aus 113
1058(T)	Aus 115
1059(T)	Aus 116
1060(T)	Aus 780, 781
1061(T)	Aus 172
1062(T)	Aus 487, 798, 800
1063(T)	Aus 144, 158
1064(T)	Aus 154

I

NUMERICAL INDEX OF CHARTS AFFECTED

Edition No 21

Aus Chart	Notices
Aus 24	1027
Aus 26	1027
Aus 67	1018
Aus 74	1029
Aus 113	1030, 1057(T)
Aus 115	1031, 1058(T)
Aus 116	1059(T)
Aus 117	1030
Aus 121	1034
Aus 132	1018
Aus 135	1035
Aus 136	1036
Aus 143	1039
Aus 144	1063(T)
Aus 150	1042
Aus 151	1042
Aus 154	1041, 1064(T)
Aus 157	1039, 1040
Aus 158	1039, 1063(T)
Aus 169	1038
Aus 171	1038
Aus 172	1061(T)
Aus 173	1038
Aus 174	1038
Aus 177	1037
Aus 196	1021
Aus 207	1043(T)
Aus 208	1043(T)
Aus 235	1044(T), 1046(T)
Aus 236	1044(T)
Aus 237	1022, 1044(T), 1045(T)
Aus 238	1044(T)
Aus 244	1047(T), 1048(T), 1049(T)
Aus 245	1047(T), 1048(T), 1049(T), 1050(T)
Aus 255	1052(T)
Aus 260	1051(T)
Aus 261	1051(T)
Aus 292	1025
Aus 304	1026
Aus 305	1026
Aus 322	1053(T)
Aus 326	1028
Aus 327	1028, 1054(T)
Aus 329	1055(T), 1056(T)
Aus 367	1051(T)
Aus 487	1062(T)
Aus 602	1033
Aus 646	1018
Aus 710	1026
Aus 741	1054(T)
Aus 778	1036
Aus 780	1060(T)
Aus 781	1060(T)
Aus 792	1037
Aus 796	1038
Aus 797	1038
Aus 798	1062(T)

Aus Chart	Notices
Aus 800	1062(T)
Aus 814	1044(T)
Aus 815	1044(T)
Aus 822	1051(T)
Aus 836	1024
Aus 839	1025
Aus 4060	1032
Aus 4070	1032
Aus 4074	1032
Aus 4620	1023
Aus 4709	1032
Aus 4710	1032
Aus 4723	1055(T), 1056(T)
Aus 4725	1056(T)
Aus 65950	1018
Aus 65951	1018
AX 67261	1051(T)
AX 72026	1027
AX 00117T	1030
AX 00260S	1051(T)
AX 00260T	1051(T)
AX 00322U	1053(T)
AX 00367S	1051(T)
AX 00822S	1051(T)
AX 04620U	1023
AX 04723U	1055(T), 1056(T)

INT Chart	Notices
INT 60	1032
INT 70	1032
INT 74	1032
INT 620	1023
INT 709	1032
INT 710	1032
INT 723	1055(T), 1056(T)
INT 725	1056(T)

I

1018 AUSTRALIA - Product
Australian Hydrographic Service (AA630072), UKHO (AA630358)

New Chart to be published shortly

Chart	*Title*	*Scale*	*Expected Publication Date*
Aus 67	Australia - North West Coast - Western Australia - Barrow Island - Wapet Landing	1:7 500	2 November 2012
Aus 132	Australia - South Coast - South Australia - Approaches to Port Augusta	1:37 500	2 November 2012
	Plans:		
	Snapper Reach to Port Augusta	1:20 000	
	Port Augusta Wharves	1:7 500	

New Edition to be published shortly

Chart	*Title*	*Scale*	*Expected Publication Date*
Aus 646	Papua New Guinea - North Coast - Approaches to Madang	1:37 500	2 November 2012
	Plan:		
	Madang Harbour	1:7 500	

Chart permanently withdrawn without replacement

Chart
Aus 65950
Aus 65951

Admiralty publication

NP No	*Title*	*Date*	*Remarks*
NP 284	Admiralty List of Radio Signals. Meteorological Observation Stations.	25/10/2012	The 2011/12 edition is thereby cancelled.

For further details refer to the AHS website at www.hydro.gov.au for new edition and new chart stock arrival information.

When placing orders with a chart agent, mariners should advise whether their order pertains to the current edition or the new edition.

1019 AUSTRALIA - Product - Amendment to Australian Notice to Mariners No 2
Australian Hydrographic Service (AA628462, AA629886)

Page 13
Insert chart agent:

Shenzhen Goldsailocean Navigation Article Company Limited	Telephone	+86 (0) 755 2682 0209	**C**
Room 101	Fax	+86 (0) 755 2667 7308	
Tianshan Building	Email	shipser@gsocn.com	
Haibin Garden, Shekou	Website	www.gsocn.com	
Shenzhen 518067			

Page 14
Insert chart agent:

Cornes Singapore Pte Ltd	Telephone	(65) 6223 8320	**C**
10 Anson Road	Fax	(65) 6223 8321	
#23-06/06A International Plaza	Email	sales9850@cspl.sg	
Singapore 079903	Website	www.cornes-charts.com	

I

1020 AUSTRALIA - Amendment to Australian National Tide Tables 2012 and 2013
Australian Hydrographic Service (AA629039)

ANTT 2012
Page xxxii
Amend Exmouth To Chart Datum AUS 329 NE 21 SEP 2012 0.0

Page 360
Amend Peart Reef (Port No 59133) To Chart Datum to 0.0
Nathan Reef (Port No 59137) To Chart Datum to 0.0
Eddy Reef (Port No 59151) To Chart Datum to 0.0
Page 362
Amend Unnamed Reef No. 1 (Port No 59155) To Chart Datum to 0.0
Goold Island (Port No 59180) To Chart Datum to 0.0

ANTT 2013
Page xxxii
Amend Exmouth To Chart Datum AUS 329 NE 21 SEP 2012 0.0

Page 364
Amend Peart Reef (Port No 59133) To Chart Datum to 0.0
Nathan Reef (Port No 59137) To Chart Datum to 0.0
Eddy Reef (Port No 59151) To Chart Datum to 0.0
Unnamed Reef No. 1 (Port No 59155) To Chart Datum to 0.0

Page 366
Amend Goold Island (Port No 59180) To Chart Datum to 0.0

1021* AUSTRALIA - NEW SOUTH WALES - Botany Bay - Depth
Australian Hydrographic Service (AA627007)

Aus 196 [*NC 7/9/2012*]

Delete	depth, $\underline{1}_{7}$m	33º 57'.35 S	151º 11'.70 E

1022* AUSTRALIA - QUEENSLAND - Brisbane River - Fisherman Islands - Light buoys
Former Notice - 399(T)/2012 is cancelled
Maritime Safety Queensland Notice 1071/2012 (AA629450, AA629968)

Aus 237 [*877/2012*]

Insert	special cylindrical light buoy, *Fl.Y.2·5s No20,* with topmark	27º 21'.358 S	153º 10'.725 E
Delete	light buoy	27º 21'.54 S	153º 10'.60 E
	light buoy	27º 21'.32 S	153º 10'.75 E

I

1023* AUSTRALIA - QUEENSLAND - Brook Islands to Russell Island - Chart limit
Australian Hydrographic Service (AA627499)

Aus 4620 (INT 620) [*784/2012*]

Insert	magenta limit, with legend *Aus 829* in NE corner,		
	between	18º 10'.0 S	145º 45'.0 E
		18º 10'.0 S	147º 18'.8 E
		17º 13'.2 S	147º 18'.8 E
		17º 13'.2 S	145º 45'.0 E
		18º 10'.0 S	145º 45'.0 E

AX 04620U [*784/2012*]

Insert	magenta limit, with legend *Aus 829* in NE corner,		
	between	18º 10'.0 S	145º 45'.0 E
		18º 10'.0 S	147º 18'.8 E
		17º 13'.2 S	147º 18'.8 E
		17º 13'.2 S	145º 45'.0 E
		18º 10'.0 S	145º 45'.0 E

1024* AUSTRALIA - QUEENSLAND - Stead Passage to Single Rock Entrance - Depths
LADS Flight (AA627437, AA627552, AA627554, AA628765)

Aus 836 [*936/2012*]

Insert	depth, *5_3m* (a)	11º 54'.66 S	143º 50'.35 E
	depth, *3_8m,* (b) and contour to enclose (a) and (b)	11º 55'.03 S	143º 50'.09 E
	depth, *23_8m*	12º 00'.91 S	143º 56'.56 E

1025* AUSTRALIA - QUEENSLAND - Eborac Island to Albany Rock - Light; depths
Former Notice - 563(P)/2012 is cancelled
Australian Maritime Safety Authority ATH 8/2012, 9/2012 (AA627164, AA627166)

Aus 292 [*881/2012*]

Insert	accompanying block	10º 42'.0 S	142º 37'.0 E
Delete	continuous line with legend Light 297°, between	10º 45'.4 S	142º 42'.3 E
		10º 48'.1 S	142º 47'.5 E

Aus 839 [*936/2012*]

Insert	accompanying block	10º 44'.0 S	142º 38'.0 E

1026* AUSTRALIA - NORTHERN TERRITORY - Sir Edward Pellew Group - Centre Island - Barclay Point - Wreck
Department of Transport TAS (AA629479)

Aus 304 [*191/2007*]

Move	wreck	15º 40'.4 S	136º 51'.0 E
	to	15º 41'.05 S	136º 50'.90 E

Aus 305 [*1056/2010*]

Move	wreck	15º 40'.4 S	136º 51'.0 E
	to	15º 41'.05 S	136º 50'.90 E

Aus 710 [*851/2005*]

Move	wreck	15º 40'.4 S	136º 51'.0 E
	to	15º 41'.05 S	136º 50'.90 E

I

1027* AUSTRALIA - NORTHERN TERRITORY - Darwin - Lee Point to Woods Inlet - Light buoys
Darwin Port Corporation Notice 127(T)/2012 (AA629174)

Aus 24 [*938/2012*]			
Insert	special conical light buoy, *Fl.Y.5s,* without topmark	12º 26'.038 S	130º 49'.023 E
Aus 26 [*938/2012*]			
Insert	special conical light buoy, *Fl.Y.5s,* without topmark	12º 19'.03 S	130º 54'.87 E
	special conical light buoy, *Fl.Y.5s,* without topmark	12º 26'.24 S	130º 46'.44 E
	special conical light buoy, *Fl.Y.5s,* without topmark	12º 28'.08 S	130º 46'.12 E
Delete	depth, 5_7m	12º 26'.23 S	130º 46'.45 E
AX 72026 [*938/2012*]			
Insert	special conical light buoy, *Fl.Y.5s,* without topmark	12º 19'.03 S	130º 54'.87 E
	special conical light buoy, *Fl.Y.5s,* without topmark	12º 26'.24 S	130º 46'.44 E
	special conical light buoy, *Fl.Y.5s,* without topmark	12º 28'.08 S	130º 46'.12 E
Delete	depth, 5_7m	12º 26'.23 S	130º 46'.45 E

1028* AUSTRALIA - WESTERN AUSTRALIA - Port Walcott - Pilot boarding place; well
UKHO (AA627070)

Aus 326 [*NE 7/9/2012*]			
Insert	pilot boarding place, centred on	20º 32'.15 S	117º 17'.65 E
Aus 327 [*NE 7/9/2012*]			
Insert	magenta legend, *Local Magnetic Anomaly (see Note),* centred on	20º 31'.45 S	117º 15'.20 E
	accompanying note	21º 28'.3 S	117º 02'.5 E
	danger circle with legend, *Well,* centred on	19º 14'.2 S	116º 54'.5 E

1029* AUSTRALIA - WESTERN AUSTRALIA - Slope Island - Depths; infrastructure
Shark Bay Salt (DHDB 2094486)

Aus 74 [*259/2010*]			
Insert	accompanying block	26º 05'.3 S	113º 25'.1 E
Aus 74 (plan, Scope Island)			
Insert	accompanying block	26º 05'.34 S	113º 25'.10 E

1030* AUSTRALIA - WESTERN AUSTRALIA - Fremantle - Buoy
Department of Transport WA (AA629750 - AA629752)

Aus 113 [*889/2012*]			
Delete	buoy	32º 03'.71 S	115º 44'.78 E
Aus 117 [*889/2012*]			
Delete	buoy	32º 03'.71 S	115º 44'.78 E
AX 00117T [*889/2012*]			
Delete	buoy	32º 03'.71 S	115º 44'.78 E

I

1031* AUSTRALIA - WESTERN AUSTRALIA - Bunbury - Light
Department of Transport WA Notice 90/2012 (AA628277)

Aus 115 (plan, Port of Bunbury) [*35/2012*]

Delete	light	33º 18'.43 S	115º 38'.75 E

1032* SOUTHERN OCEAN - Southeast Indian Ridge to Tasmania - Depths
Geoscience Australia GA1274 (DHDB 2036832)

Aus 4060 (INT 60) [*987/2012*]

Insert	depth, *2186m,* enclosed by contour	46º 56'.5 S	138º 37'.7 E

Aus 4070 (INT 70) [*980/2012*]

Insert	depth, *1838m,* enclosed by contour	47º 11'.2 S	97º 20'.0 E
	depth, *1100m,* enclosed by contour	43º 23'.8 S	91º 16'.9 E
	depth, *1856m,* enclosed by contour	42º 20'.8 S	90º 28'.0 E
	depth, *1566m,* enclosed by contour	42º 03'.1 S	90º 00'.0 E
	depth, *1251m,* enclosed by contour	41º 42'.0 S	89º 19'.3 E
	depth, *1154m,* enclosed by contour	41º 51'.2 S	88º 10'.0 E
Delete	depth, 2275m	42º 00'.0 S	87º 50'.0 E

Aus 4074 (INT 74) [*682/2012*]

Insert	depth, *2186m,* enclosed by contour	46º 56'.5 S	138º 37'.7 E
	depth, *1838m,* enclosed by contour	47º 11'.2 S	97º 20'.0 E
	depth, *1100m,* enclosed by contour	43º 23'.8 S	91º 16'.9 E
	depth, *1856m,* enclosed by contour	42º 20'.8 S	90º 28'.0 E
	depth, *1566m,* enclosed by contour	42º 03'.1 S	90º 00'.0 E
	depth, *1251m,* enclosed by contour	41º 42'.0 S	89º 19'.3 E
	depth, *1154m,* enclosed by contour	41º 51'.2 S	88º 10'.0 E
Delete	depth, 2275m	42º 00'.0 S	87º 50'.0 E

Aus 4709 (INT 709) [*595/2012*]

Insert	depth, *2186m,* enclosed by contour	46º 56'.5 S	138º 37'.7 E

Aus 4710 (INT 710) [*682/2012*]

Insert	depth, *1838m,* enclosed by contour	47º 11'.2 S	97º 20'.0 E
	depth, *1100m,* enclosed by contour	43º 23'.8 S	91º 16'.9 E
	displaced depth, *1856m,* enclosed by contour	42º 20'.8 S	90º 28'.0 E
	depth, *1566m,* enclosed by contour	42º 03'.1 S	90º 00'.0 E
	depth, *1154m,* enclosed by contour	41º 51'.2 S	88º 10'.0 E
Delete	depth, 2392m	42º 00'.0 S	90º 10'.0 E

I

1033* SOUTHERN OCEAN - Antarctica - Thala Rock to Suter Island - Depths
Australian Hydrographic Service (DHDB 2213045)

Aus 602 [*809/2005*]

Insert	depth, *1_7m,* enclosed by contour	68º 32'.931 S	77º 52'.393 E
	depth, *1_9m,* enclosed by contour	68º 33'.458 S	77º 50'.885 E
	depth, *1_5m*	68º 33'.480 S	77º 55'.305 E
	depth, *3_3m*	68º 33'.579 S	77º 54'.621 E
	depth, *0_6m,* enclosed by contour	68º 34'.138 S	77º 56'.888 E
	depth, *9_6m,* enclosed by contour	68º 34'.800 S	77º 53'.264 E
	depth, *1_4m,* enclosed by contour	68º 34'.878 S	77º 54'.271 E
	depth, *8_6m,* enclosed by contour	68º 35'.575 S	77º 53'.221 E
	depth, *3_7m,* enclosed by contour	68º 35'.665 S	77º 54'.220 E
Substitute	depth, *$\underline{0}_2$m,* enclosed by contour for depth, 0_8m	68º 34'.90 S	77º 54'.44 E
Delete	depth, 2_4m	68º 33'.45 S	77º 50'.90 E
	rock and enclosing danger circle with legend, PA	68º 33'.47 S	77º 51'.19 E
	depth, 1m	68º 33'.48 S	77º 55'.27 E
	depth, 3_6m	68º 33'.58 S	77º 54'.68 E
	rock and enclosing danger circle	68º 34'.10 S	77º 56'.82 E
	depth, 10_1m	68º 34'.78 S	77º 53'.29 E
	depth, 2_2m	68º 34'.89 S	77º 54'.24 E
	depth, 2_4m	68º 32'.93 S	77º 52'.35 E

1034* AUSTRALIA - SOUTH AUSTRALIA - Coffin Bay - Depths
Australian Hydrographic Service (AA627104)

Aus 121 (plan, Coffin Bay) [*981/2012*]

Insert	accompanying block	34º 20'.7 S	135º 12'.8 E

1035* AUSTRALIA - SOUTH AUSTRALIA - Whyalla to Port Bonython - Depths
HydroSurvey Australia (DHDB 2136897)

Aus 135 (plan, Whyalla) [*NC 16/12/2011*]

Insert	accompanying block A	33º 03'.7 S	137º 38'.8 E

Aus 135 (plan, Port Bonython)

Insert	accompanying block B	33º 02'.0 S	137º 44'.9 E
	accompanying block C	33º 01'.7 S	137º 46'.0 E

I

1036* AUSTRALIA - SOUTH AUSTRALIA - Crag Point - Beacons
Department of Planning, Transport and Infrastructure SA (AA627334, AA627335)

Aus 136 [*496/2012*]

Delete	beacon	32º 53'.5 S	137º 47'.3 E
	beacon	32º 53'.6 S	137º 47'.5 E
	beacon	32º 54'.5 S	137º 47'.1 E
	beacon	32º 54'.6 S	137º 47'.3 E
	dashed line and legend Measured Distance 1848.2m, between	32º 53'.5 S	137º 47'.3 E
		32º 53'.8 S	137º 48'.6 E
		32º 54'.8 S	137º 48'.3 E
		32º 54'.5 S	137º 47'.1 E

Aus 778 [*41/2012*]

Delete	beacon	32º 53'.5 S	137º 47'.3 E
	beacon	32º 53'.5 S	137º 47'.5 E
	beacon	32º 54'.5 S	137º 47'.1 E
	beacon	32º 54'.5 S	137º 47'.3 E

1037* AUSTRALIA - TASMANIA - Macquarie Harbour - Marine farms
Department of Primary Industries, Parks, Water and Environment (DHDB 2186071)

Aus 177 [*1255/2011*]

Insert	marine farm symbol, centred on	42º 10'.9 S	145º 18'.6 E
	marine farm symbol, centred on	42º 12'.6 S	145º 17'.9 E
	dashed line and marine farm symbol, between	42º 19'.81 S	145º 21'.17 E
		42º 20'.16 S	145º 21'.62 E
		42º 20'.50 S	145º 21'.15 E
		42º 20'.15 S	145º 20'.70 E
		42º 19'.81 S	145º 21'.17 E
	marine farm symbol, centred on	42º 22'.1 S	145º 23'.8 E
Delete	depth, 25m	42º 10'.9 S	145º 18'.6 E
	marine farm, centred on	42º 16'.7 S	145º 18'.0 E
	marine farm, centred on	42º 17'.4 S	145º 17'.6 E
	marine farm, centred on	42º 17'.2 S	145º 19'.1 E

Aus 177 (plan, Strahan)

Insert	dashed line and marine farm symbol, between	42º 10'.800 S	145º 18'.659 E
		42º 10'.731 S	145º 18'.716 E
		42º 10'.759 S	145º 18'.778 E
		42º 10'.800 S	145º 18'.745 E

Aus 177 (plan, Hells Gates)

Insert	dashed line and marine farm symbol, between	42º 12'.777 S	145º 18'.000 E
		42º 12'.785 S	145º 17'.978 E
		42º 12'.395 S	145º 17'.730 E
		42º 12'.371 S	145º 17'.795 E
		42º 12'.694 S	145º 18'.000 E

Aus 792 [*1255/2011*]

Insert	marine farm symbol, centred on	42º 10'.9 S	145º 18'.6 E
	marine farm symbol, centred on	42º 12'.6 S	145º 17'.9 E
	marine farm symbol, centred on	42º 22'.1 S	145º 23'.8 E
Delete	marine farm symbol, centred on	42º 16'.8 S	145º 18'.1 E
	depth, 25m	42º 10'.9 S	145º 18'.6 E

I

1038* AUSTRALIA - TASMANIA – D'Entrecasteaux Channel to Lords Bluff - Marine farms
Department of Primary Industries, Parks, Water and Environment (DHDB 2186071)

Aus169 (plan, Blackman Bay) [*333/2012*]

Insert	dashed line, between	42º 51'.437 S	147º 52'.857 E
		42º 51'.466 S	147º 52'.909 E
		42º 51'.438 S	147º 52'.938 E
Delete	marine farm, centred on	42º 54'.21 S	147º 48'.38 E
	marine farm, centred on	42º 53'.46 S	147º 53'.00 E
	marine farm, centred on	42º 53'.00 S	147º 52'.89 E
	marine farm, centred on	42º 52'.98 S	147º 52'.47 E
	marine farm, centred on	42º 52'.91 S	147º 52'.26 E
	marine farm, centred on	42º 52'.34 S	147º 51'.15 E
	marine farm, centred on	42º 52'.06 S	147º 51'.11 E
	marine farm, centred on	42º 52'.12 S	147º 50'.67 E
	marine farm, centred on	42º 51'.86 S	147º 52'.21 E
	marine farm with legend (see Note), centred on	42º 51'.37 S	147º 51'.74 E
	marine farm, centred on	42º 51'.08 S	147º 51'.24 E
	marine farm, centred on	42º 50'.94 S	147º 51'.55 E
	marine farm, centred on	42º 50'.95 S	147º 51'.70 E
	marine farm, centred on	42º 50'.98 S	147º 51'.86 E
	marine farm, centred on	42º 50'.97 S	147º 52'.09 E
	marine farm, centred on	42º 51'.09 S	147º 52'.11 E
	marine farm, centred on	42º 51'.21 S	147º 52'.15 E
	marine farm, centred on	42º 51'.37 S	147º 52'.19 E
	marine farm, centred on	42º 51'.49 S	147º 52'.51 E
	marine farm symbol, centred on	42º 51'.30 S	147º 52'.66 E
	dashed line, between	42º 51'.44 S	147º 52'.85 E
		42º 51'.36 S	147º 52'.71 E
		42º 51'.42 S	147º 52'.63 E
		42º 51'.28 S	147º 52'.46 E
		42º 51'.21 S	147º 52'.50 E
		42º 51'.18 S	147º 52'.71 E
		42º 51'.37 S	147º 52'.81 E
		42º 51'.44 S	147º 52'.94 E

I

1038* AUSTRALIA - TASMANIA – D'Entrecasteaux Channel to Lords Bluff - Marine farms *(continued)*

Aus 171 [*1257/2011*]

Insert	marine farm symbol, centred on	43º 07'.45 S	147º 51'.64 E
	marine farm symbol, centred on	43º 07'.78 S	147º 51'.93 E
	dashed line and marine farm symbol with legend *(see Note),* between	43º 01'.60 S	147º 44'.83 E
		43º 01'.37 S	147º 44'.83 E
		43º 01'.28 S	147º 45'.25 E
		43º 01'.51 S	147º 45'.25 E
		43º 01'.60 S	147º 44'.83 E
	dashed line and marine farm symbol with legend *(see Note),* between	43º 00'.20 S	147º 49'.78 E
		42º 59'.81 S	147º 49'.87 E
		42º 59'.89 S	147º 50'.32 E
		43º 00'.08 S	147º 50'.24 E
		43º 00'.23 S	147º 50'.12 E
		43º 00'.20 S	147º 49'.78 E
	marine farm symbol, centred on	42º 55'.80 S	147º 41'.22 E
	marine farm symbol, centred on	42º 54'.17 S	147º 45'.40 E
	dashed line, between	42º 51'.44 S	147º 52'.86 E
		42º 51'.47 S	147º 52'.91 E
		42º 51'.44 S	147º 52'.94 E
Delete	marine farm, centred on	43º 05'.9 S	147º 43'.3 E
	marine farm, centred on	43º 03'.4 S	147º 16'.2 E
	marine farm, centred on	43º 02'.7 S	147º 17'.9 E
	marine farm, centred on	42º 59'.70 S	147º 50'.18 E
	marine farm, centred on	43º 00'.6 S	147º 50'.3 E
	marine farm, centred on	43º 00'.9 S	147º 52'.0 E
	marine farm, centred on	42º 58'.8 S	147º 44'.8 E
	marine farm, centred on	42º 54'.2 S	147º 48'.3 E
	marine farm, centred on	42º 53'.5 S	147º 53'.0 E
	marine farm with legend Marine Farms (see Note), centred on	42º 53'.0 S	147º 52'.9 E
	marine farm, centred on	42º 53'.0 S	147º 52'.4 E
	marine farm, centred on	42º 52'.1 S	147º 50'.6 E
	marine farm, centred on	42º 52'.1 S	147º 51'.1 E
	marine farm, centred on	42º 52'.2 S	147º 51'.4 E
	marine farm, centred on	42º 51'.9 S	147º 52'.2 E
	marine farm, centred on	42º 51'.4 S	147º 51'.7 E
	marine farm, centred on	42º 51'.1 S	147º 51'.2 E
	marine farm, centred on	42º 51'.0 S	147º 51'.9 E
	marine farm, centred on	42º 51'.5 S	147º 52'.5 E
	dashed line, between	42º 51'.4 S	147º 52'.9 E
		42º 51'.4 S	147º 52'.7 E
		42º 51'.4 S	147º 52'.6 E
		42º 51'.3 S	147º 52'.5 E
		42º 51'.2 S	147º 52'.5 E
		42º 51'.2 S	147º 52'.7 E
		42º 51'.4 S	147º 52'.8 E
		42º 51'.4 S	147º 52'.9 E

I

1038* AUSTRALIA - TASMANIA – D'Entrecasteaux Channel to Lords Bluff - Marine farms *(continued)*

Aus 173 [*599/2011*]

Insert	dashed line and marine farm symbol with legend *(see Note),* between	43º 21'.26 S	147º 07'.26 E
		43º 21'.50 S	147º 07'.60 E
		43º 20'.55 S	147º 08'.83 E
		43º 20'.31 S	147º 08'.49 E
		43º 21'.26 S	147º 07'.26 E
	marine farm symbol, centred on	43º 15'.56 S	147º 07'.43 E
Move	marine farm symbol, centred on	43º 10'.8 S	147º 17'.2 E
	to	43º 10'.96 S	147º 17'.05 E
	marine farm symbol, centred on	43º 11'.6 S	146º 59'.7 E
	to	43º 11'.55 S	146º 59'.41 E
Delete	marine farm, centred on	43º 31'.7 S	146º 54'.3 E
	marine farm, centred on	43º 25'.4 S	146º 55'.7 E
	marine farm, centred on	43º 24'.8 S	147º 02'.5 E
	marine farm, centred on	43º 19'.3 S	147º 13'.1 E
	marine farm, centred on	43º 18'.9 S	147º 13'.6 E
	marine farm with legend (see Note), centred on	43º 20'.5 S	147º 08'.5 E
	marine farm, centred on	43º 16'.4 S	147º 16'.1 E
	marine farm, centred on	43º 15'.4 S	147º 17'.0 E
	marine farm, centred on	43º 10'.2 S	147º 15'.0 E
	marine farm, centred on	43º 17'.3 S	147º 06'.4 E
	marine farm, centred on	43º 03'.5 S	147º 16'.1 E
	marine farm, centred on	43º 02'.7 S	147º 17'.9 E
	marine farm, centred on	43º 09'.7 S	146º 58'.2 E
	depth, 12_9m	43º 10'.9 S	147º 17'.0 E
	depth, 14_3m	43º 11'.6 S	146º 59'.4 E

Aus 174 (plan, North West Bay) [*1256/2011*]

Delete	marine farm, centred on	43º 02'.65 S	147º 17'.89 E
	marine farm, centred on	43º 03'.46 S	147º 16'.16 E

Aus 174 (plan, Port Huon)

Delete	marine farm, centred on	43º 09'.68 S	146º 58'.14 E
	marine farm, centred on	43º 11'.42 S	146º 59'.24 E

Aus 174 (plan, Recherche Bay)

Delete	marine farm, centred on	43º 31'.6 S	146º 54'.0 E
	marine farm, centred on	43º 31'.7 S	146º 54'.4 E

Aus 796 [*107/2012*]

Insert	marine farm symbol, centred on	42º 55'.80 S	147º 41'.22 E
	marine farm symbol, centred on	42º 56'.28 S	147º 41'.70 E
Delete	marine farm, centred on	42º 58'.8 S	147º 44'.8 E
	marine farm, centred on	42º 47'.7 S	147º 27'.5 E
	marine farm, centred on	42º 47'.8 S	147º 28'.4 E
	marine farm symbol with legend (see Note), centred on	42º 48'.1 S	147º 28'.1 E
	aero beacon	42º 48'.7 S	147º 28'.9 E

Aus 797 [*107/2012*]

Insert	marine farm symbol, centred on	42º 31'.84 S	147º 58'.73 E

I

1039* AUSTRALIA - VICTORIA - Port Phillip - West Channel - Light beacons
Victorian Notice 132/2012 (AA627496)

Aus 143 [*984/2012*]

Insert	starboard lateral light beacon, *Fl(2)G,* with topmark	38º 11'.94 S	144º 45'.85 E
Delete	beacon	38º 11'.9 S	144º 45'.7 E

Aus 157 [*893/2012*]

Substitute	starboard lateral light beacon, *Fl(2)G.4s No13,* with topmark for beacon	38º 11'.94 S	144º 45'.85 E

Aus 158 [*892/2012*]

Substitute	port lateral light beacon, *Fl(2)R.4s No10,* with topmark for beacon	38º 12'.37 S	144º 44'.48 E
	starboard lateral light beacon, *Fl(2)G.4s No11,* with topmark for beacon	38º 12'.37 S	144º 45'.00 E
	starboard lateral light beacon, *Fl(2)G.4s No13,* with topmark for beacon	38º 11'.94 S	144º 45'.85 E

1040* AUSTRALIA - VICTORIA - Port Phillip - West Channel to Prince George Bank - Security port limit
UKHO (AA627403)

Aus 157 [*1039/2012*]

Insert	restricted area limit with legend *Port Melbourne Security/Port Limit,* between	38º 12'.300 S	144º 49'.247 E
		38º 06'.357 S	144º 44'.216 E
Delete	restricted area limit with legend Port Melbourne Security Limit, between	38º 12'.30 S	144º 44'.46 E
		38º 11'.56 S	144º 45'.32 E
		38º 06'.36 S	144º 44'.22 E
	restricted area limit with legend Port Melbourne Security Limit, between	38º 12'.30 S	144º 45'.25 E
		38º 11'.62 S	144º 46'.76 E
		38º 12'.30 S	144º 47'.38 E
	magenta dashed line with legend Port Melbourne Port Limit, between	38º 12'.05 S	144º 49'.30 E
		38º 06'.36 S	144º 44'.22 E

1041* AUSTRALIA - VICTORIA - Port Phillip - Williamstown - Infrastructure; light
Former Notice - 270(T)/2012 is cancelled
Victorian Notice 124/2012 (AA625611)

Aus 154 [*849/2012*]

Insert	accompanying block	37º 51'.6 S	144º 54'.9 E

I

1042* AUSTRALIA - VICTORIA - Western Port - Watson Inlet to Horseshoe Channel - Navaids
Victorian Notices 133/2012, 134/2012 (AA627492, AA627493)

Aus 150 [*689/2012*]

Insert	special beacon, with topmark	38º 17'.17 S	145º 20'.88 E
	special beacon, with topmark	38º 16'.85 S	145º 24'.32 E

Aus 151 [*985/2012*]

Insert	special beacon, with topmark	38º 14'.841 S	145º 15'.949 E
Delete	buoy	38º 14'.81 S	145º 15'.88 E

Aus151 (inset, Continuation of Westernport)

Insert	special beacon, with topmark	38º 17'.166 S	145º 20'.877 E
	special beacon, with topmark	38º 16'.846 S	145º 24'.322 E

I

1043(T)/2012 AUSTRALIA - NEW SOUTH WALES - Newcastle - Hunter River - Dredging operations
Former Notice - 991(T)/2012 is cancelled
Date - Until 31 March 2013
Aurecon Hatch (AA628240, AA630209)

The dredge *Machiavellie* is conducting dredging operations in the area south of line 32° 52'.78 S 151° 44'.41 E to 32° 52'.63 S 151° 44'.40 E and north of line 32° 54'.05 S 151° 46'.21 E to 32° 54'.05 S 151° 46'.42 E.

A 30m exclusion zone exists around all vessels and equipment involved in the operations.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected – Aus 207 – Aus 208

I

1044(T)/2012 AUSTRALIA - QUEENSLAND - Moreton Bay - Brisbane River - Depth information
Former Notice - 992(T)/2012 is cancelled
Brisbane Port Corporation (AA628845)

Available depths and under keel clearances (UKC) at 5 October 2012:

	Berth	*Metres*	*Remarks*
	Fisherman Islands No10	14.1	
	Fisherman Islands No9	14.1	
	Fisherman Islands No8	14.2	
	Fisherman Islands No7	14.0	
	Fisherman Islands No6	14.2	
	Fisherman Islands No5	14.1	
	Fisherman Islands No4	14.0	
	Fisherman Islands No3	14.0	
*	Fisherman Islands No2	14.0	
	Fisherman Islands No1	14.0	
	Fisherman Islands Grain and Woodchip	13.4	
	Caltex Fisherman Islands	14.4	
	Fisherman Islands Coal	14.0	
	Fisherman Islands General Purpose	11.5	
	BP Luggage Point	14.3	
	Caltex Products	10.1	
	Cement Australia Co Wharf	9.7	
	BP Products	10.9	
	Shell	11.0	
	Pacific Terminals	10.7	
	Incitec North	10.1	
	Incitec South	10.4	
	Pinkenba 1	10.4	
	Pinkenba 2	10.4	
	Riverside Marina	-	
	Sugar Terminal	9.8	
	Cairncross Fitting Out Wharf	8.5	
	Cairncross Breasting Wharf	6.6	
	Brisbane Naval Wharf	4.3	
	Maritime No1	9.0	
	Hamilton No4	10.4	
	Hamilton No1	8.8	
	Brisbane Cruise Ship Terminal	9.0	

		Metres	*UKC/Remarks*
Moreton Bay:			
	North West Channel	15.0	2.3 (280m width)
	North West Bypass Channel	9.2	1.6
	Spitfire Channel	15.0	1.5 (600m width)
	East Knoll Bypass Channel	6.0	1.4
	East Channel	15.0	1.5 (300m width from western side)
	Main Channel (M8 - M9)	10.0	1.8
	Entrance Channel (E5 - EBCN)	14.7	1.5
Brisbane River:			
	Entrance Beacons and Inner Bar Cutting	14.0	1.46
	Entrance Beacons and Outer Bar Cutting	14.0	1.46
*	Fisherman Islands Swing Basin	13.9	1.3
	Pelican Banks Reach to Hamilton Reach	9.1	0.6 / 0.9 (draft/tide)
	Cement Australia Swing Basin	9.1	0.6 / 0.9 (draft/tide)
	Pinkenba Swing Basin	9.1	0.6 / 0.9 (draft/tide)
	Hamilton Swing Basin	9.1	0.6 / 0.9 (draft/tide)

* Indicates new or revised entry.

Chart temporarily affected – Aus 235 – Aus 236 – Aus 237 – Aus 238 – Aus 814 – Aus 815

I

1045(T)/2012 AUSTRALIA - QUEENSLAND - Brisbane River - Fisherman Islands - Harbour works; light buoy
Former Notice - 994(T)/2012 is cancelled
Date - Until 31 December 2013
Maritime Safety Queensland Notices 934(T)/2011, 1071/2012 (AA559073, AAAA629450)

Works associated with the construction of berths 11 and 12 are in progress.

The barge *Maeve Anne* is conducting piling operations in position 27° 21'.49 S 153° 10'.83 E and has deployed three anchors westward marked by special buoys.

A no wash zone exists between No20 light buoy (27° 21'.36 S 153° 10'.73 E) and position 27° 21'.12 S 153° 10'.90 E which is marked by a special light buoy *Fl.Y.2·5s.*

Mariners are advised to navigate with caution in the area.

Chart temporarily affected – Aus 237

1046(T)/2012 AUSTRALIA - QUEENSLAND - Mooloolaba - Shoaling; dredging operations
Former Notice - 997(T)/2012 is cancelled
Maritime Safety Queensland Notices 1087(T)/2012 (AA630135)

Shoaling with a least depth of *2.7m* exists within the main channel to Mooloolah River between beacons No1 (26° 40'.81 S 153° 07'.94 E) and No3 (26° 40'.86 S 153° 08'.01 E). A least depth of *3.0m* exists in the remainder of the channel between the breakwaters.

Shoaling with a least depth of *2.2m* exists adjacent to the end of the eastern breakwater in the vicinity of position 26° 40'.76 S 153° 07'.94 E.

The dredge *Navua* is conducting dredging operations between light beacons No5 (26° 40'.92 S 153° 08'.09 E) and No9 (26° 41'.14 S 153° 08'.04 E). A floating pipeline exists from the dredge to the western breakwater. The dredge will display appropriate lights and shapes and will monitor VHF Ch 12, Ch 16 and Ch 73.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected – Aus 235

1047(T)/2012 AUSTRALIA - QUEENSLAND - Gladstone - South Trees Point - Harbour works
Date - Until 9 January 2013
Maritime Safety Queensland Notice 1092(T)/2012 (AA630369)

Piling operations are in progress at the eastern end of South Tress Wharf (23° 51'.13 S 151° 18'.92 E).

The barges *Markwell Outpost* and *Capricorn* are onsite and have deployed anchors marked by yellow buoys and will monitor VHF Ch 13.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected – Aus 244 – Aus 245

1048(T)/2012 AUSTRALIA - QUEENSLAND - Gladstone - Auckland Point - Harbour works completed
Former Notice - 745(T)/2012 is cancelled
Maritime Safety Queensland Notice 767(T)/2012 (AA613756)

Cancel this notice on receipt.

Chart formerly affected – Aus 244 – Aus 245

I

1049(T)/2012 AUSTRALIA - QUEENSLAND - Gladstone - Dredging operations
Date - Until 30 March 2013
Maritime Safety Queensland Notice 1080(T)/2012 (AA629958)

The dredge *Rotterdam* is conducting dredging operations between positions 23° 50'.0 S 151° 16'.0 E and 23° 45'.0 S 151° 10'.0 E.

The dredge will display appropriate lights and shapes and monitor VHF Ch 13, 15 and 16.

A 50m exclusion zone exists around the dredge.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected – Aus 244 – Aus 245

1050(T)/2012 AUSTRALIA - QUEENSLAND - Gladstone - Drilling operations completed
Former Notice - 998(T)/2012 is cancelled
Maritime Safety Queensland (AA629426)

Cancel this notice on receipt.

Chart formerly affected – Aus 245

1051(T)/2012 AUSTRALIA - QUEENSLAND - Shoalwater Bay - Live firing completed
Former Notice - 954(T)/2012 is cancelled
Maritime Safety Queensland Notice 982(T)/2012 (AA625769)

Cancel this notice on receipt.

Chart formerly affected – Aus 260 – Aus 261 – Aus 367 – Aus 822 – AX 67261 – AX 00260S – AX 00260T – AX 00367S – AX 00822S

1052(T)/2012 AUSTRALIA - QUEENSLAND - Abbot Point - Drilling operations completed
Former Notice - 350(T)/2012 is cancelled
Maritime Safety Queensland (AA630724)

Cancel this notice on receipt.

Chart formerly affected – Aus 255

1053(T)/2012 AUSTRALIA - WESTERN AUSTRALIA - Seringapatam Reef - Scientific instrument
Date - Until 7 October 2013
Fugro Survey Pty Ltd (AA630323 - AA630325)

A special light buoy, *Fl(5)Y.20s,* exists in position 13° 43'.39 S 122° 15'.83 E.

Chart temporarily affected – Aus 322 – AX 00322U

1054(T)/2012 AUSTRALIA - WESTERN AUSTRALIA - Glomar Shoal - Drill rig northwards
Australian Maritime Safety Authority Auscoast Warning 263/2012 (AA629387)

Drill rig *Nan Hai 6* is conducting drilling operations in position 19° 17'.57 S 116° 45'.82 E.

Chart temporarily affected – Aus 327 – Aus 741

I

1055(T)/2012 AUSTRALIA - WESTERN AUSTRALIA - Exmouth Plateau - Drill rig
Former Notice - 715(T)/2012 is cancelled
Date - Until 20 November 2012
MODU *Atwood Eagle* (AA629718, AA629719)

Drill rig *Atwood Eagle* is conducting drilling operations in position 20° 22'.55 S 113° 10'.08 E.

Chart temporarily affected – Aus 329 – Aus 4723 (INT 723) – AX 04723U

1056(T)/2012 AUSTRALIA - WESTERN AUSTRALIA - North West Cape - Drill rig southwestwards
Former Notice - 1010(T)/2012 is cancelled
Australian Maritime Safety Authority Auscoast Warning 265/2012 (AA629880)

Drill rig *Noble Clyde Boudreaux* is conducting drilling operations in position 22° 05'.20 S 113° 10'.85 E.

Chart temporarily affected – Aus 329 – Aus 4723 (INT 723) – Aus 4725 (INT 725) – AX 04723U

1057(T)/2012 AUSTRALIA - WESTERN AUSTRALIA - Fremantle - Depth information
Former Notice - 438(T)/2011 is cancelled
Fremantle Ports Notice 8(T)/2012 (AA630746)

Available depths as at 17 October 2012:

	Berth	*Metres*
	No 1	11.0
	No 2	11.0
	No 4	14.6
	No 5	14.6
	No 6	14.6
*	No 7	14.5
*	No 8	14.5
*	No 9	14.5
*	No 10	14.5
*	No 11	10.4
*	No 12	10.6
	C	10.4
*	D	10.4
*	E	10.1
*	F	10.0
*	G	10.2
*	H	10.1

* Indicates revised entry.

Maximum draft of vessels using inner harbour berths must be obtained by contacting the Harbour Master's office.

Chart temporarily affected – Aus 113

1058(T)/2012 AUSTRALIA - WESTERN AUSTRALIA - Bunbury - Leschenault Estuary - Shoaling; dredging operations
Department of Transport WA Notice 94/2012 (AA630312 - AA630316, AA630477)

Shoaling exists inside the northern groyne of The Cut entrance channel (33° 18'.2 S 115° 40'.3 E).

Dredging operations are in progress in the area.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected – Aus 115

I

1059(T)/2012 AUSTRALIA - WESTERN AUSTRALIA - Port Geographe - Dredging operations
Date - Until 31 December 2012
Department of Transport WA Notice 96/2012 (AA630752)

The dredge *Cooper II* is conducting dredging operations in the entrance channel to the marina (33° 37'.79 S 115° 23'.24 E).

A floating pipeline marked by special light buoys is exists from the dredge to position 38° 37'.40 S 115° 23'.73 E where the spoil will be deposited.

The dredge with display appropriate lights and shapes and will monitor VHF Ch 12, UHF Ch 15 or Marine 27 MHz Ch 90.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected – Aus 116

1060(T)/2012 AUSTRALIA - SOUTH AUSTRALIA - Gulf St Vincent - Port Stanvac - Search and rescue exercise westwards
Date - Until 13 November 2012
Australian Maritime Safety Authority (AA630739)

A search and rescue exercise will be conducted in an area 1M radius from position 35° 06'.81 S 138° 19'.50 E between 29 October and 12 November 2012.

The exercise will involve the dropping of rescue equipment and smoke flares.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected – Aus 780 – Aus 781

1061(T)/2012 AUSTRALIA - TASMANIA - River Derwent - Risdon Cove - Buoy
Date - Until 1 April 2013
Marine and Safety Tasmania Notice 81/2012 (AA629996)

An orange buoy exists in position 42° 49'.11 S 147° 18'.83 E.

Chart temporarily affected – Aus 172

I

1062(T)/2012 AUSTRALIA - TASMANIA - Cape Barren Island - Scientific instruments
Date - Until 30 November 2013
Marine and Safety Tasmania Notice 95/2012 (AA630000)

Subsurface scientific instruments exist on the seabed in the following positions:

40° 26'.38 S 148° 28'.97 E	40° 26'.51 S 148° 29'.51 E
40° 26'.65 S 148° 30'.05 E	40° 26'.78 S 148° 30'.59 E.

Subsurface scientific instruments exist 30m below the surface in the following positions:

40° 26'.91 S 148° 31'.12 E	40° 27'.05 S 148° 31'.66 E
40° 27'.18 S 148° 32'.20 E	40° 27'.31 S 148° 32'.74 E
40° 27'.44 S 148° 33'.27 E	40° 27'.58 S 148° 33'.81 E
40° 27'.71 S 148° 34'.35 E	40° 27'.84 S 148° 34'.89 E
40° 27'.97 S 148° 35'.43 E	40° 28'.11 S 148° 35'.96 E
40° 28'.24 S 148° 36'.50 E	40° 28'.37 S 148° 37'.04 E
40° 28'.50 S 148° 37'.58 E	40° 28'.64 S 148° 38'.12 E
40° 28'.77 S 148° 38'.65 E	40° 28'.90 S 148° 39'.19 E
40° 29'.03 S 148° 39'.73 E	40° 29'.16 S 148° 40'.27 E
40° 29'.30 S 148° 40'.81 E	40° 29'.43 S 148° 41'.35 E
40° 29'.56 S 148° 41'.88 E	40° 29'.69 S 148° 42'.42 E
40° 29'.82 S 148° 42'.96 E	40° 29'.96 S 148° 43'.50 E
40° 30'.09 S 148° 44'.04 E	40° 30'.22 S 148° 44'.58 E
40° 30'.35 S 148° 45'.12 E	40° 30'.48 S 148° 45'.65 E
40° 30'.61 S 148° 46'.19 E	40° 30'.75 S 148° 46'.73 E
40° 30'.88 S 148° 47'.27 E	40° 31'.01 S 148° 47'.81 E
40° 31'.14 S 148° 48'.35 E	40° 31'.27 S 148° 48'.89 E
40° 31'.40 S 148° 49'.40 E	40° 31'.52 S 148° 49'.90 E.

Chart temporarily affected – Aus 487 – Aus 798 – Aus 800

1063(T)/2012 AUSTRALIA - VICTORIA - Port Phillip - South Channel - Shoaling
Former Notice - 963(T)/2012 is cancelled
Victorian Notice 141(T)/2012 (AA630248)

Virtual AIS exist as follows:

Identification message	*Position*
TB1	38° 18'.11 S 144° 43'.86 E
TB2	38° 18'.22 S 144° 44'.39 E.

Shoaling with a least depth of *15.2m* exists in the vicinity and north of the virtual buoys. Deep draught vessels should pass to the south of the buoys.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected – Aus 144 – Aus 158

1064(T)/2012 AUSTRALIA - VICTORIA - Port Phillip - Williamstown - Harbour works
Date - Until 17 November 2012
Victorian Notice 135(T)/2012 (AA630011)

Harbour works associated with the rehabilitation of Ann St Pier (37° 51'.63 S 144° 54'.59 E) including the demolition of the pier end are in progress.

The light *F.G* (37° 51'.58 S 144° 54'.61 E) has been repositioned to 37° 51'.59 S 144° 54'.61 E.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected – Aus 154

HYDROGRAPHIC REPORTS

Locality	*Report*	*Ship/Authority*	*Observer*
TORRES STRAIT - Varzin Passage	Two-way route		S Lim
WA – North Muiron Island	Moorings		P Konui

NAVIGATION WARNINGS

The following radio messages have been received during the period to 19 October 2012. Signal copies of these messages may be destroyed. It is recommended that the reprint of Navigational Warnings should be kept in a file or a book divided into areas. Cancellation should be made on receipt of signals and reprints.

Rigs on location other than those listed in the latest Section III summary are the subject of Radio Navigational Warnings. Rigs in transit will not be the subject of Warnings.

AUSCOAST WARNING

262 Drill rig *Atwood Falcon* in position 20º 01'·80 S 115º 12'·01 E. 2·5M clearance requested.
263 Drill rig *Nan Hai 6* in position 19º 17'·57 S 116º 45'·82 E. 2·5M clearance requested.
264 Scientific operations in progress to depths of 95m in the following areas:
Fremantle area: 31º 55'·0 S to 32º 13'·0 S and 115º 20'·0 E to 115º 33'·0 E.
Lancelin area: 30º 54'·0 S to 31º 05'·0 S and 114º 54'·0 E to 115º 08'·0 E.
Dongara area: 29º 09'·0 S to 29º 48'·0 S and 114º 21'·0 E to 114º 43'·0 E.
Abrolhos Islands: western coasts to 3M to seaward.
1M clearance requested.
265 Drill rig *Noble Clyde Boudreaux* in position 22º 05'·20 S 113º 10'·85 E. 2·5M clearance requested.
266 Drill rig *Atwood Eagle* in position 20º 22'·55 S 113º 10'·08 E. 2·5M clearance requested.
267 Cancelled.

NAVAREA X WARNINGS

030 Cancelled.
031 Cancelled.

Navigational warnings in force as at 190001UTC OCT 12.

Auscoast
2012 228 241 244 250 252 253 255 258 259 260 262 263 264 265 266

Navarea X
2012 027 029

Summary of mobile drilling rigs as at 190001UTC OCT 12.

Name	*Position*
Ensco 109	10º 29'·15 S 128º 56'·90 E
Transocean Legend	13º 39'·24 S 122º 17'·52 E
Jack Bates	13º 35'·10 S 122º 30'·00 E
Nan Hai 6	19º 17'·57 S 116º 45'·82 E
Ensco 104	20º 17'·01 S 116º 16'·30 E
Ocean America	19º 45'·74 S 115º 53'·42 E
Atwood Falcon	20º 01'·80 S 115º 12'·01 E
Atwood Osprey	20º 29'·90 S 114º 49'·48 E
Deepwater Frontier	19º 49'·58 S 114º 34'·23 E
Noble Clyde Boudreaux	22º 05'·20 S 113º 10'·85 E
Atwood Eagle	20º 22'·55 S 113º 10'·08 E
Stena Clyde	39º 06'·50 S 142º 57'·01 E

NAVAREA XIV WARNINGS

086 Cancelled.
087 Cancelled.
088 Cancelled.
089 Cancelled.
090 Cancelled.
091 South Pacific Ocean. Raoul Island northwards. Pumice on or near the surface reported 1 OCT 2012 in area bounded by:
24º 00'·0 S 177º 00'·0 W
29º 00'·0 S 177º 00'·0 W
29º 00'·0 S 179º 00'·0 E
24º 00'·0 S 179º 00'·0 E.

Navarea XIV warnings in force as at 190001UTC OCT 12.

076 091


To accompany Australian Notice to Mariners 1028/2012

LOCAL MAGNETIC ANOMALY

A local magnetic anomaly is reported to exist in the area indicated on this chart. See Australia Pilot Vol I NP 13.

Note for chart Aus 327.

To accompany Australian Notice to Mariners 1025/2012




Block for chart Aus 292

© Commonwealth of Australia 2012

(277·9 x 164·0mm)

To accompany Australian Notice to Mariners 1025/2012




Block for chart Aus 839

© Commonwealth of Australia 2012

(217·2 x 110·7mm)

To accompany Australian Notice to Mariners 1029/2012




Block A for Aus 74

© Commonwealth of Australia 2012

(96·0 x 144·0mm)

To accompany Australian Notice to Mariners 1029/2012




© Commonwealth of Australia 2012

Block B for Aus 74


(26·7 x 25·6mm)

To accompany Australian Notice to Mariners 1034/2012



Block for Aus 121 © Commonwealth of Australia 2012 (81·9 x 44·8mm)


To accompany Australian Notice to Mariners 1035/2012



© Commonwealth of Australia 2012

Block A for Aus135 (83·3 x 107·4mm)


To accompany Australian Notice to Mariners 1035/2012



© Commonwealth of Australia 2012

Block B for Aus135 (45·6 x 45·9mm)

To accompany Australian Notice to Mariners 1035/2012




Block C for Aus 135

© Commonwealth of Australia 2012

(164·7 x 102·1mm)

To accompany Australian Notice to Mariners 1041/2012



© Commonwealth of Australia 2012

Block for Aus 154 (74.0 x 73.1mm)