



Australian Notices to Mariners are the authority for correcting Australian Charts and Publications

AUSTRALIAN NOTICES TO MARINERS

© Commonwealth of Australia 2008 - Copyright restrictions apply to Notices to Mariners

Notices 1108 - 1163 

Published fortnightly by the Australian Hydrographic Service

Commodore R. NAIRN RAN
Hydrographer of Australia

- SECTIONS.**
- I. **Australian Notices to Mariners, including blocks and notes.**
 - II. **Amendments to Admiralty List of Lights and Fog Signals, Vol K**
 - III. **Navigational Warnings.**
 - IV. **Hydrographic Reports.**
 - V. **Amendments to Admiralty List of Radio Signals (NP 281(2), 282, 283(2), 285, 286(4))**
 - VI. **Amendments to Admiralty Sailing Directions (NP 9, 13, 14, 15, 33, 34, 35, 36, 39, 44, 51, 60, 61, 62, 100, 136)**

[British Admiralty Notices to Mariners](#)

[New Zealand Notices to Mariners](#)

The substance of these notices should be inserted on the charts affected.

Bearings are referred to the true compass and are reckoned clockwise from North; those relating to lights are given as seen by an observer from seaward. Positions quoted in permanent notices relate to the horizontal datum for the chart(s). When preliminary or temporary notices affect multiple charts, positions will be provided in relation to only one horizontal datum and that datum will be specified. When the multiple charts do not have a common horizontal datum, mariners will be required to adjust the position(s) for those charts not on the specified datum. The range quoted for a light is its nominal range. Depths are with reference to the chart datum of each chart. Heights are above mean high water springs or mean higher high water, as appropriate.

The capital letter (P) or (T) after the number of any notice denotes a preliminary or temporary notice respectively, which are contained separately at the end of the permanent notices. A star () adjacent to the number of a notice indicates that the notice is based on original information.*

Mariners are particularly requested to notify the AUSTRALIAN HYDROGRAPHIC SERVICE, Locked Bag 8801 Wollongong, NSW 2500 (Fax 02-4223 6599, e-mail Hydro.NTM@defence.gov.au or, alternatively by filling in and submitting the [Hydrographic Notes](#) forms located on the web site – www.hydro.gov.au), immediately on the discovery of new dangers or suspected dangers to navigation. For changes or defects in aids to navigation notify AusSAR (Fax 02-6230 6868 or email rccaus@amsa.gov.au).

Copies of these notices can be obtained from the AUSTRALIAN HYDROGRAPHIC OFFICE, 8 Station Street, Wollongong; Distributors for the sale of Australian Navigational Products; AHS website www.hydro.gov.au or register for eNotices at www.hydro.gov.au/enotices/enotices.htm.

The Notices may be copied for the purpose of inserting their substance on official charts and other publications. However, any copies of the notices may not be sold for profit without prior written agreement.

IMPORTANT NOTICE

This edition of Notices to Mariners includes all significant information affecting AHS products which the AHS has become aware of since the last edition. All reasonable efforts have been made to ensure the accuracy and completeness of the information, including third party information, on which these updates are based. The AHS regards third parties from which it receives information as reliable, however the AHS cannot verify all such information and errors may therefore exist. The AHS does not accept liability for errors in third party information.

This work is copyright. Apart from any use permitted under the Copyright Act 1968, no part may be reproduced by any process, adapted, communicated or commercially exploited without prior written permission from The Commonwealth represented by the Australian Hydrographic Service. Copyright in some of the material in this publication may be owned by another party and permission for the reproduction of that material must be obtained from the owner.

NUMERICAL INDEX OF CHARTS AFFECTED

Edition No 22

7 November 2008

Notices	Aus Chart, INT Chart, ENC Cell, AHP
1108	Aus 43, 54, 73, 344, 354, 362, 795, 796
1109	Amendment to Australian National Tide Tables 2009
1110	Aus 361, 808, AX 0808E
1111	Aus 361, 808, AX 0808E
1112	Aus 361, 363, 423, 424
1113	Aus 201, 202
1114	Aus 208
1115	Aus 208
1116	Aus 424, 4602, INT 602
1117	Aus 236
1118	Aus 247, 819
1119	Aus 367
1120	Aus 376, 839
1121	Aus 4604, 4621, INT 604, 621
1122	Aus 4
1123	Aus 311, 4721, INT 721
1124	Aus 29
1125	Aus 414, 4603, 4708, 4722, INT 603, 708, 722
1126	Aus 4070, 4071, INT 70, 71
1127	Aus 415, 4722, INT 722
1128	Aus 323
1129	Aus 326
1130	Aus 328
1131	Aus 112, 113, 117, AX 63112, 70117
1132	Aus 116
1133	Aus 4727, INT 727
1134	Aus 347
1135	Aus 422, 797
1136	Aus 175
1137	Aus 157
1138	Aus 157
1139	Aus 155
1140	Aus 151
1141	Aus 182
1142(P)	Australian National Tide Tables 2009
1143(T)	Aus 236
1144(T)	Aus 236
1145(T)	Aus 237, AU5237X8
1146(T)	Aus 238, AU5237X8
1147(T)	Aus 236
1148(T)	Aus 235
1149(T)	Aus 249, 250, AU5250P2
1150(T)	Aus 251
1151(T)	Aus 252, 253, 371, 824
1152(T)	Aus 255, AU5XX255
1153(T)	Aus 255, AU5XX255
1154(T)	Aus 830
1155(T)	Aus 651
1156(T)	Aus 72, 329, 330, 745, AU323113, 324113
1157(P)	Aus 334, 754, AX 0334E, 0754E, 66002, AU432115
1158(P)	Aus 119, 762
1159(T)	Aus 137
1160(T)	Aus 137
1161(T)	Aus 125
1162(T)	Aus 143, 153, 157, AU439144
1163(T)	Aus 143, 155

NUMERICAL INDEX OF CHARTS AFFECTED

Edition No 22

[illegible]

1108 AUSTRALIA - Products

Australian Hydrographic Service (AA356459)

New Chart

<i>Chart</i>	<i>Published</i>	<i>Title and description of amendments</i>	<i>Scale</i>	<i>Folio</i>	<i>Index Chart</i>	<i>Price</i>
Aus 795	29/8/2008	Australia - Tasmania - South Cape to Storm Bay 43° 06' 06" S - 44° 19' 42" S 146° 37' 36" E - 147° 37' 00" E <i>New chart providing improved coverage of the southeast coast of Tasmania.</i>	1:150 000	6	Aus 5001	\$29.50
Aus 796	29/8/2008	Australia - Tasmania - Tasman Head to Cape Frederick Hendrick 42° 45' 24" S - 43° 59' 24" S 147° 15' 06" E - 148° 14' 30" E <i>New chart providing improved coverage of the southeast coast of Tasmania.</i>	1:150 000	6	Aus 5001	\$29.50

New Chart to be published shortly

<i>Chart</i>	<i>Title</i>	<i>Scale</i>	<i>Expected Publication Date</i>	<i>Expected Stock Availability</i>
Aus 43	Australia - North West Coast - Indian Ocean - Scott and Seringapatam Reefs	1:75 000	7 November 2008	15 December 2008
Aus 54	Australia - North West Coast - Western Australia - Port Hedland	1:7 500	7 November 2008	15 December 2008
Aus 73	Australia - North West Coast - Plans in Western Australia (Sheet 4) Plans: Cape Cuvier Carnarvon	1:10 000 1:12 500	7 November 2008	15 December 2008

Chart permanently withdrawn

<i>Chart</i>	<i>On publication of new chart</i>
Aus 354	Aus 795 & Aus 796
Aus 362	Independently withdrawn

Chart to be permanently withdrawn without replacement

<i>Chart</i>	<i>On publication of new chart</i>
Aus 344	This chart will be withdrawn on 16 January; covered by published charts Aus 776, Aus 777 & Aus 778.

For further details refer to the AHS website at www.hydro.gov.au for new edition and new chart stock arrival information.

When placing orders with a chart agent, mariners should advise whether their order pertains to the current edition or the new edition.

1109 AUSTRALIA - Products - Amendment to Australian National Tide Tables 2009

Australian Hydrographic Service (AA366747)

Page 305

Amend Port Victoria mean time difference to +0113

1110* AUSTRALIA - NEW SOUTH WALES - Stanwell Park - Depth

Australian Hydrographic Service (AA366359), J Pease

Aus 361 [1065/2008]			
Insert	depth, 19fm, enclosed by contour	34° 13'.87 S	151° 04'.46 E
Aus 808 [1065/2008]			
Insert	depth, 35m, enclosed by contour	34° 13'.76 S	151° 04'.44 E
AX 0808E [1065/2008]			
Insert	depth, 35m, enclosed by contour	34° 13'.76 S	151° 04'.44 E

1111* AUSTRALIA - NEW SOUTH WALES - Garie Beach - Wreck

Australian Hydrographic Service (AA363881, AA363855, AA364445), Department of the Environment and Heritage (AA363674)

Aus 361 [1110/2008]

Insert	depth, 22fm, enclosed by danger circle with magenta legend <i>Historic Wk</i> (see Note)	34° 10'.88 S	151° 05'.66 E
--------	--	--------------	---------------

Delete	depth, 34fm	34° 10'.9 S	151° 07'.1 E
--------	-------------	-------------	--------------

Aus 808 [1110/2008]

Insert	depth, 41m, enclosed by danger circle with magenta legend <i>Historic Wk</i> (see Note)	34° 10'.77 S	151° 05'.64 E
--------	---	--------------	---------------

AX 0808E [1110/2008]

Insert	depth, 41m, enclosed by danger circle with magenta legend <i>Historic Wk</i> (see Note)	34° 10'.77 S	151° 05'.64 E
--------	---	--------------	---------------

1112* AUSTRALIA - NEW SOUTH WALES - Port Jackson to Nambucca Heads - Chart limits; legends

Australian Hydrographic Service (AA349482)

Aus 361 [1111/2008]

Delete	magenta legend, Adjoining Chart Aus 362, in N border	33° 05'.0 S	151° 57'.5 E
--------	--	-------------	--------------

Aus 363 [686/2006]

Delete	magenta legend, Adjoining Chart Aus 362, in S border	31° 51'.8 S	153° 17'.5 E
--------	--	-------------	--------------

Aus 423 [1062/2008]

Insert	magenta limits, with legend Aus 809 in SE corner, between	32° 49'.0 S	151° 15'.0 E
		33° 54'.0 S	151° 15'.0 E
		33° 54'.0 S	152° 14'.4 E
		32° 49'.0 S	152° 14'.4 E
	magenta limits, with legend Aus 810 in SE corner, between	32° 49'.0 S	152° 06'.0 E
		33° 13'.0 S	152° 06'.0 E
		33° 13'.0 S	153° 05'.4 E
		32° 49'.0 S	153° 05'.4 E

Delete	magenta limits, with legend Aus 362, centred on	33° 00'.0 S	152° 40'.0 E
--------	---	-------------	--------------

Aus 424 [621/2008]

Insert	magenta limits, with legend Aus 809 in SE corner, between	33° 54'.0 S	151° 15'.0 E
		33° 54'.0 S	152° 14'.4 E
		32° 35'.1 S	152° 14'.4 E
		32° 35'.1 S	151° 15'.0 E
		33° 54'.0 S	151° 15'.0 E
	magenta limits, with legend Aus 810 in SE corner, between	33° 13'.0 S	152° 06'.0 E
		33° 13'.0 S	153° 05'.4 E
		31° 47'.0 S	153° 05'.4 E
		31° 47'.0 S	152° 06'.0 E
		33° 13'.0 S	152° 06'.0 E
	magenta limits, with legend Aus 811 in SE corner, between	31° 57'.0 S	152° 37'.0 E
		31° 57'.0 S	153° 36'.4 E
		30° 36'.4 S	153° 36'.4 E
		30° 36'.4 S	152° 37'.0 E
		31° 57'.0 S	152° 37'.0 E

Delete	magenta limits, with legend Aus 362, centred on	32° 20'.0 S	152° 50'.0 E
--------	---	-------------	--------------

1113* AUSTRALIA - NEW SOUTH WALES - Port Jackson - Bradleys Head - Traffic separation zone

Sydney Ports Corporation (AA366025, AA366024)

Aus 201 [86/2008]

Insert	accompanying block	33° 51'.3 S	151° 15'.0 E
--------	------------------------------------	-------------	--------------

Aus 202 [951/2008]

Insert	accompanying block	33° 51'.3 S	151° 15'.0 E
	accompanying Historic Wreck note	33° 52'.4 S	151° 10'.1 E

1114* AUSTRALIA - NEW SOUTH WALES - Newcastle - Bearing

Australian Hydrographic Service (AA323570)

Aus 208 [621/2008]

Amend legend to 102.7°

32° 55'.26 S

151° 46'.63 E

1115* AUSTRALIA - NEW SOUTH WALES - Newcastle - Throsby Basin - Infrastructure; lights

Newcastle Port Corporation (AA364222, AA364223)

Aus 208 [1114/2008]Insert [accompanying block](#)

32° 55'.3 S

151° 45'.6 E

1116* AUSTRALIA - NEW SOUTH WALES - Stradbroke Seamount - Depth eastwards

Australian Hydrographic Service (AA366292), Geoscience Australia (GA2395)

Aus 424 [1112/2008]

Insert depth, 748m, enclosed by contour

29° 04'.5 S

155° 59'.4 E

Aus 4602 (INT 602) [837/2008]

Insert depth, 1369m, enclosed by contour

29° 04'.5 S

155° 59'.4 E

Delete depth, 3859m and enclosing contour

29° 09'.0 S

156° 07'.0 E

1117* AUSTRALIA - QUEENSLAND - Moreton Bay - Chain Banks - Fish haven

Maritime Safety Queensland Notice 667(T)/2008 (AA364885)

Aus 236 [687/2008]

Substitute fish haven with minimum depth, 5m, for fish haven

27° 24'.4 S

153° 18'.7 E

1118* AUSTRALIA - QUEENSLAND - Keppel Bay - North West Bank - Depths

Maritime Safety Queensland (AA366339, AA366342)

Aus 247 [774/2008]Insert depth, 9₉m, and extend contour E to enclose
depth, 9₆m, enclosed by contour

23° 27'.45 S

150° 57'.98 E

23° 28'.13 S

150° 58'.03 E

Delete depth, 11₆m

23° 28'.2 S

150° 58'.2 E

Aus 819 [1066/2008]Insert depth, 9₆m, and extend contour W to enclose

23° 28'.13 S

150° 58'.03 E

Delete depth, 6₇m

23° 28'.4 S

150° 58'.3 E

1119* AUSTRALIA - QUEENSLAND - Swains Reef - Unsurveyed boundary

Australian Hydrographic Service (AA365610, AA365612)

Aus 367 [431/2008]*On certain copies only*

Insert unsurveyed boundary, between

21° 32'.1 S

152° 20'.5 E

21° 44'.7 S

152° 40'.0 E

Delete unsurveyed boundary, between

21° 32'.1 S

152° 20'.5 E

21° 57'.1 S

152° 01'.9 E

unsurveyed boundary, between

21° 57'.4 S

152° 04'.8 E

21° 57'.4 S

152° 07'.3 E

22° 05'.0 S

152° 16'.8 E

1120* AUSTRALIA - QUEENSLAND - Poll Island to Lowry Islet - Depths
Fugro Survey Pty Ltd (AA363840)

Aus 376 [1073/2008]

Insert	depth, 9 ₃ m, enclosed by contour	10° 07'.70 S	142° 51'.36 E
	depth, 4 ₂ m, enclosed by contour	10° 15'.28 S	142° 48'.69 E
Substitute	depth, 3 ₈ m, for depth, 4 ₉ m	10° 14'.8 S	142° 49'.7 E
Delete	depth, 14 ₆ m	10° 07'.7 S	142° 51'.6 E
	depth, 7 ₉ m	10° 15'.4 S	142° 48'.9 E
	depth, 11 ₃ m	10° 14'.7 S	142° 48'.3 E

Aus 839 [472/2007]

Insert	depth, 9 ₃ m, enclosed by contour	10° 07'.70 S	142° 51'.36 E
	depth, 3 ₇ m, and extend contour W to enclose	10° 12'.09 S	142° 48'.57 E
	depth, 8m, and extend contour NW to enclose	10° 14'.22 S	142° 49'.26 E
	depth, 4 ₂ m, enclosed by contour	10° 15'.28 S	142° 48'.69 E
	depth, 6 ₄ m, enclosed by contour	10° 05'.63 S	142° 48'.92 E
Substitute	depth, 3 ₈ m, for depth, 4 ₉ m	10° 14'.8 S	142° 49'.7 E
Delete	depth, 14 ₅ m, and enclosing contour	10° 07'.7 S	142° 51'.6 E
	legend, Inadequately Surveyed (see ZOC Diagram)	10° 07'.2 S	142° 50'.0 E
	depth, 4 ₈ m	10° 12'.1 S	142° 48'.8 E
	depth, 13m	10° 14'.3 S	142° 49'.2 E
	depth, 7 ₈ m	10° 15'.4 S	142° 48'.9 E
	depth, 9m	10° 14'.6 S	142° 49'.4 E
	depth, 7 ₂ m	10° 12'.3 S	142° 48'.5 E

1121 PAPUA NEW GUINEA - Adele Island - Depth
BA Notice 41/5548/2008 (AA366026)

Aus 4604 (INT 604) [837/2008]

Insert	depth, 658m, enclosed by contour	11° 27'.4 S	154° 59'.1 E
Delete	depth, 1920m	11° 34'.0 S	154° 52'.0 E

Aus 4621 (INT 621) [842/2008]

Insert	depth, 658m, enclosed by contour	11° 27'.4 S	154° 59'.1 E
--------	----------------------------------	-------------	--------------

1122* AUSTRALIA - QUEENSLAND - Weipa - Maintained depth
Maritime Safety Queensland Notice 662(T)/2008 (AA364401)

Aus 4 [1010/2008]

Amend	legend to 11.1m	12° 41'.0 S	141° 45'.7 E
-------	-----------------	-------------	--------------

Aus 4 (plan, Port of Weipa)

Amend	legend to 11.1m	12° 40'.45 S	141° 48'.80 E
	legend to 11.1m	12° 40'.37 S	141° 50'.11 E

1123* EAST TIMOR - Timor Sea - Well
Woodside (AA364936, AA364939)

Aus 311 [781/2008]

Insert	depth, 520m, enclosed by danger circle with legend <i>Well</i>	9° 29'.88 S	128° 02'.48 E
--------	--	-------------	---------------

Aus 4721 (INT 721) [1074/2008]

Insert	depth, 520m, enclosed by danger circle with legend <i>Well</i>	9° 29'.9 S	128° 02'.5 E
Delete	depth, 365m	9° 33'.0 S	128° 04'.0 E

1124* AUSTRALIA - NORTHERN TERRITORY - Bynoe Harbour - Legend

Australian Hydrographic Service (AA365610, AA365612)

Aus 29 [1015/2008]

On certain copies only

Amend legend to *UNSURVEYED* 12° 42'.2 S 130° 39'.5 E**1125* INDIAN OCEAN - Argo Plain to Roo Rise - Light buoys**

Australian Bureau of Meteorology (AA366041)

Aus 414 [910/2008]Insert red and white cylindrical light buoy, *Fl.2s*, without topmark 15° 01'.3 S 117° 59'.4 E**Aus 4603 (INT 603)** [1073/2008]Insert red and white cylindrical light buoy, *Fl.2s*, without topmark 15° 01'.3 S 117° 59'.4 E**Aus 4708 (INT 708)** [787/2008]Insert red and white cylindrical light buoy, *Fl.2s*, without topmark 13° 59'.1 S 110° 00'.3 E**Aus 4722 (INT 722)** [853/2008]Insert red and white cylindrical light buoy, *Fl.2s*, without topmark 15° 01'.3 S 117° 59'.4 E**1126 INDIAN OCEAN - Albatross Island - Islet**

BA Notice 41/5603/2008 (AA365710)

Aus 4070 (INT 70) [856/2008]

Substitute islet for light 16° 11'.0 S 59° 35'.0 E

Aus 4071 (INT 71) [1062/2007]

Substitute islet for light 16° 11'.0 S 59° 35'.0 E

1127* AUSTRALIA - WESTERN AUSTRALIA - Cape Leveque to North West Cape - Islet; chart note

UKHO (AA361414)

Aus 415 [961/2008]

Insert islet 17° 16'.2 S 119° 21'.3 E

Amend note to ...*Charts Aus 5000 and 5001.* 20° 11'.0 S 122° 23'.0 E**Aus 4722 (INT 722)** [1125/2008]

Insert islet 17° 16'.2 S 119° 21'.3 E

1128* AUSTRALIA - WESTERN AUSTRALIA - Cape Bertholet - Depths westwards

Australian Hydrographic Service (AA365676)

Aus 323 [697/2008]Insert depth, *15m*, enclosed by contour 17° 16'.43 S 121° 55'.06 E
depth, *15_gm* 17° 18'.05 S 121° 55'.60 EDelete depth, *18₅m* 17° 18'.2 S 121° 56'.1 E**1129* AUSTRALIA - WESTERN AUSTRALIA - Bedout Islet to Port Walcott - Magnetic variation**

UKHO (AA361414)

Aus 326 [190/2008]Amend legend to *2°00' E 2009 (1' E)* 18° 24'.9 S 118° 19'.5 E

1130* AUSTRALIA - WESTERN AUSTRALIA - Montebello Islands to North West Cape - Chart note
 Australian Hydrographic Service (AA365610, AA365612)

Aus 328 [1077/2008]

On certain copies only

Delete	note, INADEQUATELY SURVEYED	22° 29'.0 S	115° 30'.0 E
--------	-----------------------------	-------------	--------------

1131* AUSTRALIA - WESTERN AUSTRALIA - Fremantle - Buoys

Fremantle Ports (AA365682, AA365683, AA365685, AA365686)

Aus 112 [964/2008]

Delete	buoy	32° 04'.55 S	115° 43'.45 E
--------	------	--------------	---------------

Aus 113 [1023/2008]

Move	buoy	32° 04'.17 S	115° 42'.02 E
	to	32° 04'.170 S	115° 41'.993 E
	buoy	32° 03'.60 S	115° 44'.08 E
	to	32° 03'.570 S	115° 44'.110 E
	buoy	32° 04'.26 S	115° 44'.14 E
	to	32° 04'.27 S	115° 44'.15 E

Aus 117 [293/2008]

Insert	special spar buoy, without topmark	32° 05'.296 S	115° 42'.202 E
	special spar buoy, without topmark	32° 05'.998 S	115° 42'.003 E

Delete	buoy	32° 04'.8 S	115° 42'.2 E
	buoy	32° 06'.0 S	115° 42'.4 E
	depth, 8 ₉ m	32° 05'.26 S	115° 42'.18 E

AX 63112 [394/2007]

Delete	buoy	32° 04'.55 S	115° 43'.45 E
--------	------	--------------	---------------

AX 70117 [293/2008]

Insert	special spar buoy, without topmark	32° 05'.296 S	115° 42'.202 E
	special spar buoy, without topmark	32° 05'.998 S	115° 42'.003 E

Delete	buoy	32° 04'.8 S	115° 42'.2 E
	buoy	32° 06'.0 S	115° 42'.4 E
	depth, 8 ₉ m	32° 05'.26 S	115° 42'.18 E

1132* AUSTRALIA - WESTERN AUSTRALIA - Flinders Bay - Depths; chart note

Australian Hydrographic Service (AA276964), Department for Planning and Infrastructure WA (DHDB 242133)

Aus 116 (plan, Flinders Bay) [699/2008]

Insert	accompanying block	34° 20'.0 S	115° 13'.0 E
--------	------------------------------------	-------------	--------------

Substitute	accompanying note for LB note	34° 19'.3 S	115° 08'.0 E
------------	---	-------------	--------------

1133* AUSTRALIA - SOUTH AUSTRALIA - Eyre Peninsula - Contour southwestwards

Australian Hydrographic Service (AA365671)

Aus 4727 (INT 727) [379/2008]

Insert	broken contour enclosing depth, 164m	34° 58'.5 S	133° 44'.0 E
	legend <i>PD</i>	34° 56'.0 S	133° 41'.0 E

1134* AUSTRALIA - SOUTH AUSTRALIA - Cape Martin - Light

Australian Hydrographic Service (AA365610, AA365612)

Aus 347 [644/2008]

On certain copies only

Amend	light range to 16M	37° 29'.4 S	140° 00'.7 E
-------	--------------------	-------------	--------------

1135* AUSTRALIA - TASMANIA - South Cape to Cape Frederick Hendrick - Chart limits

Australian Hydrographic Service (AA356459)

Aus 422 [1029/2008]

Insert	magenta limits, with legend <i>Aus 795</i> in SE corner, between	44° 19'.7 S	146° 37'.6 E
		44° 19'.7 S	147° 37'.0 E
		43° 06'.1 S	147° 37'.0 E
		43° 06'.1 S	146° 37'.6 E
		44° 19'.7 S	146° 37'.6 E
	magenta limits, with legend <i>Aus 796</i> in SE corner, between	43° 59'.4 S	147° 15'.1 E
		43° 59'.4 S	148° 14'.5 E
		42° 45'.4 S	148° 14'.5 E
		42° 45'.4 S	147° 15'.1 E
		43° 59'.4 S	147° 15'.1 E
Delete	magenta limits, with legend <i>Aus 354</i> , centred on	43° 20'.0 S	146° 20'.0 E
Aus 797 [NC 6/6/2008]			
Amend	legend to <i>Adjoining Chart Aus 796</i> , in W border	43° 22'.5 S	147° 51'.3 E

1136* AUSTRALIA - TASMANIA - Triabunna - Infrastructure

Australian Hydrographic Service (AA355861)

Aus 175 [NC 28/3/2008]

Insert	accompanying block	42° 30'.7 S	147° 55'.0 E
--------	------------------------------------	-------------	--------------

1137* AUSTRALIA - VICTORIA - Port Phillip - Point Wilson Bank - Light buoy

Victorian Notice 123/2008 (AA365870)

Aus 157 [1031/2008]

Move	light buoy	38° 06'.26 S	144° 31'.08 E
	to	38° 06'.188 S	144° 31'.159 E
Delete	depth, 3 ₆ m	38° 06'.17 S	144° 31'.20 E

1138* AUSTRALIA - VICTORIA - Port Phillip - Geelong - Wreck

Department of Planning and Community Development (AA349865)

Aus 157 [1137/2008]

Insert	foul symbol, with magenta legend <i>Historic Wreck</i> (see Note)	38° 08'.551 S	144° 21'.886 E
--------	--	---------------	----------------

1139* AUSTRALIA - VICTORIA - Port Phillip - Port Melbourne Channel - Light beacons*Former Notice - 1107(P)/2008 is cancelled*

Victorian Notice 125/2008 (AA366424)

Aus 155 [497/2008]

Insert	starboard lateral light beacon, <i>Fl(2)G.4s No5</i> , with topmark	37° 54'.550 S	144° 55'.700 E
	port lateral light beacon, <i>Fl(2)R.4s No4</i> , with topmark	37° 55'.071 S	144° 55'.537 E
	port lateral light beacon, <i>Fl(2)R.4s No2</i> , with topmark	37° 55'.610 S	144° 55'.519 E

1140* AUSTRALIA - VICTORIA - Western Port - Flinders Bight - Light beacon

Australian Hydrographic Service (AA365610, AA365612)

Aus 151 [593/2008]*On certain copies only*

Amend	light to <i>Q(4)Y.12s 3M</i>	38° 27'.12 S	145° 02'.85 E
-------	------------------------------	--------------	---------------

1141* **AUSTRALIA - VICTORIA - Port Welshpool - Infrastructure; depths**
Gippsland Ports (AA365867, AA365866)

Aus 182 (plan, Port Welshpool) [973/2008]

Insert [accompanying block](#)

38° 42'.3 S

146° 27'.6 E

1142(P)/2008 AUSTRALIA - ANTT 2009

Australian Hydrographic Service (AA366901)

In the ANTT 2009 all standard port predictions are given in metres above lowest astronomical tide. Corrections to chart datum are provided in Table I. Mariners are, however, advised to take particular notice to corrections for the following ports where a large correction is required:

<i>Page</i>	<i>Port No</i>	<i>Port Name</i>	<i>To Chart Datum</i>
225-227	62650	Broome	Subtract 0.9
231-233	62860	Yampi Sound (Koolan Island)	Subtract 0.7
234-236	63001	Cape Voltaire	Subtract 0.4

1143(T)/2008 AUSTRALIA - QUEENSLAND - Moreton Bay - Lamb Island to Macleay Island - Harbour works

Date - Until 12 January 2009

Maritime Safety Queensland Notice 687(T)/2008 (AA367559)

Piling operations are in progress at the Lamb Island (27° 37'.9 S 153° 22'.4 E) and Macleay Island (27° 37'.9 S 153° 21'.9 E) barge ramps.

A barge will be onsite and will monitor VHF Ch 13.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected – Aus 236

1144(T)/2008 AUSTRALIA - QUEENSLAND - Moreton Bay - Raby Bay - Light beacon restored

Former Notice - 695(T)/2007 is cancelled

Maritime Safety Queensland Notice 534/2007 (AA279553)

Cancel this notice on receipt.

Chart formerly affected – Aus 236

1145(T)/2008 AUSTRALIA - QUEENSLAND - Brisbane River - Fisherman Islands - Moorings

Maritime Safety Queensland Notice 686(T)/2008 (AA367560)

Moorings marked by unlit buoys exist in the vicinity of 27° 21'.63 S 153° 10'.68 E.

Mariners are advised to keep outside the Fisherman Islands development area.

Chart temporarily affected – Aus 237 - AU5237X8

1146(T)/2008 AUSTRALIA - QUEENSLAND - Brisbane River - Quarries Reach to Parker Island Reach - Harbour works

Former Notice - 445(T)/2007 is cancelled

Date - Until 31 August 2010

Maritime Safety Queensland Notice 190(T)/2007, 296(T)/2007, 677(T)/2008 (AA237697, AA243715, AA366844, AA243714)

Harbour works are in progress for the Gateway Bridge development.

A silt curtain and temporary causeway exist from the northern bank of the river to position 27° 26'.62 S 153° 06'.01 E.

A 6 knot no wash speed limit zone marked by special light buoys exists between:

27° 26'.67 S 153° 05'.74 E

27° 26'.45 S 153° 06'.39 E

27° 26'.60 S 153° 06'.50 E

27° 26'.66 S 153° 06'.50 E

27° 26'.89 S 153° 05'.87 E

27° 26'.67 S 153° 05'.74 E

Special light buoys, *Fl.Y.2-5s*, exist in positions:

27° 26'.74 S 153° 05'.79 E

27° 26'.52 S 153° 06'.44 E

27° 26'.60 S 153° 06'.50 E

27° 26'.83 S 153° 05'.83 E

During construction a 3 metre reduction in vertical clearance will exist, with 54 metres in the centre and 50 metres at the edge of the cutting.

Mariners with an aircraft of over 45 metres are required to obtain written permission from the Manager Vessel Traffic Management at Brisbane Port Control on 07 33051700 prior to proceeding under the Gateway Bridges.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected – Aus 238 - AU5237X8

1147(T)/2008 AUSTRALIA - QUEENSLAND - Moreton Bay - Pine River - Harbour works

Former Notice - 1092(T)/2008 is cancelled

Date - Until 1 January 2009

Maritime Safety Queensland Notice 651(T)/2008, 690(T)/2008 (AA364317, AA367579)

Works associated with the construction of a jetty in position 27° 16'.5 S 153° 04'.3 E are in progress.

A special light buoy, *Fl.Y.2-5s*, exists in position 27° 16'.55 S 153° 04'.26 E.

The barge *DC1* will be conducting piling operations and will deploy four anchors. Workboats and supply barges will also be onsite.

The piling area will be marked by three unlit buoys. All hazards to navigation will display appropriate lights.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected – Aus 236

1148(T)/2008 AUSTRALIA - QUEENSLAND - Caloundra - Obstruction removed

Former Notice - 572(T)/2007 is cancelled

Maritime Safety Queensland Notice 484/2007 (AA270983)

Cancel this notice on receipt.

Chart formerly affected – Aus 235

1149(T)/2008 AUSTRALIA - QUEENSLAND - Hay Point - Drilling operations*Date - Until 30 April 2009*

Maritime Safety Queensland Notice 684(T)/2008 (AA367219)

The jack-up barge *Side Son 3* is undertaking drilling operations in an area between; HPS Berth No 1 (21° 15'.78 S 149° 18'.76 E) and position 21° 16'.31 S 149° 19'.01 E and in an area between HPS Berth No 1 and the shore.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected – Aus 249 – Aus 250 - AU5250P2

1150(T)/2008 AUSTRALIA - QUEENSLAND - Brampton Island - Harbour works completed*Former Notice - 551(T)/2008 is cancelled*

Maritime Safety Queensland Notice 683/2008 (AA367016)

Cancel this notice on receipt.

Chart formerly affected – Aus 251

1151(T)/2008 AUSTRALIA - QUEENSLAND - Surprise Rock - Light beacon restored*Former Notice - 166(T)/2008 is cancelled*

Maritime Safety Queensland Notice 689/2008 (AA367603)

Cancel this notice on receipt.

Chart formerly affected – Aus 252 – Aus 253 – Aus 371 – Aus 824

1152(T)/2008 AUSTRALIA - QUEENSLAND - Abbot Point - Depth information*Former Notice - 977(T)/2008 is cancelled*

Maritime Safety Queensland Notice 681(T)/2008 (AA366839)

Available depths as at 16 October 2008:

	<i>Metres</i>
* Departure Channel	17.2
Berth Pocket	19.1

* Indicates revised entry.

Chart temporarily affected – Aus 255 - AU5XX255

1153(T)/2008 AUSTRALIA - QUEENSLAND - Abbot Point - Dredging operations*Date - Until 30 November 2008*

Maritime Safety Queensland Notice 688(T)/2008 (AA367586)

Dredging operations associated with the refurbishment of the small service jetty (19° 52'.98 S 148° 04'.93 E) are in progress.

A barge, MT *Daley* and workboat, *Workboat 29* will display appropriate lights and signals.

Vessels involved in the operations can be contacted on VHF Ch 72.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected – Aus 255 - AU5XX255

1154(T)/2008 AUSTRALIA - QUEENSLAND - Arlington Reef - Buoy re-established*Former Notice - 470(T)/2006 is cancelled*

Maritime Safety Queensland Notice 175/2007 (AA236318)

Cancel this notice on receipt.

Chart formerly affected – Aus 830

1155(T)/2008 PAPUA NEW GUINEA - Wewak - Light relit*Former Notice - 1050(T)/2008 is cancelled*

National Maritime Safety Authority PNG Notice 211/2008 (AA367328)

Cancel this notice on receipt.

Chart formerly affected – Aus 651

1156(T)/2008 AUSTRALIA - WESTERN AUSTRALIA - North West Cape to Point Maud - Scientific instruments

Former Notice - 170(T)/2008 is cancelled

Date - Until 28 February 2009

Sydney Institute of Marine Science (AA367078, AA367079, AA367220)

Subsea moorings (10 to 15 metres below the surface) exist in positions (WGS84 datum) as follows:

<i>Latitude</i>	<i>Longitude</i>
21° 53'.259 S	113° 55'.188 E
21° 53'.502 S	113° 55'.389 E
21° 53'.740 S	113° 55'.760 E
21° 58'.550 S	113° 54'.440 E
21° 58'.991 S	113° 54'.465 E
21° 59'.786 S	113° 54'.081 E
22° 35'.330 S	113° 35'.642 E
22° 35'.457 S	113° 35'.979 E
22° 35'.605 S	113° 36'.419 E
22° 35'.729 S	113° 36'.779 E
22° 35'.921 S	113° 37'.233 E
23° 01'.001 S	113° 45'.652 E
23° 06'.841 S	113° 36'.546 E
23° 06'.865 S	113° 36'.978 E
23° 06'.925 S	113° 37'.432 E
23° 06'.963 S	113° 37'.887 E
23° 07'.050 S	113° 37'.283 E
23° 07'.081 S	113° 38'.724 E
23° 07'.134 S	113° 39'.170 E
23° 07'.181 S	113° 39'.613 E
23° 07'.225 S	113° 40'.053 E
23° 07'.284 S	114° 40'.414 E
23° 07'.296 S	113° 40'.950 E
23° 07'.360 S	113° 41'.396 E
23° 07'.410 S	113° 41'.834 E
23° 07'.453 S	113° 42'.274 E
23° 07'.519 S	113° 42'.711 E
23° 07'.567 S	113° 43'.139 E
23° 07'.614 S	113° 43'.579 E
23° 07'.655 S	113° 44'.041 E

Bottom mounted scientific instruments exist in positions as follows:

<i>Latitude</i>	<i>Longitude</i>
22° 36'.160 S	113° 37'.669 E
22° 36'.344 S	113° 38'.041 E
22° 36'.510 S	113° 38'.477 E
22° 36'.669 S	113° 38'.911 E
22° 36'.706 S	113° 39'.736 E
22° 36'.725 S	113° 39'.285 E
22° 59'.245 S	113° 47'.992 E
22° 59'.693 S	113° 47'.769 E
22° 59'.792 S	113° 48'.286 E
22° 59'.855 S	113° 48'.776 E
22° 59'.977 S	113° 45'.985 E
23° 02'.562 S	113° 47'.566 E
23° 04'.447 S	113° 44'.909 E
23° 05'.694 S	113° 47'.871 E
23° 07'.282 S	113° 45'.433 E
23° 07'.369 S	113° 45'.092 E
23° 07'.476 S	113° 44'.946 E
23° 07'.553 S	113° 46'.069 E
23° 07'.616 S	113° 46'.138 E
23° 07'.641 S	113° 46'.128 E
23° 07'.718 S	113° 46'.183 E
23° 07'.798 S	113° 44'.398 E
23° 07'.805 S	113° 46'.199 E
23° 08'.152 S	113° 45'.222 E

Mariners are advised to navigate with caution in the area.

Chart temporarily affected – Aus 72 – Aus 329 – Aus 330 – Aus 745 – AU323113 – AU324113

1157(P)/2008 AUSTRALIA - WESTERN AUSTRALIA - Rottnest Island - Scientific instrument to be established

Date - On or about 30 November 2008
CSIRO (AA357780, AA357782, AA359084)

A subsurface scientific instrument will be established in position 32° 00'.00 S 115° 25'.00 E.

Chart which will be affected – Aus 334 – Aus 754 – AX 0334E – AX 0754E – AX 66002 - AU432115

1158(P)/2008 AUSTRALIA - WESTERN AUSTRALIA - Esperance - Charley Island - Scientific instrument to be established

Date - On or about 31 December 2008
CSIRO (AA357780, AA357782, AA359084)

A subsurface scientific instrument will be established in position 33° 56'.00 S 121° 51'.00 E.

Chart which will be affected – Aus 119 – Aus 762

1159(T)/2008 AUSTRALIA - SOUTH AUSTRALIA - Port Adelaide - Bridge construction completed

Former Notice - 360(T)/2008 is cancelled
HydroSurvey Australia (AA366953)

Cancel this notice on receipt.

Chart formerly affected – Aus 137

1160(T)/2008 AUSTRALIA - SOUTH AUSTRALIA - Port Adelaide - Depths restored

Former Notice - 239(T)/2006 is cancelled
HydroSurvey (AA366953)

Cancel this notice on receipt.

Chart formerly affected – Aus 137

1161(T)/2008 AUSTRALIA - SOUTH AUSTRALIA - Glenelg - Shoaling

Former Notice - 989(T)/2008 is cancelled
Department for Transport, Energy and Infrastructure SA Notice 51/2008 (AA367158, AA367331)

Shoaling exists in the approach channel to Glenelg Harbor.

Light buoys have been established to mark the channel into the harbor:

<i>Position (WGS84 datum)</i>	<i>Remarks</i>
34° 58'.438 S 138° 30'.496 E	<i>F.G</i>
34° 58'.426 S 138° 30'.495 E	<i>F.G</i>
34° 58'.406 S 138° 30'.456 E	<i>Fl.G.3s</i>
34° 58'.375 S 138° 30'.467 E	<i>Fl.R.5s</i>
34° 58'.396 S 138° 30'.511 E	<i>Fl.R.3s</i>
34° 58'.432 S 138° 30'.536 E	<i>F.R</i>

Light K2086.2 (34° 58'.526 S 138° 30'.618 E) is unlit.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected – Aus 125

1162(T)/2008 AUSTRALIA - VICTORIA - Port Phillip - Limeburners Bay - Harbour works

Date - Until 30 November 2008
Victorian Notice 126(T)/2008 (AA366843, AA367247, AA367243)

Harbour works associated with the construction of a jetty (38° 04'.38 S 144° 24'.17 E (WGS84 datum)) are in progress.

All hazards to navigation will display the appropriate lights.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected – Aus 143 – Aus 153 – Aus 157 - AU439144

1163(T)/2008 AUSTRALIA - VICTORIA - Port Phillip - Dredging operations completed

Former Notice - 564(T)/2008 is cancelled

Victorian Notice 127/2008 (AA367329)

Cancel this notice on receipt.

Chart formerly affected – Aus 143 – Aus 155

II

AMENDMENTS TO ADMIRALTY LIST OF LIGHT AND FOG SIGNALS VOLUME K 2008/09

Edition No 22 dated 7 November 2008

Last Amendment: Edition No 21 dated 24 October 2008

K1051-11	Cigading. Ldg Lts 136°. Front (I)	6 01:36 S 105 57:56 E	Iso W 2s	11	12	White △ on beacon	
	*	*					
K1051-12	Cigading. Ldg Lts 136°. Rear (I)	6 01:43 S 105 57:62 E	Iso W 4s	14	12	White ▽ on beacon	
	*						
K1258	Teluk Gilimanuk (I)	8 09:76 S 114 26:09 E	Fl R 4s	12	8	□ on red beacon	
		*	*	*	*		*
K1434	- Suwangi. S end	3 27:12 S 116 01:43 E	Fl W 3s	18	13	White beacon	<i>fl 0.5</i>
						*	*
K1462-39	- No 2 Ldg Lts 316°. Front	0 57:68 S 117 18:47 E	Q W	9	10	White △ on white beacon 10	Rear K1462-4. Ra refl
		*					*
K1462-4	- No 2 Ldg Lts 316°. Common rear. 730m from front	0 57:40 S 117 18:19 E	Iso W 2s	15	12	White ▽ on white beacon	Front K1462-39. Ra refl
	- No 2A Ldg Lts 181:58°. Common rear. 1:04M from front	..	Iso W 2s	15	12	..	Front K1462-41
*	*	*	*	*	*	*	*
K1463-25	-	0 34:60 S 117 16:67 E	Oc Y 5s	11	5	Yellow × on beacon	<i>ec 2.</i> Marks N end of cable
		*	*				*
K1465	Remove from list						
K1468-09	Remove from list						
K1768-56	- INNER HARBOUR. Lts in line 040:2°. Front	32 02:36 S 115 45:13 E	F Bu				
*	*	*	*	*	*	*	*
K1768-561	- INNER HARBOUR. Lts in line 040:2°. Rear	32 00:92 S 115 46:55 E	F Bu				
*	*	*	*	*	*	*	*
K1874	Taylor Island	34 52:40 S 136 00:60 E	Fl(2)WRG 10s	76 W11 R 7 G 7		White GRP tower 9	<i>fl 1, ec 2, fl 1, ec 6.</i> R001°-159°(158°), G159°-187°(28°), W187°-244°(57°), R244°-271°(27°), G271°-298°(27°), W298°-304°(6°), R304°-339°(35°), G339°-355°(16°), W355°-001°(6°). TE 2008
							*
K2298	- Limeburners Point. Breakwater. E Side	38 08:52 S 144 23:13 E	F G				
*	*	*	*	*	*	*	*
K2298-1	- Limeburners Point. Breakwater. W Side	38 08:55 S 144 23:08 E	F R				
*	*	*	*	*	*	*	*
K2298-2	- Limeburners Point. Entrance. E Side	38 08:57 S 144 23:13 E	Fl R 3s				
*	*	*	*	*	*	*	*

Volume K *continued*

K2298-3	- Limeburners Point. Entrance. W Side	38 08-58 S 144 23-12 E	Fl G 3s					
*	*	*	*	*	*	*	*	*
K2317-76	- Entrance. No 6	38 04-44 S 144 23-98 E	Fl(3)R 6s	..	..	Red □ on beacon		
*	*	*	*	*	*	*	*	*
K2339-4	- PORT MELBOURNE CHANNEL. Princes Pier. Head	37 50-70 S 144 55-53 E	F W	11	4	Metal tower	Trial lights VQ(4)W 4s established on pier head corners close ESE and WNW (T) 2008	
		*						*
K2504-5	- TOORA CHANNEL. No 3	38 44-47 S 146 23-75 E	Fl(2)G 6s	..	..	Green △ on green beacon		
*	*	*	*	*	*	*	*	*
K2523-95	- Port Welshpool. Middle Ground Channel. No 1	38 42-36 S 146 28-39 E	Fl(2)G 10s	..	..	Green △ on green beacon		
*	*	*	*	*	*	*	*	*
K2528-7	- FRANKLIN CHANNEL. E side. No 13	38 42-43 S 146 17-68 E	Fl G 2s	..	..	Green △ on green beacon		
*	*	*	*	*	*	*	*	*
K2535-4	- No 8	38 41-58 S 146 41-14 E	Q(2)R 6s	..	..	Red □ on red beacon		
*	*	*	*	*	*	*	*	*
K2535-8	- No 10	38 41-32 S 146 41-40 E	Fl R 4s	..	..	Red □ on red beacon		
*	*	*	*	*	*	*	*	*
K2619-705	-	34 04-35 S 151 07-32 E	Fl R 3s	..	..	Red beacon		
			*			*		
K2696-79	Remove from list							
K2989-65	- Clinton Bypass Channel. CB1	23 49-38 S 151 15-40 E	Fl G 4s	..	..	△ on green beacon	Destroyed; starboard lateral light buoy Fl G 4s in situ (T) 2008	
	*							*
K3300-84	- No 18	12 40-21 S 141 49-08 E	VQ Y	..	..	× on yellow beacon	Destroyed; tower Fl Y 1-5s in situ (T) 2008	
								*
K3498-1	- Simpson Harbour. Rabaul. Ldg Lts 349°45'. Rear	4 11-94 S 152 10-12 E	Fl W 2s	28	10	White framework tower	<i>fl 0-4</i>	
								*
K3536-86	- Port of Burnie. Acid Line Bridge	41 02-97 S 145 54-92 E	F R	..	..	..	Fl R 3s (T) 2008	
								*
K3536-88	- Port of Burnie. Acid Line Bridge	41 02-94 S 145 54-97 E	F R	..	..	..	Fl R 3s (T) 2008	
								*

Volume K *continued*

K3745	Approach. Dir Lt 216°. St Leonards Beach	36 47·92 S 174 47·29 E	Dir F WRG, Al GW, Al RW	23 W21 R17 G17	Metal column	F G213·5°-214·5°(1°). Al GW214·5°-215·5°(1°). FW215·5°-216·5°(1°). Al RW216·5°-217·5°(1°). F R217·5°-218·5°(1°)
- - -		. .	<i>By day</i>	. .	4	
			*			*

III

NAVIGATION WARNINGS

The following radio messages have been received during the period to 24 October 2008. Signal copies of these messages may be destroyed. It is recommended that the reprint of Navigational Warnings should be kept in a file or a book divided into areas. Cancellation should be made on receipt of signals and reprints.

Rigs on location other than those listed in the latest Section III summary are the subject of Radio Navigational Warnings. Rigs in transit will not be the subject of Warnings.

AUSCOAST WARNING

- 326 Cancelled.
- 327 Cancelled.
- 328 Cancelled.
- 329 Mariners are requested to avoid rock lobster research activity from 17 Oct to 7 Nov in the following locations:
 30° 54' S to 31° 05' S and 114° 54' E to 115° 08' E (Lancelin),
 29° 55' S to 30° 23' S and 114° 31' E to 114° 50' E (Jurien),
 29° 09' S to 29° 33' S and 114° 23' E to 114° 43' E (Dongara),
 and west of the Abrolhos Islands to a depth of 30 fathoms.
- 330 Tannadice Rock light buoy, Q(9).15s 5M, established in position 12° 40.10 S 143° 31'.20 E.
- 331 Cancelled.
- 332 Drill rig *West Triton* in position 38° 24.55 S 148° 03'.50 E. 2.5M clearance requested.
- 333 Special purpose vessel *Neptune Trident* conducting underwater operations in position 19° 52'.00 S 115° 17'.00 E. 2.5M clearance requested.

NAVAREA X WARNINGS

Nil.

Navigational warnings in force as at 240001UTC OCT 08.

Auscoast

276 280 303 319 321 323 324 325 329 330 332 333

Navarea X

018

Summary of mobile drilling rigs as at 240001UTC OCT 08.

<i>Name</i>	<i>Position</i>
Wilcraft	12° 21.50 S 124° 17'.95 E
Songa Venus	13° 43.70 S 123° 16'.35 E
Songa Mercur	19° 15.60 S 116° 38'.20 E
Ocean Bounty	19° 25.54 S 116° 29'.22 E
Atwood Eagle	19° 54.48 S 115° 07'.55 E
Ensco 106	20° 01.27 S 116° 18'.35 E
Ocean Epoch	21° 23'.13 S 114° 04'.36 E
Stena Clyde	21° 23'.80 S 114° 04'.10 E
Nan Hai 6	21° 26'.02 S 114° 01'.60 E
Ocean Patriot	38° 42.15 S 142° 37'.13 E
West Triton	38° 24.55 S 148° 03'.50 E

NAVAREA XIV WARNINGS

Nil.

Navarea XIV warnings in force as at 240001UTC OCT 08.

073 077

HYDROGRAPHIC REPORTS

<i>Locality</i>	<i>Report</i>	<i>Ship/Authority</i>	<i>Observer</i>
NT- Apsley Strait	Light Buoys	ACV <i>Corio Bay</i>	

AMENDMENTS TO ADMIRALTY LIST OF RADIO SIGNALS 2008

Edition No 22 dated 7 November 2008

VOLUME 2, NP 282, 2008/09

Published BA Wk 7/08
(Last Amendments: Edition No 21 dated 24 October 2008)

RADAR BEACONS

Page 79, CHINA section.

Insert:

Fujian Oil Refining Pipeline No 1 Racon 25°04'·85N 119°00'·12E **81509-5**
X

Chinese Notice 38/1406/08 Ad42/08

Page 79, CHINA section.

81560 Baiyun Shan Front Ldg Lt.
Delete legend Ramark

Chinese Notice 39/1451/08 Ad43/08

Page 82, CHINA section.

Insert:

Suanshan Tanker Terminal Rear Ldg Lt Ramark 29°57'·50N 121°47'·86E **81693**
(3 cm) See note¹
(1) The Ramark signal appears as a succession of 6 dashes

Chinese Chart 13385 Ad42/08

Page 83, CHINA section.

Insert:

Shangyu Gang Ldg Lt Ramark 30°10'·40N 120°55'·10E **81762**
(3 cm) See note¹
(1) The Ramark signal appears as a succession of 5 dashes

Chinese List of Lights G102 Ad42/08

Page 96, JAPAN section.

83330 Hime Shima Lt.
Delete entry

Japanese Notice 39/1359/08 Ad42/08

VOLUME 3, PART 2, NP 283(2), 2008/09

Published BA Wk 5/08
(Last Amendments: Edition No 21 dated 24 October 2008)

RADIO WEATHER SERVICES AND NAVIGATIONAL WARNINGS

Page 95, diagram, AUSTRALIA, COASTAL WATERS FORECAST AREAS.

Delete diagram and replace by diagram on page 23

Bureau of Meteorology Australia Ad43/08

VOLUME 5, NP 285, 2008/09

Published BA Wk 22/08
(Last Amendments: Edition No 21 dated 24 October 2008)


CHAPTER 16, DISTRESS, SEARCH AND RESCUE

Page 298, ALGERIA, contacts table, National SAR Agency.

Delete and replace by:

National SAR Agency: Ministère de la Défense Nationale (MDN)
Address: Service nationale de garde côtes, BOP 81, Amirauté, Alger, Algeria
Tel: +213 21710178
Fax: +213 21714108
E-mail: mrccalgiers@mdn.dz

Algiers RCC Ad42/08



Page 298, ALGERIA, contacts table, row 11, SKIKDA RADIO.

Delete and replace by

SKIKDA RADIO	38 755106	30 926189	
--------------	-----------	-----------	--

Algiers RCC Ad42/08

AMENDMENTS TO ADMIRALTY SAILING DIRECTIONS 2008

NP 51 New Zealand Pilot (2007 Edition)

Kermadec Islands — National Nature Reserves and Marine Reserve

307

Paragraph 11.7 *Replace by:*

National Nature Reserves and Marine Reserve **11.7**

National Nature Reserves. All the islands of the Kermadec group are nature reserves and cannot be visited without a landing permit from the New Zealand Department of Conservation. Raoul Island is the most robust of the islands, and visitor permits are available to those with a genuine interest in its natural and cultural history. The other islands are extremely fragile, and cannot withstand even low numbers of visitors. Permits to land are only given to people for work which will assist either the management or understanding of the island's ecosystems.

Marine Reserve. The waters around all the Kermadec Islands and rocks, out to the edge of the Territorial Sea limit (12 miles) are a marine reserve. The following regulations apply:

All fishing and other extractive activities are prohibited.

Activities that interfere with or disturb marine life are also prohibited.

Vessels visiting the islands may anchor if they exercise care.

It is an offence to discharge any toxic pollutant or rubbish into the reserve.

Fines of up to \$200 000 and/or six months' imprisonment may apply under the Marine Reserves Act 1971 for any offences committed.

New Zealand Department of Conservation [Ad 43/08]