



Australian Notices to Mariners are the authority for correcting Australian Charts

AUSTRALIAN NOTICES TO MARINERS

© Commonwealth of Australia 2000 - Copyright restrictions apply to Notices to Mariners



Notices **643-667**

Published fortnightly by the Australian Hydrographic Office

G. J. GERAGHTY,
Hydrographer, RAN

- SECTIONS. I. **Australian Notices to Mariners, including blocks and notes.**
 III. **Navigational Warnings.**
 IV. **Hydrographic Reports.**

New Zealand Notices to Mariners

The substance of these notices should be inserted on the charts affected.

Notices to Mariners information relating to British Admiralty Publications unavailable on this web site at this stage but still available in printed form -

- Section II. Corrections to Admiralty List of Lights, Vol K.**
Section V. Admendments to Admiralty List of Radio Signals.
Section VI. Corrections to Sailing Directions.

Bearings are referred to the true compass and are reckoned clockwise from 000° (North) to 359°: those relating to lights are given as seen by an observer from seaward. The range quoted for a light is its nominal range. Fog signals are sounded only during thick or foggy weather, unless otherwise stated Depths are with reference to the chart datum of each chart. Heights are above mean high water springs or mean higher high water, as appropriate.

The capital letter (P) or (T) after the number of any notice denotes a preliminary or temporary notice respectively, which are contained separately at the end of the permanent notices. A star () adjacent to the number of a notice indicates that the notice is based on original information.*

Mariners are particularly requested to notify the AUSTRALIAN HYDROGRAPHIC OFFICE, Locked Bag 8801 South Coast Mail Centre, NSW 2521 (Fax 02-4221 8599), e-mail hni.hydro@navy.gov.au or, alternatively by filling in and submitting the **Hydrographic Notes forms, immediately on the discovery of new dangers or suspected dangers to navigation. For changes or defects in aids to navigation notify AusSAR (Fax 02-6230 6868 or email rccaus@amsa.gov.au).**

Copies of these notices can be obtained from the AUSTRALIAN HYDROGRAPHIC OFFICE, 8 Station Street, Wollongong, and Agents for the sale of charts and hydrographic publications.

The Commonwealth of Australia is the owner of, or is otherwise responsible for, the copyright in this work. It is protected under the Copyright Act 1968 and international convention. Except as expressly authorised below, the work may not be copied, reproduced, adapted, changed or commercially exploited, in whole or in part, or the format in which it is stored altered, without the prior written permission of the Australian Hydrographic Office. The Notices may be copied for the purpose of inserting their substance on official charts and other publications. However, any copies of the notices may not be sold for profit.

© Commonwealth of Australia 2000

NUMERICAL INDEX OF CHARTS AFFECTED

Edition No 23

10 November 2000

Notices	Aus Chart
643	Aus 361, 423, 424
644	Aus 236
645	Aus 820
646	Aus 370, 821
647	Aus 256
648	Aus 399, 683
649	Aus 399, 684
650	Aus 710
651	Aus 749
652	Aus 333, 752
653	Aus 125
654	Aus 172
655	Aus 150
656(T)	Aus 197, 200, 203, 808, 809
657(T)	Aus 236, 237
658(T)	Aus 236
659(T)	Aus 238
660(T)	Aus 235
661(T)	Aus 243
662(T)	Aus 243
663(T)	Aus 244, 245, 246
664(T)	Aus 250
665(T)	Aus 262, 830
666(T)	Aus 327, 415, 741
667(T)	Aus 330, 331, 332, 333, 334, 335, 347, 348, 749, 751, 752, 753, 754, 755, 756

643 AUSTRALIA - Publications.
AHS (00/8927). (AH 99/139)

New edition to be published shortly.

<i>Chart</i>	<i>Title</i>	<i>Scale</i>
Aus 361	Australia - East Coast – New South Wales - Kiama to Norah Head	1:300 000
Aus 423	Australia - East Coast – New South Wales-Victoria-Tasmania - Eddystone Point to Port Jackson	1:1 000 000
Aus 424	Australia - East Coast – Queensland-New South Wales - Port Jackson to Fraser Island	1:1 000 000

644* AUSTRALIA - QUEENSLAND - Moreton Bay - North Stradbroke Island - Barge; light.
Queensland Transport Notice 439/2000, (00/8933). (AH 99/12)

Aus 236 [623/2000]

Insert	fixed point, with legend <i>Barge (Fl(2) 8s)</i>	27° 31'.06 S	153° 23'.94 E
Delete	depth, 0 ₈ m	27° 31'.1 S	153° 24'.0 E

645* AUSTRALIA - QUEENSLAND - Quoin Island - Islet.
SV *Windclimber* (00/9045). (AH 99/103)

Aus 820 [170/2000]

Insert	small islet	22° 34'.08 S	150° 46'.98 E
--------	-------------	--------------	---------------

646* AUSTRALIA - QUEENSLAND - Square Reef to Hyde Reef - Legends revoked.
AHS (00/8750). (AH 99/176-2)

Aus 370 [461/2000]

Delete	Legend, Unexamined, centred on	20° 04'.5 S	149° 52'.5 E
		19° 50'.8 S	150° 11'.5 E
		19° 49'.0 S	150° 09'.5 E

Aus 821 [36/2000]

Delete	Legend, Unexamined, centred on	20° 04'.5 S	149° 52'.5 E
		19° 50'.8 S	150° 11'.5 E
		19° 49'.0 S	150° 10'.5 E
		19° 44'.2 S	150° 02'.8 E

647 AUSTRALIA - QUEENSLAND - Cape Ferguson - Jetty.
HMAS *Tarakan* (00/5244), AIMS (00/6893). (AH 99/321)

Aus 256 [522/2000]

Insert	accompanying block	19° 16'.5 S	147° 02'.0 E
	accompanying plan	19° 02'.5 S	147° 03'.0 E
Substitute	accompanying ZOC diagram for reliability diagram	19° 14'.5 S	146° 43'.0 E

648* PAPUA NEW GUINEA - Bougainville Island - Kieta - Depths.
HMAS' Mermaid & Paluma (00/9071). (AH 99/236)

Aus 399 [232/2000]

Insert	depth, 9 ₈ m, enclosed by contour	6° 04'.90 S	155° 29'.61 E
	depth, 14 ₆ m, enclosed by contour	6° 06'.89 S	155° 30'.28 E
	depth, 28 ₄ m, enclosed by contour	6° 08'.19 S	155° 30'.17 E
	depth, 4 ₇ m, enclosed by contour	6° 08'.73 S	155° 30'.63 E
Substitute	depth, 2m, for 3 ₅ m	6° 10'.1 S	155° 37'.3 E
	depth, 1 ₄ m, enclosed by contour for 2 ₁ m	6° 13'.7 S	155° 40'.3 E
	depth, 1 ₃ m, for 3 ₂ m	6° 13'.2 S	155° 42'.5 E
	depth, 3 ₅ m, for 6 ₂ m	6° 13'.8 S	155° 43'.1 E
Delete	depth 7 ₆ m and enclosing contour	6° 09'.0 S	155° 30'.6 E
	depth 83m	6° 04'.8 S	155° 29'.3 E
	depth 52m	6° 08'.3 S	155° 30'.0 E

Aus 683 (plan, Approaches to Kieta Bay and Anewa Bay) [363/2000]

Insert	depth, 9 ₈ m, enclosed by contour	6° 04'.898 S	155° 29'.607 E
	depth, 14 ₆ m, enclosed by contour	6° 06'.885 S	155° 30'.284 E
	depth, 28 ₄ m, enclosed by contour	6° 08'.194 S	155° 30'.169 E
	depth, 4 ₇ m, enclosed by contour	6° 08'.726 S	155° 30'.630 E
	depth, 2m, enclosed by contour	6° 10'.027 S	155° 37'.354 E
	depth, 1 ₈ m, and extend contour W to enclose	6° 13'.547 S	155° 39'.973 E
	depth, 1 ₄ m, and extend contour SW to enclose	6° 13'.702 S	155° 40'.253 E
	depth, 3 ₄ m, and extend contour W to enclose	6° 13'.015 S	155° 40'.201 E
	depth, 1 ₃ m, enclosed by contour	6° 13'.073 S	155° 42'.466 E
	depth, 3 ₅ m, and extend contour NW to enclose	6° 13'.727 S	155° 43'.097 E
Delete	depth 7 ₆ m and enclosing contour	6° 09'.00 S	155° 30'.60 E
	depth 2 ₄ m	6° 13'.57 S	155° 40'.01 E
	depth 2 ₁ m	6° 13'.69 S	155° 40'.29 E
	depth 3 ₇ m	6° 13'.02 S	155° 40'.26 E
	depth 3 ₂ m	6° 13'.17 S	155° 42'.47 E
	depth 6 ₂ m	6° 13'.78 S	155° 43'.11 E

Aus683 (plan, Kieta Harbour)

Insert	depth, 4 ₉ m, and extend contour 5m contour NE from reef edge to enclose	6° 12'.307 S	155° 38'.271 E
	depth, 1 ₈ m, and extend contour NW to enclose	6° 13'.547 S	155° 39'.973 E
	depth, 1 ₄ m, and extend contour SW to enclose	6° 13'.702 S	155° 40'.253 E
	depth, 3 ₄ m, and extend contour W to enclose	6° 13'.015 S	155° 40'.201 E
	depth, 12 ₄ m, and extend contour SW to enclose	6° 13'.105 S	155° 39'.498 E
Delete	depth 7 ₉ m	6° 12'.28 S	155° 38'.28 E
	depth 12 ₄ m	6° 12'.29 S	155° 38'.28 E
	depth 2 ₄ m	6° 13'.57 S	155° 40'.01 E
	depth 6 ₅ m	6° 13'.57 S	155° 39'.96 E
	depth 2 ₁ m	6° 13'.69 S	155° 40'.29 E
	depth 3 ₇ m	6° 13'.02 S	155° 40'.26 E
	depth 15m	6° 13'.10 S	155° 39'.52 E

649* PAPUA NEW GUINEA - Bougainville Island - Torokina - Depths.
HMAS' *Mermaid & Paluma* (00/9071). (AH 99/236)

Aus 399 [648/2000]

Insert	depth, 4_2 m, and extend contour NE to enclose	6° 17'.64 S	155° 02'.78 E
--------	--	-------------	---------------

Delete	depth 5_5 m	6° 17'.8 S	155° 02'.7 E
--------	---------------	------------	--------------

Aus 684 (plan, Empress Augusta Bay) [NC 23/7/1999]

Insert	depth, 4_2 m, and extend contour NE to enclose	6° 17'.64 S	155° 02'.78 E
--------	--	-------------	---------------

Delete	depth 5_5 m	6° 17'.8 S	155° 02'.7 E
--------	---------------	------------	--------------

650* AUSTRALIA - NORTHERN TERRITORY - Bing Bong - Light buoys altered.

Former Notice - 377(T)/2000 is cancelled
Carpentaria Management Services (00/9044). (AH 99/27)

Aus 710 [338/2000]

Amend	light buoy to <i>Iso. G. 2s</i>	15° 35'.8 S	136° 24'.0 E
	light buoy to <i>Fl. R. 3s</i>	15° 36'.2 S	136° 23'.9 E

651* WESTERN AUSTRALIA - Shark Bay - Hopeless Reach - Pearl farms.

WA Fisheries (99/4467). (AH 99/130)

Aus 749 [587/2000]

Insert	magenta pecked line, with legend <i>Pearl Culture</i> (see Note), between	25° 43'.43 S	113° 37'.25 E
		25° 41'.01 S	113° 37'.56 E
		25° 41'.26 S	113° 39'.83 E
		25° 44'.10 S	113° 38'.08 E
	magenta pecked line, with legend <i>Pearl Culture</i> (see Note), between	25° 44'.50 S	113° 38'.41 E
		25° 43'.81 S	113° 39'.38 E
		25° 46'.71 S	113° 41'.53 E
		25° 47'.07 S	113° 41'.08 E
	accompanying note	26° 22'.4 S	112° 45'.5 E

652* WESTERN AUSTRALIA - Cliff Head - Depths.
Transport WA (00/8744). (AH 99/169)

Aus 333 [347/1999]

Insert	depth, 3 _m	29° 32'.25 S	114° 57'.32 E
	depth, 4 _m , and extend 5m contour SE from danger line to enclose	29° 27'.84 S	114° 53'.67 E
	depth, 8 ₁ m, enclosed by contour	29° 27'.57 S	114° 51'.17 E
	depth, 9 ₈ m, enclosed by contour	29° 28'.73 S	114° 51'.71 E
Substitute	depth, 3 ₂ m, for 3 ₆ m	29° 32'.3 S	114° 53'.3 E
	depth, 2 ₁ m, for 3 ₈ m	29° 27'.7 S	114° 57'.4 E
	depth, 2 _m , for 2 ₄ m	29° 28'.9 S	114° 53'.8 E
Delete	depth 3 ₄ m	29° 32'.5 S	114° 57'.2 E
	depth 10 ₂ m	29° 28'.8 S	114° 51'.8 E

Aus 752 [347/1999]

Insert	depth, 5 ₉ m	29° 30'.18 S	114° 52'.72 E
	depth, 6 ₅ m, and extend contour N to enclose	29° 30'.54 S	114° 54'.08 E
	depth, 5 ₄ m, and extend contour E to enclose	29° 31'.53 S	114° 53'.62 E
	depth, 7 ₄ m	29° 32'.42 S	114° 53'.95 E
	depth, 3 ₆ m, and extend contour E to enclose	29° 30'.09 S	114° 57'.51 E
	depth, 1 _m	29° 31'.73 S	114° 58'.76 E
	depth, 3 ₈ m, and extend contour S to enclose	29° 31'.61 S	114° 57'.52 E
	depth, 3 _m , and extend contour NW to enclose	29° 32'.25 S	114° 57'.32 E
	depth, 2 ₅ m	29° 28'.93 S	114° 58'.48 E
	depth, 4 _m , and extend 5m contour SE to enclose	29° 27'.84 S	114° 53'.67 E
	depth, 9 ₈ m, enclosed by contour	29° 28'.73 S	114° 51'.71 E
Substitute	depth, 7 ₁ m, for 8 ₇ m	29° 30'.8 S	114° 55'.6 E
	depth, 3 ₂ m, for 3 ₆ m	29° 32'.3 S	114° 53'.3 E
	depth, 2 ₁ m, for 3 ₈ m	29° 27'.7 S	114° 57'.4 E
	depth, 2 _m , for 2 ₄ m	29° 28'.9 S	114° 53'.8 E
	depth, 8 ₁ m, enclosed by contour, for 10 ₃ m	29° 27'.6 S	114° 51'.2 E
Delete	depth 7 _m	29° 29'.8 S	114° 52'.9 E
	depth 7 ₁ m	29° 31'.5 S	114° 53'.5 E
	depth 8 ₅ m	29° 32'.5 S	114° 54'.1 E
	depth 8 ₃ m	29° 30'.6 S	114° 54'.3 E
	depth 4 ₁ m	29° 29'.9 S	114° 57'.3 E
	depth 1 ₅ m	29° 31'.7 S	114° 58'.9 E
	depth 4 ₈ m	29° 31'.6 S	114° 57'.5 E
	depth 3 ₄ m	29° 32'.5 S	114° 57'.2 E
	depth 4 ₂ m	29° 29'.1 S	114° 58'.2 E
	depth 10 ₂ m	29° 28'.8 S	114° 51'.8 E

653* SOUTH AUSTRALIA - Glenelg - Lights altered; harbour works.
Former Notice - 331(T)/1999 is cancelled
Transport SA (00/8855), Connell Wagner (00/8294). (AH 99/35, AH 98/310)

Aus 125 (plan, Glenelg) [529/2000]

Insert	accompanying block	34° 58'.5 S	138° 30'.0 E
--------	------------------------------------	-------------	--------------

654* AUSTRALIA - TASMANIA - Hobart - Pavilion Point - Buoy.

List of Lights Vol K/2000 -- 2140.00

Port of Portland Pty Ltd (00/8789). (AH 99/39)

Aus 172 [632/2000]

Insert special spherical buoy

42° 51'.854 S 147° 20'.179 E

655* AUSTRALIA - VICTORIA - Western Port - Elizabeth Island - Light altered.

Parks Victoria (00/9043). (AH 99/21)

Aus 150 [565/2000]

Amend light to Iso. 2s

38° 25'.05 S 145° 22'.34 E

656(T)/2000 AUSTRALIA - NEW SOUTH WALES - Port Jackson - Olympic regatta completed.

*Former Notice - 471(T)/2000 is cancelled
Waterways Authority (00/6933). (AH 98/317)*

Cancel this notice on receipt.

Chart formerly affected – Aus 197 – Aus 200 – Aus 203 – Aus 808 – Aus 809

657(T)/2000 AUSTRALIA - QUEENSLAND - Brisbane River - Light beacon maintenance completed.

*Former Notice - 344(T)/2000 is cancelled
Queensland Transport Notice 437/2000 (00/8933). (AH 00/107)*

Cancel this notice on receipt.

Chart formerly affected – Aus 236 – Aus 237

658(T)/2000 AUSTRALIA - QUEENSLAND - Moreton Bay - Scientific instrument.

*Date - Until further notice
Queensland Transport Notice 447/2000 (00/9164). (AH 98/146)*

A lit wave recording buoy, *FI(5) Y. 20s*, exists in position 27° 14'.99 S 153° 11'.9 E.

Chart temporarily affected – Aus 236.

659(T)/2000 AUSTRALIA - QUEENSLAND - Brisbane River - South Brisbane Reach - Bridge construction.

*Former Notice - 507(T)/2000 is cancelled
Queensland Transport Notices 410 & 427/2000 (00/8466 & 8746). (AH99/207)*

Mariners are advised that construction of a pedestrian and cycle bridge has commenced between 27° 28'.77 S 153° 01'.75 E, 27° 28'.81 S 153° 01'.65 E and 27° 28'.89 S 153° 01'.62 E.

As construction progresses, aids to navigation will be deployed, to mark the navigation channel. Vessels involved with the construction work will transit from the Town Reach and the Milton Reach.

A floating pipeline, marked by lights *Q*, runs between Garden Point (27° 28'.77 S 153° 01'.75 E) and the central support pylon (27° 28'.81 S 153° 01'.65 E).

Mariners should navigate with caution in the area and pass to the south of the construction site.

Chart temporarily affected – Aus 238.

660(T)/2000 AUSTRALIA - QUEENSLAND - Mooloolah River - Light beacon maintenance completed.

*Former Notice - 346(T)/2000 is cancelled
Queensland Transport Notice 438/2000 (00/8933). (AH 00/107)*

Cancel this notice on receipt.

Chart formerly affected – Aus 235

661(T)/2000 AUSTRALIA - QUEENSLAND - Bundaberg - Scientific instrument recovered.

*Former Notice - 538(T)/2000 is cancelled
Queensland Transport Notice 449/2000 (00/9164). (AH 98/146)*

Cancel this notice on receipt.

Chart formerly affected – Aus 243

662(T)/2000 AUSTRALIA - QUEENSLAND - Bundaberg - Depth information.

Former Notice - 126(T)/2000 is cancelled

Queensland Transport Notice 441/2000 (00/8970). (AH 99/343)

Available depth as at 13 October 2000:

	<i>Metres</i>	
	<i>LAT</i>	<i>ISLW (Chart Datum)</i>
Sea Reach	8.3	8.5
Middle reach	8.3	8.5
Inner Reach	8.3	8.5
* Departure Channel	8.3	8.5
Swing Basin	7.2	7.4
Oil Berth	9.6	9.8
* BST Berth	10.0	10.2

* Indicates new or revised entry.

Chart temporarily affected – Aus 243.

663(T)/2000 AUSTRALIA - QUEENSLAND - Gladstone - Depth information.

Former Notice - 100(T)/2000 is cancelled

Queensland Transport Notice 425/2000 (00/8746). (AH 99/217)

Available depths as at 3 October 2000:

	<i>Metres</i>
Sea Channels:	
Wild Cattle Cutting	16.3
Boyne Island Cutting	16.3
Boyne Island Extension Channel	9.0
Golding Cutting	16.3
Golding Bypass Channel	7.3
Gatcombe Cutting	16.3
Gatcombe Bypass Channel	12.5
Inner Channels:	
Auckland Channel	15.8
Auckland Bypass Channel	6.8
Clinton Channel	16.0
* Clinton Bypass Channel	8.9
Clinton Swing Basin	10.4
Targinnie Channel	8.9
Targinnie Swing Basin	8.9
Berths:	
Boyne Smelter Wharf	15.0
South Trees East Wharf	12.8
South Trees West Wharf	12.8
Barney Point Wharf	15.0
Auckland Point No 1 Wharf	11.3
Auckland Point No 2 Wharf	11.3
Auckland Point No 3 Wharf	11.3
Auckland Point No 4 Wharf	11.4
Clinton No 1 Wharf	18.8
Clinton No 2 Wharf	18.8
Fishermans Landing Wharf	11.2
Bulk Liquids Wharf	11.2

* Indicates new or revised entry.

Chart temporarily affected – Aus 244 – Aus 245 – Aus 246.

664(T)/2000 AUSTRALIA - QUEENSLAND - Mackay - Depth information.*Former Notice - 621(T)/1999 is cancelled*

Queensland Transport Notice 446/2000 (00/9164). (AH 99/438)

Available depths as at 19 October 2000:

	<i>Metres</i>
* Entrance Channel	8.3
Swing Basin	8.2
Berth No 1	10.4
Berth No 2	10.1
* Berth No 3	12.8
Berth No 4	10.6
Berth No 5	12.1

* Indicates new or revised entry.

Chart temporarily affected – Aus 250.**665(T)/2000 AUSTRALIA - QUEENSLAND - Cairns - Depth information.***Former Notice - 544(T)/2000 is cancelled*

Queensland Transport Notice 436/2000 (00/8932). (AH 99/393)

Available depths as at 12 October 2000:

	<i>Metres</i>	
	<i>LAT</i>	<i>ISLW (Chart Datum)</i>
Entrance Channel	8.3	8.5
Crystal Swing Basin at:		
360 metre diameter	7.0	7.2
380 metre diameter	6.5	6.7
Swing Basin at:		
310 metre diameter	8.2	8.4
320 metre diameter	7.5	7.7
Berths:		
No 1	7.7	7.9
No 2	7.9	8.1
No 3	7.9	8.1
No 4	7.6	7.8
No 5	7.4	7.6
No 6	7.0	7.2
No 7	10.3	10.5
No 8	10.3	10.5
No 10	9.3	9.5
* No 12	10.5	10.7
Smith Creek 1	4.8	5.0

* Indicates new or revised entry.

Chart temporarily affected – Aus 262 – Aus 830.**666(T)/2000 WESTERN AUSTRALIA - Glomar Shoal - Scientific instruments northward.***Date - Until 15 May 2001*MV *Shelf Ranger* (00/9160 & 9161). (AH 99/212)

Lit waverider buoys exist in positions as follows:

	<i>Remarks</i>
18° 45'.8 S 117° 07'.3 E	<i>Fl(5) Y. 10s</i>
19° 29'.8 S 116° 59'.9 E	<i>Fl(5) Y. 20s</i>

Mariners are not to use the buoy as a mooring.

Chart temporarily affected – Aus 327 – Aus 415 – Aus 741.

667(T)/2000 AUSTRALIA - Western Australia, South Australia and Victoria - Lobster fishery.

Date - Until 1 July 2001

AMSA (00/9328). (AH 99/357)

Mariners are requested, when passage permits, to transit outside the 200metre/100fm isobath in the following areas:

- (a) Western Australian coast between 24° S and 34° S
- (b) South Australian/Victorian coast between Cape Jaffa and Cape Nelson.

Attention is drawn to the relevant note on the navigational charts and Australia Pilots Vol I and Vol V.

Chart temporarily affected – Aus 330 – Aus 331 – Aus 332 – Aus 333 – Aus 334 – Aus 335 – Aus 347 – Aus 348 – Aus 749 – Aus 751 – Aus 752 – Aus 753 – Aus 754 – Aus 755 – Aus 756.

III NAVIGATION WARNINGS

The following radio messages have been received during the period to 27 October 2000. Signal copies of these messages may be destroyed. It is recommended that the reprint of Navigational Warnings should be kept in a file or a book divided into areas. Cancellation should be made on receipt of signals and reprints.

Rigs on location other than those listed in the latest Section III summary are the subject of Radio Navigational Warnings. Rigs in transit will not be the subject of Warnings.

AUSCOAST WARNINGS

274 Cancelled.
275 Cancelled.
276 NW Coast. Drill rig *Marine 500* in position 21° 32'.2 S 113° 50'.7 E. 2.5M clearance requested.
277 Cancelled.
278 Cancelled.
279 Cancelled.
280 Cancelled.
281 Cancelled.
282 E Coast. Lake Macquarie port hand buoy (33° 05'.1 S 151° 39'.9 E) off station.
283 Cancelled.
284 SW Coast. Guilderton light (K1757.5) 31° 20'.4 S 115° 29'.4 E unlit.

NAVAREA X WARNINGS

021 Cancelled.

Navigational warnings in force as at 261500UTC OCT 00.

Auscoast

2000 201 206 216 219 229 243 244 245 259 262 266 268 272 273 276 282 284.

Navarea X

2000 020.

Summary of mobile drilling rigs as at 261500UTC OCT 00.

Name	Position
Ocean General	10° 43'.7 S 126° 51'.6 E
Ocean Bounty	13° 07'.4 S 123° 11'.3 E
Ron Tappmeyer	20° 08'.3 S 116° 25'.3 E
Ensco 56	20° 33'.7 S 115° 40'.6 E
Marine 500	21° 32'.2 S 113° 50'.7 E

NAVAREA XIV WARNINGS

264 Cancelled.
265 Cancelled.
266 Cancelled.
267 Cancelled.
268 Cancelled.
269 Cancelled.
270 Cancelled.
271 Cancelled.

Navarea XIV warnings in force as at 260001UTC OCT 00.

2000 Nil.

IV

HYDROGRAPHIC REPORTS

<i>Locality</i>	<i>Report</i>	<i>Ship/Authority</i>	<i>Observer</i>
PACIFIC OCEAN- Iles Wallis Foss Bank	Beacon Shoal	<i>MV Pacific Mariner</i>	B Keane
NSW- Catherine Hill Bay	Mooring buoy	<i>MV Wallarah</i>	
QLD- Quoin Island	Rock	<i>SV Windclimber</i>	DF Davey