



Australian Notices to Mariners are the authority for correcting Australian Charts and Publications

AUSTRALIAN NOTICES TO MARINERS

© Commonwealth of Australia 2008 - Copyright restrictions apply to Notices to Mariners

Notices 1260 – 1329 



*The Hydrographer and Staff of the Australian Hydrographic Service
wish all users of Australian Navigational Products a Merry Christmas,
a Happy New Year and safe, successful voyages in 2009.*



Published fortnightly by the Australian Hydrographic Service

Commodore R. NAIRN RAN
Hydrographer of Australia

- SECTIONS.**
- I. **Australian Notices to Mariners, including blocks and notes.**
 - II. **Amendments to Admiralty List of Lights and Fog Signals, Vol K**
 - III. **Navigational Warnings.**
 - IV. **Hydrographic Reports.**
 - V. **Amendments to Admiralty List of Radio Signals (NP 281(2), 282, 283(2), 285, 286(4))**
 - VI. **Amendments to Admiralty Sailing Directions (NP 9, 13, 14, 15, 33, 34, 35, 36, 39, 44, 51, 60, 61, 62, 100, 136)**

[British Admiralty Notices to Mariners](#)
[New Zealand Notices to Mariners](#)

The substance of these notices should be inserted on the charts affected.

Bearings are referred to the true compass and are reckoned clockwise from North; those relating to lights are given as seen by an observer from seaward. Positions quoted in permanent notices relate to the horizontal datum for the chart(s). When preliminary or temporary notices affect multiple charts, positions will be provided in relation to only one horizontal datum and that datum will be specified. When the multiple charts do not have a common horizontal datum, mariners will be required to adjust the position(s) for those charts not on the specified datum. The range quoted for a light is its nominal range. Depths are with reference to the chart datum of each chart. Heights are above mean high water springs or mean higher high water, as appropriate.

The capital letter (P) or (T) after the number of any notice denotes a preliminary or temporary notice respectively, which are contained separately at the end of the permanent notices. A star () adjacent to the number of a notice indicates that the notice is based on original information.*

Mariners are particularly requested to notify the AUSTRALIAN HYDROGRAPHIC SERVICE, Locked Bag 8801 Wollongong, NSW 2500 (Fax 02-4223 6599, e-mail Hydro.NTM@defence.gov.au or, alternatively by filling in and submitting the [Hydrographic Notes](#) forms located on the web site – www.hydro.gov.au), immediately on the discovery of new dangers or suspected dangers to navigation. For changes or defects in aids to navigation notify AusSAR (Fax 02-6230 6868 or email rccaus@amsa.gov.au).

Copies of these notices can be obtained from the AUSTRALIAN HYDROGRAPHIC OFFICE, 8 Station Street, Wollongong; Distributors for the sale of Australian Navigational Products; AHS website www.hydro.gov.au or register for eNotices at www.hydro.gov.au/enotices/enotices.htm.

The Notices may be copied for the purpose of inserting their substance on official charts and other publications. However, any copies of the notices may not be sold for profit without prior written agreement.

IMPORTANT NOTICE

This edition of Notices to Mariners includes all significant information affecting AHS products which the AHS has become aware of since the last edition. All reasonable efforts have been made to ensure the accuracy and completeness of the information, including third party information, on which these updates are based. The AHS regards third parties from which it receives information as reliable, however the AHS cannot verify all such information and errors may therefore exist. The AHS does not accept liability for errors in third party information.

This work is copyright. Apart from any use permitted under the Copyright Act 1968, no part may be reproduced by any process, adapted, communicated or commercially exploited without prior written permission from The Commonwealth represented by the Australian Hydrographic Service. Copyright in some of the material in this publication may be owned by another party and permission for the reproduction of that material must be obtained from the owner.

NUMERICAL INDEX OF CHARTS AFFECTED

Edition No 25

19 December 2008

Notices	Aus Chart, INT Chart, ENC Cell, AHP
1260	Termination of printed notices to mariners publication
1261	Aus 359, 360, 620, 806, 807, AU309153, 309154, 310135, 310136, 310137, 310153, 310154, 311134, 311135, 311136, 311137, 311153, 311154, 312137, 312151, 314128, 317121, 318121, 409152, 410152, 411151, 411152, 412152, 412153, 412154, 413130, 414126, 414130, 416124, 418122, 435118, 5116P1, 5116P2, 5116P3, 5116P4, 5174P2, 5174P3
1262	Amendment to Australian Notice to Mariners No 2
1263	Amendment to Australian National Tide Tables 2009
1264	Aus 357A, 361, 422, 423
1265	Aus 200, 203
1266	Aus 235, 236
1267	Aus 244
1268	Aus 247
1269	Aus 260, 367, 426, 822, AX 60260
1270	Aus 270, 832, 833
1271	Aus 374, 833
1272	Aus 834, 835, 836
1273	Aus 505, 506
1274	Aus 512
1275	Aus 388
1276	Aus 296, 376, 700
1277	Aus 309, AX 0309F, 72309
1278	Aus 316, 724
1279	Aus 314, AX 0314F
1280	Aus 314, 321, 4721, 4722, AX 0314F, 0321F, 4721F, 4722F, INT 721, 722
1281	Aus 321, AX 0321F
1282	Aus 327, 741
1283	Aus 416, 4708, AX 4708F, INT 708
1284	Aus 81
1285	Aus 112, 113, AX 63112
1286	Aus 115, 334, 335, 755, AX 0334E, 0755E
1287	Aus 335, 336, 756, 757
1288	Aus 137
1289	Aus 171
1290	Aus 487, 801, 802
1291	Aus 182
1292(T).....	Aus 197, 361, 808, 809, AX 0808E, 0809E, 63200, AU434151
1293(T).....	Aus 207, 208, 362, 423, 424, 809, AX 0809E, AU433151, 5XX208
1294(T).....	Aus 220, 813, 814
1295(T).....	Aus 237
1296(T).....	Aus 237
1297(T).....	Aus 238, AU5237X8
1298(T).....	Aus 238, AU5237X8
1299(T).....	Aus 236
1300(T).....	Aus 235, 236
1301(T).....	Aus 242
1302(T).....	Aus 245, 246, 247, 819
1303(T).....	Aus 244, 245, 247, 819, AU424151, 5244X5
1304(T).....	Aus 426, 611, 4621, INT 621, AU230150
1305(T).....	Aus 247, 819, 820, AU424151
1306(T).....	Aus 249, 250, AU5250P2
1307(T).....	Aus 249, 250, 823
1308(T).....	Aus 253
1309(T).....	Aus 255, AU5XX255
1310(T).....	Aus 256
1311(T).....	Aus 256, 371, 827, AU420146
1312(T).....	Aus 257
1313(T).....	Aus 262, 263, 264, 830, AX 63262, AU417145, 5262X4
1314(T).....	Aus 521, 644, AU409148
1315(T).....	Aus 4, AU413141, 5XX4P1
1316(T).....	Aus 4, 301, 701

1317(T).....	Aus 4, 701, AU413141
1318(T).....	Aus 52, 53, 54
1319(T).....	Aus 58, 59, AU421116
1320(T).....	Aus 349
1321(T).....	Aus 173, 174, 795
1322(T).....	Aus 168
1323(T).....	Aus 168
1324(T).....	Aus 143, 144, 158, AU439144
1325(T).....	Aus 143, 157, AU439144
1326(T).....	Aus 154
1327(T).....	Aus 143, 155, AU438144, 5155P4
1328(T).....	Aus 143, 155, AU439145
1329(T).....	Aus 143, AU439145, 5143P1

NUMERICAL INDEX OF CHARTS AFFECTED

Edition No 24

Aus Chart	Notices	Aus Chart	Notices
Aus 4.....	1315(T), 1316(T), 1317(T)	Aus 416.....	1283
Aus 52.....	1318(T)	Aus 422.....	1264
Aus 53.....	1318(T)	Aus 423.....	1264, 1293(T)
Aus 54.....	1318(T)	Aus 424.....	1293(T)
Aus 58.....	1319(T)	Aus 426.....	1269, 1304(T)
Aus 59.....	1319(T)	Aus 487.....	1290
Aus 81.....	1284	Aus 505.....	1273
Aus 112.....	1285	Aus 506.....	1273
Aus 113.....	1285	Aus 512.....	1274
Aus 115.....	1286	Aus 521.....	1314(T)
Aus 137.....	1288	Aus 611.....	1304(T)
Aus 143.....	1324(T), 1325(T), 1327(T), 1328(T), 1329(T)	Aus 620.....	1261
Aus 144.....	1324(T)	Aus 644.....	1314(T)
Aus 154.....	1326(T)	Aus 700.....	1276
Aus 155.....	1327(T), 1328(T)	Aus 701.....	1316(T), 1317(T)
Aus 157.....	1325(T)	Aus 724.....	1278
Aus 158.....	1324(T)	Aus 741.....	1282
Aus 168.....	1322(T), 1323(T)	Aus 755.....	1286
Aus 171.....	1289	Aus 756.....	1287
Aus 173.....	1321(T)	Aus 757.....	1287
Aus 174.....	1321(T)	Aus 795.....	1321(T)
Aus 182.....	1291	Aus 801.....	1290
Aus 197.....	1292(T)	Aus 802.....	1290
Aus 200.....	1265	Aus 806.....	1261
Aus 203.....	1265	Aus 807.....	1261
Aus 207.....	1293(T)	Aus 808.....	1292(T)
Aus 208.....	1293(T)	Aus 809.....	1292(T), 1293(T)
Aus 220.....	1294(T)	Aus 813.....	1294(T)
Aus 235.....	1266, 1300(T)	Aus 814.....	1294(T)
Aus 236.....	1266, 1299(T), 1300(T)	Aus 819.....	1302(T), 1303(T), 1305(T)
Aus 237.....	1295(T), 1296(T)	Aus 820.....	1305(T)
Aus 238.....	1297(T), 1298(T)	Aus 822.....	1269
Aus 242.....	1301(T)	Aus 823.....	1307(T)
Aus 244.....	1267, 1303(T)	Aus 827.....	1311(T)
Aus 245.....	1302(T), 1303(T)	Aus 830.....	1313(T)
Aus 246.....	1302(T)	Aus 832.....	1270
Aus 247.....	1268, 1302(T), 1305(T)	Aus 833.....	1270, 1271
Aus 249.....	1306(T), 1307(T)	Aus 834.....	1272
Aus 250.....	1306(T), 1307(T)	Aus 835.....	1272
Aus 253.....	1308(T)	Aus 836.....	1272
Aus 255.....	1309(T)	Aus 4621.....	1304(T)
Aus 256.....	1310(T), 1311(T)	Aus 4708.....	1283
Aus 257.....	1312(T)	Aus 4721.....	1280
Aus 260.....	1269	Aus 4722.....	1280
Aus 262.....	1313(T)	AX 0309F.....	1277
Aus 263.....	1313(T)	AX 0314F.....	1279, 1280
Aus 264.....	1313(T)	AX 0321F.....	1280, 1281
Aus 270.....	1270	AX 0334E.....	1286
Aus 296.....	1276	AX 0755E.....	1286
Aus 301.....	1316(T)	AX 0808E.....	1292(T)
Aus 309.....	1277	AX 0809E.....	1292(T), 1293(T)
Aus 314.....	1279, 1280	AX 4708F.....	1283
Aus 316.....	1278	AX 4721F.....	1280
Aus 321.....	1280, 1281	AX 4722F.....	1280
Aus 327.....	1282	AX 60260.....	1269
Aus 334.....	1286	AX 63112.....	1285
Aus 335.....	1286, 1287	AX 63200.....	1292(T)
Aus 336.....	1287	AX 63262.....	1313(T)
Aus 349.....	1320(T)	AX 72309.....	1277
Aus 357A.....	1264		
Aus 359.....	1261	INT Chart	Notices
Aus 360.....	1261	INT 621.....	1304(T)
Aus 361.....	1264, 1292(T)	INT 708.....	1283
Aus 362.....	1293(T)	INT 721.....	1280
Aus 367.....	1269	INT 722.....	1280
Aus 371.....	1311(T)		
Aus 374.....	1271		
Aus 376.....	1276		
Aus 388.....	1275		

ENC Cell	Notices
AU230150	1304(T)
AU309153	1261
AU309154	1261
AU310135	1261
AU310136	1261
AU310137	1261
AU310153	1261
AU310154	1261
AU311134	1261
AU311135	1261
AU311136	1261
AU311137	1261
AU311153	1261
AU311154	1261
AU312137	1261
AU312151	1261
AU314128	1261
AU317121	1261
AU318121	1261
AU409148	1314(T)
AU409152	1261
AU410152	1261
AU411151	1261
AU411152	1261
AU412152	1261
AU412153	1261
AU412154	1261
AU413130	1261
AU413141	1315(T), 1317(T)
AU414126	1261
AU414130	1261
AU416124	1261
AU417145	1313(T)
AU418122	1261
AU420146	1311(T)
AU421116	1319(T)
AU424151	1303(T), 1305(T)
AU433151	1293(T)
AU434151	1292(T)
AU435118	1261
AU438144	1327(T)
AU439144	1324(T), 1325(T)
AU439145	1328(T), 1329(T)
AU5XX4P1	1315(T)
AU5116P1	1261
AU5116P2	1261
AU5116P3	1261
AU5116P4	1261
AU5143P1	1329(T)
AU5155P4	1327(T)
AU5174P2	1261
AU5174P3	1261
AU5XX208	1293(T)
AU5237X8	1297(T), 1298(T)
AU5244X5	1303(T)
AU5250P2	1306(T)
AU5XX255	1309(T)
AU5262X4	1313(T)

1260 AUSTRALIA - Products - Termination of printed notices to mariners publication

Australian Hydrographic Service (AA375041, AA375247)

The Australian Hydrographic Service will cease printing and distributing paper copies of the fortnightly notices to mariners and will no longer include amendments to Admiralty publications in Australian Notices to Mariners from Edition 1 of 2009 (publish date 16 January 2009).

Australian notices to mariners from this date will continue to be available free of charge from the AHS website (www.hydro.gov.au) and through the eNotices (email) service. In addition paper copies will be available from selected chart agents and supplied to mariners on a cost recovery basis.

To access notices to mariners from the AHS website select 'Notices to Mariners' from the vertical title bar on the home page and follow the links to access pdf versions of notices to mariners editions and tracings, blocks and notes, Annual Notices to Mariners and cumulative lists. A link to British Admiralty notices for mariners requiring updates to British Admiralty publications such as Admiralty List of Lights and Fog Signals, List of Radio Signals and Sailing Directions can also be found here.

To receive notices to mariners via email mariners need to register online via the AHS website (www.hydro.gov.au). Point to 'Notices to Mariners' on the vertical title bar on the AHS home page, select 'eNotices' and follow the link to the registration page. eNotices is a customised service where mariners can choose to receive notices to mariners via email for any chart (or all charts) in their specific portfolio and for the following Australian nautical publications: Australian Seafarers Handbook, Australian Annual Notices to Mariners and Australian National Tide Tables.

Paper copies of Australian Notices to Mariners can be obtained on a cost recovery basis from Chart Agents listed on the AHS website as providing a 'Paper Notices to Mariners' service. At the time of publishing this Notice, the following agents have arranged to offer this service:

- Boat Books Australia (Sydney)
- Boat Books Australia (Brisbane)
- Boat Books Australia (Melbourne)
- Cairns Chart Correcting Agent (Cairns)
- Cornes and Co Ltd Kobe (Japan)
- Cornes and Co Ltd Yokohama (Japan)
- DPM (Singapore) Pte Ltd (Singapore)
- Hong Yunn Sea Professional Co Ltd (Taiwan)
- Morbai Charts, Maps and Maritime Supplies (Philippines)
- Motion Smith (Singapore)
- National Maritime Safety Authority Papua New Guinea (PNG)
- Quin Marine Pty Ltd (Adelaide)
- Tasmanian Map Centre (Hobart)
- The Chart and Map Shop (Fremantle)
- The Navigation Centre (Townsville)

To view an up-to-date list of Chart Agents providing a Paper Notices to Mariner Service (and their contact details), mariners should select 'Distribution Network' from the vertical title bar on the AHS website, point to a geographical location and scroll down the list of distributors.

At the time of publishing this Notice, ChartCo and Marine Press of Canada (Digitrace) offer electronic subscription services which include Australian Notices to Mariners. For more information, see the 'About Notices to Mariners' section on the AHS website.

1261 AUSTRALIA - Products

Australian Hydrographic Service (AA369537, AA375177, AA375179)

New Chart

<i>Chart</i>	<i>Published</i>	<i>Title and description of amendments</i>	<i>Scale</i>	<i>Folio</i>	<i>Index Chart</i>	<i>Price</i>
Aus 806	21/11/2008	Australia - East Coast - New South Wales - Montague Island to Jervis Bay 34° 57' 12" S - 36° 20' 06" S 150° 06' 54" E - 118° 36' 12" E <i>New metric chart referred to WGS84 datum and LAT with new maritime boundaries.</i>	1:150 000	6	Aus 5001	\$29.50
Aus 807	21/11/2008	Australia - East Coast - New South Wales - Cape Howe to Montague Island 36° 13' 54" S - 37° 35' 24" S 149° 49' 12" E - 150° 48' 36" E <i>New metric chart referred to WGS84 datum and LAT with new maritime boundaries.</i>	1:150 000	6	Aus 5001	\$29.50

New Electronic Navigation Chart (Seafarer ENC)

<i>Cell Name</i>	<i>Released</i>	<i>Title</i>
AU309153	December 2008	Solomon Sea - Cell 6
AU309154	December 2008	Solomon Sea - Cell 2
AU310135	December 2008	Arafura Sea - Cell 6
AU310136	December 2008	Arafura Sea - Cell 4
AU310137	December 2008	Arafura Sea - Cell 2
AU310153	December 2008	Solomon Sea - Laughlan Islands to Woodlark Island
AU310154	December 2008	Solomon Sea Cell 3
AU311134	December 2008	Arafura Sea Cell - 7
AU311135	December 2008	Arafura Sea - Cell 5
AU311136	December 2008	Arafura Sea - Cell 3
AU311137	December 2008	Arafura Sea - Cell 1
AU311153	December 2008	Solomon Sea Cell 5
AU311154	December 2008	Solomon Sea - Cell 4
AU312137	December 2008	Gulf of Carpentaria - North Eastern Approaches to Gove
AU312151	December 2008	Coral and Solomon Seas - Louisiade Archipelago - West
AU314128	December 2008	Timor Sea - Northern Approaches to Joseph Bonaparte Gulf
AU317121	December 2008	Indian Ocean - Baleine Bank
AU318121	December 2008	Indian Ocean - Cell 6
AU409152	December 2008	Solomon Sea - Northern Approaches to Woodlark Island
AU410152	December 2008	Solomon Sea - Woodlark Island
AU411151	December 2008	Solomon Sea - Panabwal Group to Goschen Strait
AU411152	December 2008	Solomon Sea - Renard Island to East Island
AU412152	December 2008	Coral and Solomon Seas - Louisiade Archipelago - Centre
AU412153	December 2008	Solomon and Coral Seas - Louisiade Archipelago - East
AU412154	December 2008	Solomon and Coral Seas - Rossel Island
AU413130	December 2008	Northern Territory - Approaches to Darwin
AU414126	December 2008	Western Australia - Cape Londonderry to Cape Bougainville
AU414130	December 2008	Northern Territory - Peron Islands to Anson Bay
AU416124	December 2008	Western Australia - Coronation Islands to Montgomery Islands
AU418122	December 2008	Western Australia - Cape Baskerville to Gantheaume Point
AU435118	December 2008	Western Australia - Bald Island to Groper Bluff
AU5116P1	December 2008	Western Australia - Entrance to Mandurah Estuary
AU5116P2	December 2008	Western Australia - Port Geographe Marina
AU5116P3	December 2008	Western Australia - Mary Ann Haven
AU5116P4	December 2008	Western Australia - Starvation Boat Harbour
AU5174P2	December 2008	Tasmania - Southport
AU5174P3	December 2008	Tasmania - Port Arthur

Chart permanently withdrawn without replacement

<i>Chart</i>	<i>On publication of new chart</i>
Aus 359	Aus 806 & 807
Aus 360	Aus 806 & 807

Chart to be permanently withdrawn without replacement on 27 March 2009

Aus 620

For further details refer to the AHS website at www.hydro.gov.au for new edition and new chart stock arrival information.

When placing orders with a chart agent, mariners should advise whether their order pertains to the current edition or the new edition.

1262 AUSTRALIA - Products - Amendment to Australian Notice to Mariners No 2
 Australian Hydrographic Service (AA374134, AA374892)

Page 14

Amend Quin Marine Pty Ltd details to read:

Quin Marine Pty Ltd	Telephone	+61 (0)8 8447 1277	C
77-89 St Vincent Street	Fax	+61 (0)8 8341 0567	
Port Adelaide 5015	Email	electronics@quinmarine.com.au	

Page 17

Amend email address for Morbai Charts/Maps & Maritime Supplies to read morbai@skybroadband.com.ph

Amend Hong Yunn Sea Professional Co Ltd details to read:

Hong Yunn Sea Professional Co Ltd	Telephone	(886) 7221 7367	N
196-2 Ta Tong 1st Road	Fax	(886) 7281 8180	
Kaohsiung 800	Email	hy.sales@msa.hinet.net	

1263 AUSTRALIA - Products - Amendment to Australian National Tide Tables 2009

Australian Hydrographic Service (AA374252)

Page 316

Amend PORT NAME BRISTOW I. to BOBO (BRISTOW) I.

1264* AUSTRALIA - VICTORIA - NEW SOUTH WALES - Eddystone Point to Port Jackson - Chart limits; legends

Australian Hydrographic Service (AA369537)

Aus 357A [1189/2008]

Delete	magenta legend, Adjoining Chart Aus 359, in E border	37° 55'.0 S	149° 30'.0 E
--------	--	-------------	--------------

Aus 361 [1112/2008]

Delete	magenta legend, Adjoining Chart Aus 360, in S border	34° 41'.3 S	151° 15'.0 E
--------	--	-------------	--------------

Aus 422 [1135/2008]

Insert	magenta limits, with legend Aus 805 in NW corner, between	37° 28'.4 S	150° 05'.0 E
		37° 28'.4 S	149° 02'.8 E
		38° 15'.5 S	149° 02'.8 E
		38° 15'.5 S	150° 05'.0 E
	magenta limits, with legend Aus 806 in NW corner, between	37° 20'.0 S	149° 49'.2 E
		37° 35'.4 S	149° 49'.2 E
		37° 35'.4 S	150° 05'.0 E

Delete	magenta limits, with legend Aus 359, centred on	38° 00'.0 S	149° 40'.0 E
--------	---	-------------	--------------

Aus 423 [1166/2008]

Insert	magenta limits, with legend Aus 808 in SE corner, between	35° 11'.0 S	150° 40'.0 E	
		35° 11'.0 S	151° 39'.4 E	
		33° 47'.0 S	151° 39'.4 E	
		33° 47'.0 S	150° 40'.0 E	
		magenta limits, with legend Aus 805 in SE corner, between	35° 11'.0 S	150° 40'.0 E
			38° 15'.5 S	149° 02'.8 E
			38° 15'.5 S	150° 36'.7 E
			37° 28'.4 S	150° 36'.7 E
		magenta limits, with legend Aus 806 in SE corner, between	37° 28'.4 S	149° 02'.8 E
			38° 15'.5 S	149° 02'.8 E
			37° 35'.4 S	149° 49'.2 E
			37° 35'.4 S	150° 48'.6 E
		magenta limits, with legend Aus 807 in SE corner, between	36° 13'.9 S	150° 48'.6 E
			36° 13'.9 S	149° 49'.2 E
			37° 35'.4 S	149° 49'.2 E
			36° 20'.1 S	150° 06'.9 E
36° 20'.1 S			151° 06'.3 E	
34° 57'.2 S			151° 06'.3 E	
34° 57'.2 S			150° 06'.9 E	
36° 20'.1 S			150° 06'.9 E	
Delete	magenta limits, with legend Aus 359, centred on	37° 30'.0 S	150° 00'.0 E	
	magenta limits, with legend Aus 360, centred on	35° 30'.0 S	150° 50'.0 E	

1265* AUSTRALIA - NEW SOUTH WALES - Port Jackson - Cabarita Point - Light beacon
Sydney Ports Corporation (AA373757)

Aus 200 [1168/2008]

Delete light beacon 33° 50'.46 S 151° 07'.09 E

Aus 203 [951/2008]

Delete light beacon 33° 50'.46 S 151° 07'.09 E

1266* AUSTRALIA - QUEENSLAND - Moreton Bay - Spitfire Channel - Channel widening; depths
Port of Brisbane Corporation (AA368406)

Aus 235 [622/2008]

Insert accompanying block 27° 01'.5 S 153° 16'.0 E

Aus 236 [1174/2008]

Insert accompanying block 27° 01'.5 S 153° 16'.0 E

1267* AUSTRALIA - QUEENSLAND - Gladstone - Barney Point - Power transmission line
Maritime Safety Queensland Notice 730/2008 (AA369473)

Aus 244 (plan, Gladstone and Adjacent Wharves) [1175/2008]

Insert power transmission line, with safe vertical clearance 4.5m,
between 23° 50'.183 S 151° 16'.225 E
23° 50'.212 S 151° 16'.212 E

1268* AUSTRALIA - QUEENSLAND - Keppel Bay - Great Keppel Island - Wreck eastwards
UKHO (AA371785)

Aus 247 [1118/2008]

Insert non-dangerous wreck 23° 12'.10 S 151° 15'.27 E

1269* AUSTRALIA - QUEENSLAND - Pier Head - Wreck
HMAS *Leeuwin* (AA373345)

Aus 260 [718/2007]

Insert depth, 5₁m, enclosed by danger circle with legend *Wk* 22° 05'.02 S 150° 03'.63 E

Delete wreck 22° 05'.0 S 150° 05'.2 E

Aus 367 [1119/2008]

Insert depth, 5₁m, enclosed by danger circle with legend *Wk* 22° 05'.02 S 150° 03'.63 E
depth, 14₄m 22° 05'.83 S 150° 05'.15 E

Delete wreck 22° 05'.0 S 150° 05'.2 E
depth, 12₈m 22° 04'.5 S 150° 03'.1 E

Aus 426 [327/2008]

Insert depth, 2₄fm, enclosed by danger circle with legend *Wk* 22° 05'.0 S 150° 03'.6 E

Delete wreck 22° 05'.1 S 150° 05'.2 E

Aus 822 [483/2008]

Insert depth, 5₁m, enclosed by danger circle with legend *Wk* 22° 05'.02 S 150° 03'.63 E

Delete wreck 22° 05'.0 S 150° 05'.2 E

AX 60260 [718/2007]

Insert depth, 5₁m, enclosed by danger circle with legend *Wk* 22° 05'.02 S 150° 03'.63 E

Delete wreck 22° 05'.0 S 150° 05'.2 E

1270* AUSTRALIA - QUEENSLAND - Miles Reef - Light beacon

Former Notice - 1201(P)/2008 is cancelled

Auscoast Warning 367/2008 (AA373191), Australian Maritime Safety Authority (AA374128)

Aus 270 (plan, Howick Group) [523/2008]

Insert	light beacon, <i>Fl(2)8s 13m 10M</i> , without topmark	14° 32'.23 S	144° 55'.07 E
--------	--	--------------	---------------

Delete	light	14° 32'.3 S	144° 55'.1 E
--------	-------	-------------	--------------

Aus 832 [576/2008]

Insert	light beacon, <i>Fl(2)8s 10M</i> , without topmark	14° 32'.23 S	144° 55'.07 E
--------	--	--------------	---------------

Delete	light	14° 32'.3 S	144° 55'.1 E
--------	-------	-------------	--------------

Aus 833 [638/2007]

Move	light beacon	14° 32'.3 S	144° 55'.1 E
	to	14° 32'.23 S	144° 55'.07 E

1271* AUSTRALIA - QUEENSLAND - Joan Reef - Light beacon

Former Notice - 1202(P)/2008 is cancelled

Auscoast Warning 366/2008 (AA373190), Australian Maritime Safety Authority (AA374128)

Aus 374 [812/2007]

Insert	light beacon, <i>Fl(4)WR.10s 10/8M</i> , without topmark, with white sector 318° - 134° (176°) and red sector 134° - 318° (184°)	13° 56'.90 S	144° 20'.36 E
--------	--	--------------	---------------

Aus 833 [1270/2008]

Insert	light beacon, <i>Fl(4)WR.10s 10/8M</i> , without topmark, with white sector 318° - 134° (176°) and red sector 134° - 318° (184°)	13° 56'.81 S	144° 20'.42 E
--------	--	--------------	---------------

1272* AUSTRALIA - QUEENSLAND - Tannadice Rock - Light buoy; depth

UKHO (AA373423)

Aus 834 [1176/2008]

Insert	accompanying block	12° 35'.0 S	143° 31'.0 E
--------	------------------------------------	-------------	--------------

Aus 835 [1176/2008]

Insert	accompanying block	12° 35'.0 S	143° 31'.0 E
--------	------------------------------------	-------------	--------------

Aus 836 [1176/2008]

Insert	accompanying block	12° 35'.0 S	143° 31'.0 E
--------	------------------------------------	-------------	--------------

1273* PAPUA NEW GUINEA - Hood Point - Light beacon

National Maritime Safety Authority PNG Notice 215/2008 (AA372938)

Aus 505 [629/2008]

Insert	light beacon, <i>Q(2)8s 8m 10M</i> , without topmark	10° 06'.32 S	147° 43'.07 E
--------	--	--------------	---------------

Delete	light with sector	10° 06'.2 S	147° 43'.6 E
	depth, 3 ₉ m	10° 06'.0 S	147° 43'.0 E

Aus 506 [629/2008]

Insert	light beacon, <i>Q(2)8s 8m 10M</i> , without topmark	10° 06'.32 S	147° 43'.07 E
--------	--	--------------	---------------

Delete	light with sector	10° 06'.2 S	147° 43'.6 E
	depth, 3 ₉ m	10° 06'.0 S	147° 43'.0 E

1274* PAPUA NEW GUINEA - Auriora Island - Height

UKHO (AA369697)

Aus 512 [1222/2008]

Insert	spot height, 2.5m	10° 48'.45 S	151° 55'.61 E
--------	-------------------	--------------	---------------

1275* PAPUA NEW GUINEA - Karkar Island to Kairiru Island - Unsurveyed boundary; chart note; legends

Australian Hydrographic Service (AA373432)

Aus 388 [1072/2008]

On certain copies only

Insert	accompanying block	3° 56'.0 S	144° 33'.0 E
Amend	legend to <i>UNSURVEYED</i>	3° 45'.0 S	144° 02'.0 E
	legend to <i>UNSURVEYED</i>	4° 01'.0 S	144° 41'.0 E
	legend to <i>UNSURVEYED</i>	4° 22'.5 S	145° 15'.5 E
	legend to <i>UNSURVEYED</i>	4° 42'.0 S	145° 38'.5 E
Delete	note, UNSURVEYED AREAS	4° 01'.0 S	143° 56'.0 E

Aus 388 (plan, Bogia Harbour)

On certain copies only

Amend	legend to <i>UNSURVEYED</i>	4° 17'.7 S	145° 00'.3 E
	legend to <i>UNSURVEYED</i>	4° 15'.5 S	144° 58'.7 E

1276* AUSTRALIA - TORRES STRAIT - Hawkesbury Island to Moa Island - Depths

Fugro Survey Pty Ltd (DHDB 1087881)

Aus 296 [1178/2008]

Insert	depth, 0 ₉ m, enclosed by contour	10° 21'.84 S	142° 02'.02 E
	depth, 9m, enclosed by contour	10° 24'.68 S	141° 59'.40 E
	depth, 0 ₅ m, enclosed by contour	10° 21'.62 S	142° 05'.89 E
	depth, 0 ₆ m, enclosed by contour	10° 21'.99 S	142° 05'.86 E
Delete	depth, 6 ₄ m	10° 21'.7 S	142° 06'.0 E

Aus 376 [1224/2008]

Insert	depth, 0 ₄ m, enclosed by contour	10° 15'.12 S	142° 15'.49 E
	depth, 9m, enclosed by contour	10° 24'.59 S	141° 59'.46 E
	rock which covers and uncovers enclosed by danger circle	10° 14'.63 S	142° 11'.58 E
	depth, 8 ₆ m, enclosed by contour	10° 19'.69 S	141° 58'.71 E
Delete	rock and enclosing danger circle	10° 14'.2 S	142° 11'.5 E
	depth, 11m	10° 19'.3 S	141° 58'.4 E
	depth, 10 ₃ m	10° 24'.5 S	141° 58'.5 E

Aus 700 [1224/2008]

Insert	depth, 0 ₉ m, enclosed by contour	10° 21'.75 S	142° 02'.08 E
	depth, 9m, enclosed by contour	10° 24'.59 S	141° 59'.46 E
	depth, 4 ₁ m, and extend contour N to enclose	10° 19'.94 S	142° 06'.51 E
	depth, 0 ₅ m, enclosed by contour	10° 21'.53 S	142° 05'.95 E
	depth, 1 ₉ m, enclosed by contour	10° 20'.49 S	142° 07'.88 E
	depth, 5 ₁ m, enclosed by contour	10° 19'.31 S	142° 10'.47 E
	depth, 8 ₆ m, enclosed by contour	10° 19'.69 S	141° 58'.71 E
Delete	depth, 7m	10° 19'.9 S	142° 06'.6 E
	depth, 12 ₂ m	10° 20'.6 S	142° 08'.2 E
	depth, 12 ₂ m	10° 19'.0 S	142° 10'.8 E
	depth, 10 ₄ m	10° 19'.4 S	141° 58'.5 E
	depth, 11 ₅ m	10° 24'.7 S	142° 00'.0 E

1277* AUSTRALIA - NORTHERN TERRITORY - Bathurst Island - Brace Point - Light buoys

ACV Corio Bay (AA373374 - AA373376, AA373378), Great Southern Ltd (AA368911)

Aus 309 [1226/2008]

Delete	light buoy	11° 15'.4 S	130° 13'.9 E
	light buoy	11° 15'.7 S	130° 14'.2 E
	light buoy	11° 15'.5 S	130° 17'.1 E
	light buoy	11° 17'.7 S	130° 19'.3 E

AX 0309F [1226/2008]

Delete	light buoy	11° 15'.4 S	130° 13'.9 E
	light buoy	11° 15'.7 S	130° 14'.2 E
	light buoy	11° 15'.5 S	130° 17'.1 E
	light buoy	11° 17'.7 S	130° 19'.3 E

AX 72309 [1226/2008]

Delete	light buoy	11° 15'.4 S	130° 13'.9 E
	light buoy	11° 15'.7 S	130° 14'.2 E
	light buoy	11° 15'.5 S	130° 17'.1 E
	light buoy	11° 17'.7 S	130° 19'.3 E

1278* AUSTRALIA - NORTHERN TERRITORY - Cape Ford - Depths

HMAS Paluma (DHDB 1111735)

Aus 316 [695/2008]

Insert	depth, 3 ₁ m, and extend 5m contour NE to enclose	13° 25'.26 S	129° 53'.22 E
	depth, 9 ₉ m, enclosed by contour	13° 26'.33 S	129° 50'.80 E
	depth, 19 ₁ m, enclosed by contour	13° 16'.40 S	129° 50'.48 E
Delete	depth, 14 ₁ m	13° 26'.1 S	129° 50'.4 E
	depth, 16 ₁ m, and enclosing contour	13° 19'.5 S	129° 46'.3 E
	depth, 22m	13° 15'.8 S	129° 51'.2 E
	depth, 3 ₆ m	13° 25'.6 S	129° 53'.0 E

Aus 724 [628/2005]

Insert	depth, 3 ₁ m, and extend 5m contour NE to enclose	13° 25'.18 S	129° 53'.28 E
	depth, 9 ₉ m, enclosed by contour	13° 26'.25 S	129° 50'.86 E
	unsurveyed boundary, between	13° 25'.64 S	129° 53'.20 E
		13° 25'.46 S	129° 54'.60 E
	depth, 19 ₁ m, enclosed by contour	13° 16'.32 S	129° 50'.54 E
Delete	depth, 14 ₁ m	13° 26'.1 S	129° 50'.5 E
	unsurveyed boundary, between	13° 25'.5 S	129° 53'.2 E
		13° 25'.4 S	129° 54'.5 E
	depth, 16 ₁ m, and enclosing contour	13° 19'.5 S	129° 46'.3 E

1279* AUSTRALIA - TIMOR SEA - Sahul Banks - Chart note

Australian Hydrographic Service (AA276957)

Aus 314 [1228/2008]

Substitute	accompanying note for CA note	12° 34'.0 S	125° 58'.0 E
------------	---	-------------	--------------

AX 0314F [1228/2008]

Insert	accompanying note for CA note	12° 34'.0 S	125° 58'.0 E
--------	---	-------------	--------------

1280* AUSTRALIA - TIMOR SEA - Sahul Banks - Depths
Geoscience Australia 2375 (AA373127)

Aus 314 [1279/2008]

Substitute	depth, 51m, for depth, 94m	11° 34'.2 S	125° 10'.3 E
	depth, 7 ₄ m, for depth, 12 ₈ m	11° 45'.5 S	124° 49'.7 E

Delete	depth, 126m, and enclosing contour	11° 38'.8 S	124° 02'.4 E
	depth, 201m, and enclosing contour	11° 21'.7 S	124° 49'.7 E
	depth, 134m, and enclosing contour	11° 30'.7 S	124° 39'.6 E
	depth, 236m, and enclosing contour	11° 28'.6 S	124° 44'.8 E
	depth, 91m, and enclosing contour	11° 31'.7 S	124° 42'.9 E
	depth, 238m, and enclosing contour	11° 32'.0 S	124° 54'.3 E
	depth, 291m, and enclosing contour	11° 34'.6 S	124° 49'.0 E
	depth, 289m, and enclosing contour	11° 30'.5 S	124° 48'.1 E
	depth, 384m, and enclosing contour	11° 19'.5 S	125° 05'.5 E
	depth, 192m, and enclosing contour	11° 22'.8 S	125° 08'.9 E
	depth, 35m, and enclosing contour with legend	11° 14'.2 S	125° 19'.3 E
	depth, 20m, and enclosing contour	11° 19'.5 S	125° 15'.8 E
	depth, 117m, and enclosing contour	11° 37'.4 S	125° 07'.5 E
	depth, 178m, and enclosing contour	11° 45'.8 S	124° 47'.2 E

Aus 321 [1229/2008]

Delete	depth, 384m, and enclosing contour	11° 19'.5 S	125° 05'.5 E
	depth, 35m, and enclosing contour with legend	11° 14'.2 S	125° 19'.3 E
	depth, 20m, and enclosing contour	11° 19'.5 S	125° 15'.8 E

Aus 4721 (INT 721) [1228/2008]

Insert	depth, 51m, and extend contour W to enclose	11° 34'.2 S	125° 10'.3 E
--------	---	-------------	--------------

Substitute	depth, 7 ₄ m, for depth, 12 ₈ m	11° 45'.5 S	124° 49'.7 E
	depth, 437m, for depth, 238m	11° 32'.0 S	124° 54'.3 E

Delete	depth, 126m, and enclosing contour	11° 38'.8 S	124° 02'.4 E
	depth, 91m, and enclosing contour	11° 31'.7 S	124° 42'.9 E
	depth, 192m, and enclosing contour	11° 22'.8 S	125° 08'.9 E
	depth, 62m	11° 34'.0 S	125° 11'.7 E

Aus 4722 (INT 722) [1228/2008]

Insert	depth, 51m, and extend contour W to enclose	11° 34'.2 S	125° 10'.3 E
--------	---	-------------	--------------

Substitute	depth, 7 ₄ m, for depth, 12 ₈ m	11° 45'.5 S	124° 49'.7 E
	depth, 437m, for depth, 238m	11° 32'.0 S	124° 54'.3 E

Delete	depth, 126m, and enclosing contour	11° 38'.8 S	124° 02'.4 E
	depth, 91m, and enclosing contour	11° 31'.7 S	124° 42'.9 E
	depth, 192m, and enclosing contour	11° 22'.8 S	125° 08'.9 E
	depth, 62m	11° 34'.0 S	125° 11'.7 E

AX 0314F [1279/2008]

Substitute	depth, 51m, for depth, 94m	11° 34'.2 S	125° 10'.3 E
	depth, 7 ₄ m, for depth, 12 ₈ m	11° 45'.5 S	124° 49'.7 E

Delete	depth, 126m, and enclosing contour	11° 38'.8 S	124° 02'.4 E
	depth, 201m, and enclosing contour	11° 21'.7 S	124° 49'.7 E
	depth, 134m, and enclosing contour	11° 30'.7 S	124° 39'.6 E
	depth, 236m, and enclosing contour	11° 28'.6 S	124° 44'.8 E
	depth, 91m, and enclosing contour	11° 31'.7 S	124° 42'.9 E
	depth, 238m, and enclosing contour	11° 32'.0 S	124° 54'.3 E
	depth, 291m, and enclosing contour	11° 34'.6 S	124° 49'.0 E
	depth, 289m, and enclosing contour	11° 30'.5 S	124° 48'.1 E
	depth, 384m, and enclosing contour	11° 19'.5 S	125° 05'.5 E
	depth, 192m, and enclosing contour	11° 22'.8 S	125° 08'.9 E
	depth, 35m, and enclosing contour with legend	11° 14'.2 S	125° 19'.3 E
	depth, 20m, and enclosing contour	11° 19'.5 S	125° 15'.8 E
	depth, 117m, and enclosing contour	11° 37'.4 S	125° 07'.5 E
	depth, 178m, and enclosing contour	11° 45'.8 S	124° 47'.2 E

AX 0321F [1229/2008]

Delete	depth, 384m, and enclosing contour	11° 19'.5 S	125° 05'.5 E
	depth, 35m, and enclosing contour with legend	11° 14'.2 S	125° 19'.3 E
	depth, 20m, and enclosing contour	11° 19'.5 S	125° 15'.8 E

AX 4721F [1228/2008]

Insert	depth, 51m, and extend contour W to enclose	11° 34'.2 S	125° 10'.3 E
Substitute	depth, 7 ₄ m, for depth, 12 ₈ m	11° 45'.5 S	124° 49'.7 E
	depth, 437m, for depth, 238m	11° 32'.0 S	124° 54'.3 E
Delete	depth, 126m, and enclosing contour	11° 38'.8 S	124° 02'.4 E
	depth, 91m, and enclosing contour	11° 31'.7 S	124° 42'.9 E
	depth, 192m, and enclosing contour	11° 22'.8 S	125° 08'.9 E
	depth, 62m	11° 34'.0 S	125° 11'.7 E

AX 4722F [1228/2008]

Insert	depth, 51m, and extend contour W to enclose	11° 34'.2 S	125° 10'.3 E
Substitute	depth, 7 ₄ m, for depth, 12 ₈ m	11° 45'.5 S	124° 49'.7 E
	depth, 437m, for depth, 238m	11° 32'.0 S	124° 54'.3 E
Delete	depth, 126m, and enclosing contour	11° 38'.8 S	124° 02'.4 E
	depth, 91m, and enclosing contour	11° 31'.7 S	124° 42'.9 E
	depth, 192m, and enclosing contour	11° 22'.8 S	125° 08'.9 E
	depth, 62m	11° 34'.0 S	125° 11'.7 E

1281 INDONESIA - West Timor - Pulau Semau - Lights; wreck

BA Notice 48/6469/2008 (AA373125)

Aus 321 [1280/2008]

Amend	light to Oc(2)20s 127m 27M	10° 07'.8 S	123° 26'.7 E
	light to Fl.5s 12m 12M	10° 05'.3 S	123° 33'.1 E
Delete	wreck	10° 11'.9 S	123° 31'.2 E

AX 0321F [1280/2008]

Amend	light to Oc(2)20s 127m 27M	10° 07'.8 S	123° 26'.7 E
	light to Fl.5s 12m 12M	10° 05'.3 S	123° 33'.1 E
Delete	wreck	10° 11'.9 S	123° 31'.2 E

1282* AUSTRALIA - WESTERN AUSTRALIA - Dampier Archipelago - Gas field northwardsFormer Notice - 989(P)/2007 is cancelled
Woodside Energy Ltd (AA373100 - AA373102, AA373393, AA373394)**Aus 327** [1183/2008]

Insert	accompanying block	19° 35'.0 S	116° 20'.0 E
--------	------------------------------------	-------------	--------------

Aus 741 [1232/2008]

Insert	accompanying block	19° 30'.0 S	116° 35'.0 E
--------	------------------------------------	-------------	--------------

1283* AUSTRALIA - WESTERN AUSTRALIA - Steep Point - Historic wrecks westwardsFormer Notice - 359(P)/2008 is cancelled
Department for the Environment, Water, Heritage and the Arts (AA374262)**Aus 416** [913/2008]

Insert	historic wreck	26° 06'.0 S	111° 04'.4 E
	historic wreck	26° 14'.7 S	111° 12'.8 E
	magenta legend, <i>Historic Wks with Protected Zones</i>	26° 10'.0 S	110° 45'.0 E
	(see Note)	25° 40'.0 S	115° 20'.0 E
	accompanying note		

AX 4708F [NC 26/9/2008]

Insert	historic wreck	26° 06'.0 S	111° 04'.4 E
	historic wreck	26° 14'.7 S	111° 12'.8 E
	magenta legend, <i>Historic Wks with Protected Zones</i>	26° 06'.0 S	111° 20'.0 E

Aus 4708 (INT 708) [1125/2008]

Insert	historic wreck	26° 06'.0 S	111° 04'.4 E
	historic wreck	26° 14'.7 S	111° 12'.8 E
	magenta legend, <i>Historic Wks with Protected Zones</i>	26° 06'.0 S	111° 20'.0 E

1284* AUSTRALIA - WESTERN AUSTRALIA - Geraldton - Light buoys

Former Notice - 1257(P)/2008 is cancelled
Geraldton Port Authority (AA372772 - AA372774)

Aus 81 [962/2008]

Insert	starboard lateral spar light buoy, <i>Fl(2)G.6s</i> , without topmark	28° 44'.09 S	114° 35'.52 E
	starboard lateral spar light buoy, <i>Fl(2)G.6s</i> , without topmark	28° 44'.63 S	114° 35'.67 E
	port lateral spar light buoy, <i>Fl(2)R.6s</i> , without topmark	28° 44'.06 S	114° 35'.67 E
	port lateral spar light buoy, <i>Fl(2)R.6s</i> , without topmark	28° 44'.66 S	114° 35'.81 E

1285* AUSTRALIA - WESTERN AUSTRALIA - Fremantle - Lights

Australian Hydrographic Service (AA360141, AA360166), Fremantle Ports (AA358205, AA373738)

Aus 112 [1237/2008]

Insert	a dashed line in a direction 220.4° for a distance of 5550m, with legend <i>040.4°</i> emanating from light	32° 00'.92 S	115° 46'.55 E
Move	light to	32° 02'.36 S 32° 02'.344 S	115° 45'.13 E 115° 45'.127 E
Delete	dashed line with legend, emanating from light	32° 00'.92 S	115° 46'.55 E

Aus 113 [1236/2008]

Insert	a dashed line, with legend <i>040.4°</i> , between	32° 01'.783 S 32° 03'.281 S	115° 45'.665 E 115° 44'.171 E
Move	light to	32° 02'.43 S 32° 02'.414 S	115° 45'.04 E 115° 45'.037 E
Delete	dashed line with legend, emanating from	32° 01'.78 S	115° 45'.68 E

AX 63112 [1237/2008]

Insert	a dashed line in a direction 220.4° for a distance of 5550m, with legend <i>040.4°</i> emanating from light	32° 00'.92 S	115° 46'.55 E
Move	light to	32° 02'.36 S 32° 02'.344 S	115° 45'.13 E 115° 45'.127 E
Delete	dashed line with legend, emanating from light	32° 00'.92 S	115° 46'.55 E

1286* AUSTRALIA - WESTERN AUSTRALIA - Bunbury - Depths

Bunbury Port Authority (AA373901, AA373902)

Aus 115 [1238/2008]

Insert	depth, <i>4₄m</i> , enclosed by contour	33° 16'.706 S	115° 39'.415 E
Delete	depth, 10 ₇ m	33° 16'.67 S	115° 39'.57 E

Aus 115 (plan, Port of Bunbury)

Insert	depth, <i>4₄m</i> , enclosed by contour	33° 16'.706 S	115° 39'.415 E
Delete	depth, 12 ₉ m	33° 16'.68 S	115° 39'.40 E

Aus 334 [377/2008]

Insert	depth, <i>4₄m</i> , enclosed by contour	33° 16'.71 S	115° 39'.42 E
Delete	depth, 9 ₈ m	33° 16'.8 S	115° 39'.2 E

Aus 335 [965/2008]

Insert	depth, <i>4₄m</i> , enclosed by contour	33° 16'.78 S	115° 39'.34 E
Delete	depth, 9 ₈ m	33° 16'.9 S	115° 39'.1 E

Aus 755 [1025/2008]

Insert	depth, <i>4₄m</i> , enclosed by contour	33° 16'.78 S	115° 39'.34 E
Delete	depth, 9 ₈ m	33° 16'.9 S	115° 39'.1 E

AX 0334E [NC 23/5/2008]

Insert	depth, 4 ₄ m, enclosed by contour	33° 16'.71 S	115° 39'.42 E
--------	--	--------------	---------------

Delete	depth, 9 ₈ m	33° 16'.8 S	115° 39'.2 E
--------	-------------------------	-------------	--------------

AX 0755E [1025/2008]

Insert	depth, 4 ₄ m, enclosed by contour	33° 16'.78 S	115° 39'.33 E
--------	--	--------------	---------------

Delete	depth, 9 ₈ m	33° 16'.9 S	115° 39'.1 E
--------	-------------------------	-------------	--------------

1287* AUSTRALIA - WESTERN AUSTRALIA - Flinders Bay - Depths

Department for Planning and Infrastructure WA (DHDB 242133)

Aus 335 [965/2008]

Insert	accompanying block	34° 20'.0 S	115° 10'.0 E
--------	------------------------------------	-------------	--------------

Aus 336 [1027/2008]

Insert	accompanying block	34° 25'.0 S	115° 20'.0 E
--------	------------------------------------	-------------	--------------

Aus 756 [1239/2008]

Insert	light characteristic, 2F.Bu	34° 15'.65 S	115° 10'.00 E
--------	-----------------------------	--------------	---------------

Aus 757 [1239/2008]

Insert	light characteristic, 2F.Bu	34° 15'.65 S	115° 10'.00 E
--------	-----------------------------	--------------	---------------

1288* AUSTRALIA - SOUTH AUSTRALIA - Port Adelaide - Infrastructure; nav aids

Department for Transport, Energy and Infrastructure SA Notice 58/2008 (AA372950, AA372951)

Aus 137 [NE 23/5/2008]

Insert	accompanying block	34° 50'.3 S	138° 30'.4 E
--------	------------------------------------	-------------	--------------

1289* AUSTRALIA - TASMANIA - Hobart to Norfolk Bay - Chart note

Australian Hydrographic Service (AA348389), UKHO (AA373019)

Aus 171 [798/2008]

Insert	accompanying note	43° 06'.0 S	147° 53'.0 E
--------	-----------------------------------	-------------	--------------

1290* AUSTRALIA - VICTORIA - Cape Liptrap - AIS

Australian Maritime Safety Authority (AA307052, AA373286, AA373288)

Aus 487 [967/2008]

Insert	magenta circle, with legend A/S, at light	38° 54'.4 S	145° 55'.4 E
--------	---	-------------	--------------

Aus 801 [972/2008]

Insert	magenta circle, with legend A/S, at light	38° 54'.4 S	145° 55'.4 E
--------	---	-------------	--------------

Aus 802 [972/2008]

Insert	magenta circle, with legend A/S, at light	38° 54'.5 S	145° 55'.3 E
--------	---	-------------	--------------

1291* AUSTRALIA - VICTORIA - Port Welshpool - Lewis Channel - Infrastructure; depths

Gippsland Ports (AA365866, AA365867)

Aus 182 (plan, Lewis Channel) [1141/2008]

Insert	accompanying block	38° 43'.5 S	146° 27'.0 E
--------	------------------------------------	-------------	--------------

1292(T)/2008 AUSTRALIA - NEW SOUTH WALES - Bondi - Scientific instruments southeastwards
 Sydney Institute of Marine Science (AA375220)

Subsea moorings exist in positions (WGS84 datum) as follows:

33° 53'.76 S 151° 17'.30 E
 33° 53'.99 S 151° 17'.30 E
 33° 54'.23 S 151° 17'.72 E
 33° 54'.51 S 151° 18'.14 E
 33° 54'.76 S 151° 18'.56 E
 33° 55'.02 S 151° 19'.01 E
 33° 55'.28 S 151° 19'.45 E
 33° 55'.54 S 151° 19'.89 E
 33° 55'.80 S 151° 20'.31 E
 33° 56'.06 S 151° 21'.17 E
 33° 56'.32 S 151° 22'.61 E
 33° 56'.60 S 151° 22'.06 E
 33° 56'.85 S 151° 22'.50 E
 33° 57'.12 S 151° 22'.95 E
 33° 57'.40 S 151° 23'.39 E

Chart temporarily affected - Aus 197 - Aus 361 - Aus 808 - Aus 809 - AX 0808E - AX 0809E - AX 63200 - AU434151

1293(T)/2008 AUSTRALIA - NEW SOUTH WALES - Newcastle - AIS trial completed

Former Notice - 924(T)/2008 is cancelled
 Australian Maritime Safety Authority (AA358631)

Cancel this notice on receipt.

Chart formerly affected - Aus 207 - Aus 208 - Aus 362 - Aus 423 - Aus 424 - Aus 809 - AX 0809E - AU433151 - AU5XX208

1294(T)/2008 AUSTRALIA - NEW SOUTH WALES - Tweed Heads - Dredging operations completed

Former Notice - 926(T)/2008 is cancelled
 Maritime Safety Queensland Notice 533(T)/2008 (AA356774)

Cancel this notice on receipt.

Chart formerly affected - Aus 220 - Aus 813 - Aus 814

1295(T)/2008 AUSTRALIA - QUEENSLAND - Brisbane River - Luggage Point - Harbour works completed

Former Notice - 307(T)/2008 is cancelled
 Maritime Safety Queensland Notice 152(T)/2008 (AA320009)

Cancel this notice on receipt.

Chart formerly affected - Aus 237

1296(T)/2008 AUSTRALIA - QUEENSLAND - Brisbane River - Lytton Rocks Reach - Harbour works completed

Former Notice - 453(T)/2008 is cancelled
 Maritime Safety Queensland Notice 224(T)/2008 (AA329804)

Cancel this notice on receipt.

Chart formerly affected - Aus 237

1297(T)/2008 AUSTRALIA - QUEENSLAND - Brisbane River - Parker Island Reach - Wreck

Maritime Safety Queensland Notice 775(T)/2008 (AA374626)

A wreck exists in position 27° 26'.51 S 153° 06'.40 E.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 238 - AU5237X8

1298(T)/2008 AUSTRALIA - QUEENSLAND - Brisbane River - Town Reach - Harbour works completed

Former Notice - 1039(T)/2008 is cancelled
 Maritime Safety Queensland Notice 610(T)/2008 (AA362503)

Cancel this notice on receipt.

Chart formerly affected - Aus 238 - AU5237X8

1299(T)/2008 AUSTRALIA - QUEENSLAND - Moreton Bay - Clontarf Point - Harbour works completed

Former Notice - 1040(T)/2008 is cancelled
 Maritime Safety Queensland Notice 622(T)/2008 (AA362554)

Cancel this notice on receipt.

Chart formerly affected - Aus 236

1300(T)/2008 AUSTRALIA - QUEENSLAND - Pumicestone Channel - Wreck

Maritime Safety Queensland Notice 766(T)/2008 (AA374740)

A wreck marked by a special buoy exists in position 27° 01'.8 S 153° 05'.8 E (WGS84 datum).

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 235 - Aus 236

1301(T)/2008 AUSTRALIA - QUEENSLAND - Bundaberg - Long Reach - Cable ferry operations ceased

Former Notice - 396(T)/2008 is cancelled
 Maritime Safety Queensland Notice 209(T)/2008 (AA325600)

Cancel this notice on receipt.

Chart formerly affected - Aus 242

1302(T)/2008 AUSTRALIA - QUEENSLAND - Gladstone - Scientific instruments recovered

Former Notice - 715(T)/2008 is cancelled
 Maritime Safety Queensland Notice 386(T)/2008 (AA345282)

Cancel this notice on receipt.

Chart formerly affected - Aus 245 - Aus 246 - Aus 247 - Aus 819

1303(T)/2008 AUSTRALIA - QUEENSLAND - Gladstone - Drilling operations completed

Former Notice - 873(T)/2008 is cancelled
 Maritime Safety Queensland Notice 476(T)/2008 (AA353933)

Cancel this notice on receipt.

Chart formerly affected - Aus 244 - Aus 245 - Aus 819 - AU424151 - AU5244X5

1304(T)/2008 AUSTRALIA - QUEENSLAND - Wreck Reef - Scientific instruments recovered

Former Notice - 818(T)/2008 is cancelled
 University of Sydney Institute of Marine Science (AA353474)

Cancel this notice on receipt.

Chart formerly affected - Aus 426 - Aus 611 - Aus 4621 (INT 621) - AU230150

1305(T)/2008 AUSTRALIA - QUEENSLAND - Lisa Jane Shoals - Scientific instrument

Former Notice - 1135(T)/2007 is cancelled
 Maritime Safety Queensland Notice 770(T)/2008 (AA374220)

A special light buoy, *Fl(5)Y.20s*, exists in position 23° 18'.37 S 151° 04'.30 E.

Mariners are not to use this buoy as a mooring.

Chart temporarily affected - Aus 247 - Aus 819 - Aus 820 - AU424151

1306(T)/2008 AUSTRALIA - QUEENSLAND - Hay Point - Harbour works completed

Former Notice - 932(T)/2008 is cancelled
 Maritime Safety Queensland Notice 778/2008 (AA374623)

Cancel this notice on receipt.

Chart formerly affected - Aus 249 - Aus 250 - AU5250P2

1307(T)/2008 AUSTRALIA - QUEENSLAND - Victor Island to Slade Point - Scientific instruments recovered

Former Notice - 660(T)/2008 is cancelled
 Maritime Safety Queensland Notice 364(T)/2008 (AA343356)

Cancel this notice on receipt.

Chart formerly affected - Aus 249 - Aus 250 - Aus 823

1308(T)/2008 AUSTRALIA - QUEENSLAND - Shute Harbour - Buoys recovered

Former Notice - 63(P)/2008 is cancelled
 Maritime Safety Queensland Notice 782/2008 (AA374833)

Cancel this notice on receipt.

Chart formerly affected - Aus 253

1309(T)/2008 AUSTRALIA - QUEENSLAND - Abbot Point - Dredging operations completed

Former Notice - 1153(T)/2008 is cancelled
 Maritime Safety Queensland Notice 688(T)/2008 (AA367586)

Cancel this notice on receipt.

Chart formerly affected - Aus 255 - AU5XX255

1310(T)/2008 AUSTRALIA - QUEENSLAND - Cape Ferguson - Scientific instrument recovered

Former Notice - 115(T)/2008 is cancelled
 Australian Institute of Marine Science (AA308016)

Cancel this notice on receipt.

Chart formerly affected - Aus 256

1311(T)/2008 AUSTRALIA - QUEENSLAND - Cleveland Bay - Scientific instruments recovered

Former Notice - 934(T)/2008 is cancelled
 Maritime Safety Queensland Notice 536(T)/2008 (AA356768)

Cancel this notice on receipt.

Chart formerly affected - Aus 256 - Aus 371 - Aus 827 - AU420146

1312(T)/2008 AUSTRALIA - QUEENSLAND - Townsville - Harbour works completed

Former Notice - 462(T)/2008 is cancelled
 Maritime Safety Queensland Notice 220(T)/2008 (AA329566)

Cancel this notice on receipt.

Chart formerly affected - Aus 257

1313(T)/2008 AUSTRALIA - QUEENSLAND - Cairns - Depth information*Former Notice - 605(T)/2008 is cancelled*

Maritime Safety Queensland Notice 767(T)/2008 (AA374229)

Available depths as of 21 November 2008:

	Metres	Remarks
Entrance Channel	8.3	
Crystal Swing Basin at:		
360 metre diameter	6.8	
380 metre diameter	6.4	
Swing Basin at:		
310 metre diameter	8.7	
320 metre diameter	7.8	
* Marlin Marina	3.6	
Berths:		
No 1	8.4	
No 2	8.5	
No 3	8.4	
No 4	8.4	
No 5	8.2	
No 6	8.1	between 500 metres and 550 metres
No 6	7.7	between 550 metres and 600 metres
No 7	9.9	
No 8	10.0	
No 10	9.3	
No 12	10.5	
Smiths Creek 1	4.9	

* Indicates revised entry.

Chart temporarily affected - Aus 262 - Aus 263 - Aus 264 - Aus 830 - AX 63262 - AU417145 - AU5262X4**1314(T)/2008 PAPUA NEW GUINEA - Oro Bay - Light unlit**

National Maritime Safety Authority PNG Notice 217/2008 (AA374624)

The light K3424 (8° 54'.19 S 148° 28'.38 E) is unlit.

Chart temporarily affected - Aus 521 - Aus 644 - AU409148**1315(T)/2008 AUSTRALIA - QUEENSLAND - Weipa - Light beacon restored***Former Notice - 981(T)/2008 is cancelled*

Maritime Safety Queensland Notice 783/2008 (AA374834)

Cancel this notice on receipt.

Chart formerly affected - Aus 4 - AU413141 - AU5XX4P1**1316(T)/2008 AUSTRALIA - QUEENSLAND - Weipa - Light beacon restored***Former Notice - 123(T)/2008 is cancelled*

Maritime Safety Queensland Notice 783/2008 (AA374834)

Cancel this notice on receipt.

Chart formerly affected - Aus 4 - Aus 301 - Aus 701**1317(T)/2008 AUSTRALIA - QUEENSLAND - Albatross Bay - Scientific instruments***Former Notice - 610(T)/2008 is cancelled*

Maritime Safety Queensland Notice 770(T)/2008 (AA374220)

Special light buoys, *Fl(5)Y.20s*, exist in positions (WGS84 datum):

12° 40'.49 S 141° 45'.08 E

12° 41'.29 S 141° 41'.12 E

Mariners are not to use these buoys as moorings.

Chart temporarily affected - Aus 4 - Aus 701 - AU413141

1318(T)/2008 AUSTRALIA - WESTERN AUSTRALIA - Port Hedland - Light beacon restored

Former Notice - 468(T)/2008 is cancelled
Port Hedland Port Authority (AA374671)

Cancel this notice on receipt.

Chart formerly affected - Aus 52 - Aus 53 - Aus 54

1319(T)/2008 AUSTRALIA - WESTERN AUSTRALIA - Dampier - Phillip Point - Blasting operations completed

Former Notice - 985(T)/2008 is cancelled
Dampier Port Authority Notice 26/2008 (AA360211)

Cancel this notice on receipt.

Chart formerly affected - Aus 58 - Aus 59 - AU421116

1320(T)/2008 AUSTRALIA - VICTORIA - Port Campbell - Production wells; pipeline

Date - Until 8 April 2009
Department of Resources, Energy and Tourism (AA343258), Helix Energy Solutions (AA375236, AA375326)

Production wells exist as follows:

<i>Position (WGS84 datum)</i>	<i>Remarks</i>
38° 38'.18 S 142° 41'.15 E	<i>Pecten East 1</i>
38° 40'.81 S 142° 38'.43 E	<i>Netherby 1</i>
38° 42'.24 S 142° 37'.22 E	<i>Henry 2</i>

A pipeline will be laid by MSV *Express* and support vessel *Calypso Star* between Casino (38° 47'.22 S 142° 41'.91 E) and Pecten East 1 production wells.

DSV *Olympic Triton* and support hyperbaric rescue vessel will tie-in production wells Netherby 1 and Henry 2.

Chart temporarily affected - Aus 349

1321(T)/2008 AUSTRALIA - TASMANIA - Southport - Harbour works

Former Notice - 1105(T)/2008 is cancelled
Date - Until 31 March 2009
Marine and Safety Tasmania M103/2008, M116/2008 (AA364362, AA374739)

Harbour works associated with the demolition of the existing jetty (43° 25'.97 S 146° 58'.47 E) and construction of a new jetty is in progress.

The light (43° 26'.00 S 146° 58'.49 E) has been altered to *Fl.Bu.2s 2M*.

The jetty is closed to all vessels.

Limited berthing will be available on the jetty head in consultation with the contractor.

Chart temporarily affected - Aus 173 - Aus 174 - Aus 795

1322(T)/2008 AUSTRALIA - TASMANIA - Launceston - Kings Wharf - Dredging operations completed

Former Notice - 418(T)/2008 is cancelled
Marine and Safety Tasmania (AA374674)

Cancel this notice on receipt.

Chart formerly affected - Aus 168

1323(T)/2008 AUSTRALIA - TASMANIA - Launceston - North Esk River - Harbour works completed

Former Notice - 746(T)/2007 is cancelled
Marine and Safety Tasmania Notice M82/2007 (AA277370)

Cancel this notice on receipt.

Chart formerly affected - Aus 168

1324(T)/2008 AUSTRALIA - VICTORIA - Port Phillip - Entrance Deep - Underwater survey work*Former Notice - 132(T)/2008 is cancelled*

Victorian Notice 141(T)/2008 (AA374967)

Diving and Remote Operating Vehicle (ROV) surveys of the Rip Bank will be conducted along the Entrance Deep walls (38° 17'.9 S 144° 38'.1 E) in way of the entrance channels during the following periods:

27 December 2008 to 30 December 2008

8 January 2009 to 13 January 2009

27 January 2009 to 29 January 2009

The surveys will commence at times of predicted slack water and continue up to one hour thereafter.

The vessel ORCA can be contacted on VHF Ch 12 and Ch 16 or on mobile 0407088840.

All entrance channels will be closed to shipping during certain periods when underwater activities take place in the Great Ship Channel.

The Eastern Ship Channel and Outer Eastern Channel may remain open to shipping when underwater activities take place in the Western Ship Channel and/or Outer Western Channel. During the closure periods, vessels must not pass or overtake in the Eastern Ship Channel and Outer Eastern Channel.

Details of the planned daily program can be obtained from Point Lonsdale Signal Station on VHF Ch 12.

Vessels intending to use any of the entrance channels should make early contact with Point Lonsdale Signal Station.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 143 - Aus 144 - Aus 158 - AU439144**1325(T)/2008 AUSTRALIA - VICTORIA - Port Phillip - Portarlington - Harbour works completed***Former Notice - 892(T)/2008 is cancelled*

Victorian Notice 101/2008 (AA355738)

Cancel this notice on receipt.

Chart formerly affected - Aus 143 - Aus 157 - AU439144**1326(T)/2008 AUSTRALIA - VICTORIA - Port Phillip - Port Melbourne - River Yarra - Harbour works completed***Former Notice - 422(T)/2008 is cancelled*

Port of Melbourne Corporation (AA375336)

Cancel this notice on receipt.

Chart formerly affected - Aus 154**1327(T)/2008 AUSTRALIA - VICTORIA - Port Phillip - Sandringham - Dredging operations completed***Former Notices - 476(T)/2008, 894(T)/2008 are cancelled*

Victorian Notice 132(T)/2008 (AA374681)

Cancel this notice on receipt.

Chart formerly affected - Aus 143 - Aus 155 - AU438144 - AU5155P4**1328(T)/2008 AUSTRALIA - VICTORIA - Port Phillip - Mordialloc - Shoaling**

Victorian Notice 137(T)/2008 (AA374620)

Shoaling, with depths 0.5m to 1m, exist within the entrance to Mordialloc Creek (38° 00'.65 S 145° 05'.07 E).

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 143 - Aus 155 - AU439145**1329(T)/2008 AUSTRALIA - VICTORIA - Port Phillip - Patterson River - Shoaling removed***Former Notice - 1259(T)/2008 is cancelled*

Victorian Notice 136/2008 (AA374622)

Cancel this notice on receipt.

Chart formerly affected - Aus 143 - AU439145 - AU5143P1

(19 December 2008)

II

AMENDMENTS TO ADMIRALTY LIST OF LIGHT AND FOG SIGNALS VOLUME K 2008/09

Edition No 25 dated 19 December 2008

Last Amendment: Edition No 24 dated 5 December 2008

K1506	- Tg Lero. Off Point (I)	4 02-91 S 119 35-61 E	Fl R 5s	14	11	White metal framework <i>fl</i> 0-5 tower 8	
- - -		..	Racon	..	..	..	ALRS Vol 2 Station 86630. TR 2008
						*	*
K1679-9	- Goldsworthy Channel. No 31	20 14-70 S 118 34-07 E	Fl G 2s	13	4	△ on green beacon	
		*	*				
K1680-1	- Goldsworthy Channel. No 32	20 15-42 S 118 34-60 E	Fl R 2s	13	4	□ on beacon	
		*	*				*
K1680-13	- Goldsworthy Channel. No 33	20 15-47 S 118 34-47 E	Fl G 2s	13	4	△ on beacon	
		*	*				*
K1691-44	- King Bay. Basin Mole. Head	20 37-49 S 116 44-98 E	Q G	..	..	..	2FBu giving a lead of 026°4° established 185m N (T) 2008
	*	*					*
K1794-8	Flinders Bay Ldg Lts 247°6'. Front (COM)	34 20-63 S 115 10-12 E	F Bu				
*	*	*	*	*	*	*	*
K1794-81	Flinders Bay Ldg Lts 247°6'. Rear (COM)	34 20-63 S 115 10-10 E	F Bu	..	..	..	PA
*	*	*	*	*	*	*	*
K2337-25	- PORT MELBOURNE CHANNEL. No 2	37 55-61 S 144 55-52 E	Fl(2)R 4s	..	..	Red □ on beacon	
						*	*
K2337-4	- PORT MELBOURNE CHANNEL. No 4	37 55-07 S 144 55-54 E	Fl(2)R 4s	..	..	Red □ on beacon	
						*	*
K2337-5	- PORT MELBOURNE CHANNEL. No 5	37 54-55 S 144 55-70 E	Fl(2)G 4s	..	..	Green △ on beacon	
						*	*
K2524-25	- Port Welshpool. Dolphin	38 42-18 S 146 27-82 E	Fl R 4s	..	..	Dolphin	
*	*	*	*	*	*	*	*
K2757-86	- Throsby Creek. Cowper Street Bridge. W side. N	32 55-03 S 151 45-63 E	F R				
	*						*
K2757-87	- Throsby Creek. Cowper Street Bridge. W side. S	32 55-04 S 151 45-63 E	F R				
*	*	*	*	*	*	*	*
K2757-88	- Throsby Creek. Cowper Street Bridge. E side. N	32 55-03 S 151 45-65 E	F G				
	*	*					*

Volume K *continued*

K2757-89	- Throsby Creek. Cowper Street Bridge. E side. S	32 55-03 S 151 45-65 E	F G					
*	*	*	*	*	*	*	*	*
K2898-04	- Ross Street Canal. Entrance. No 2	27 30-76 S 153 16-99 E	Q(9)W 15s	..	..	∇ on beacon	Entrance Channel and Boat Camp Channel marked by lights	*
K3065-7	Surprise Rock	20 21-30 S 149 01-60 E	Fl(2)W 6s	..	..	Black ♂ on black beacon, red band		*
K3400-15	Stein Reef	3 07-81 S 142 21-82 E	Fl(2)W 10s	6	9	White concrete column	<i>fl 0-5, ec 2, fl 0-5, ec 7</i>	*
K3400-6	Wewak Harbour. W	3 33-24 S 143 37-98 E	Fl G 5s	8	8	White pile	<i>fl 0-5</i>	*
K3697-5	Doubtless Bay. Albert Reef (Nukutaura)	34 55-21 S 173 31-11 E	VQ(3)W 5s	4	2	⬠ on black beacon, yellow band		*
*	*	*	*	*	*	*	*	*
K4678	- Suva Harbour. E Reef. N end	18 08-17 S 178 24-18 E	Fl G 5s	10	8	Green tower	<i>fl 0-5. Ra refl</i>	*
	*	*				*		*
K4760-3	Remove from list							
K5006-4	- Île Aukena. Ldg Lts 086°30'. Front (F)	23 08-10 S 134 54-75 W	Iso G 4s	6	6	White and red column		*
K5006-65	- Totegegigie Channel. Mitirapa (F)	23 07-00 S 134 56-80 W	VQ(9)W 10s	5	3	∇ on yellow column, black band		*

III

NAVIGATION WARNINGS

The following radio messages have been received during the period to 5 December 2008. Signal copies of these messages may be destroyed. It is recommended that the reprint of Navigational Warnings should be kept in a file or a book divided into areas. Cancellation should be made on receipt of signals and reprints.

Rigs on location other than those listed in the latest Section III summary are the subject of Radio Navigational Warnings. Rigs in transit will not be the subject of Warnings.

AUSCOAST WARNING

- 370 Special purpose vessel *Pacific Sword* conducting seismic survey in area 20° 40'·00 S to 23° 40'·00 S and 112° 00'·00 E to 113° 55'·00 E. 6M clearance requested.
371 Drill rig *Stena Clyde* in position 13° 08'·24 S 123° 08'·24 E. 2·5M clearance requested.
372 Cancelled.
373 Drill rig *Ocean Bounty* in position 19° 29'·24 S 116° 16'·21 E. 2·5M clearance requested.
374 17 metre diameter subsurface buoy laid in position 21° 24'·0 S 114° 05'·0 E.
375 Cancelled.
376 Drill rig *Ocean Patriot* in position 38° 39'·40 S 148° 31'·40 E to the east of the traffic separation scheme. 2·5M clearance requested. *Ocean Patriot* fitted with AIS and Racon D.
377 Cancelled.
378 Drill rig *Ensco 106* in position 20° 14'·02 S 116° 10'·25 E. 2·5M clearance requested.
379 Cancelled.
380 Cancelled.
381 Cancelled.
382 Drill rig *Songa Mercur* in position 19° 14'·80 S 116° 47'·80 E. 2·5M clearance requested.
383 Drill rig *West Triton* in position 40° 28'·90 S 145° 52'·40 E. 2·5M clearance requested.

NAVAREA X WARNINGS

- 019 Cancelled.

Navigational warnings in force as at 050001UTC DEC 08.

Auscoast

276 336 337 340 349 353 356 366 367 368 370 371 373 374 376 378 382 383

Navarea X

Summary of mobile drilling rigs as at 050001UTC DEC 08.

Name	Position
Wilcraft	12° 17'·60 S 124° 20'·30 E
Ocean Epoch	13° 01'·29 S 124° 26'·08 E
Stena Clyde	13° 08'·24 S 123° 08'·24 E
Songa Venus	13° 43'·70 S 123° 16'·35 E
Sedco 703	13° 59'·20 S 121° 58'·33 E
Songa Mercur	19° 14'·80 S 116° 47'·80 E
Ocean Bounty	19° 29'·24 S 116° 16'·21 E
Atwood Eagle	19° 54'·48 S 115° 07'·55 E
Ensco 106	20° 14'·02 S 116° 10'·25 E
West Atlas	20° 07'·60 S 116° 26'·08 E
Nan Hai 6	21° 26'·02 S 114° 01'·60 E
West Triton	40° 28'·90 S 145° 52'·40 E
Ocean Patriot	38° 39'·40 S 148° 31'·40 E

NAVAREA XIV WARNINGS

Nil.

Navarea XIV warnings in force as at 050001UTC DEC 08.

073 085

HYDROGRAPHIC REPORTS

<i>Locality</i>	<i>Report</i>	<i>Ship/Authority</i>	<i>Observer</i>
Vic- Corner Inlet	Shoaling	AMTS <i>Far Sky</i>	TJ Delves
NT- Cape Hay	Shoal	Mermaid Marine Australia	K Polson

AMENDMENTS TO ADMIRALTY LIST OF RADIO SIGNALS 2008

Edition No 25 dated 19 December 2008

VOLUME 1, PART 2, NP 281(2), 2008/09

Published BA Wk 27/08
(Last Amendments: Edition No 21 dated 24 October 2008)

MARITIME RADIO STATIONS

Page 238, THAILAND (East Coast), TELEMEDICAL MARITIME ADVICE SERVICES (TMAS).

Delete entry and replace by:

TELEMEDICAL MARITIME ADVICE SERVICES (TMAS)	
Usual name of centre	RCC BANGKOK, Kung Thep (Bangkok), Thailand (Department of Aviation)
Communications	Bangkok Radio DSC A1 A2 A3/4 MMSI 005671000
 RCC +66 2 2860506, 2860594 & 2869353	 +66 2 2873186
TELEX: +86 22720 BKK RCC TH AFTN VTBAICYX	E-MAIL: bkkrc@aviation.go.th
Associated MRCC or JRCC	
Consultation Languages	None specified
Remarks	Attention is drawn to the International Code of Signals, Medical Section. Unless otherwise stated there is no charge for any medical advice received

CAT Telecom Ad48/08

Page 238, THAILAND (East Coast), BANGKOK (NONTABURI) (HSA), contacts table, row 2.

Delete row and replace by:

 +66 2 5882683, 5882685, 1047027, 1047032 & 5884761	 +66 2 5896623 & 1047028
--	---

CAT Telecom Ad48/08

VOLUME 2, NP 282, 2008/09

Published BA Wk 7/08
(Last Amendments: Edition No 24 dated 5 December 2008)

RADAR BEACONS

Page 23, IRELAND, REPUBLIC OF section.

Insert on or about 13 January 2009:

South-East Blackwater Superbuoy Racon 52°25'·64N 6°08'·42W 53525
M

Irish Lights Notice 19/08 Ad49/08

Page 85, CHINA section.

Insert:

Changjiang Kou, Lusi Lt Buoy No 1 Racon 31°50'·14N 122°15'·31E 81943
O

Chinese Notice 44/1591/08 Ad48/08

Page 68, INDIA section.

78950 Savai Bet Lt.

Delete morse identification **M** and replace by: **N**

Harbour Master, Pipavav Port and Indian Chart 2100 Ad48/08

Page 97, JAPAN section.

83730 Tomogashima Suido Wave Meter Lt Buoy.

Delete entry

Japanese Notice 46/1618/08 Ad49/08

Page 77, CHINA section.

81370 Sang Zhou Lt.

Delete morse identification **B** and replace by: **G**

Chinese List of Lights G103 Ad48/08

V

LEGAL TIME

Page 212, Chile.

Delete entry and replace by:

Chile	+04	+03	Second Sun in Oct 0000h LT	Second Sat in March 2400h LT
--------------	-----	-----	----------------------------	------------------------------

(former amendment Ad12/08)
OAG Worldwide Ltd Ad48/08

Page 212, Cuba.

Delete entry and replace by:

Cuba	+05	+04	Last Sun in March 0000h LT	Last Sun in Oct 0100h LT
-------------	-----	-----	----------------------------	--------------------------

(former amendment Ad13/08)
OAG Worldwide Ltd Ad48/08

VOLUME 5, NP 285, 2008/09

Published BA Wk 22/08
(Last Amendments: Edition No 24 dated 19 December 2008)

CHAPTER 16, DISTRESS, SEARCH AND RESCUE

Page 310, CROATIA, contacts table, row 4, MRSC PULA.

Delete and replace by:

MRSC PULA	52 535870	52 222037	
-----------	-----------	-----------	--

MRCC Rijeka Ad49/08

Page 320, ICELAND.

Delete entry and replace by:

ICELAND

See diagram R4

National SAR Agency: Icelandic Coast Guard Address: Skógarhlið 14, 105 Reykjavik, Iceland Tel: +354 545 2000 Fax: +354 545 2040 E-mail: lhg@lhg.is			
Icelandic Coast Guard (ICG) is responsible for Search and Rescue operations and co-ordination for the Icelandic maritime Search and Rescue Region, SRR. ICG operates MRCC Reykjavik at a joint ICG operations, maritime communications and vessel monitoring centre, the Icelandic Maritime Traffic Service, (IMTS). A network of Coastal Radio Stations are remotely controlled from the IMTS and maintain a continuous listening watch on international calling and distress frequencies.			
	Telephone +354	Fax +354	Others
ICELANDIC COAST GUARD (Cospas-Sarsat SPOC)	545 2100 (operations) 511 3333 (emergency)	545 2001	AFTN BIRKICGT Inmarsat C (AOR-E) 425101519 Inmarsat C (AOR-E) 492740310 E-mail sar@icg.is reyrad@icg.is
MRCC Reykjavik	545 2100 (operations) 511 3333 (emergency)	545 2001	AFTN BIRKICGT Inmarsat C (AOR-E) 425101519 Inmarsat C (AOR-E) 492740310 E-mail sar@icg.is reyrad@icg.is

Icelandic Coast Guard Ad48/08

Page 351, THAILAND.

Delete entry and replace by:

THAILAND**See diagram R14**

National SAR Agency: Department of Civil Aviation Address: 71 Soi Ngamduplee, Rama IV Road, Krung Thep (Bangkok) 10120, Thailand Tel: +66 2 2860506, 2 2890594 & 2 2869353 Fax: +66 2 2873186 Others: AFTN; VTBAYCYX			
Search and Rescue operations in Thailand are co-ordinated by the Department of Civil Aviation at the Krung Thep (Bangkok) RCC, with the Royal Thai Navy, the Thai Marine Police Division and the Marine Department. RCC Bangkok can be contacted through Krung Thep (Bangkok) Radio . A network of Coast Radio Stations maintain a continuous listening watch on international distress frequencies.			
	Telephone +66	Fax +66	Others
RCC BANGKOK (Cospas-Sarsat SPOC)	2 2860506 2 2860594 2 2869353	2 2873186	AFTN VTBAYCYX E-mail bkkrrcc@aviation.go.th
BANGKOK RADIO (Nonthaburi)	2 5884761 2 5882683 2 5882685 2 1047027	2 5896623 2 1047028	
MARINE DEPARTMENT	2 2331311 2 2333780	2 2330437	
ROYAL THAI NAVY	2 4655356 2 4653511	2 4661697	
THAI MARINE POLICE DIVISION	2 3941962	2 3941962	
MRSC SONGKHLA (Royal Thai Navy)	74 325805		
MRSC PHUKET (Royal Thai Navy)	76 391598		

CAT Telecom & RCC Bangkok Ad48/08

AMENDMENTS TO ADMIRALTY SAILING DIRECTIONS 2008

**NP 62 Pacific Islands Pilot Volume III
(2006 Edition)****Polynésie Française - Tahiti - Port de Papeete -
Rade de Papeete — Mooring buoy****167**Paragraph 6.195 1 lines 8-10 *Replace by:*

...regulations given at 6.199. A good berth is about ½ cable SSW of Motu-Uta (6.211), dependant on size, and clear of a mooring buoy 1½ cables WSW of the SW end of Quai au Long-cours (6.211). The bottom is sand, shells and mud.

French Notice 08/41/88

[Ad 48/08]

**Hawaiian Islands - Hawaii - Kawaihae Harbor
— Depth****271**Paragraph 11.136 1 line 7 *For* 3 m. *Read* 1·2 m .

US Notice 45/19330/08

[Ad 48/08]

NP 100 The Mariner's Handbook (2004 Edition)**Piracy - ICC International Maritime Bureau —
Contact details****65**Paragraph 3.107 3 lines 9-12 *Replace by:*

...free of charge from the ICC International Maritime Bureau's Piracy Reporting Centre at:

ICC International Maritime Bureau (Asia Regional Office)

PO Box 12599

50782 Kuala Lumpur

Malaysia.

The centre operates 24 hours a day and can be contacted as follows:

Paragraph 3.107 4 lines 1-4 *Replace by:*

4 Telephone: +603 2078 5763

Fax: +603 2078 5769

Telex: MA 34199 IMBPCI

E Mail: imbkl@icc-ccs.org

24-hour +603 2031 0014

**anti-piracy
helpline:**

66Paragraph 3.110 5 *Replace by:*

5 ICC International Maritime Bureau
Cinnabar Wharf
26 Wapping High Street
London E1W 1NG
United Kingdom.

Telephone: +44 (0)207 423 6960

Fax: +44 (0)207 423 6961

E Mail imb@icc-ccs.org

Website: www.icc-ccs.org

ICC International Maritime Bureau

[Ad 48/08]