



18 December 2015

Edition 25

Australian Notices to Mariners are the authority for correcting Australian Charts and Publications

AUSTRALIAN NOTICES TO MARINERS

Notices 1340 - 1404



*The Hydrographer and Staff of the Australian Hydrographic Service
wish all users of Australian Navigational Products a Merry Christmas,
a Happy New Year and safe, successful voyages in 2016.*



Published fortnightly by the Australian Hydrographic Service

Commodore B.K. BRACE RAN
Hydrographer of Australia

SECTIONS.

- I. Australian Notices to Mariners, including blocks and notes.
- II. Hydrographic Reports.
- III. Navigational Warnings.

SUPPLEMENTS.

- I. Tracings
- II. Cumulative List of Australian Notices to Mariners.
- III. Cumulative List of Temporary and Preliminary Australian Notices to Mariners.
- IV. Temporary and Preliminary Notices in force.
- V. Amendments to Admiralty List of Lights and Fog Signals (Vol K),
Radio Signals (NP 281(2), 282, 283(2), 285, 286(4)) and Sailing
Directions (NP 9, 13, 14, 15, 33, 34, 35, 36, 39, 44, 51, 60, 61, 62, 100, 136).

© Commonwealth of Australia 2015

This work is copyright. Apart from any use permitted under the Copyright Act 1968, no part may be reproduced by any process, adapted, communicated or commercially exploited without prior written permission from The Commonwealth represented by the Australian Hydrographic Service.

IMPORTANT NOTICE

This edition of Notices to Mariners includes all significant information affecting AHS products which the AHS has become aware of since the last edition. All reasonable efforts have been made to ensure the accuracy and completeness of the information, including third party information, on which these updates are based. The AHS regards third parties from which it receives information as reliable, however the AHS cannot verify all such information and errors may therefore exist. The AHS does not accept liability for errors in third party information.

GENERAL INSTRUCTIONS

The substance of these notices should be inserted on the charts affected.

Bearings are referred to the true compass and are reckoned clockwise from North; those relating to lights are given as seen by an observer from seaward.

Positions quoted in notices relate to WGS84 which is the horizontal datum for all charts produced by the Australian Hydrographic Service.

The range quoted for a light is its nominal range.

Depths are with reference to the chart datum of each chart. Heights are above mean high water springs or mean higher high water, as appropriate.

The capital letter (P) or (T) after the number of any notice denotes a preliminary or temporary notice respectively, which are contained separately at the end of the permanent notices.

A star (*) adjacent to the number of a notice indicates that the notice is based on original information.

REPORTING OF DANGERS

Mariners are particularly requested to notify the AUSTRALIAN HYDROGRAPHIC SERVICE, Locked Bag 8801 Wollongong, NSW 2500 (Fax 02-4223 6599, e-mail datacentre@hydro.gov.au or, alternatively by filling in and submitting the [Hydrographic Notes](#) forms located on the web site – www.hydro.gov.au), immediately on the discovery of new dangers or suspected dangers to navigation. For changes or defects in aids to navigation notify AusSAR (Fax 02-6230 6868 or email rccaus@amsa.gov.au).

AUTHORISED USE

Copies of Australian notices are available free of charge from the Australian Hydrographic Service (AHS) website (www.hydro.gov.au) and through the eNotices (email) service (www.hydro.gov.au/enotices/enotices.htm).

Individual Notices may be copied for the purpose of inserting Notice substance on official charts and publications. Paper copies may be printed by chart agents and distributed to customers on a cost recovery basis. Participating chart agents are listed on the AHS website as providing a 'Paper Notices to Mariners' service (www.hydro.gov.au/prodserv/distributors/distributors.htm). Copies of the notices may not be sold for profit without prior written agreement.

NUMERICAL INDEX OF NOTICES TO MARINERS

Edition No 25

Notices	Aus Chart, INT Chart, ENC Cell, AHP, BA Pubs
1340	Aus 69, 116, 178, 246, 4620, 4621, INT 620, 621
1341	Products- New Charts and New Editions to be published shortly
1342	Annual Notices to Mariners 2015 AHP19
1343	Cessation of dredged depth updates
1344	Amendment to Australian Notice to Mariners No 2
1345	Aus 819
1346	Aus 245
1347	Aus 247, 819, 820, AX 00820S
1348	Aus 614, 615, 616, 617
1349	Aus 624
1350	Aus 678
1351	Aus 635
1352	Aus 516, 517
1353	Aus 313, 321, 4721, 4722, INT 721, 722, AX 00313U, 00321U, 04721U, 04722U
1354	Aus 4722, 4723, INT 722, 723, AX 04722U, 04723U
1355	Aus 328, 4708, 4723, 4725, INT 708, 723, 725, AX 04708U, 04723U
1356	Aus 728
1357	Aus 112, AX 00112T
1358	Aus 81, 751
1359	Aus 742
1360	Aus 343, 776, AX 00343S, 00776S
1361	Aus 137
1362	Aus 136, 778
1363	Aus 154
1364	Aus 169
1365	Aus 790
1366(T)	Aus 255
1367(T)	Aus 242, 243
1368(T)	Aus 249, 250, AX 00249S
1369(T)	Aus 828
1370(T)	Aus 250
1371(T)	Aus 258
1372(T)	Aus 265
1373(T)	Aus 256, 257, 827
1374(T)	Aus 256, 257
1375(T)	Aus 4
1376(T)	Aus 28
1377(T)	Aus 28
1378(T)	Aus 26, 28, AX 00026T
1379(T)	Aus 24, 28
1380(T)	Aus 26, 722, AX 00026T, 00722T
1381(T)	Aus 314, 319, 4721, 4722, INT 721, 722, AX 00314U, 00319S, 00319U, 04721U, 04722U
1382(T)	Aus 314, 319, 4721, 4722, INT 721, 722, AX 00314U, 00319S, 00319U, 04721U, 04722U
1383(T)	Aus 64, 328, 743, 744, 4723, 4725, INT 723, 725, AX 04723U
1384(T)	Aus 64, 743
1385(T)	Aus 62, 65, 66
1386(T)	Aus 58, 59, 60
1387(T)	Aus 327, 328
1388(T)	Aus 328, 329, 744
1389(T)	Aus 328, 329, 744
1390(T)	Aus 52, 54
1391(T)	Aus 54
1392(T)	Aus 52, 53, 54
1393(T)	Aus 53, 739, 740
1394(T)	Aus 4722, INT 722, AX 04722U
1395(T)	Aus 137
1396(T)	Aus 357, 487, 4060, 4601, 4644, INT 60, 601, 644, AX 00357S, 00487S
1397(T)	Aus 154
1398(T)	Aus 158
1399(T)	Aus 155
1400(T)	Aus 143, 158
1401(T)	Aus 487, 789, AX 00487S
1402(T)	Aus 172
1403(T)	Aus 172
1404(T)	Aus 172

NUMERICAL INDEX OF CHARTS AFFECTED

Edition No 25

Aus Chart	Notices
Aus 4	1375(T)
Aus 24	1379(T)
Aus 26	1378(T), 1380(T)
Aus 28	1376(T), 1377(T), 1378(T), 1379(T)
Aus 52	1390(T), 1392(T)
Aus 53	1392(T), 1393(T)
Aus 54	1390(T), 1391(T), 1392(T)
Aus 58	1386(T)
Aus 59	1386(T)
Aus 60	1386(T)
Aus 62	1385(T)
Aus 64	1383(T), 1384(T)
Aus 65	1385(T)
Aus 66	1385(T)
Aus 69	1340
Aus 81	1358
Aus 112	1357
Aus 116	1340
Aus 136	1362
Aus 137	1361, 1395(T)
Aus 143	1400(T)
Aus 154	1363, 1397(T)
Aus 155	1399(T)
Aus 158	1398(T), 1400(T)
Aus 169	1364
Aus 172	1402(T), 1403(T), 1404(T)
Aus 178	1340
Aus 242	1367(T)
Aus 243	1367(T)
Aus 245	1346
Aus 246	1340
Aus 247	1347
Aus 249	1368(T)
Aus 250	1368(T), 1370(T)
Aus 255	1366(T)
Aus 256	1373(T), 1374(T)
Aus 257	1373(T), 1374(T)
Aus 258	1371(T)
Aus 265	1372(T)
Aus 313	1353
Aus 314	1381(T), 1382(T)
Aus 319	1381(T), 1382(T)
Aus 321	1353
Aus 327	1387(T)
Aus 328	1355, 1383(T), 1387(T), 1388(T), 1389(T)
Aus 329	1388(T), 1389(T)
Aus 343	1360
Aus 357	1396(T)
Aus 487	1396(T), 1401(T)
Aus 516	1352
Aus 517	1352
Aus 614	1348
Aus 615	1348
Aus 616	1348

Aus Chart	Notices
Aus 617	1348
Aus 624	1349
Aus 635	1351
Aus 678	1350
Aus 722	1380(T)
Aus 728	1356
Aus 739	1393(T)
Aus 740	1393(T)
Aus 742	1359
Aus 743	1383(T), 1384(T)
Aus 744	1383(T), 1388(T), 1389(T)
Aus 751	1358
Aus 776	1360
Aus 778	1362
Aus 789	1401(T)
Aus 790	1365
Aus 819	1345, 1347
Aus 820	1347
Aus 827	1373(T)
Aus 828	1369(T)
Aus 4060	1396(T)
Aus 4601	1396(T)
Aus 4620	1340
Aus 4621	1340
Aus 4644	1396(T)
Aus 4708	1355
Aus 4721	1353, 1381(T), 1382(T)
Aus 4722	1353, 1354, 1381(T), 1382(T), 1394(T)
Aus 4723	1354, 1355, 1383(T)
Aus 4725	1355, 1383(T)
AX 00026T	1378(T), 1380(T)
AX 00112T	1357
AX 00249S	1368(T)
AX 00313U	1353
AX 00314U	1381(T), 1382(T)
AX 00319S	1381(T), 1382(T)
AX 00319U	1381(T), 1382(T)
AX 00321U	1353
AX 00343S	1360
AX 00357S	1396(T)
AX 00487S	1396(T), 1401(T)
AX 00722T	1380(T)
AX 00776S	1360
AX 00820S	1347
AX 04708U	1355
AX 04721U	1353, 1381(T), 1382(T)
AX 04722U	1353, 1354, 1381(T), 1382(T), 1394(T)
AX 04723U	1354, 1355, 1383(T)

INT Chart	Notices
INT 60	1396(T)
INT 601	1396(T)
INT 620	1340
INT 621	1340
INT 644	1396(T)
INT 708	1355
INT 721	1353, 1381(T), 1382(T)
INT 722	1353, 1354, 1381(T), 1382(T), 1394(T)
INT 723	1354, 1355, 1383(T)
INT 725	1355, 1383(T)

1340 AUSTRALIA - Products - New Charts, New Editions, Withdrawn Charts

Australian Hydrographic Service (AA847162)

New Charts

<i>Chart</i>	<i>Title and Geographical limits</i>	<i>Scale</i>	<i>Publication Date</i>	<i>Remarks</i>
Aus 69	Plans of Port of Ashburton and Onslow Port of Ashburton 21° 38'·91 S – 21° 41'·60 S 114° 59'·00 E – 115° 02'·79 E Onslow 21° 36'·04 S – 21° 39'·40 S 115° 03'·84 E – 115° 08'·57 E	1:10 000 1:12 500	18 December 2015	New chart with updated infrastructure and chart rescheme.
Aus 246	Approaches to Port of Gladstone 23° 47'·73 S – 24° 01'·00 S 151° 18'·00 E – 151° 40'·81 E	1:37 500	18 December 2015	Improved coverage for the approaches to Gladstone.

New Electronic Navigation Chart (Aus ENC)

<i>Cell Name</i>	<i>Title</i>	<i>Publication Date</i>	<i>Remarks</i>
NIL			

New Editions and Withdrawn Charts

<i>Chart</i>	<i>Title</i>	<i>Scale</i>	<i>Publication Date</i>	<i>Remarks</i>
Aus 116 Edition 3	Plans in Western Australia - West and South Coast Plans: Port Geographe Marina Starvation Boat Harbour Entrance to Mandurah Estuary Mary Ann Haven Hamelin Bay Warnbro Sound Flinders Bay	1:12 500 1:15 000 1:15 000 1:20 000 1:25 000 1:37 500 1:50 000	18 December 2015	New edition with general updating throughout; including new surveys. Chart Aus 116 Edition 2 dated 29 Jun 1993 is now superseded and must be withdrawn from use.
Aus 178 Edition 2	Australia - Tasmania - Plans in Tasmania (Sheet 2) Plans: Currie Harbour Grassy Harbour Stanley Harbour Wynyard Port Latta Smithton Approaches to Grassy Harbour	1:7 500 1:7 500 1:7 500 1:10 000 1:12 500 1:25 000 1:37 500	18 December 2015	New edition incorporating new bathymetric data, topography and general updating throughout. Chart Aus 178 Edition 1 dated 28 Jun 2002 is now superseded and must be withdrawn from use.
Aus 4620 Edition 7	Australia - Papua New Guinea - Percy Isles to Booby Island including Gulf of Papua	1:1 500 000	18 December 2015	New edition incorporating new two-way route and area to be avoided. Chart Aus 4620 Edition 6 dated 1 Jul 2011 is now superseded and must be withdrawn from use.
Aus 4621 Edition 5	Coral and Solomon Seas - Mackay to Solomon Islands	1:1 500 000	18 December 2015	New edition with general updating throughout; including new two-way route and area to be avoided. Chart Aus 4621 Edition 4 dated 1 Jul 2011 is now superseded and must be withdrawn from use.

Australian Hydrographic Publication

<i>AHP No</i>	<i>Title</i>	<i>Publication Date</i>	<i>Remarks</i>
NIL			

Admiralty publication

<i>NP No</i>	<i>Title</i>	<i>Date</i>	<i>Remarks</i>
--------------	--------------	-------------	----------------

1340 AUSTRALIA - Products - New Charts, New Editions, Withdrawn Charts

NP51 & e-NP51 New Zealand Pilot 2015 (Nineteenth Edition) 17/12/2015 The Eighteenth Edition 2010 is cancelled.

Chart permanently withdrawn

Charts listed above as withdrawn no longer meet chart carriage requirements and should be marked as "superseded" and replaced with the new chart/ new edition listed prior to passage through the area covered by the new chart.

When placing orders with a chart agent between notice of forthcoming edition and its publication, mariners should advise whether their order pertains to the current edition or the new edition.

For further details refer to the AHS website at www.hydro.gov.au for new edition and new chart stock arrival information.

When placing orders with a chart agent, mariners should advise whether their order pertains to the current edition or the new edition.

Erratum

Australian Notice to Mariners number 1283/2015, published in edition 24, position for the insertion of the accompanying note is incorrect. The correct position for the chart note is 18° 27'.0 S 146° 06'.0 E.

1341 AUSTRALIA - Products- New Charts and New Editions to be published shortly

Australian Hydrographic Service (AA851708)

New Charts to be published shortly

<i>Chart</i>	<i>Title</i>	<i>Scale</i>	<i>Expected Publication Date</i>	<i>Remarks</i>
Aus 269	Plans of Airlie Beach and Shute Harbour		15 January 2016	New bathymetric data and vertical datum shift to LAT.
	Plans:			
	Airlie Beach	1:15 000		
	Shute Harbour	1:15 000		

1342 Product - Annual Notices to Mariners 2015 AHP19

Australian Hydrographic Service (AA851812)

The Annual Notices to Mariners 2015 will remain in force until February 2016 to align with the new edition of the Seafarers Handbook for Australian Waters AHP20.

1343 Cessation of dredged depth updates

Australian Hydrographic Service (AA350099)

The Australian Hydrographic Service will no longer publish temporary depth information for maintained dredged channels and berth pockets. Paper charts and ENC will reflect the intended design depth. For the latest depth information contact the relevant Port Authority.

1344 AUSTRALIA - Product - Amendment to Australian Notice to Mariners No 2

Australian Hydrographic Service (AA851392)

Page 7

Insert new Sydney chart agent:

Above & Beyond Boating Pty Ltd

Royal Prince Alfred Yacht Club

Office 3, 12 Matala Street

Newport 2106

Mobile

Email

Website

0431 742 936

neil@aabboating.com

www.aabboating.com

N

1345* AUSTRALIA - QUEENSLAND - Gladstone - North Channel - Depth

UKHO (SIRF2015002233)

Aus 819 [1224/2015]

Insert depth, 1.7m, enclosed by contour

23° 44'.23 S

151° 19'.08 E

1346* AUSTRALIA - QUEENSLAND - Gladstone - Gatcombe Channel - Anchorage
 Maritime Safety Queensland (SIRF2015002283)

Aus 245 [1138/2015]

Insert	anchor berth, desig 1-5, with legend <i>Emergency</i> , centred on	23° 51'.90 S	151° 20'.88 E
--------	--	--------------	---------------

1347* AUSTRALIA - QUEENSLAND - Great Keppel Island - Sykes Rock - Rock
 G Morton (SIRF2015002274)

Aus 247 [514/2015]

Move	underwater rock and enclosing danger circle with legend Sykes Rock	23° 10'.60 S	151° 00'.10 E
	to	23° 10'.60 S	150° 59'.89 E

Delete	depth, 11 ₃ m	23° 10'.5 S	150° 59'.9 E
--------	--------------------------	-------------	--------------

Aus 819 [1345/2015]

Move	underwater rock and enclosing danger circle with legend Sykes Rock	23° 10'.60 S	151° 00'.10 E
	to	23° 10'.60 S	150° 59'.89 E

Aus 820 [1181/2015]

Move	underwater rock and enclosing danger circle with legend Sykes Rock	23° 10'.60 S	151° 00'.10 E
	to	23° 10'.60 S	150° 59'.89 E

AX 00820S [1181/2015]

Move	underwater rock and enclosing danger circle with legend Sykes Rock	23° 10'.60 S	151° 00'.10 E
	to	23° 10'.60 S	150° 59'.89 E

1348* AUSTRALIA - CORAL SEA - Area to be avoided; two-way route
 Australian Maritime Safety Authority (SIRF2015001598)

Aus 614 [275/2015]

Insert	restricted area limit, between	17° 53'.20 S	150° 47'.87 E
		17° 46'.83 S	150° 57'.56 E
		17° 32'.59 S	151° 07'.45 E
		17° 30'.71 S	151° 08'.01 E
		17° 28'.26 S	151° 08'.01 E
		17° 00'.00 S	150° 58'.57 E
	magenta dashed line, between	17° 53'.20 S	151° 03'.06 E
		17° 32'.32 S	151° 10'.56 E
		17° 00'.00 S	151° 15'.30 E
	magenta dashed line, between	17° 53'.20 S	151° 08'.61 E
		17° 33'.50 S	151° 15'.68 E
		17° 00'.00 S	151° 20'.57 E
	accompanying <i>TWR</i> note	17° 14'.5 S	150° 51'.0 E
	two-way route arrows, centred on	17° 05'.0 S	151° 17'.0 E
	two-way route arrows, centred on	17° 42'.0 S	151° 10'.0 E
	magenta legend, <i>CORAL SEA TWO-WAY ROUTE (see Note)</i> , centred on	17° 24'.5 S	151° 14'.0 E
	accompanying <i>ATBA</i> note	17° 16'.5 S	150° 51'.0 E
	magenta legend, <i>Area To Be Avoided (see Note)</i> , centred on	17° 23'.0 S	150° 52'.0 E

Aus 615 (plan, Flinders Reefs) [809/2005]

Insert	restricted area limit, between	17° 32'.84 S	148° 05'.00 E
		17° 32'.90 S	148° 05'.14 E
		17° 55'.49 S	148° 16'.26 E
		18° 01'.91 S	148° 23'.34 E
		18° 02'.00 S	148° 23'.81 E
	magenta legend, <i>Area To Be Avoided (see Note)</i> , centred on	17° 38'.0 S	148° 14'.0 E

Aus 615 (plan, Flora Reef and Holmes Reefs) [809/2005]

Insert	restricted area limit, between	16° 25'.38 S	147° 38'.00 E
		16° 18'.56 S	147° 40'.61 E
		16° 18'.00 S	147° 41'.11 E
	magenta dashed line, between	16° 21'.46 S	147° 38'.00 E
		16° 18'.56 S	147° 40'.61 E
	accompanying <i>TWR</i> note	16° 21'.0 S	148° 08'.0 E
	accompanying <i>ATBA</i> note in N border	16° 18'.0 S	148° 00'.0 E
	magenta legend, <i>CORAL SEA TWO-WAY ROUTE (see Note)</i> , centred on	16° 19'.0 S	147° 39'.0 E
	on		
	magenta legend, <i>Area To Be Avoided (see Note)</i> , centred on	16° 27'.0 S	147° 42'.5 E
	magenta legend, <i>Area To Be Avoided (see Note)</i> , centred on	16° 47'.0 S	148° 02'.0 E

Aus 616 (plan, Herald Cays) [1141/2015]

Insert	accompanying <i>ATBA</i> note	17° 06'.0 S	149° 16'.0 E
	magenta legend, <i>Area To Be Avoided (see Note)</i> , centred on	16° 56'.0 S	149° 16'.0 E

Aus 617 (plan, Willis Islets) [783/2010]

Insert	restricted area limit, between	15° 40'.00 S	149° 52'.91 E
		15° 55'.16 S	150° 05'.00 E
	magenta legend, <i>Area To Be Avoided (see Note)</i> , centred on	15° 52'.0 S	149° 49'.0 E

Aus 617 (plan, South West Islet to Magdelaine Cays) [783/2010]

Insert	accompanying <i>ATBA</i> note in N border	16° 24'.00 S	150° 12'.00 E
	magenta legend, <i>Area To Be Avoided (see Note)</i> , centred on	16° 38'.0 S	150° 04'.0 E

1349* PAPUA NEW GUINEA - Alotau - Light
 National Maritime Safety Authority PNG (AA695392)

Aus 624 (plan, Alotau) [1252/2013]

Amend	light range to 4M	10° 18'.60 S	150° 27'.13 E
-------	-------------------	--------------	---------------

1350* PAPUA NEW GUINEA - Garove Island - Cape Lama - Reef delineation
M Bryant (AA778842)

Aus 678 [386/2012]

Insert accompanying block

4° 42'.6 S

149° 32'.4 E

1351* PAPUA NEW GUINEA - Kwaiapan Bay - Light beacon
Australian Hydrographic Service (AA145396)

Aus 635 [132/2013]

Amend light beacon to *Fl.R.2s*

9° 07'.2 S

152° 39'.1 E

1352* PAPUA NEW GUINEA - Muwo Island - Beacon
National Maritime Safety Authority PNG (AA690233)

Aus 516 [1138/2013]

Delete beacon

8° 44'.3 S

150° 58'.8 E

Aus 517 [223/2015]

Delete beacon

8° 44'.3 S

150° 58'.8 E

1353* INDONESIA - Pulau Alor - Lights
UKHO (SIRF2015002292)

Aus 313 [489/2012]

Amend light to *Fl.9s 60m 29M*
light range to *18M*

8° 19'.2 S

125° 08'.2 E

8° 09'.0 S

125° 05'.8 E

Aus 321 [940/2012]

Amend light to *Fl.9s 60m 29M*

8° 19'.2 S

125° 08'.2 E

Aus 4721 (INT 721) [1290/2015]

Amend light range to *18M*
light range to *11M*
light to *Fl.29M*

8° 09'.0 S

125° 05'.8 E

8° 07'.5 S

124° 37'.0 E

8° 19'.2 S

125° 08'.2 E

Aus 4722 (INT 722) [1292/2015]

Amend light range to *18M*
light range to *11M*
light to *Fl.29M*

8° 09'.0 S

125° 05'.8 E

8° 07'.5 S

124° 37'.0 E

8° 19'.2 S

125° 08'.2 E

AX 00313U [489/2012]

Amend light to *Fl.9s 60m 29M*
light range to *18M*

8° 19'.2 S

125° 08'.2 E

8° 09'.0 S

125° 05'.8 E

AX 00321U [940/2012]

Amend light to *Fl.9s 60m 29M*

8° 19'.2 S

125° 08'.2 E

AX 04721U [1290/2015]

Amend light range to *18M*
light range to *11M*
light to *Fl.29M*

8° 09'.0 S

125° 05'.8 E

8° 07'.5 S

124° 37'.0 E

8° 19'.2 S

125° 08'.2 E

AX 04722U [1292/2015]

Amend light range to *18M*
light range to *11M*
light to *Fl.29M*

8° 09'.0 S

125° 05'.8 E

8° 07'.5 S

124° 37'.0 E

8° 19'.2 S

125° 08'.2 E

1354* INDONESIA - Selat Alas - Light

BA Notice 45/5587/2015 (SIRF2015002291)

Aus 4722 (INT 722) [1353/2015]Insert light, *Fl. 12M*

8° 30'.6 S 116° 47'.5 E

Aus 4723 (INT 723) [1292/2015]Insert light, *Fl. 12M*

8° 30'.6 S 116° 47'.5 E

AX 04722U [1353/2015]Insert light, *Fl. 12M*

8° 30'.6 S 116° 47'.5 E

AX 04723U [1292/2015]Insert light, *Fl. 12M*

8° 30'.6 S 116° 47'.5 E

1355* AUSTRALIA - WESTERN AUSTRALIA - Barrow Island - Platform northwestwards

Quadrant Energy (SIRF2015002176)

Aus 328 [1236/2015]

Delete lit platform, Mo(U)10s 5M, and enclosing restricted area

20° 43'.4 S 114° 59'.2 E

Aus 4708 (INT 708) [1118/2014]

Delete lit platform

20° 43'.4 S 114° 59'.2 E

Aus 4723 (INT 723) [1354/2015]

Delete lit platform with legend, East Spar

20° 43'.4 S 114° 59'.2 E

Aus 4725 (INT 725) [995/2015]

Delete lit platform with legend, East Spar

20° 43'.4 S 114° 59'.2 E

AX 04708U [1118/2014]

Delete lit platform

20° 43'.4 S 114° 59'.2 E

AX 04723U [1354/2015]

Delete lit platform with legend, East Spar

20° 43'.4 S 114° 59'.2 E

1356* AUSTRALIA - WESTERN AUSTRALIA - Browse Island to Darwin - Pipeline; obstruction

INPEX (AA402900, SIRF2015001825)

Aus 728 [1290/2015]Insert supply pipeline with legend *Gas (see Note)*

13° 04'.36 S 125° 27'.20 E

13° 04'.00 S 125° 27'.97 E

1357* AUSTRALIA - WESTERN AUSTRALIA - Fremantle - Swan River - Generalisation

Australian Hydrographic Service (AA846663)

Aus 112 [732/2015]

Insert accompanying block

32° 00'.0 S 115° 48'.0 E

AX 00112T [732/2015]

Insert accompanying block

32° 00'.0 S 115° 48'.0 E

1358* AUSTRALIA - WESTERN AUSTRALIA - Geraldton - Champion Bay - Depths

Precision Hydrographic Services (DHDB 2989142)

Aus 81 [773/2014]

Insert	depth, 8 ₇ m, and extend contour SE to enclose	28° 43'.279 S	114° 35'.066 E
	depth, 10 ₆ m	28° 43'.471 S	114° 35'.482 E
	depth, 9 ₇ m, enclosed by contour	28° 45'.255 S	114° 35'.949 E
Delete	depth, 8 ₉ m	28° 43'.28 S	114° 35'.00 E
	depth, 11 ₃ m	28° 43'.39 S	114° 35'.43 E

Aus 81 (plan, Port of Geraldton) [773/2014]

Insert	depth, 9 ₇ m, enclosed by contour	28° 45'.255 S	114° 35'.949 E
--------	--	---------------	----------------

Aus 751 [995/2015]

Insert	depth, 8 ₇ m	28° 43'.28 S	114° 35'.07 E
--------	-------------------------	--------------	---------------

1359* AUSTRALIA - WESTERN AUSTRALIA - Montebello Islands - Scientific instrument northwestwards

MetOcean Engineers (SIRF2015002228)

Aus 742 [1289/2015]

Move	light buoy	20° 05'.35 S	115° 10'.19 E
	to	20° 04'.76 S	115° 11'.43 E

1360* AUSTRALIA - SOUTH AUSTRALIA - Corny Point - Light sector

Australian Maritime Safety Authority Final ATH 51/2015 (SIRF2015002216)

Aus 343 [1293/2015]

Amend	red sector to 036° - 054° (018°)	34° 53'.8 S	137° 00'.6 E
-------	----------------------------------	-------------	--------------

Aus 776 [999/2015]

Amend	red sector to 036° - 054° (018°)	34° 53'.8 S	137° 00'.6 E
-------	----------------------------------	-------------	--------------

AX 00343S [1293/2015]

Amend	red sector to 036° - 054° (018°)	34° 53'.8 S	137° 00'.6 E
-------	----------------------------------	-------------	--------------

AX 00776S [999/2015]

Amend	red sector to 036° - 054° (018°)	34° 53'.8 S	137° 00'.6 E
-------	----------------------------------	-------------	--------------

1361* AUSTRALIA - SOUTH AUSTRALIA - Port Adelaide - Infrastructure

Port Adelaide Enfield (SIRF2015001481), Department of Transport, Energy and Infrastructure SA (SIRF2015000677, SIRF2015000684)

Aus 137 [1295/2015]

Insert	accompanying block	34° 50'.7 S	138° 29'.9 E
--------	--------------------	-------------	--------------

1362* AUSTRALIA - SOUTH AUSTRALIA - Spencer Gulf - Pilot boarding place; anchorage

HydroSurvey Australia (SIRF2015002206, SIRF2015002288)

Aus 136 [479/2015]

Insert	accompanying block	33° 08'.3 S	137° 38'.0 E
--------	--------------------	-------------	--------------

Aus 778 [1296/2015]

Insert	accompanying block	33° 08'.3 S	137° 38'.0 E
--------	--------------------	-------------	--------------

1363* AUSTRALIA - VICTORIA - Port Phillip - Yarra River - South Wharf - Maintained depth limit
 Port of Melbourne Corporation (SIRF2015002226)

Aus 154 [1302/2015]

Insert	dashed line, between	37° 49'.112 S	144° 55'.535 E
		37° 49'.185 S	144° 55'.517 E
		37° 49'.185 S	144° 55'.489 E
		37° 49'.199 S	144° 55'.488 E
Delete	dashed line, between	37° 49'.11 S	144° 55'.54 E
		37° 49'.20 S	144° 55'.54 E
	dashed line, between	37° 49'.19 S	144° 55'.53 E
		37° 49'.19 S	144° 55'.52 E

1364* AUSTRALIA - TASMANIA - Georges Bay - Depths, nav aids

Former Notice - 158(T)/2015 is cancelled

Marine and Safety Tasmania Notices M16/2015, M157/15 (AA788383, SIRF2015002019)

Aus 169 (plan, Georges Bay) [1307/2015]

Insert	accompanying block	41° 16'.4 S	148° 20'.0 E
	port lateral cylindrical buoy, No 8A, with topmark	41° 18'.485 S	148° 17'.667 E
Delete	beacon	41° 18'.50 S	148° 17'.65 E

1365* AUSTRALIA - TASMANIA - Smithton - Light buoy

Marine and Safety Tasmania Notice M14/2013 (AA649196)

Aus 790 [1058/2015]

Delete	light buoy	40° 47'.0 S	145° 07'.1 E
--------	------------	-------------	--------------

1366(T)/2015 AUSTRALIA - QUEENSLAND - Abbot Point - Depth information revoked

Former Notice - 1067(T)/2014 is cancelled
 Australian Hydrographic Service (AA350099)

Cancel this notice on receipt.

Chart formerly affected - Aus 255

1367(T)/2015 AUSTRALIA - QUEENSLAND - Bundaberg - Depth information revoked

Former Notice - 841(T)/2015 is cancelled
 Australian Hydrographic Service (AA350099)

Cancel this notice on receipt.

Chart formerly affected - Aus 242 - Aus 243

1368(T)/2015 AUSTRALIA - QUEENSLAND - Hay Point - Depth information revoked

Former Notice - 1234(T)/2014 is cancelled
 Australian Hydrographic Service (AA350099)

Cancel this notice on receipt.

Chart formerly affected - Aus 249 - Aus 250 - AX 00249S

1369(T)/2015 AUSTRALIA - QUEENSLAND - Hinchinbrook Island - Missionary Bay - Light buoy withdrawn

Maritime Safety Queensland Notice 355(T)/2015 (SIRF2015002275)

The special light buoy, *Fl. Y. 4s* (18° 12'.34 S 146° 09'.36 E), has been temporarily withdrawn.

Chart temporarily affected - Aus 828

1370(T)/2015 AUSTRALIA - QUEENSLAND - Mackay - Depth information revoked

Former Notice - 1021(T)/2014 is cancelled
 Australian Hydrographic Service (AA350099)

Cancel this notice on receipt.

Chart formerly affected - Aus 250

1371(T)/2015 AUSTRALIA - QUEENSLAND - Mourilyan - Depth information revoked

Former Notice - 826(T)/2011 is cancelled
 Australian Hydrographic Service (AA350099)

Cancel this notice on receipt.

Chart formerly affected - Aus 258

1372(T)/2015 AUSTRALIA - QUEENSLAND - Port Alma - Depth information revoked

Former Notice - 300(T)/2015 is cancelled
 Australian Hydrographic Service (AA350099)

Cancel this notice on receipt.

Chart formerly affected - Aus 265

1373(T)/2015 AUSTRALIA - QUEENSLAND - Townsville - Dredging operations

Date - Until 2 January 2016

Maritime Safety Queensland Notice 359(T)/2015 (SIRF2015002369)

The dredge *Brisbane* is conducting dredging operations in Sea Channel, Platypus Channel and Inner & Outer Harbour.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 256 - Aus 257 - Aus 827

1374(T)/2015 AUSTRALIA - QUEENSLAND - Townsville - Platypus Channel - Scientific instruments

Maritime Safety Queensland Notice 364(T)/2015 (SIRF2015002413)

Scientific instruments marked by special light buoys, *Fl. Y. 3s*, exist in positions 19° 12'.37 S 146° 51'.35 E and 19° 13'.60 S 146° 50'.53 E.

Chart temporarily affected - Aus 256 - Aus 257

1375(T)/2015 AUSTRALIA - QUEENSLAND - Weipa - Depth information revoked

Former Notice - 167(T)/2013 is cancelled

Australian Hydrographic Service (AA350099)

Cancel this notice on receipt.

Chart formerly affected - Aus 4

1376(T)/2015 AUSTRALIA - NORTHERN TERRITORY - Darwin - East Arm - Dredging operations

Department of Transport NT 151(T)/2015 (SIRF2015002238)

The dredge *Warraber* is conducting dredging operations in the vicinity of position 12° 29'.32 S 130° 54'.10 E.

A floating pipeline exists as follows:

12° 29'.39 S 130° 53'.48 E	
12° 29'.44 S 130° 53'.47 E	
12° 29'.45 S 130° 53'.53 E	light, Q. Y
12° 29'.46 S 130° 53'.58 E	light, Q. Y
12° 29'.47 S 130° 53'.64 E	light, Q. Y
12° 29'.47 S 130° 53'.69 E	light, Q. Y
12° 29'.48 S 130° 53'.74 E	light, Q. Y
12° 29'.48 S 130° 53'.80 E	light, Q. Y
12° 29'.48 S 130° 53'.85 E	light, Q. Y
12° 29'.49 S 130° 53'.91 E	port lateral light buoy
12° 29'.48 S 130° 53'.95 E	starboard lateral light buoy
12° 29'.48 S 130° 54'.02 E	light, Q. Y
12° 29'.46 S 130° 54'.05 E	light, Q. Y
12° 29'.45 S 130° 54'.06 E	light, Q. Y
12° 29'.44 S 130° 54'.08 E	light, Q. Y
12° 29'.42 S 130° 54'.10 E	light, Q. Y
12° 29'.41 S 130° 54'.12 E	light, Q. Y
12° 29'.39 S 130° 54'.14 E	light, Q. Y
12° 29'.37 S 130° 54'.13 E	light, Q. Y
12° 29'.35 S 130° 54'.11 E	

A submerged section of pipeline exists between the port and starboard light buoy to allow vessel access to the boat ramp.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 28

1377(T)/2015 AUSTRALIA - NORTHERN TERRITORY - Darwin - East Arm - Pipeline updated*Former Notice* - 1317(T)/2015 is cancelled

Northern Territory Government Notice 143(T)/2015 (SIRF2015002238)

Cancel this notice on receipt.

Chart formerly affected - Aus 28**1378(T)/2015 AUSTRALIA - NORTHERN TERRITORY - Darwin - East Arm - Light beacons unlit**

Department of Transport NT Notice 153(T)/2015, 154(T)/2015, 157(T)/2015, 158(T)/2015 (SIRF2015002332, SIRF2015002333, SIRF2015002404, SIRF2015002402)

The following light beacons are unlit:

<i>Characteristic</i>	<i>Position</i>
<i>Fl.G.3s B01</i>	12° 29'.16 S 130° 51'.80 E
<i>Q B02</i>	12° 30'.01 S 130° 53'.11 E
<i>Fl.R.3s B04</i>	12° 30'.00 S 130° 53'.71 E
<i>F & Al.WRG Fl.Y.2s</i>	12° 29'.65 S 130° 53'.58 E.

Chart temporarily affected - Aus 26 - Aus 28 - AX 00026T**1379(T)/2015 AUSTRALIA - NORTHERN TERRITORY - Darwin - Frances Bay - Light buoys restored***Former Notice* - 1254(T)/2015 is cancelled

Department of Transport NT Notice 155(T)/2015 (SIRF2015002337)

Cancel this notice on receipt.

Chart formerly affected - Aus 24 - Aus 28**1380(T)/2015 AUSTRALIA - NORTHERN TERRITORY - Darwin - Fannie Bay - Wreck salvaged***Former Notice* - 1255(T)/2015 is cancelled

Department of Transport NT Notice 155(T)/2015 (SIRF2015002337)

Cancel this notice on receipt.

Chart formerly affected - Aus 26 - Aus 722 - AX 00026T - AX 00722T**1381(T)/2015 AUSTRALIA - TIMOR SEA - Osborn Passage - Seismic survey***Date* - Until 1 April 2016MV *Polarcus Naila* (SIRF2015002262), Australian Maritime Safety Authority Auscoast Warning 335/2015 (SIRF2015002401)MV *Polarcus Naila*, with a 8000m towed array, and support vessels *Pacific Protector*, *Browse Invincible* and *Empress* are conducting a seismic survey in an area bounded by the following positions:

12° 00'.0 S 123° 42'.0 E
 13° 24'.0 S 123° 42'.0 E
 13° 24'.0 S 124° 58'.0 E
 12° 00'.0 S 124° 58'.0 E.

Mariners are advised to navigate with caution in the area. 7M clearance requested.

Chart temporarily affected - Aus 314 - Aus 319 - Aus 4721 (INT 721) - Aus 4722 (INT 722) - AX 00314U - AX 00319S - AX 00319U - AX 04721U - AX 04722U

1382(T)/2015 AUSTRALIA - TIMOR SEA - Pasco Passage - Cartier Islet - Oil field to be decommissioned northeastwards

Date - Until 1 February 2016

Aventus Consulting (SIRF2015002313)

CSV *Southern Ocean* and support vessels are on site assisting with the removal of the *Puffin* field (12° 17'.47 S 124° 19'.57 E).

Chart temporarily affected - Aus 314 - Aus 319 - Aus 4721 (INT 721) - Aus 4722 (INT 722) - AX 00314U - AX 00319S - AX 00319U - AX 04721U - AX 04722U

1383(T)/2015 AUSTRALIA - WESTERN AUSTRALIA - Ashburton Island - Platform unlit eastwards

Pilbara Ports Authority Notice A11(T)/2015 (SIRF2015002382)

The *Skate* platform, *Mo(U)15s* (21° 35'.8 S 114° 58'.8 E), is unlit.

Chart temporarily affected - Aus 64 - Aus 328 - Aus 743 - Aus 744 - Aus 4723 (INT 723) - Aus 4725 (INT 725) - AX 04723U

1384(T)/2015 AUSTRALIA - WESTERN AUSTRALIA - Ashburton Road - Mooring buoys

Chevron Australia Pty Ltd (SIRF2015000253, SIRF2015002352)

Lit mooring buoys, *Fl.Y.4s*, exist in the following positions:

21° 39'.69 S 115° 01'.29 E

21° 39'.50 S 115° 01'.18 E

21° 39'.22 S 115° 01'.38 E

21° 38'.93 S 115° 01'.96 E.

Chart temporarily affected - Aus 64 - Aus 743

1385(T)/2015 AUSTRALIA - WESTERN AUSTRALIA - Barrow Island - Town Point - Light buoy unlit

Chevron Australia Pty Ltd Notice 22/2015 (SIRF2015002361)

The special light buoy, *Fl(5)Y.20s* (20° 49'.47 S 115° 30'.85 E), is unlit.

Chart temporarily affected - Aus 62 - Aus 65 - Aus 66

1386(T)/2015 AUSTRALIA - WESTERN AUSTRALIA - Dampier - Scientific instruments recovered

Former Notice - 254(T)/2015 is cancelled

Pilbara Ports Authority (SIRF2015002316)

Cancel this notice on receipt.

Chart formerly affected - Aus 58 - Aus 59 - Aus 60

1387(T)/2015 AUSTRALIA - WESTERN AUSTRALIA - Montebello Islands - Scientific instruments northeastwards

Date - Until 3 February 2016

Jacobs (SIRF2015002196, SIRF2015002383)

Scientific instruments exist as follows:

<i>Position</i>	<i>Remarks</i>
19° 54'.95 S 115° 23'.11 E	special light buoy, Q.Y
19° 55'.22 S 115° 22'.99 E	15m subsurface
19° 55'.22 S 115° 23'.10 E	special light buoy, Q.Y
19° 57'.49 S 115° 23'.81 E	20m subsurface
19° 54'.17 S 115° 21'.36 E	20m subsurface
19° 55'.06 S 115° 23'.47 E	20m subsurface

Chart temporarily affected - Aus 327 - Aus 328

1388(T)/2015 AUSTRALIA - WESTERN AUSTRALIA - Muiron Islands - Mooring buoys northwestwards
BHP Billiton Petroleum Pty Ltd (SIRF2015002350)

Lit yellow mooring buoys exist as follows:

<i>Position</i>	<i>Characteristic</i>
21° 32'.14 S 114° 05'.52 E	Fl. Y. 5s
21° 32'.15 S 114° 05'.18 E	Fl. Y. 5s
21° 31'.64 S 114° 05'.17 E	Fl. 5s
21° 31'.87 S 114° 05'.28 E	Fl. Y. 5s

Chart temporarily affected - Aus 328 - Aus 329 - Aus 744

1389(T)/2015 AUSTRALIA - WESTERN AUSTRALIA - North West Cape - Survey operations northwards completed
Former Notice - 1081(T)/2015 is cancelled
Woodside Energy Ltd (SIRF2015002250)

Cancel this notice on receipt.

Chart formerly affected - Aus 328 - Aus 329 - Aus 744

1390(T)/2015 AUSTRALIA - WESTERN AUSTRALIA - Port Hedland - Harbour works completed
Former Notice - 654(T)/2015 is cancelled
Pilbara Ports Authority Notice 21(T)/2015 (SIRF2015002334)

Cancel this notice on receipt.

Chart formerly affected - Aus 52 - Aus 54

1391(T)/2015 AUSTRALIA - WESTERN AUSTRALIA - Port Hedland - Mangrove Point - Harbour works completed
Former Notice - 696(T)/2015 is cancelled
Pilbara Ports Authority Notice 21(T)/2015 (SIRF2015002334)

Cancel this notice on receipt.

Chart formerly affected - Aus 54

1392(T)/2015 AUSTRALIA - WESTERN AUSTRALIA - Port Hedland - Dredging operations completed
Former Notice - 1213(T)/2015 is cancelled
Pilbara Ports Authority Notice 21(T)/2015 (SIRF2015002334)

Cancel this notice on receipt.

Chart formerly affected - Aus 52 - Aus 53 - Aus 54

1393(T)/2015 AUSTRALIA - WESTERN AUSTRALIA - Port Hedland - Scientific instrument
Date - Until 12 December 2016
Pilbara Ports Authority Notice 22/2015 (SIRF2015002338)

A special light buoy, Q.Y, exists in position 20° 00'.33 S 118° 26'.30 E.

Chart temporarily affected - Aus 53 - Aus 739 - Aus 740

1394(T)/2015 AUSTRALIA - WESTERN AUSTRALIA - Scott Reef - Seismic survey northwestwards updated
Former Notice - 1328(T)/2015 is cancelled
MV *Polarcus Naila* (SIRF2015002262)

Cancel this notice on receipt.

Chart formerly affected - Aus 4722 (INT 722) - AX 04722U

1395(T)/2015 AUSTRALIA - SOUTH AUSTRALIA - Port Adelaide - North Haven - Harbour works completed

Former Notice - 515(T)/2014 is cancelled
HydroSurvey Australia (SIRF2015000049)

Cancel this notice on receipt.

Chart formerly affected - Aus 137**1396(T)/2015 AUSTRALIA - VICTORIA - Lakes Entrance - Platform relit southeastwards**

Former Notice - 1330(T)/2015 is cancelled
Australian Maritime Safety Authority Auscoast Warning 321/2015 (SIRF2015002215, SIRF2015002331)

Cancel this notice on receipt.

Chart formerly affected - Aus 357 - Aus 487 - Aus 4060 (INT 60) - Aus 4601 (INT 601) - Aus 4644 (INT 644) - AX 00357S - AX 00487S**1397(T)/2015 AUSTRALIA - VICTORIA - Port Phillip - Port Melbourne - Webb Dock - Harbour works**

Former Notice - 1174(T)/2015 is cancelled
Date - Until 30 May 2016
Port of Melbourne Corporation Notice 159(T)/2015, 194(T)/2015 (SIRF2015000564, SIRF2015001540)

Vessels *Go Lesath* and *DPU 4* are conducting demolition works, including diving operations in an area bounded by the following positions:

37° 50'.63 S 144° 54'.28 E
37° 50'.66 S 144° 54'.33 E
37° 50'.64 S 144° 54'.35 E
37° 50'.71 S 144° 54'.41 E
37° 50'.92 S 144° 54'.54 E
37° 50'.95 S 144° 54'.43 E.

A silt curtain marked by special light buoys, Q.Y, exists between the following positions:

37° 50'.63 S 144° 54'.28 E
37° 50'.66 S 144° 54'.33 E
37° 50'.75 S 144° 54'.38 E
37° 50'.90 S 144° 54'.43 E.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 154**1398(T)/2015 AUSTRALIA - VICTORIA - Port Phillip - The Narrows - Light beacon damaged**

Parks Victoria Notice 248(T)/2015, 251(T)/2015 (SIRF2015002356, SIRF2015002397)

No6 light beacon, *Fl(2)R.4s* (38° 13'.92 S 144° 43'.47 E) has been damaged. A temporary light, Q.Y, exists on the beacon and a port lateral light buoy, *Fl(2)R.4s*, exists in position 38° 13'.92 S 144° 43'.48 E.

Chart temporarily affected - Aus 158**1399(T)/2015 AUSTRALIA - VICTORIA - Port Phillip - Altona - Dredging operations completed**

Former Notice - 1086(T)/2015 is cancelled
Parks Victoria Notice 246(T)/2015 (SIRF2015002347)

Cancel this notice on receipt.

Chart formerly affected - Aus 155**1400(T)/2015 AUSTRALIA - VICTORIA - Port Phillip - Rosebud - Light altered; harbour works completed**

Former Notice - 458(T)/2015 is cancelled
Parks Victoria Notices 071(T)/2015, 245(T)/2015 (AA800994, SIRF2015002348)

The light, *Fl.R.6s 7m 5M & F.Bu.5M* (38° 20'.99 S 144° 54'.45 E), has been altered to *Fl(2)R.5s 5M*.

Chart temporarily affected - Aus 143 - Aus 158

1401(T)/2015 AUSTRALIA - BASS STRAIT - King Island - Scientific instruments*Date* - Until 30 June 2016

Marine and Safety Tasmania Notice M173/2015 (SIRF2015002301)

Scientific instruments marked by orange buoys exist in the following positions:

39° 56'.59 S 143° 40'.72 E

39° 57'.27 S 143° 40'.87 E

40° 00'.58 S 143° 49'.48 E

Chart temporarily affected - Aus 487 - Aus 789 - AX 00487S**1402(T)/2015 AUSTRALIA - TASMANIA - Hobart - Sullivans Cove - Harbour works***Date* - Until 4 June 2016

Marine and Safety Tasmania Notice M170/2015 (SIRF2015002253)

Harbour works are in progress in the vicinity of Princes Wharf No 3 berth (42° 53'.15 S 147° 20'.20 E).

Special buoys exist in the following positions:

42° 53'.16 S 147° 20'.24 E

42° 53'.15 S 147° 20'.23 E

42° 53'.15 S 147° 20'.21 E

42° 53'.15 S 147° 20'.19 E.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected - Aus 172**1403(T)/2015 AUSTRALIA - TASMANIA - Hobart - Sullivans Cove - Harbour works completed***Former Notice* - 327(T)/2015 is cancelled

Marine and Safety Tasmania (SIRF2015002357)

Cancel this notice on receipt.

Chart formerly affected - Aus 172**1404(T)/2015 AUSTRALIA - TASMANIA - Hobart - Sullivans Cove - Macquarie Wharves - Dredging completed***Former Notice* - 1092(T)/2015 is cancelled

Marine and Safety Tasmania (SIRF2015002357)

Cancel this notice on receipt.

Chart formerly affected - Aus 172

HYDROGRAPHIC REPORTS

<i>Locality</i>	<i>Report</i>	<i>Ship/Authority</i>	<i>Observer</i>
WA- Wedge Island	Nomenclature		G Reeves

NAVIGATION WARNINGS

The following radio messages have been received during the period to 17 December 2015. Signal copies of these messages may be destroyed. It is recommended that the reprint of Navigational Warnings should be kept in a file or a book divided into areas. Cancellation should be made on receipt of signals and reprints.

Rigs on location other than those listed in the latest Section III summary are the subject of Radio Navigational Warnings. Rigs in transit will not be the subject of Warnings.

AUSCOAST WARNING

- 324 Cancelled.
- 325 Cancelled.
- 326 Drill rig *Nobel Tom Prosser* in position 18° 52'.81 S 118° 49'.32 E. 2.5M clearance requested.
- 327 Cancelled.
- 328 Cancelled.
- 329 Island Point light K3186 in position 16° 28'.92 S 145° 28'.02 E changed to *Fl(4)WR.20s 90m 11/9M*.
- 330 Cancelled.
- 331 Cancelled.
- 332 Cancelled.
- 333 Drill rig *Atwood Osprey* in position 19° 48'.67 S 115° 17'.72 E. 2.5M clearance requested.
- 334 Cancelled.
- 335 Special purpose vessel *Polarcus Naila* conducting seismic survey in an area bounded by 12° 00'.0 S to 13° 24'.0 S and 123° 42'.0 E to 124° 58'.0 E. 7M clearance requested.

NAVAREA X WARNINGS

- 084 Cancelled.
- 085 Hazardous operations atmospheric re-entry and splashdown of launch vehicle from 200237UTC to 200618UTC DEC, alternate from 210214UTC to 210555UTC DEC 15. Area bound by:
12° 15'.0 S 69° 49'.0 E
31° 49'.0 S 94° 43'.0 E
49° 12'.0 S 134° 54'.0 E
50° 19'.0 S 134° 32'.0 E
49° 08'.0 S 117° 31'.0 E
33° 55'.0 S 84° 58'.0 E.
- 086 Cancelled.

Navigational warnings in force as at 170001UTC DEC 15.**Auscoast**

2015 285 295 298 303 306 309 314 315 323 326 329 333 335

Navarea X

2015 080 085

Summary of mobile drilling rigs as at 170001UTC DEC 15.

<i>Name</i>	<i>Position</i>
Stena Clyde	12° 07'.00 S 130° 26'.00 E
Noble Clyde Boudreaux	13° 49'.00 S 123° 19'.40 E
EnSCO 5006	13° 52'.80 S 123° 19'.00 E
Jack Bates	13° 54'.30 S 123° 09'.90 E
Noble Tom Prosser	18° 52'.81 S 118° 49'.32 E
Modoc Venture 11	19° 16'.60 S 116° 36'.70 E
Atwood Osprey	19° 48'.67 S 115° 17'.72 E
Ocean Monarch	20° 01'.80 S 115° 12'.10 E
Armada Claire	20° 03'.50 S 115° 11'.50 E
Atwood Falcon	21° 32'.70 S 114° 05'.70 E

NAVAREA XIV WARNINGS

- 091 Cancelled.
 092 Cancelled.
 093 Cancelled.
 094 Cancelled.
 095 Cancelled.
 096 Cancelled.
 097 Cancelled.
 098 Cancelled.
 099 Cancelled.
 100 Cancelled.
 101 Southern Ocean. Voluntary Ship Reporting system in the New Zealand Search and Rescue Area south of 60-00S.
 1. The New Zealand Search and Rescue Authorities have established a voluntary ship reporting system for all vessels operating in the NZSAR region south of 60-00S for the purposes of assisting the SAR authority in coordinating SAR operations in that area.
 2. Area covered: 60-00S to the southern edge of the Ross Sea bounded by 163-00E to 131-00W.
 3. All vessels are requested to notify Taupo Maritime Radio on entry and departure into the area and are also encouraged to make daily position reports. Information provided will be used for SAR purposes only.
 4. Taupo Maritime Radio can be contacted on INMARSAT C 582 451 200 067, HF, email maritime@kordia.co.nz or 00 64 4 550 5280.
 102 Cancelled.
 103 Cancelled.
 104 Cancelled.
 105 Pacific Ocean. New Zealand. The RCC New Zealand/Taupo maritime radio INMARSAT C SES 451200067 is unavailable. INMARSAT messages should be addressed to email maritime@kordia.co.nz . The outage does not affect the reception of distress alerts, SAC messages or transmission of MSI.

Navarea XIV warnings in force as at 170001UTC DEC 15.

2015 101 105

To accompany Australian Notice to Mariners 1348/2015

CORAL SEA TWO-WAY ROUTE

The Two-Way Route shown on this chart is a ships routing measure that has been adopted by the IMO. The International Regulations for Preventing Collisions at Sea (1972) apply to all vessels whether navigating within or outside the Two-Way Route. Where safe and practicable, vessels are advised to keep to starboard when navigating in the two-way route.

Note for chart Aus 614

To accompany Australian Notice to Mariners 1348/2015

AREA TO BE AVOIDED

Transiting ships should not enter the IMO-adopted Area to be avoided. Ships may enter and visit a location within the Area to be avoided if there is an operational requirement to do so.

Note for chart Aus 615

To accompany Australian Notice to Mariners 1348/2015

AREA TO BE AVOIDED

Transiting ships should not enter the IMO-adopted Area to be avoided. Ships may enter and visit a location within the Area to be avoided if there is an operational requirement to do so.

Note for chart Aus 616

To accompany Australian Notice to Mariners 1348/2015

AREA TO BE AVOIDED

Transiting ships should not enter the IMO-adopted Area to be avoided. Ships may enter and visit a location within the Area to be avoided if there is an operational requirement to do so.

Note for chart Aus 614

To accompany Australian Notice to Mariners 1348/2015

CORAL SEA TWO-WAY ROUTE

The Two-Way Route shown on this chart is a ships routing measure that has been adopted by the IMO. The International Regulations for Preventing Collisions at Sea (1972) apply to all vessels whether navigating within or outside the Two-Way Route. Where safe and practicable, vessels are advised to keep to starboard when navigating in the two-way route.


Note for chart Aus 615

To accompany Australian Notice to Mariners 1348/2015

AREA TO BE AVOIDED

Transiting ships should not enter the IMO-adopted Area to be avoided. Ships may enter and visit a location within the Area to be avoided if there is an operational requirement to do so.


Note for chart Aus 617



(202.4 x 127.6mm)

© Commonwealth of Australia 2015

Block for Chart Aus 678




(207.4 x 179.1mm)

© Commonwealth of Australia 2015


Block for Chart Aus 112

To accompany Australian Notice to Mariners 1361/2015




© Commonwealth of Australia 2015
Block for Chart Aus 137 (67.1 x 108.0mm)

To accompany Australian Notice to Mariners 1362/2015




To accompany Australian Notice to Mariners 1362/2015



© Commonwealth of Australia 2015
Block for Chart Aus 778

(103.8 x 132.0mm)

To accompany Australian Notice to Mariners 1364/2015



© Commonwealth of Australia 2015

Block for Chart Aus 169

(66.9 x 95.5mm)