



Australian Notices to Mariners are the authority for correcting Australian Charts

*The Hydrographer and Staff of the Australian Hydrographic Service
Wish all users of Australian Charts a Merry Christmas,
A Happy New Year and safe, successful voyages in 2002*

AUSTRALIAN NOTICES TO MARINERS

© Commonwealth of Australia 2001 - Copyright restrictions apply to Notices to Mariners



Notices 719-751

Published fortnightly by the Australian Hydrographic Service

B. J. KAHER,
Hydrographer of Australia

- SECTIONS. I. **Australian Notices to Mariners, including blocks and notes.**
III. **Navigational Warnings.**
IV. **Hydrographic Reports.**

British Admiralty Notices to Mariners
New Zealand Notices to Mariners

The substance of these notices should be inserted on the charts affected.

Notices to Mariners information relating to British Admiralty Publications unavailable on this web site at this stage but still available in printed form:-

Section II. Amendments to Admiralty List of Lights, Vol K.
Section V. Amendments to Admiralty List of Radio Signals.
Section VI. Amendments to Sailing Directions.

Bearings are referred to the true compass and are reckoned clockwise from 000° (North) to 359°: those relating to lights are given as seen by an observer from seaward. The range quoted for a light is its nominal range. Fog signals are sounded only during thick or foggy weather, unless otherwise stated. Depths are with reference to the chart datum of each chart. Heights are above mean high water springs or mean higher high water, as appropriate.

The capital letter (P) or (T) after the number of any notice denotes a preliminary or temporary notice respectively, which are contained separately at the end of the permanent notices. A star () adjacent to the number of a notice indicates that the notice is based on original information.*

Mariners are particularly requested to notify the AUSTRALIAN HYDROGRAPHIC SERVICE, Locked Bag 8801 South Coast Mail Centre, NSW 2521 (Fax 02-4221 8599, e-mail hni.hydro@navy.gov.au or, alternatively by filling in and submitting the **Hydrographic Notes forms located on the web site – www.hydro.gov.au), immediately on the discovery of new dangers or suspected dangers to navigation. For changes or defects in aids to navigation notify AusSAR (Fax 02-6230 6868 or email rccaus@amsa.gov.au).**

Copies of these notices can be obtained from the AUSTRALIAN HYDROGRAPHIC OFFICE, 8 Station Street, Wollongong, and Agents for the sale of charts and hydrographic publications.

The Commonwealth of Australia is the owner of, or is otherwise responsible for, the copyright in this work. It is protected under the Copyright Act 1968 and international convention. Except as expressly authorised below, the work may not be copied, reproduced, adapted, changed or commercially exploited, in whole or in part, or the format in which it is stored altered, without the prior written permission of the Australian Hydrographic Office. The Notices may be copied for the purpose of inserting their substance on official charts and other publications. However, any copies of the notices may not be sold for profit.

© Commonwealth of Australia 2001

NUMERICAL INDEX OF CHARTS AFFECTED

Edition No 26

21 December 2001

Notices	Aus Chart
719	Aus 57, 58, 144, 216, 264, 280, 348
720	Aus 54, 110, 116, 143, 150, 158, 182, 204, 255, 263, 347, 350, 354, 379, 422, 423, 424, 461, 755, 788, 830
721	Aus 197, 361, 808, 809
722	Aus 361, 423, 424, 809, 4602, INT 602
723	Aus 363, 811, 4060, 4602, INT 60, 602
724	Aus 817
725	Aus 250
726	Aus 251, 370, 823
727	Aus 115
728	Aus 116, 755
729	Aus 116, 755
730	Aus 755
731	Aus 143, 158, 788
732	Aus 157
733	Aus 154
734	Aus 181, 182
735	Aus 181, 182
736(T)	Aus 193
737(P)	Aus 204
738(T)	Aus 362
739(T)	Aus 236
740(T)	Aus 241
741(T)	Aus 249, 250
742(T)	Aus 250
743(T)	Aus 830
744(P)	Aus 292, 2924, 700
745(T)	Aus 293, 299
746(T)	Aus 6
747(P)	Aus 57, 58, 741
748(T)	Aus 140, 786
749(T)	Aus 141
750(T)	Aus 349, 445B
751(T)	Aus 154

719 AUSTRALIA - Publications.
AHS (01/9943). (AH99/139-02, AH99/229-02)

New chart

Chart	Published	Title, limits and description of amendments	Scale	Folio	Index Chart	Price
Aus 144	9/11/2001	Australia - South Coast - Victoria - Approaches to Port Phillip 38° 15' 24" S - 38° 24' 13" S 144° 28' 00" E - 144° 45' 42" E <i>New chart Aus 144 providing improved coverage of the approaches to Port Phillip. Chart datums are referred to WGS84 and LAT.</i>	1:25 000	6	Aus 65001	\$25.65
Aus 216	9/11/2001	Australia - East Coast - New South Wales - Lion Island to Brisbane Water 33° 25' 37" S - 33° 34' 00" S 151° 17' 30" E - 151° 23' 49" E <i>New chart Aus 216, providing improved coverage of Brisbane Water. Chart datums are referred to WGS84 and LAT.</i>	1:15 000	7	Aus 65001	\$25.65
Aus 264	26/10/2001	Australia - East Coast - Queensland - Cairns (Southern Sheet) 16° 56' 00" S - 17° 00' 12" S 145° 45' 30" E - 145° 48' 12" E <i>New chart Aus 264, with improved coverage of Cairns. Chart datums are referred to WGS84 and LAT</i>	1:7 500	8	Aus 65000	\$25.65
Aus 348	9/11/2001	Australia - South Coast - South Australia - Victoria - Cape Martin to Cape Nelson 37° 20' 00" S - 38° 53' 48" S 138° 39' 11" E - 141° 47' 00" E Plan: Port Macdonnell 38° 03' 00" S - 38° 05' 06" S 140° 41' 00" E - 140° 44' 05" E <i>New metric chart of Aus 348; with improved coverage of Port Macdonnell. Chart datums are referred to WGS84 and LAT.</i>	1:300 000 1:15 000	5	Aus 65001	\$25.65

New edition

Chart	Published	Title, limits and description of amendments	Scale	Folio	Index Chart	Price
Aus 57	9/11/2001	Australia - North West Coast - Western Australia - Dampier Archipelago <i>Partial new edition incorporating new anchorage areas, and general updating throughout.</i>	1:75 000	3	Aus 65000	\$25.65
Aus 58	9/11/2001	Australia - North West Coast - Western Australia – Port of Dampier <i>Partial new edition incorporating new anchorage areas, and general updating throughout. Horizontal datum has been referred to WGS 84 datum.</i>	1:37 500	3	Aus 65000	\$25.65
Aus 280	9/11/2001	Australia - East Coast - Queensland - Plans in North Queensland Magpie Reef to Eden Reef Flinders Group <i>General updating throughout; horizontal datum has been referred to WGS 84.</i>	1:75 000 1:50 000	8	Aus 6500	\$25.65

Chart permanently withdrawn

Chart	On publication of new chart/edition
Aus 57	Aus 57
Aus 58	Aus 58
Aus 280	Aus 280
Aus 348	Aus 348

720 AUSTRALIA - Miscellaneous correction.
AHS (01/9806, 01/9912 & 01/9943). (AH99/243, AH99/453)

Aus 54 [571/2001]			
Substitute	accompanying note	20° 19'.3 S	118° 36'.1 E
Aus 110 [467/2000]			
Substitute	accompanying note	35° 06'.8 S	118° 06'.9 E
Aus 116 [322/2001]			
Substitute	accompanying note outside N border		120° 09'.1 E
Aus 143 [679/2001]			
Insert	magenta limits, with legend <i>Aus 144</i> in SW corner		
	North	38° 15'.49 S	
	West		144° 27'.92 E
	East		144° 45'.62 E
Delete	plan, The Rip	38° 18'.00 S	144° 39'.00 E
	plan limits, with legend See Plan, centred on	38° 18'.00 S	144° 39'.00 E
Aus 150 [423/2001]			
Insert	magenta limits, with legend <i>Aus 144</i> in SE corner		
	North	38° 15'.40 S	
	South	38° 24'.22 S	
	East		144° 45'.70 E
Aus 158 [679/2001]			
Insert	magenta limits, with legend <i>Aus 144</i> , in NE corner		
	North	38° 15'.49 S	
	East		144° 45'.62 E
Delete	plan limits, with legend Aus 143, centred on	38° 18'.0 S	144° 39'.3 E
Aus 182 [330/2001]			
Substitute	accompanying note outside N border		147° 57'.7 E
Aus 204 [698/2001]			
Insert	magenta limits, with legend <i>Aus 216</i> in SE corner		
	South	33° 34'.09 S	
	West		151° 17'.43 E
	East		151° 23'.75 E
Aus 255 [NE 02/02/2001]			
Substitute	accompanying note	19° 45'.5 S	148° 09'.5 E
Aus 263 [526/2001]			
Insert	legend, <i>Adjoining Chart Aus 264</i> , in magenta, in S border centred on		145° 47'.50 E
Aus 347 [NC 31/08/2001]			
Substitute	accompanying note	36° 53'.0 S	139° 55'.0 E
	legend, <i>Rock Lobster and Giant Crab Fishery</i> , for Rock Lobster Fishery centred on	37° 03'.5 S	139° 26'.5 E
		37° 40'.0 S	139° 54'.5 E
Delete	legend, C, centred on magenta pecked line between	36° 21'.4 S	139° 51'.0 E
		36° 19'.4 S	139° 48'.8 E
		36° 23'.0 S	139° 55'.9 E
Aus 350 [678/2001]			
Substitute	accompanying note	38° 13'.5 S	145° 39'.5 E
Aus 354 [435/1999]			
Substitute	accompanying note	43° 15'.0 S	146° 30'.0 E

Aus 379 [219/2001]Substitute [accompanying note](#)

8° 15'.5 S 146° 54'.0 E

Aus 422 [370/2000]Substitute [accompanying note](#)

38° 05'.0 S 145° 33'.0 E

Aus 423 [NE 27/10/2000]Substitute [accompanying note](#)

34° 48'.0 S 148° 42'.0 E

Aus 424 [NE 27/10/2000]Substitute [accompanying note](#)

27° 14'.0 S 151° 46'.0 E

Aus 461 [287/2000]Substitute [accompanying note](#)

1° 19'.0 S 153° 30'.0 E

Aus 755 [472/2001]Substitute [accompanying note](#)

33° 32'.5 S 115° 39'.0 E

Aus 788 [678/2001]

Insert magenta limits, with legend *Aus 144* in SW corner

North	38° 15'.40 S	
South	38° 24'.22 S	
West		144° 28'.00 E
East		144° 45'.70 E

Aus 830 [701/2001]

Insert magenta limits, with legend *Aus 264* in NE corner

North	16° 56'.09 S	
South	17° 00'.29 S	
West		145° 45'.45 E
East		145° 48'.15 E

721* AUSTRALIA - NEW SOUTH WALES - Tasman Sea - Submarine cable.

Global Marine Systems Pty Ltd (01/9780). (AH99/269)

Aus 197 [697/2001]

Insert submarine cable

33° 54'.02 S	151° 16'.28 E
33° 54'.93 S	151° 17'.43 E
33° 56'.73 S	151° 20'.92 E
33° 57'.35 S	151° 21'.83 E
34° 04'.99 S	151° 30'.52 E
34° 05'.90 S	151° 31'.69 E

submarine cable

33° 43'.43 S	151° 18'.00 E
33° 43'.27 S	151° 18'.88 E
33° 43'.46 S	151° 19'.24 E
33° 43'.51 S	151° 19'.61 E
33° 42'.62 S	151° 20'.49 E
33° 42'.54 S	151° 20'.86 E
33° 43'.61 S	151° 25'.39 E
33° 44'.31 S	151° 26'.46 E
33° 44'.85 S	151° 29'.04 E
33° 45'.62 S	151° 34'.02 E
33° 46'.05 S	151° 39'.72 E

Aus 361 [457/2001]

Insert submarine cable

33° 54'.11 S	151° 16'.20 E
33° 55'.04 S	151° 17'.45 E
33° 56'.84 S	151° 20'.94 E
33° 57'.46 S	151° 21'.85 E
34° 05'.10 S	151° 30'.54 E
34° 08'.90 S	151° 35'.50 E
34° 13'.79 S	151° 43'.03 E
34° 23'.26 S	151° 54'.20 E
34° 24'.41 S	151° 55'.87 E
34° 29'.03 S	152° 08'.91 E
34° 29'.67 S	152° 11'.47 E
34° 30'.16 S	152° 16'.40 E
34° 29'.94 S	152° 19'.99 E
34° 28'.99 S	152° 23'.20 E
34° 27'.38 S	152° 25'.83 E
34° 14'.73 S	152° 34'.97 E
34° 06'.79 S	152° 38'.31 E
33° 56'.15 S	152° 52'.30 E
33° 55'.88 S	152° 53'.62 E
33° 49'.57 S	153° 01'.74 E

submarine cable

33° 43'.54 S	151° 18'.02 E
33° 43'.38 S	151° 18'.90 E
33° 43'.62 S	151° 19'.63 E
33° 42'.73 S	151° 20'.51 E
33° 42'.65 S	151° 20'.88 E
33° 43'.72 S	151° 25'.41 E
33° 44'.42 S	151° 26'.48 E
33° 45'.73 S	151° 34'.04 E
33° 46'.31 S	151° 41'.64 E
33° 47'.06 S	151° 49'.91 E
33° 48'.21 S	151° 55'.29 E
33° 49'.54 S	151° 58'.22 E
33° 49'.61 S	152° 01'.60 E
33° 50'.07 S	152° 04'.20 E
33° 49'.09 S	152° 13'.16 E
33° 47'.85 S	152° 35'.76 E
33° 48'.14 S	152° 38'.45 E
33° 50'.73 S	152° 45'.64 E
33° 50'.90 S	152° 53'.72 E
33° 49'.57 S	153° 01'.74 E
33° 41'.31 S	153° 15'.82 E
33° 37'.41 S	153° 20'.02 E
33° 31'.41 S	153° 22'.39 E
33° 19'.41 S	153° 30'.50 E

Aus 808 [487/2001]

Insert submarine cable

33° 54'.02 S	151° 16'.28 E
33° 54'.93 S	151° 17'.43 E
33° 57'.35 S	151° 21'.83 E
34° 04'.99 S	151° 30'.52 E
34° 08'.79 S	151° 35'.48 E
34° 11'.21 S	151° 39'.37 E

Aus 809 [664/2001]

submarine cable

33° 43'.43 S	151° 18'.00 E
33° 43'.27 S	151° 18'.88 E
33° 43'.46 S	151° 19'.24 E
33° 43'.51 S	151° 19'.61 E
33° 42'.62 S	151° 20'.49 E
33° 42'.54 S	151° 20'.86 E
33° 43'.61 S	151° 25'.39 E
33° 44'.31 S	151° 26'.46 E
33° 45'.62 S	151° 34'.02 E
33° 46'.19 S	151° 41'.62 E
33° 46'.95 S	151° 44'.89 E
33° 48'.10 S	151° 55'.27 E
33° 49'.43 S	151° 58'.20 E
33° 49'.50 S	152° 01'.58 E
33° 49'.96 S	152° 04'.00 E
33° 48'.98 S	152° 13'.14 E
33° 48'.87 S	152° 14'.38 E

722* AUSTRALIA - NEW SOUTH WALES - Norah Head - Depths.HMAS *Melville* (01/9940). (AH98/341)**Aus 361 [721/2001]**

Insert depth, 47fm

33° 23'.65 S 151° 46'.04 E

Aus 423 [720/2001]

Insert depth, 47fm, enclosed by contour

33° 23'.5 S 151° 46'.0 E

Aus 424 [720/2001]

Insert depth, 47fm

33° 23'.5 S 151° 46'.0 E

Aus 809 [721/2001]

Insert depth, 92m, enclosed by contour

33° 24'.44 S 151° 46'.40 E

Substitute depth, 86m, for 93m

33° 23'.5 S 151° 46'.0 E

Aus 4602 (INT 602) [497/2001]

Insert depth, 86m

33° 23'.5 S 151° 46'.0 E

723* AUSTRALIA - NEW SOUTH WALES - Tacking Point - Depths.HMAS' *Melville* & *Cook* (01/9941). (AH98/341)**Aus 363 [594/2001]**

Substitute depth, 99fm, for 100fm

31° 27'.0 S 153° 13'.0 E

Aus 811 [595/2001]

Substitute depth, 99fm, for 100fm

31° 27'.0 S 153° 13'.0 E

Aus 4060 (INT 60) [496/2001]

Substitute depth, 175m, and extend contour E to enclose, for depth 160m enclosed by danger circle

31° 24'.5 S 153° 13'.0 E

Aus 4602 (INT 602) [722/2001]

Substitute depth, 175m, and extend contour E to enclose, for depth 160m enclosed by danger circle

31° 24'.5 S 153° 13'.0 E

724* AUSTRALIA - QUEENSLAND - Great Sandy Strait - Tyroom Roads - Light beacon.
AHS (01/9942). (AH00/107)

Aus 817 [428/2001]

(On certain copies only)

Insert	light characteristic, Fl. Y. 3s, centred on	25° 23'.7 S	153° 01'.4 E
--------	---	-------------	--------------

725* AUSTRALIA - QUEENSLAND - Mackay - Light permanently discontinued.
Queensland Transport Notice 546/2001 (01/9966). (AH00/107)

Aus 250 (plan, Mackay Harbour) [670/2001]

Delete	light and associated leading line, with legend 189° 10'	21° 06'.5 S	149° 13'.9 E
--------	---	-------------	--------------

726* AUSTRALIA - QUEENSLAND - St Bees Island - Depth.
HMAS Paluma (01/9965). (AH99/176-02)

Aus 251 [699/2001]

Substitute	depth, 9 ₄ m, for 11 ₈ m	20° 57'.18 S	149° 28'.42 E
------------	--	--------------	---------------

Aus 370 [699/2001]

Substitute	depth, 5 ₁ fm, for 6 ₄ fm	20° 57'.27 S	149° 28'.40 E
------------	---	--------------	---------------

Aus 823 [699/2001]

Substitute	depth, 5 ₁ fm, for 6 ₄ fm	20° 57'.25 S	149° 28'.41 E
------------	---	--------------	---------------

Note: correction has been incorporated in new chart Aus 824 to be published shortly.

727* WESTERN AUSTRALIA - Bunbury - Port limit; building.
Bunbury Port Authority (01/9803). (AH01/279)

Aus 115 [392/2001]

Insert	magenta pecked line, with legend <i>Bunbury Port Limit</i> , between	33° 15'.43 S	115° 40'.84 E
		33° 15'.43 S	115° 36'.89 E
		33° 17'.33 S	115° 35'.38 E
		33° 19'.13 S	115° 37'.92 E
Delete	port limit between	33° 17'.67 S	115° 40'.57 E
		33° 17'.18 S	115° 38'.78 E
		33° 18'.06 S	115° 38'.78 E
	port limit between	33° 18'.25 S	115° 40'.64 E
		33° 18'.25 S	115° 41'.40 E
	building centred on	33° 18'.95 S	115° 39'.80 E

Aus 115 (plan, Port of Bunbury)

Insert	magenta pecked line, with legend <i>Bunbury Port Limit</i> , between	33° 18'.255 S	115° 36'.683 E
		33° 19'.128 S	115° 37'.922 E
	magenta pecked line, with legend <i>Bunbury Port Limit</i> , between	33° 18'.440 S	115° 38'.770 E
		33° 19'.188 S	115° 39'.129 E
	magenta pecked line between	33° 18'.585 S	115° 38'.453 E
		33° 18'.642 S	115° 38'.533 E
	magenta pecked line between	33° 18'.165 S	115° 40'.214 E
		33° 18'.222 S	115° 40'.177 E
firm line between		33° 18'.672 S	115° 38'.561 E
		33° 18'.650 S	115° 38'.550 E
		33° 18'.642 S	115° 38'.533 E
		33° 18'.642 S	115° 38'.528 E
		33° 18'.651 S	115° 38'.536 E
		33° 18'.656 S	115° 38'.542 E
		33° 18'.681 S	115° 38'.551 E
Delete	port limit between	33° 17'.67 S	115° 40'.57 E
		33° 17'.18 S	115° 38'.78 E
		33° 18'.06 S	115° 38'.78 E
	building, with legend Power Station, centred on firm line between	33° 18'.95 S	115° 39'.80 E
		33° 18'.67 S	115° 38'.56 E
		33° 18'.68 S	115° 38'.55 E

728* WESTERN AUSTRALIA - Busselton - Light elevation.

Transport WA (01/9783). (AH99/29-02)

Aus 116 (plan, Busselton) [720/2001]

Amend	light elevation to 8m	33° 37'.73 S	115° 20'.31 E
-------	-----------------------	--------------	---------------

Aus 755 [720/2001]

Amend	light elevation to 8m	33° 37'.8 S	115° 20'.2 E
-------	-----------------------	-------------	--------------

729* WESTERN AUSTRALIA - Busselton - Rock.

Transport WA (01/9783). (AH99/169)

Aus 116 (plan, Busselton) [728/2001]

Insert	dangerous underwater rock, enclosed by danger circle	33° 38'.63 S	115° 20'.32 E
--------	--	--------------	---------------

Aus 755 [728/2001]

Insert	dangerous underwater rock, semi enclosed by danger circle to N	33° 38'.70 S	115° 20'.24 E
		33° 39'.14 S	115° 18'.77 E

730* WESTERN AUSTRALIA - Geographe Bay - Light buoys.

Transport WA (01/9783). (AH99/30, AH99/130)

Aus 755 [729/2001]

Insert	special spar light buoy, <i>Fl. Y. 5s</i> , with topmark.	33° 33'.00 S	115° 05'.88 E
Delete	special light buoy legend, Mussel Bed, centred on	33° 36'.0 S	115° 07'.9 E
		33° 36'.2 S	115° 08'.4 E

731* AUSTRALIA - VICTORIA - Port Phillip - Depths.

Victorian Channels Authority (01/9787). (AH99/209-02)

Aus 143 [720/2001]

Insert	depth, 2_9 m, enclosed by contour	38° 18'.08 S	144° 36'.68 E
	depth, 0_1 m, and extend contour SE to enclose	38° 17'.37 S	144° 37'.11 E
	depth, 2_4 m	38° 17'.03 S	144° 37'.89 E
	depth, 3_5 m, and extend 5m contour N to enclose	38° 17'.95 S	144° 39'.03 E
	depth, 4_9 m, enclosed by contour	38° 17'.02 S	144° 41'.58 E
	depth, 0_7 m	38° 19'.01 S	144° 45'.50 E
Substitute	depth, 13_5 m, for 14m	38° 17'.7 S	144° 40'.4 E
	depth, 13_5 m, for 13_4 m	38° 17'.5 S	144° 40'.9 E
Delete	depth 1_2 m	38° 17'.3 S	144° 37'.1 E
	depth 5_8 m	38° 17'.1 S	144° 41'.4 E

Aus 158 [720/2001]

Insert	depth, 2_9 m, enclosed by contour	38° 18'.08 S	144° 36'.68 E
	depth, 0_1 m, and extend contours NE and SW to enclose	38° 17'.37 S	144° 37'.11 E
	depth, 2_4 m	38° 17'.03 S	144° 37'.89 E
	depth, 3_5 m, enclosed by contour	38° 17'.95 S	144° 39'.03 E
	depth, 4_9 m, enclosed by contour	38° 17'.02 S	144° 41'.58 E
	depth, 0_7 m, and extend contour S to enclose	38° 19'.01 S	144° 45'.50 E
Substitute	depth, 13_5 m, for 14m	38° 17'.7 S	144° 40'.4 E
	depth, 13_5 m, for 13_4 m	38° 17'.5 S	144° 40'.9 E
Delete	depth 3m	38° 17'.1 S	144° 37'.9 E
	depth 1_2 m	38° 17'.3 S	144° 37'.2 E
		38° 19'.0 S	144° 45'.4 E

Aus 788 [720/2001]

Insert	depth, 2_9 m, enclosed by contour	38° 17'.99 S	144° 36'.74 E
Delete	depth 12_2 m	38° 18'.0 S	144° 36'.6 E

732* AUSTRALIA - VICTORIA - Port Phillip - Wilson Spit Channel - Depth.

Victorian Channels Authority (01/9785). (AH99/209-02)

Aus 157 [479/2001]

Insert	depth, 4_8 m, enclosed by contour	38° 07'.792 S	144° 30'.263 E
Delete	depth, 5_1 m	38° 07'.75 S	144° 30'.22 E

733* AUSTRALIA - VICTORIA - Port Phillip - River Yarra - Light beacons established; swing basin revoked.

Former Notice - 660(P)/2001 is cancelled

Victorian Notice 66/2001 (01/9399). (AH99/21-02)

Aus 154 [577/2001]

Insert	west cardinal light beacon, VQ(9) 10s, with topmark	37° 49'.156 S	144° 55'.896 E
Substitute	starboard lateral light beacon, FI(2) G. 5s, without topmark, for west cardinal light beacon	37° 49'.14 S	144° 55'.91 E
Delete	legend, Victoria Swing Basin, centred on	37° 49'.15 S	144° 55'.82 E

734* AUSTRALIA - VICTORIA - Toora Channel - Light buoys.

Victorian Notice 67/2001 (01/9400). (AH99/24)

Aus 181 [663/2001]

Move	starboard lateral light buoy	38° 43'.5 S	146° 22'.6 E
	to	38° 43'.468 S	146° 22'.548 E
	east cardinal light buoy	38° 43'.4 S	146° 22'.5 E
	to	38° 43'.405 S	146° 22'.476 E

Aus 182 (plan, Approaches to Barry Beach) [720/2001]

Move	starboard lateral light buoy	38° 43'.38 S	146° 22'.62 E
	to	38° 43'.378 S	146° 22'.626 E
	east cardinal light buoy	38° 43'.30 S	146° 22'.53 E
	to	38° 43'.313 S	146° 22'.553 E

735* AUSTRALIA - VICTORIA - Port Albert - Light buoys.

Victorian Notice 68/2001 (01/9401). (AH99/24)

Aus 181 [734/2001]

Move	safe water mark light buoy	38° 46'.0 S	146° 42'.3 E
	to	38° 45'.226 S	146° 42'.592 E
	starboard lateral light buoy	38° 45'.2 S	146° 41'.2 E
	to	38° 44'.955 S	146° 41'.188 E
	starboard lateral light buoy	38° 44'.2 S	146° 39'.9 E
	to	38° 44'.243 S	146° 39'.818 E

Aus 182 (plan, Approaches to Port Albert) [734/2001]

Insert	starboard lateral light buoy, Fl. G. 3s, with topmark	38° 44'.863 S	146° 41'.265 E
Move	starboard lateral light buoy	38° 44'.14 S	146° 39'.93 E
	to	38° 44'.153 S	146° 39'.896 E
Delete	depth 6 ₁ m	38° 44'.9 S	146° 41'.3 E

736(T)/2001 AUSTRALIA - NEW SOUTH WALES - Jervis Bay - Buoys recovered.

Former Notice - 644(T)/2001 is cancelled

HMAS Waterhen (01/8477). (AH99/18)

Cancel this notice on receipt.

Chart formerly affected – Aus 193

737(P)/2001 AUSTRALIA - NEW SOUTH WALES - Brisbane Water - Navais charted.

Former Notice - 460(P)/1995 is cancelled

AHS (01/10089). (AH99/19-03)

Cancel this notice on receipt.

Chart formerly affected – Aus 204

738(T)/2001 AUSTRALIA - NEW SOUTH WALES - Cabbage Tree Island - Marine farm charted.

Former Notice - 389(T)/1999 is cancelled

Fisheries NSW (01/8747). (AH99/302)

Cancel this notice on receipt.

Chart formerly affected – Aus 362

739(T)/2001 AUSTRALIA - QUEENSLAND - Moreton Bay - Toondah Harbour - Harbour works completed.

Former Notice - 554(T)/2001 is cancelled

Queensland Transport (01/10136). (AH99/207)

Cancel this notice on receipt.

Chart formerly affected – Aus 236

740(T)/2001 AUSTRALIA - QUEENSLAND - Urangan - Dredging operations completed.

Former Notice - 413(T)/2001 is cancelled

Queensland Transport Notice 565/2001 (01/10114). (AH99/142)

Cancel this notice on receipt.

Chart formerly affected – Aus 241

741(T)/2001 AUSTRALIA - QUEENSLAND - Hay Point - Light buoys removed.

Former Notice - 375(T)/2001 is cancelled

Queensland Transport Notice 557/2001 (01/10025). (AH99/14)

Cancel this notice on receipt.

Chart formerly affected – Aus 249 – Aus 250

742(T)/2001 AUSTRALIA - QUEENSLAND - Mackay - Depth restriction removed.

Former Notice - 295(T)/2000 is cancelled

Queensland Transport Notice 559/2001 (01/10114). (AH99/438)

Cancel this notice on receipt.

Chart formerly affected – Aus 250

743(T)/2001 AUSTRALIA - QUEENSLAND - Port Douglas - Harbour works completed.

Former Notice - 379(T)/2001 is cancelled

Queensland Transport Notice 552/2001 (01/10025). (AH00/16)

Cancel this notice on receipt.

Chart formerly affected – Aus 830

744(P)/2001 AUSTRALIA - QUEENSLAND - Jardine Rock - Light beacon construction cancelled; light buoy re-established.

Former Notice - 615(P)/2001 is cancelled

Queensland Transport Notice 554/2001 (01/10025). (AH00/137-02)

Cancel this notice on receipt.

Chart formerly affected – Aus 292 – Aus 294 – Aus 700

745(T)/2001 AUSTRALIA - QUEENSLAND - Thursday Island - Harbour works completed.

Former Notice - 381(T)/2001 is cancelled

Queensland Transport Notice 553/2001 (01/10025). (AH00/16)

Cancel this notice on receipt.

Chart formerly affected – Aus 293 – Aus 299

746(T)/2001 AUSTRALIA - QUEENSLAND - Karumba - Light beacons re-established; buoys removed.

Former Notices - 108(T)/2000 & 453(T)/2000 are cancelled

Queensland Transport 550/2001 (01/10025). (AH00/137-02)

Cancel this notice on receipt.

Chart formerly affected – Aus 6

747(P)/2001 WESTERN AUSTRALIA - Dampier - Anchorage areas charted.

Former Notice - 616(P)/2001 is cancelled

AHS (01/7161). (AH00/101)

Cancel this notice on receipt.

Chart formerly affected – Aus 57 – Aus 58 – Aus 741

748(T)/2001 AUSTRALIA - VICTORIA - Cape Sir William Grant - Obstruction.

Date - Until further notice

Ocean Power Technologies Australasia (01/10103). (AH99/214)

An obstruction, marked by a float, exists in position 38° 25'.07 S 141° 37'.52 E.

Mariners are advised to navigate with caution in the area.

1

Chart temporarily affected – Aus 140 – Aus 786.

749(T)/2001 AUSTRALIA - VICTORIA - Port Fairy - Dredging operations completed.

Former Notice - 691(T)/2001 is cancelled

Victorian Notice 62/2001 (01/8757). (AH99/147)

Cancel this notice on receipt.

Chart formerly affected – Aus 141

750(T)/2001 AUSTRALIA - VICTORIA - Bass Strait - Scientific instruments.

Former Notice - 541(T)/2001 is cancelled

Lawson & Treloar Pty Ltd (01/10022). (AH99/410)

Lit waverider buoys, *Fl(5) Y. 20s*, exist in positions:

* 39° 13'.35 S 142° 53'.66 E

39° 48'.36 S 145° 48'.13 E

*Indicates revised or new entry.

Mariners are advised to navigate with caution.

Chart temporarily affected – Aus 349 – Aus 445B.

751(T)/2001 AUSTRALIA - VICTORIA - Port Phillip - River Yarra - Harbour works completed.

Former Notice - 761(T)/2000 is cancelled

Victorian Notice 49/2001 (01/6800). (AH98/328)

Cancel this notice on receipt.

Chart formerly affected – Aus 154

III

NAVIGATION WARNINGS

The following radio messages have been received during the period to 7 December 2001. Signal copies of these messages may be destroyed. It is recommended that the reprint of Navigational Warnings should be kept in a file or a book divided into areas. Cancellation should be made on receipt of signals and reprints.

Rigs on location other than those listed in the latest Section III summary are the subject of Radio Navigational Warnings. Rigs in transit will not be the subject of Warnings.

AUSCOAST WARNING

- 293 E Coast. CLV *Cable Installer* conducting cable laying operations in area 33° 45' S to 33° 46' S and 151° 31' E to 151° 43' E.
294 Cancelled.
295 NW Coast. Seismic survey vessel *Pacific Sword* towing 3.5M cable in area 15° 00' S to 18° 00' S and 118° 30' E to 121° 30' E.
296 Cancelled.
297 NW Coast. Seismic survey vessel *Geco Angler* towing 3.5M cable in area 21° 30' S to 23° 20' S and 112° 45' E to 113° 25' E.
298 Cancelled.
299 Cancelled.
300 Cancelled.
301 Cancelled.
302 Cancelled.
303 E Coast. CLV *Canning Tide* conducting cable laying operations in area 33° 42' S to 33° 47' S and 151° 18' E and 151° 30' E.
304 Cancelled.
305 NW Coast. Drill rig *Ensco 56* in position 20° 46'.9 S 115° 33'.2 E. 2.5M clearance requested.
306 Cancelled.
307 SE Coast. Seismic survey vessel *Geco Beta* towing eight 3M cables in area 37° 56' S to 38° 30' S and 147° 20' E to 148° 45' E.
308 Cancelled.
309 Cancelled.
310 NW Coast. Drill rig *Ocean General* in position 11° 51'.8 S 124° 54'.5 E. 2.5M clearance requested.

NAVAREA X WARNINGS

Nil issued.

Navigational warnings in force as at 061500UTC DEC 01.

Auscoast

250 273 274 276 286 291 293 295 297 303 305 307 310.

Navarea X

013 016 017.

Summary of mobile drilling rigs as at 061500UTC DEC 01.

Name	Position
Ocean General	11° 51'.8 S 124° 54'.5 E
Sedco 703	14° 10'.0 S 122° 33'.0 E
Ensco 56	20° 46'.9 S 115° 33'.2 E
Sedco 702	21° 12'.6 S 114° 38'.1 E

NAVAREA XIV WARNINGS

- 243 Cancelled.
244 Cancelled.
245 New Zealand. South Island. Timaru Point light K4327 (44° 23'.0 S 171° 15'.0 E) discontinued.
246 Cancelled.
247 Cancelled.
248 Cancelled.
249 Cancelled.
250 Cancelled.
251 Cancelled.
252 Cancelled.
253 Cancelled.

Navarea XIV warnings in force as at 060001UTC DEC 01.

239 245.

IV

HYDROGRAPHIC REPORTS

<i>Locality</i>	<i>Report</i>	<i>Ship/Authority</i>	<i>Observer</i>
INDIAN OCEAN- Diego Garcia	Light buoy	HMAS <i>Kanimbla</i>	
WA- Hedley Island	Rock	AFV <i>Jetline</i>	P Hayler
TAS- Cape Sorell	Nomenclature		N Coates