



Australian Notices to Mariners are the authority for correcting Australian Charts

AUSTRALIAN NOTICES TO MARINERS

*The Hydrographer and Staff
of the Royal Australian Navy Hydrographic Office
wish all users of Australian Charts a Merry Christmas
a Happy New Year and a safe, successful voyages in 2001.*

© Commonwealth of Australia 2000 - Copyright restrictions apply to Notices to Mariners



Notices 726-762

Published fortnightly by the Australian Hydrographic Service

B. J. KAUFER,
Hydrographer, RAN

SECTIONS. I. [Australian Notices to Mariners, including blocks and notes.](#)
III. [Navigational Warnings.](#)
IV. [Hydrographic Reports.](#)

[New Zealand Notices to Mariners](#)

The substance of these notices should be inserted on the charts affected.

Notices to Mariners information relating to British Admiralty Publications unavailable on this web site at this stage but still available in printed form:-

Section II. Corrections to Admiralty List of Lights, Vol K.
Section V. Amendments to Admiralty List of Radio Signals.
Section VI. Corrections to Sailing Directions.

Bearings are referred to the true compass and are reckoned clockwise from 000° (North) to 359°: those relating to lights are given as seen by an observer from seaward. The range quoted for a light is its nominal range. Fog signals are sounded only during thick or foggy weather, unless otherwise stated. Depths are with reference to the chart datum of each chart. Heights are above mean high water springs or mean higher high water, as appropriate.

The capital letter (P) or (T) after the number of any notice denotes a preliminary or temporary notice respectively, which are contained separately at the end of the permanent notices. A star () adjacent to the number of a notice indicates that the notice is based on original information.*

Mariners are particularly requested to notify the AUSTRALIAN HYDROGRAPHIC SERVICE, Locked Bag 8801 South Coast Mail Centre, NSW 2521 (Fax 02-4221 8599), e-mail hni.hydro@navy.gov.au or, alternatively by filling in and submitting the [Hydrographic Notes](#) forms, immediately on the discovery of new dangers or suspected dangers to navigation. For changes or defects in aids to navigation notify AusSAR (Fax 02-6230 6868 or email rcsaus@amsa.gov.au).

Copies of these notices can be obtained from the AUSTRALIAN HYDROGRAPHIC OFFICE, 8 Station Street, Wollongong, and Agents for the sale of charts and hydrographic publications.

The Commonwealth of Australia is the owner of, or is otherwise responsible for, the copyright in this work. It is protected under the Copyright Act 1968 and international convention. Except as expressly authorised below, the work may not be copied, reproduced, adapted, changed or commercially exploited, in whole or in part, or the format in which it is stored altered, without the prior written permission of the Australian Hydrographic Office. The Notices may be copied for the purpose of inserting their substance on official charts and other publications. However, any copies of the notices may not be sold for profit.

© Commonwealth of Australia 2000

NUMERICAL INDEX OF CHARTS AFFECTED

Edition No 26

22 December 2000

Notices	Aus Chart
726	Aus 112, 213, 610, 809, 4708, INT 708
727	Aus 200
728	Aus 204
729	Aus 236
730	Aus 399, 684
731	Aus 305, 410
732	Aus 722
733	Aus 54
734	Aus 331
735	Aus 754
736	Aus 112, 754
737	Aus 114, 117
738	Aus 755
739	Aus 345
740	Aus 171
741	Aus 164
742(T)	Aus 197, 806, 807, 808, 810, 812, 813
743(P)	Aus 197, 4060, 4601, 4602, INT 60, 601, 602
744(P)	Aus 197, 808, 4060, 4601, 4602, INT 60, 601, 602
745(T)	Aus 204
746(T)	Aus 220, 813, 814
747(T)	Aus 4, 236, 247, 249, 251, 255, 256, 814, 829, 830
748(T)	Aus 235, 236, 237, 238, 814
749(T)	Aus 246
750(T)	Aus 252, 254
751(T)	Aus 373, 374, 832
752(P)	Aus 376, 839
753(P)	Aus 376, 837, 839
754(P)	Aus 376, 377, 378, 840, 4620
755(T)	Aus 4
756(T)	Aus 6
757(T)	Aus 309, 722
758(T)	Aus 318, 413, 727
759(T)	Aus 328, 329, 744
760(T)	Aus 344, 777
761(T)	Aus 154
762(T)	Advice to fishermen and mariners - Scientific instruments

726 AUSTRALIA - Publications.

AHS (00/10011). (AH 99/139-02, AH 99/229-02)

New chart

<i>Chart</i>	<i>Published</i>	<i>Title and description of amendments</i>	<i>Scale</i>	<i>Folio</i>	<i>Index Chart</i>	<i>Price</i>
Aus 610	10/11/2000	Australia – Tasman Sea – Approaches to Lord Howe Island Limits: 31° 21' 41" S - 31° 53' 47" S 158° 36' 00" E - 159° 30' 54" E Plan: Lord Howe Island 31° 28' 31" S - 31° 37' 00" S 159° 01' 00" E - 159° 07' 51" E The Lagoon (North) 31° 30' 37" S - 31° 32' 12" S 159° 02' 20" E - 159° 04' 42" E The Lagoon (South) 31° 32' 07" S - 31° 33' 42" S 159° 02' 50" E - 159° 04' 57" E <i>Metric conversion of chart Aus 213, providing improved coverage of the approaches to Lord Howe Island and the Lagoon.</i>	1:150 000 1:25 000 1:12 500 1:12 500	1	Aus 65001	\$ 25.65

New edition

<i>Chart</i>	<i>Published</i>	<i>Title and description of amendments</i>	<i>Scale</i>	<i>Folio</i>	<i>Index Chart</i>	<i>Price</i>
Aus 112	10/11/2000	Australia - West Coast – Western Australia - Approaches to Fremantle <i>A new edition to rectify a geographical graticule error. Mariners who have a copy of the edition published 15 September 2000 can obtain a replacement chart gratis from the Australian Hydrographic Office or Chart Agents.</i> <i>Note: this chart is affected by Notice to Mariners 737(T)/2000.</i>	1:37 500	4	Aus 65001	\$ 25.65
Aus 809	10/11/2000	Australia – East Coast - New South Wales - Port Jackson to Port Stephens Plan: Lake Macquarie Entrance Catherine Hill Bay <i>General updating throughout, including Southern Cross submarine cables.</i> <i>Note: this chart is affected by Notice to Mariners 726(T)/2000 .</i>	1:150 000 1:25 000 1:7 500	7	Aus 65001	\$ 25.65
Aus 4708 INT 708	27/10/2000	Indian Ocean - Australia - West Coast <i>General updating throughout, including submarine cables, isogonals and EEZ.</i>	1:3 500 000	1	Aus 65000 & Aus 65001	\$ 25.65

Chart permanently withdrawn

<i>Chart</i>	<i>On publication of new chart/new edition</i>
Aus 112	Aus 112
Aus 213	Aus 610
Aus 809	Aus 809
Aus 4708	Aus 4708

727* AUSTRALIA - NEW SOUTH WALES - Port Jackson - Shark Bay - Depth.

AHS (00/9556). (AH 99/332)

Aus 200 [489/2000]

Substitute	depth, 9 _m , and enclose with contour, for 9 ₄ m 10m contour between	33° 50'.92 S	151° 15'.82 E
		33° 50'.98 S	151° 15'.86 E
		33° 50'.98 S	151° 15'.90 E
Delete	10m contour between	33° 50'.98 S	151° 15'.86 E
		33° 50'.94 S	151° 15'.80 E
	10m contour between	33° 50'.98 S	151° 15'.90 E
		33° 50'.93 S	151° 15'.84 E

728* AUSTRALIA - NEW SOUTH WALES - Pittwater - Buoys.

Waterways (00/10136), RANHS (00/10135). (AH 99/18)

Aus 204 [669/2000]

Insert	special cylindrical light buoy, Fl. Y. 5s, with topmark	33° 37'.026 S	151° 18'.753 E
		33° 37'.305 S	151° 18'.188 E
Delete	special light buoy depth 12 ₂ m	33° 38'.90 S	151° 17'.66 E
		33° 37'.00 S	151° 18'.77 E

729* AUSTRALIA - QUEENSLAND - Moreton Bay - Cleveland Point - Light.

List of Lights Vol K/2000 -- 2898.00

Queensland Transport (00/10007). (AH 00/107)

Aus 236 [672/2000]

Amend	light to Fl. WR. 3s 14m 13/8M	27° 30'.7 S	153° 17'.3 E
-------	-------------------------------	-------------	--------------

730* PAPUA NEW GUINEA - Bougainville Island - Western Entrance to Empress Augusta Bay - Depths.

HMAS' Mermaid & Paluma (00/10010), HMNZS Monowai MMI2-1-20972 (00/8364). (AH 99/236)

Aus 399 [707/2000]

Insert	accompanying block	6° 40'.0 S	155° 18'.0 E
	depth, 25 ₆ m, enclosed by contour	6° 54'.17 S	155° 40'.69 E
	depth, 17 ₆ m, enclosed by contour	6° 52'.96 S	155° 35'.41 E
Delete	depth 30m	6° 54'.3 S	155° 41'.0 E

Aus 684 (plan, Empress Augusta Bay) [649/2000]

Insert	accompanying block	6° 29'.0 S	155° 05'.0 E
--------	--------------------	------------	--------------

731* AUSTRALIA - NORTHERN TERRITORY - Limmen Bight - Island.

MV Fourcroy (00/10027). (AH 99/388)

Aus 305 [338/2000]

Insert	island, enclosed by danger circle	14° 38'.55 S	135° 33'.15 E
--------	-----------------------------------	--------------	---------------

Aus 410 [338/2000]

Insert	island, enclosed by danger circle	14° 38'.55 S	135° 33'.15 E
--------	-----------------------------------	--------------	---------------

732* AUSTRALIA - NORTHERN TERRITORY - Melville Island - Buchanan Island - Depths.

HMAS' Benalla & Shepparton (00/9684). (AH 99/388)

Aus 722 [472/1999]

Insert	depth, 2 ₃ m	(a) 11° 52'.09 S	130° 44'.45 E
	depth, 3 ₄ m	(b) 11° 52'.38 S	130° 43'.36 E
	depth, 2 ₉ m, and extend 5m contour NW to enclose	11° 55'.32 S	130° 41'.33 E
	depth, 7 ₉ m	11° 52'.88 S	130° 41'.96 E
	10m contour between	11° 51'.9 S	130° 36'.9 E
		11° 52'.0 S	130° 39'.5 E
		11° 52'.4 S	130° 38'.9 E
	10m contour between	11° 52'.5 S	130° 40'.0 E
		11° 52'.0 S	130° 42'.8 E
		11° 53'.1 S	130° 41'.2 E
	5m contour, enclosing depths (a) & (b), between	11° 53'.9 S	130° 43'.0 E
		11° 53'.7 S	130° 44'.2 E
		11° 52'.6 S	130° 42'.7 E
	magenta line between	11° 52'.8 S	130° 45'.2 E
		11° 51'.7 S	130° 36'.9 E
		11° 52'.0 S	130° 45'.2 E
Delete	depth 4 ₅ m	11° 55'.4 S	130° 41'.5 E
	depth 10 ₅ m	11° 53'.1 S	130° 41'.4 E
	magenta line between	11° 51'.7 S	130° 36'.9 E
		11° 53'.9 S	130° 41'.6 E
		11° 52'.0 S	130° 45'.2 E

Note: a block correction is in production to update chart Aus 309.

733* WESTERN AUSTRALIA - Port Hedland - Beacons.

MAKJaP Pty Ltd (00/10131). (AH 99/32)

Aus 54 [397/2000]

Insert	blue beacon, with triangular topmark	20° 18'.595 S	118° 34'.499 E
	blue beacon, with cylindrical topmark	20° 18'.581 S	118° 34'.512 E
	blue beacon	20° 18'.623 S	118° 34'.530 E
		20° 18'.609 S	118° 34'.545 E

734 WESTERN AUSTRALIA - Cape Cuvier - Light discontinued.

AMSA (98/3163). (AH 99/29)

Aus 331 [708/2000]

Delete	light	24° 13'.6 S	113° 23'.8 E
--------	-------	-------------	--------------

735* WESTERN AUSTRALIA - Rottnest Island - Depths.
AHS (00/10137). (AH 99/169)

Aus 754 [688/2000]

Insert	depth, 7 ₄ m, and extend 10m SW to enclose danger line between	32° 01'.85 S	115° 26'.45 E
		32° 01'.41 S	115° 26'.58 E
		32° 01'.68 S	115° 26'.55 E
Substitute	depth, 2 ₃ m, for 1 ₇ m	31° 59'.98 S	115° 28'.09 E
	depth, 7 ₁ m, for 8 ₂ m	32° 00'.82 S	115° 26'.51 E
	depth, 2 ₈ m, enclosed by contour, for 5 ₄ m	32° 01'.52 S	115° 35'.01 E
	depth, 3 ₅ m, for 4 ₇ m	32° 01'.06 S	115° 34'.99 E
	depth, 2 ₈ m, for 4 ₆ m	32° 00'.31 S	115° 34'.87 E
	depth, 4 ₄ m, for 4 ₆ m	31° 59'.25 S	115° 34'.54 E
Delete	dangerous rock and semi-enclosing danger circle to S depth 10 ₄ m	32° 01'.7 S	115° 26'.4 E
		32° 02'.0 S	115° 26'.5 E

736* WESTERN AUSTRALIA - Fremantle - Straggler Reefs - Wreck.
Transport WA (00/10006). (AH 98/221)

Aus 112 [NE 10/11/2000]

Insert	depth, 15 ₉ m, enclosed by danger circle, with legend Wk	32° 03'.811 S	115° 36'.219 E
--------	---	---------------	----------------

Aus 754 [735/2000]

Insert	depth, 16 ₁ m, enclosed by danger circle, with legend Wk	32° 03'.811 S	115° 36'.219 E
Delete	depth 19 ₂ m	32° 03'.9 S	115° 36'.3 E

737* WESTERN AUSTRALIA - Cockburn Sound - Alcoa Jetty - Light buoy.
Former Notice - 338(T)/1997 is cancelled
Fremantle Port Authority (00/9918). (AH 99/30)

Aus 114 [121/2000]

Insert	special cylindrical light buoy, Q. Y, without topmark	32° 11'.460 S	115° 46'.137 E
Delete	depth 11 ₅ m	32° 11'.46 S	115° 46'.15 E

Aus 117 [710/2000]

Insert	special cylindrical light buoy, Q. Y, without topmark	32° 11'.460 S	115° 46'.137 E
--------	---	---------------	----------------

738* WESTERN AUSTRALIA - Cockburn Sound - Garden Island - Submarine cable.
RAU West (99/2964). (AH 99/359)

Aus 755 [214/2000]

Insert	submarine cable between	32° 14'.61 S	115° 41'.61 E
		32° 14'.97 S	115° 41'.44 E
		32° 15'.21 S	115° 40'.56 E
		32° 15'.20 S	115° 39'.52 E
		32° 15'.41 S	115° 37'.47 E
		32° 15'.39 S	115° 34'.08 E
		32° 18'.57 S	115° 02'.54 E
		32° 19'.07 S	114° 51'.82 E
		32° 19'.22 S	114° 48'.63 E
	submarine cable between	32° 15'.39 S	115° 34'.16 E
		32° 20'.69 S	114° 48'.63 E
	submarine cable between	32° 15'.39 S	115° 34'.16 E
		32° 22'.42 S	114° 48'.63 E

739* SOUTH AUSTRALIA - Glenelg - Light.
AHS (00/10013). (AH 9/35)

Aus 345 [714/2000]

	<i>On certain copies only</i>		
Amend	light to <i>Fl. WR</i>	34° 59'.1 S	138° 30'.4 E

740* AUSTRALIA - TASMANIA - River Derwent - Second Bluff - Light buoy.
AMSA (00/10024). (AH 99/39)

Aus 171 [503/2000]

Insert	special cylindrical light buoy, <i>Fl(2) Y. 4s</i> , with topmark	42° 54'.02 S	147° 22'.80 E
Delete	buoy	42° 53'.9 S	147° 23'.0 E

741* AUSTRALIA - TASMANIA - Ulverstone - Light beacon.
AMSA (00/10024). (AH 99/38-02)

Aus 164 [563/2000]

Substitute	light beacon, <i>Q. R</i> , with cylindrical topmark, for port lateral beacon	41° 08'.68 S	146° 10'.18 E
------------	---	--------------	---------------

Aus 164 (plan, Ulverstone)

Insert	light beacon, <i>Q.R</i> , with cylindrical topmark	41° 08'.675 S	146° 10'.180 E
Delete	Beacon	41° 08'.68 S	146° 10'.18 E

742(T)/2000 AUSTRALIA - NEW SOUTH WALES - Green Cape to Point Danger - Scientific instruments.

Former Notices - 89(T)/1999 & 388(T)/1999 are cancelled

NSW PW&S (00/10187). (AH 98/279)

Scientific instruments, generally marked by light buoys, exists in the positions given below until further notice.

Craft are not to use the buoys as moorings.

The most convenient chart is quoted.

<i>Location</i>	<i>Lat S</i>	<i>Long E</i>	<i>Characteristics</i>	<i>Chart</i>
* Eden	37° 18'.1	150° 11'.1	Fl(5) Y. 20s	Aus 806
Batemans Bay	35° 42'.4	150° 20'.7	Fl(5) Y. 20s	Aus 807
Port Kembla	34° 28'.6	151° 01'.5	Fl(5) Y. 20s	Aus 808
* Deewhy Head	33° 47'.0	151° 25'.3	Fl(5) Y. 20s	Aus 197
* Allagai Bay	33° 30'.1	151° 26'.2	Fl. 1.5s	Aus 197
* Allagai Bay	33° 29'.8	151° 26'.0	Unmarked	Aus197
Crowdy Head	31° 49'.5	152° 51'.6	Fl(5) Y. 20s	Aus 810
Coffs Harbour	30° 21'.6	153° 16'.2	Fl(5) Y. 20s	Aus 812
* Byron Bay	28° 50'.2	153° 43'.7	Fl(5) Y. 20s	Aus 813

* Indicates new or revised entry.

Chart temporarily affected – Aus 197 – Aus 806 – Aus 807 – Aus 808 – Aus 810 – Aus 812 – Aus 813.

743(P)/2000 PACIFIC OCEAN - Sydney to Suva - Submarine cable laid.

Former Notice - 76(P)/2000 is cancelled

AHS (00/6655). (AH 99/269)

Cancel this notice on receipt.

Chart formerly affected – Aus 197 – Aus 4060 – Aus 4601 – Aus 4602

744(P)/2000 AUSTRALIA - TASMAN SEA - Sydney to New Zealand - Submarine cable laid.

Former Notice - 240(P)/2000 is cancelled

AHS (00/6655). (AH 99/269)

Cancel this notice on receipt.

Chart formerly affected – Aus 197 – Aus 808 – Aus 4060 – Aus 4601 – Aus 4602

745(T)/2000 AUSTRALIA - NEW SOUTH WALES - Brisbane Water - Wagstaff Point - Shoaling dispersed.

Former Notice - 83(T)/1997 is cancelled

Waterways (00/10218). (AH 98/341)

Cancel this notice on receipt.

Chart formerly affected – Aus 204

746(T)/2000 AUSTRALIA - NEW SOUTH WALES - Tweed River - Dredging.

Date - Until 30 April 2001

Former Notice - 273(T)/2000 is cancelled

Brown & Root Services (00/10341). (AH 99/145)

Dredgers *Port Frederick* and *Faucon* are operating at the entrance of the Tweed River (28° 10'.3 S 153° 33'.4 E). The dredgers are discharging off Coolangatta Beach between 28° 10'.0 S 153° 33'.3 E and 28° 09'.7 S 153° 32'.2 E.

The dredgers will maintain radio watch on VHF Ch 16.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected – Aus 220 – Aus 813 – Aus 814.

747(T)/2000 AUSTRALIA - QUEENSLAND - Point Danger to Weipa - Scientific instruments.

Former Notice - 719(T)/2000 is cancelled

Queensland Transport Notice 481/2000 (00/10039). (AH 98/146)

Scientific instruments, will be on station in the positions given below until further notice.

Craft are not to use the buoys as moorings.

The most convenient chart is quoted.

<i>Location</i>	<i>Lat S</i>	<i>Long E</i>	<i>Characteristics</i>	<i>Chart affected</i>
Main Beach	27° 57'.90	153° 26'.47	Fl(5) Y. 20s	Aus 814
Point Lookout	27° 29'.32	153° 37'.44	Fl(5) Y. 20s	Aus 814
Bribie Island	27° 04'.62	153° 12'.52	Fl(5) Y. 20s	Aus 236
Lisa Jane Shoal	23° 18'.55	151° 04'.44	Fl(5) Y. 20s	Aus 247
Bailey Islet	21° 02'.62	149° 32'.22	Fl(5) Y. 20s	Aus 249
* Llewellyn Shoal	21° 00'.88	149° 20'.32	Fl(5) Y. 20s	Aus 251
Abbot Point	19° 52'.13	148° 05'.38	Fl(5) Y. 20s	Aus 255
Townsville	19° 09'.47	147° 03'.77	Fl(5) Y. 20s	Aus 256
Clump Point	17° 49'.09	146° 11'.13	Fl(5) Y. 20s	Aus 829
Double Island	16° 43'.95	145° 42'.68	Fl(5) Y. 20s	Aus 830
Albatross Bay	12° 40'.55	141° 45'.09	Fl(5) Y. 20s	Aus 4

* Indicates new or revised entry.

Chart temporarily affected – Aus 4 – Aus 236 – Aus 247 – Aus 249 – Aus 251 – Aus 255 – Aus 256 – Aus 814 – Aus 829 – Aus 830.

748(T)/2000 AUSTRALIA - QUEENSLAND - Moreton Bay and Brisbane River - Depth information and keel clearances.

Date - Until further notice

Queensland Transport Notice 498/2000 (00/10229). (AH 99/323)

Available depths as at 5 December 2000:

	<i>Metres</i>
Moreton Bay:	
North East Channel	5.0
* North West Channel	13.4
Spitfire Channel	13.5
Main Channel	9.7
East Channel	14.0
Brisbane River:	
Entrance Beacons to Fisherman Islands Swing Basin	13.0
Pelican Bank Cutting to Hamilton Reach	9.1
Keel clearances are required for approach channels as follows:	
North West Channel	1.6
For vessels with a beam of 35 metres or more	1.8
Spitfire Channel	1.2
East Channel	1.2
Entrance Beacons to Swing Basin	1.0
Swing Basin Reach to Hamilton Reach	0.6 to 0.9
Alongside all berths	0.3

*Indicates new or revised entry.

Chart temporarily affected – Aus 235 – Aus 236 – Aus 237 – Aus 238 – Aus 814.

749(T)/2000 AUSTRALIA - QUEENSLAND - Gladstone - South Channel - Golding Cutting - Light beacon re-established in position; light buoy withdrawn.

Former Notice - 576(T)/1998 is cancelled

Queensland Transport Notice 492/2000 (00/10229). (AH00/107)

Cancel this notice on receipt.

Chart formerly affected – Aus 246

750(T)/2000 AUSTRALIA - QUEENSLAND - Hayman Island - The Narrows - Light beacon re-established in position; light buoy withdrawn.

Former Notice - 54(T)/2000 is cancelled

Queensland Transport Notice 494/2000 (00/10299). (AH00/107)

Cancel this notice on receipt.

Chart formerly affected – Aus 252 – Aus 254

751(T)/2000 AUSTRALIA - QUEENSLAND - Maxwell Reef - Works completed.

Former Notice - 637(T)/2000 is cancelled

AMSA (00/8665). (AH 00/137)

Cancel this notice on receipt.

Chart formerly affected – Aus 373 – Aus 374 – Aus 832

752(P)/2000 AUSTRALIA - QUEENSLAND - Ackers Shoal - Light to be established.

Date - On or about 15 January 2001

AMSA ATH 2000/25 (00/10036). (AH 00/137)

A south cardinal light beacon, Q(6) + LFl. 15s 7m 6M, will be established at the beacon (10° 18'.58 S 142° 48'.66 E).

Chart which will be affected – Aus 376 – Aus 839.

753(P)/2000 AUSTRALIA - QUEENSLAND - Caldbeck Reef - Light to be established.

Date - On or about 17 January 2001

AMSA ATH 2000/26 (00/10035). (AH 00/137)

A east cardinal light beacon, Q(3) 05s 7m 9M, will be established at the beacon (10° 06'.39 S 143° 09'.91 E).

Chart which will be affected – Aus 376 – Aus 837 – Aus 839.

754(P)/2000 AUSTRALIA - QUEENSLAND - Bramble Cay - Light to be altered.

Date - On or about 21 January 2001

AMSA ATH 2000/27 (00/10033). (AH 00/137)

The light (9° 08'.6 S 143° 52'.5 E) is to be altered to Fl(4) 15s 19m 16M.

Chart which will be affected – Aus 376 – Aus 377 – Aus 378 – Aus 840 – Aus 4620.

755(T)/2000 AUSTRALIA - QUEENSLAND - Mission River - Bridge maintenance completed.

Former Notice - 570(T)/2000 is cancelled

Queensland Transport (00/8137). (AH 99/321)

Cancel this notice on receipt.

Chart formerly affected – Aus 4

756(T)/2000 AUSTRALIA - QUEENSLAND - Karumba - Dredging completed.

Former Notice - 454(T)/2000 is cancelled

Karumba Marine Services (00/6575). (AH 00/118)

Cancel this notice on receipt.

Chart formerly affected – Aus 6

757(T)/2000 AUSTRALIA - NORTHERN TERRITORY - Shoal Bay - Scientific operations completed.

*Former Notice - 697(T)/2000 is cancelled
Woodside (00/10226). (AH 99/294)*

Cancel this notice on receipt.

Chart formerly affected – Aus 309 – Aus 722

758(T)/2000 WESTERN AUSTRALIA - Lesueur Island - Light restored to normal.

*Former Notice - 638(T)/2000 is cancelled
AMSA ATH 2000/23 (00/10037). (AH 99/32)*

Cancel this notice on receipt.

Chart formerly affected – Aus 318 – Aus 413 – Aus 727

759(T)/2000 WESTERN AUSTRALIA - North West Cape - Scientific instrument.

*Date - Until 17 November 2001
WNI Science & Engineering (00/10009). (AH 99/212)*

Scientific instruments exist in the following positions:

<i>Position</i>	<i>Remarks</i>
21° 29'.88 S 113° 57'.10 E	Meteorological buoy
21° 29'.83 S 113° 57'.19 E	Single point mooring marked with surface float
21° 27'.65 S 113° 59'.94 E	Single point mooring 70m above seabed, unmarked
21° 26'.23 S 114° 03'.31 E	Single point mooring marked with surface float
21° 27'.06 S 114° 01'.03 E	Single point mooring 15m above seabed, unmarked

Mariners are not to use the buoys as a mooring.

Chart temporarily affected – Aus 328 – Aus 329 – Aus 744.

760(T)/2000 SOUTH AUSTRALIA - Tiparra Reef - Drilling.

*Date - Until 28 February 2001
BHP Minerals (00/10127). (AH 00/377)*

A drill rig will be on site from 8 January 2001 in positions:

34° 07'.71 S 137° 12'.03 E
34° 07'.71 S 137° 12'.73 E.

Mariners are requested to give a one nautical mile radius clearance around the platform.

Chart temporarily affected – Aus 344 – Aus 777.

761(T)/2000 AUSTRALIA - VICTORIA - Port Phillip - River Yarra - Harbour works.

*Date - Until further notice
Victorian Notice 57/2000 (00/10041). (AH98/328)*

A floating jetty is under construction in position 37 ° 49'.39 S 144° 54'.42 E and is marked by Q.Y lights.

Mariners are advised to navigate with caution in the area.

Chart temporarily affected – Aus 154.

762(T)/2000 AUSTRALIA - Advice to fishermen and mariners - Scientific instruments.

*Former Notice - 515(T)/2000 is cancelled
International Hydrographic Bureau (00/7033). (AH98/312)*

This notice has been incorporated into *Annual Australian Notices to Mariners 2001* as *Notice to Mariners No 35*.

Cancel this notice on receipt.

III NAVIGATION WARNINGS

The following radio messages have been received during the period to 8 December 2000. Signal copies of these messages may be destroyed. It is recommended that the reprint of Navigational Warnings should be kept in a file or a book divided into areas. Cancellation should be made on receipt of signals and reprints.

Rigs on location other than those listed in the latest Section III summary are the subject of Radio Navigational Warnings. Rigs in transit will not be the subject of Warnings.

AUSCOAST WARNINGS

- 301 NW Coast. Seismic survey vessel *Geco Beta* towing 4M cables in area 13° 20' S to 13° 50' S and 123° 15' E to 124° 15' E.
302 Cancelled.
303 NW Coast. Drill rig *Ocean Bounty* in position 12° 50'.4 S 126° 23'.5 E. 2.5M clearance requested.
304 NW Coast. Seismic survey vessel *Pacific Sword* towing 2M cable in area 13° 25' S to 15° 30' S and 121° 20' E to 123° 12' E.
305 NW Coast. Drill rig *Ocean General* in position 12° 13'.8 S 124° 40'.9 E. 2.5M clearance requested.
306 NW Coast. Drill rig *Ron Tappmeyer* in position 20° 07'.6 S 116° 26'.1 E. 2.5M clearance requested.
307 Cancelled.

NAVAREA X WARNINGS

Nil issued

Navigational warnings in force as at 081500UTC DEC 00.

Auscoast

2000 216 219 244 285 288 291 300 301 303 304 305 306.

Navarea X

2000 020.

Summary of mobile drilling rigs as at 081500UTC DEC 00.

Name	Position
Ocean Bounty	12° 50'.4 S 126° 23'.5 E
Ocean General	12° 13'.8 S 124° 40'.9 E
Sedco 703	13° 53'.5 S 123° 18'.1 E
Ron Tappmeyer	20° 07'.6 S 116° 26'.1 E
Marine 500	19° 38'.3 S 116° 03'.0 E
Ensco 56	20° 38'.2 S 115° 43'.6 E

NAVAREA XIV WARNINGS

- 286 Cancelled.
287 Cancelled.
288 Cancelled.
289 Cancelled.
290 Cancelled.
291 Cancelled.
292 Cancelled.

Navarea XIV warnings in force as at 080001UTC DEC 00.

2000 283 285.

IV

HYDROGRAPHIC REPORTS

Nil