



Australian Notices to Mariners are the authority for correcting Australian Charts

AUSTRALIAN NOTICES TO MARINERS

© Commonwealth of Australia 2000 - Copyright restrictions apply to Notices to Mariners

Notices 61-83

Published fortnightly by the Australian Hydrographic Office

G. J. GERAGHTY,
Hydrographer, RAN

SECTIONS. I. Australian Notices to Mariners, including blocks and notes.
III. Navigational Warnings.
IV. Hydrographic Reports.

New Zealand Notices to Mariners

The substance of these notices should be inserted on the charts affected.

Notices to Mariners information relating to British Admiralty Publications unavailable on this web site at this stage but still available in printed form:-

Section II. Corrections to Admiralty List of Lights, Vol K.
Section V. Corrections to Admiralty List of Radio Signals.
Section VI. Corrections to Sailing Directions.

Bearings are referred to the true compass and are reckoned clockwise from 000° (North) to 359°: those relating to lights are given as seen by an observer from seaward. The range quoted for a light is its nominal range. Fog signals are sounded only during thick or foggy weather, unless otherwise stated. Depths are with reference to the chart datum of each chart. Heights are above mean high water springs or mean higher high water, as appropriate.

The capital letter (P) or (T) after the number of any notice denotes a preliminary or temporary notice respectively, which are contained separately at the end of the permanent notices. A star () adjacent to the number of a notice indicates that the notice is based on original information.*

Mariners are particularly requested to notify the AUSTRALIAN HYDROGRAPHIC OFFICE, Locked Bag 8801 South Coast Mail Centre, NSW 2521 (Fax 02-4221 8599), e-mail hni.hydro@navy.gov.au or, alternatively by filling in and submitting the [Hydrographic Notes](#) forms, immediately on the discovery of new dangers or suspected dangers to navigation. For changes or defects in aids to navigation notify AusSAR (Fax 02-6230 6868).

Copies of these notices can be obtained from the AUSTRALIAN HYDROGRAPHIC OFFICE, 8 Station Street, Wollongong, and Agents for the sale of charts and hydrographic publications.

The Commonwealth of Australia is the owner of, or is otherwise responsible for, the copyright in this work. It is protected under the Copyright Act 1968 and international convention. Except as expressly authorised below, the work may not be copied, reproduced, adapted, changed or commercially exploited, in whole or in part, or the format in which it is stored altered, without the prior written permission of the Australian Hydrographic Office. The Notices may be copied for the purpose of inserting their substance on official charts and other publications. However, any copies of the notices may not be sold for profit.

© Commonwealth of Australia 2000

NUMERICAL INDEX OF CHARTS AFFECTED

Edition No 2

21 January 2000

Notices	Aus Chart
61	Aus 314
62	Aus 245
63	Aus 244,245
64	Aus 370,823
65	Aus 250
66	Aus 259
67	Aus 831
68	Aus 462
69	Aus 462,576,662,4622 (INT 622)
70	Aus 388,389,462,651,4622 (INT 622)
71	Aus 105
72	Aus 334,754
73	Aus 113
74	Aus 172
75	Aus 4060 (INT 60)
76(P)	Aus 197,361,423,424,809,4060,4601,4602, (INT 60) (INT 601) (INT 602)
77(T).....	Aus 243
78(T).....	Aus 370,371,824
79(T).....	Aus 388,462
80(T).....	Aus 6,303
81(T).....	Aus 6,303
82(T).....	Aus 6,303
83(T).....	Aus 26,28

61 AUSTRALIA - Publications.
 AHO (99/9205, 9510). (AH 99/139, 226)

New edition to be published shortly

Chart	Title	Scale
Aus 314	Timor Sea - Sahul Banks	1:300 000
	Plan Ashmore Reef Anchorage	1:50 000

New edition of British Admiralty publication

NP No	Title	Date	RRP (UK)	Remarks
NP 100	The Mariner's Handbook (Seventh Edition 1999)	5/8/99	£36:50	The Mariner's Handbook (Sixth Edition 1989) and Supplement No2 are thereby cancelled.

62* AUSTRALIA - QUEENSLAND - Gladstone - Gatcombe Channel and North Channel - Leading lights.
 AHO (99/9301). (AH 99/16)

Aus 245 [721/99]

Amend	bearing, 312° 02', centred on to 312° 04'	23° 53'.3 S	151° 22'.2 E
	bearing, 163° 38', centred on to 168° 38'	23° 44'.9 S	151° 19'.3 E
Delete	bearing, 312° 04', centred on	23° 52'.5 S	151° 21'.3 E

63* AUSTRALIA - QUEENSLAND - Gladstone - Fishermans Landing - Light buoys.
 Queensland Transport Notice 585/99 (99/9502). (AH 99/14)

Aus 244 (plan; Fishermans Landing Wharf) [NE 1/10/99]

Insert	special cylindrical light buoy, Fl. Y. 4.5s, with topmark	23° 47'.238 S 23° 47'.101 S 23° 46'.960 S 23° 47'.026 S	151° 10'.952 E 151° 10'.715 E 151° 10'.493 E 151° 10'.386 E
Delete	light buoy depth 9 ₆ m	23° 47'.07 S 23° 47'.24 S	151° 10'.38 E 151° 10'.97 E

Aus 245 [62/2000]

Insert	special cylindrical light buoy, Fl. Y. 4.5s, with topmark	23° 47'.238 S 23° 47'.101 S 23° 46'.960 S 23° 47'.026 S	151° 10'.952 E 151° 10'.715 E 151° 10'.493 E 151° 10'.386 E
Delete	light buoy	23° 47'.07 S	151° 10'.38 E

64* AUSTRALIA - QUEENSLAND - Prudhoe Channel - Area surveyed.
 AHO HI 252 (99/9509). (AH 99/176)

Aus 370 [680/99]

Delete	legend, Inadequately Surveyed (see Note), centred on	21° 25'.0 S 21° 16'.5 S 22° 03'.0 S	149° 53'.0 E 149° 35'.0 E 148° 54'.0 E
	note, Inadequately Surveyed, centred on		

Aus 823 [36/2000]

Delete	legend, Inadequately Surveyed (see Note), centred on	21° 25'.0 S 21° 20'.0 S 21° 33'.0 S	149° 50'.5 E 149° 36'.5 E 149° 11'.0 E
	note, Inadequately Surveyed, centred on		

65* AUSTRALIA - QUEENSLAND - Mackay - Piles permanently withdrawn.

Queensland Transport Notice 573/99 (99/9356). (AH 99/188)

Aus 250 (plan; Mackay Harbour) [NC 15/10/99]

Delete	pile	21° 06'.49 S	149° 13'.88 E
		21° 06'.50 S	149° 13'.87 E
		21° 06'.51 S	149° 13'.86 E
		21° 06'.52 S	149° 13'.85 E
		21° 06'.53 S	149° 13'.84 E
		21° 06'.54 S	149° 13'.83 E
		21° 06'.56 S	149° 13'.82 E

66* AUSTRALIA - QUEENSLAND – Hinchinbrook Channel – Buoyage.

Queensland Transport Notice 590/99 (99/9512). (AH 99/13, 99/15)

Aus 259 [551/99]

Amend	light to <i>Dir Fl. 3s Mendel</i>	18° 23'.58 S	146° 12'.16 E
	light to <i>Dir Fl. 3s & Q. Y Seymour</i>	18° 29'.60 S	146° 13'.15 E
	legend leading lights 135°, to 135°, centred on	18° 22'.0 S	146° 10'.6 E
	legend No4, to <i>Deluge</i> , centred on	18° 25'.3 S	146° 11'.7 E
	legend No6, to <i>Bluff</i> , centred on	18° 29'.6 S	146° 17'.6 E
Move	No 6 port lateral buoy	18° 19'.46 S	146° 08'.13 E
	to and renumber to No8	18° 20'.19 S	146° 08'.52 E
Insert	legend, No 2, at buoy	18° 15'.00 S	146° 04'.05 E
	legend, No 11, at buoy	18° 29'.66 S	146° 17'.24 E
Renumber	buoy to No 4	18° 17'.00 S	146° 05'.60 E
	buoy to No 6	18° 19'.10 S	146° 07'.60 E
	buoy to No 10	18° 24'.35 S	146° 11'.80 E
	light to No 12	18° 25'.48 S	146° 12'.09 E
	light to No 14	18° 28'.34 S	146° 12'.94 E
	buoy to No 16	18° 28'.96 S	146° 13'.34 E
	buoy to No 13	18° 30'.10 S	146° 18'.40 E
	buoy to No 22	18° 31'.34 S	146° 19'.70 E
	buoy to No 17	18° 30'.75 S	146° 23'.10 E

Aus 259 (plan; Port of Lucinda)

Renumber	buoy to No 13	18° 30'.10 S	146° 18'.40 E
	buoy to No 15	18° 30'.27 S	146° 18'.63 E
	buoy to No 18	18° 30'.23 S	146° 18'.70 E
	buoy to No 20	18° 31'.20 S	146° 19'.43 E
	buoy to No 22	18° 31'.34 S	146° 19'.70 E
	buoy to No 17	18° 30'.75 S	146° 23'.10 E

67* AUSTRALIA - QUEENSLAND - Cooktown - Lights buoys; light beacons.

Former Notice - 457(T)/99 is cancelled

Queensland Transport Notice 586/99 (99/9502). (AH 99/13, 99/15)

Aus 831 [553/99]

Delete	starboard lateral light beacon	15° 27'.31 S	145° 15'.27 E
--------	--------------------------------	--------------	---------------

Aus 831 (plan; Cooktown)

Insert	starboard lateral cylindrical light buoy, <i>Fl. G. 2.5s No1</i> , with topmark	15° 27'.284 S	145° 15'.298 E
	port lateral cylindrical light buoy, <i>Fl. R. 2.5s No6</i> , with topmark	15° 27'.558 S	145° 15'.031 E
Delete	starboard lateral light beacon	15° 27'.31 S	145° 15'.27 E
	port lateral light beacon	15° 27'.56 S	145° 15'.03 E

68* PAPUA NEW GUINEA - Mait Island - Light range amended.

List of Lights Vol K/99 -- 3512
DOT&CA PNG (99/6849). (AH 99/45)

Aus 462 [549/97]

Amend	light range to 10M	2° 59'.6 S	150° 44'.7 E
-------	--------------------	------------	--------------

69* PAPUA NEW GUINEA - Admiralty Islands - Light ranges amended.

List of Lights Vol K/99 -- 3476, 3507
DOT&CA PNG (99/6849). (AH99/45)

Aus 462 [68/2000]

Amend	light range to 10M	1° 57'.2 S	147° 19'.2 E
		2° 53'.9 S	147° 03'.2 E

Aus 576 [456/95]

Amend	light range to 10M	1° 57'.3 S	147° 19'.0 E
		2° 52'.8 S	147° 03'.8 E

Aus 662 [548/97]

Amend	light range to 10M	1° 57'.2 S	147° 19'.1 E
-------	--------------------	------------	--------------

Aus 4622 (INT 622) [45/2000]

Amend	light range to 10M	1° 57'.6 S	147° 19'.1 E
		2° 53'.3 S	147° 03'.7 E

70* PAPUA NEW GUINEA - Cape Moem to Cape Concordia - Light ranges amended.

List of Lights Vol K/99 -- 3400, 3401
DOT&CA PNG (99/6849). (AH99/44)

Aus 388 [549/97]

Amend	light range to 10M	3° 33'.1 S	143° 42'.1 E
-------	--------------------	------------	--------------

Aus 389 [137/96]

Amend	light range to 10M	3° 33'.3 S	143° 42'.1 E
		2° 40'.83 S	141° 18'.44 E

Aus 389 (plan; Vanimo Harbour)

Amend	light range to 10M	2° 40'.8 S	141° 18'.4 E
-------	--------------------	------------	--------------

Aus 462 [69/2000]

Amend	light range to 10M	3° 33'.0 S	143° 42'.1 E
-------	--------------------	------------	--------------

Aus 651 [445/93]

Amend	light range to 10M	3° 33'.2 S	143° 42'.1 E
-------	--------------------	------------	--------------

Aus 651 (plan; Wewak Harbour)

Amend	light range to 10M	3° 33'.2 S	143° 42'.1 E
-------	--------------------	------------	--------------

Aus 4622 (INT 622) [69/2000]

Amend	light range to 10M	3° 33'.1 S	143° 42'.1 E
-------	--------------------	------------	--------------

71* WESTERN AUSTRALIA - Lancelin - Beacons.

Transport WA (99/7829). (AH 99/29)

Aus 105 [256/94]

Insert	starboard lateral beacon, with topmark	31° 00'.42 S	115° 19'.21 E
	isolated danger beacon, with topmark	31° 00'.87 S	115° 19'.51 E

Delete	depth 2 ₁ m	31° 00'.3 S	115° 19'.2 E
	depth 1 ₃ m	31° 00'.8 S	115° 19'.5 E

72* WESTERN AUSTRALIA - Rottnest Island - Fish aggregating devices.

Former Notice - 674(T)/99 is cancelled

Transport WA (99/7829). (AH 99/130)

Aus 334 [214/99]

Insert fixed point, with legend *FAD* (see Note)

31° 54'.50 S	115° 12'.00 E
31° 57'.35 S	115° 15'.73 E
32° 00'.00 S	115° 13'.50 E
32° 00'.00 S	115° 20'.00 E
32° 03'.20 S	115° 19'.50 E
32° 05'.00 S	115° 11'.00 E
32° 08'.50 S	115° 10'.50 E
31° 40'.0 S	115° 55'.0 E

[accompanying note](#)

Aus 754 [47/2000]

Insert fixed point, with legend *FAD* (see Note)

31° 54'.50 S	115° 12'.00 E
31° 57'.35 S	115° 15'.73 E
32° 00'.00 S	115° 13'.50 E
32° 00'.00 S	115° 20'.00 E
32° 03'.20 S	115° 19'.50 E
32° 05'.00 S	115° 11'.00 E
32° 08'.50 S	115° 10'.50 E
31° 11'.0 S	115° 35'.0 E

[accompanying note](#)

73* WESTERN AUSTRALIA – Fremantle – Rous Harbour - Lights.

Fremantle Port Authority (99/9523). (AH 99/29)

Aus 113 [655/99]

Insert light, *F. R*

32° 03'.303 S	115° 43'.566 E
32° 03'.278 S	115° 43'.553 E
32° 03'.252 S	115° 43'.554 E
32° 03'.229 S	115° 43'.566 E
32° 03'.201 S	115° 43'.584 E
32° 03'.256 S	115° 43'.632 E
32° 03'.275 S	115° 43'.626 E
32° 03'.294 S	115° 43'.634 E
32° 03'.234 S	115° 43'.643 E

light, *F. G*

74* AUSTRALIA - TASMANIA - Hobart - Wrest Point to Sullivans Cove - Lights; harbour works.

Hobart Ports Corp (99/8815, 8683, 9513). (AH 99/38 & 99/319)

Aus 172 [NE 15/10/99]

Amend light to *F. Bu*

42° 53'.97 S	147° 19'.96 E
42° 53'.96 S	147° 19'.93 E

Insert firm line between

42° 53'.128 S	147° 20'.034 E
42° 53'.146 S	147° 20'.041 E
42° 53'.150 S	147° 20'.035 E
42° 53'.150 S	147° 20'.035 E

light, *Iso. G. 3s*

Aus 172 (plan; Sullivans Cove)

Insert firm line between

42° 53'.128 S	147° 20'.034 E
42° 53'.146 S	147° 20'.041 E
42° 53'.150 S	147° 20'.035 E
42° 53'.150 S	147° 20'.035 E

light, *Iso. G. 3s*

75* PACIFIC OCEAN - Ile Uvea - Depth northeastward.

BA Notice 47/4391/99 (99/9105). (AH 99/273)

Aus 4060 (INT 60) [36/2000]

Substitute depth, *16m*, for 18m

12° 55'.0 S	175° 35'.0 W
-------------	--------------

76(9)/2000 PACIFIC OCEAN – Sydney to Suva - Submarine cable.

Date - Until 28 February 2000

Fujitsu Limited (99/9609). (AH 99/269)

CV Vercors are involved in cable (*Southern Cross G2*) laying operations between Sydney and Suva as follows:

	Lat S	Long E		Lat S	Long E
(a)	33° 42'.368	151° 18'.251	(b)	33° 42'.480	151° 18'.910
(c)	33° 42'.604	151° 19'.163	(d)	33° 42'.858	151° 19'.540
(e)	33° 42'.710	151° 19'.840	(f)	33° 42'.190	151° 21'.000
(g)	33° 42'.190	151° 21'.800	(h)	33° 43'.891	151° 26'.351
(i)	33° 44'.000	151° 28'.000	(j)	33° 44'.000	151° 31'.000
(k)	33° 44'.112	151° 32'.000	(l)	33° 44'.748	152° 01'.000
(m)	33° 45'.06	152° 04'.00	(n)	33° 45'.20	152° 06'.70
(o)	33° 46'.35	152° 13'.40	(p)	33° 45'.40	152° 30'.00
(q)	33° 45'.65	152° 43'.10	(r)	33° 47'.95	152° 50'.00
(s)	33° 46'.00	152° 59'.00	(t)	33° 35'.80	153° 15'.44
(u)	33° 34'.77	153° 26'.68	(v)	33° 37'.95	153° 33'.19
(w)	33° 38'.40	153° 44'.47	(x)	33° 37'.33	153° 49'.29
(y)	33° 32'.13	154° 00'.00	(z)	33° 24'.22	154° 10'.00
(aa)	33° 15'.10	154° 18'.37	(ab)	33° 03'.50	154° 35'.58
(ac)	32° 57'.05	154° 48'.28	(ad)	32° 21'.51	155° 39'.91
(ae)	33° 14'.60	156° 00'.00	(af)	32° 07'.05	156° 17'.05
(ag)	31° 45'.25	157° 18'.85	(ah)	31° 42'.72	157° 30'.00
(ai)	31° 20'.65	158° 30'.00	(aj)	31° 10'.00	158° 50'.00
(ak)	30° 58'.00	159° 22'.00	(al)	30° 54'.33	159° 27'.10
(am)	30° 50'.50	159° 30'.00	(an)	30° 40'.00	159° 34'.40
(ao)	30° 35'.60	159° 40'.00	(ap)	29° 57'.94	161° 21'.63
(aq)	29° 53'.73	161° 28'.00	(ar)	27° 50'.90	166° 26'.22
(as)	27° 47'.70	167° 00'.00	(at)	27° 44'.20	168° 07'.00
(au)	27° 41'.32	168° 15'.62	(av)	27° 32'.16	168° 26'.92
(aw)	27° 25'.50	168° 32'.64	(ax)	27° 15'.75	168° 44'.87
(ay)	27° 03'.33	168° 57'.40	(az)	26° 54'.70	169° 08'.30
(ba)	26° 52'.02	169° 16'.10	(bb)	26° 42'.75	169° 25'.25
(bc)	26° 33'.15	169° 36'.95	(bd)	26° 23'.98	169° 44'.85
(be)	26° 11'.10	170° 04'.30	(bf)	26° 00'.50	170° 16'.05
(bg)	25° 55'.13	170° 25'.13	(bh)	25° 45'.67	170° 36'.83
(bi)	25° 33'.10	170° 50'.00	(bj)	25° 08'.90	171° 20'.00
(bk)	25° 00'.00	171° 33'.51	(bl)	24° 51'.80	171° 44'.15
(bm)	24° 30'.00	172° 06'.76	(bn)	24° 10'.60	172° 30'.00
(bo)	24° 06'.10	172° 38'.00	(bp)	24° 03'.77	172° 48'.69
(bq)	24° 00'.00	172° 55'.18	(br)	23° 48'.25	173° 10'.00
(bs)	23° 40'.00	173° 22'.95	(bt)	23° 27'.90	173° 43'.65
(bu)	23° 18'.13	174° 04'.00	(bv)	23° 15'.60	174° 10'.00
(bw)	23° 14'.00	174° 21'.46	(bx)	23° 01'.10	174° 42'.00
(by)	22° 56'.34	174° 47'.76	(bz)	22° 42'.85	175° 00'.40
(ca)	22° 32'.32	175° 18'.45	(cb)	22° 26'.70	175° 24'.88
(cc)	22° 21'.93	175° 43'.85	(cd)	22° 17'.60	175° 52'.26
(ce)	22° 16'.00	175° 53'.90	(cf)	22° 11'.40	175° 55'.00
(cg)	22° 06'.10	175° 52'.55	(ch)	21° 40'.90	175° 36'.05
(ci)	21° 31'.65	175° 28'.60	(cj)	21° 28'.13	175° 27'.20
(ck)	21° 23'.81	175° 28'.50	(cl)	21° 20'.00	175° 31'.40
(cm)	21° 17'.80	175° 35'.58	(cn)	21° 11'.90	175° 40'.15
(co)	21° 03'.05	175° 46'.00	(cp)	20° 57'.05	175° 51'.13
(cq)	20° 45'.13	176° 00'.45	(cr)	20° 32'.10	175° 07'.88
(cs)	20° 17'.00	176° 19'.30	(ct)	20° 14'.60	176° 23'.10
(cu)	20° 12'.72	176° 24'.60	(cv)	20° 05'.10	176° 26'.10
(cw)	20° 01'.10	176° 29'.12	(cx)	19° 59'.50	176° 33'.05
(cy)	19° 52'.83	176° 38'.90	(cz)	19° 40'.00	176° 48'.55
(da)	19° 20'.00	176° 59'.75	(db)	19° 17'.30	177° 03'.67
(dc)	19° 12'.20	177° 14'.21	(dd)	19° 12'.40	177° 20'.64
(de)	19° 10'.00	177° 26'.92	(df)	19° 05'.00	177° 37'.25
(dg)	19° 01'.95	177° 42'.88	(dh)	18° 59'.25	177° 45'.93
(di)	18° 48'.57	178° 07'.58	(dj)	18° 30'.00	178° 28'.13
(dk)	18° 23'.20	178° 32'.50	(dl)	18° 17'.25	178° 32'.00
(dm)	18° 13'.15	178° 30'.38	(dn)	18° 12'.18	178° 30'.52
(do)	18° 11'.24	178° 30'.83	(dp)	18° 09'.84	178° 30'.58
(dq)	18° 09'.29	178° 29'.43	(dr)	18° 07'.84	178° 28'.11

Charts temporarily affected – Aus 197 – Aus 361 – Aus 423 – Aus 424 – Aus 809 – Aus 4060 – Aus 4601 – Aus 4602.

77(T)/2000 AUSTRALIA - QUEENSLAND – Bundaberg – Long Reach – Cable ferry operations completed withdrawn.

Former Notice - 324(T)/99 is cancelled
Queensland Transport Notice 583/99 (99/9502). (AH 99/311)

Cancel this notice on receipt.

Chart formerly affected - Aus 243

78(T)/2000 AUSTRALIA - QUEENSLAND - Edward Island - Wreck.

Queensland Transport Notice 1/2000 (00/10). (AH 98/292)

A non-dangerous wreck, FV *Osprey*, exists in position 20° 16'.5 S 149° 20'.8 E.

Chart temporarily affected - Aus 370 - Aus 371 - Aus 824.

79(T)/2000 PAPUA NEW GUINEA - Sepik River - Scientific instruments recovered.

Former Notice - 696(P)/99 is cancelled
AIMS (99/8182). (AH 99/195)

Cancel this notice on receipt.

Chart formerly affected - Aus 388 - Aus 462

80(T)/2000 AUSTRALIA - QUEENSLAND – Karumba – Entrance Channel – Light beacon replaced.

Former Notice - 316(T)/97 is cancelled
Queensland Transport Notice 597/99 (99/9530). (AH 99/15)

Cancel this notice on receipt.

Chart formerly affected - Aus 6 - Aus 303

81(T)/2000 AUSTRALIA - QUEENSLAND – Karumba – Norman River – Wharf constructed.

Former Notice - 609(T)/98 is cancelled
Queensland Transport Notice 597/99 (99/9530). (AH 98/325)

Cancel this notice on receipt.

Chart formerly affected - Aus 6 - Aus 303

82(T)/2000 AUSTRALIA - QUEENSLAND – Karumba – Entrance Channel – Light beacons replaced; light buoys withdrawn.

Former Notice - 95(T)/99 is cancelled
Queensland Transport Notice 597/99 (99/9530). (AH 99/15)

Cancel this notice on receipt.

Chart formerly affected - Aus 6 - Aus 303

83(T)/2000 AUSTRALIA - NORTHERN TERRITORY - Darwin - Fannie Bay - Shoaling.

Date - Until further notice
Port of Darwin (99/9631). (AH 99/265)

The drying bank extends SW of the south cardinal light beacon (12° 27'.05 S 130° 48'.89 E) to the line of the 080° leading line.

Vessels need to pass S of the leading line to ensure deep water.

Chart temporarily affected - Aus 26 - Aus 28.

III NAVIGATION WARNINGS

The following radio messages have been received during the period to 7 January 2000. Signal copies of these messages may be destroyed. It is recommended that the reprint of Navigational Warnings should be kept in a file or a book divided into areas. Cancellation should be made on receipt of signals and reprints.

Rigs on location other than those listed in the latest Section III summary are the subject of Radio Navigational Warnings. Rigs in transit will not be the subject of Warnings.

AUSCOAST WARNINGS

355 Cancelled.
356 Cancelled.
357 NW Coast. Seismic survey vessel *Geco My* conducting survey operations in area 16° 30' S to 18° 30' S and 117° 30' E to 119° 30' E.
358 Cancelled.
359 NW Coast. Seismic survey vessel *Arcadian Searcher* towing 3.8nm cable in area 16° 34' S to 19° 50' S and 111° 32' E to 115° 58' E.
360 NW Coast. Seismic Survey vessel *Geco Beta* towing 2.5nm cable in area 17° 48' S to 18° 41' S and 116° 02' E to 117° 06' E
361 Cancelled.
362 Cancelled.
363 NW Coast. Drill rig *Sedco 702* in position 20° 50'.8 S 114° 43'.6 E. 2.5nm clearance requested.
364 Cancelled.
365 NW Coast. Port Walcott buoy C1 (20° 23'.5 S 117° 25'.8 E) off station.
366 Cancelled.
367 NW Coast. North Herald platform light K1697 (21° 10'.5 S 115° 16'.0 E) unlit.
368 Cancelled.
369 NW Coast. Port Walcott buoy No63 (20° 30'.1 S 117° 21'.8 E) off station.
370 SW Coast. Mary Ann Haven rear lead light K1806.5 (33° 56'.1 S 120° 08'.2 E unlit.
371 NW Coast. Drill rig *RonTappmeyer* in position 21° 25'.6 S 115° 04'.5 E. 2.5nm clearance requested.
372 Cancelled.
373 Cancelled.
2000
001 Cancelled.
002 SE Coast. Seismic survey vessel *Western Pride* towing eight 2.5nm cables in area 38° 48' S to 39° 15' S and 142° 40' E to 143° 10' E.
003 Cancelled.
004 Cancelled.
005 NW Coast. Drill rig *Ensco 56* in position 20° 38'.5 S 115° 44'.1 E. 2.5nm clearance requested.
006 Cancelled.

NAVAREA X WARNINGS

001 NW Coast. Drill rig *Ocean Bounty* in position 9° 27'.0 S 130° 04'.0 E. 2.5nm clearance requested.

Navigational warnings in force as at 061500UTC JAN 00.

Auscoast

1999 323 340 341 342 349 357 359 360 363 365 367 369 370 371.

2000 .002 005

Navarea X

2000 001.

Summary of mobile drilling rigs as at 061500UTC JAN 00.

Name	Position
Ocean Bounty	9° 27'.0 S 130° 04'.0 E
Ensco 56	20° 38'.5 S 115° 44'.1 E
Sedco 702	20° 50'.8 S 114° 43'.6 E
Ron Tappmeyer	21° 25'.6 S 115° 04'.5 E

NAVAREA XIV WARNINGS

184 Cancelled.
185 Cancelled.
186 Cancelled.
187 Cancelled.
188 Cancelled.
189 Cancelled.
190 Cancelled.
191 Cancelled.

Navarea XIV warnings in force as at 060001UTC JAN 00.

1999 Nil extant.

2000 Nil extant.

IV

HYDROGRAPHIC REPORTS

Nil